




802.11ax(HEW40) LCH 5755MHz SU / Ant2 NTN




802.11ax(HEW40) LCH 5755MHz SU / MIMO NTN




802.11ax(HEW40) HCH 5795MHz SU / Ant1 NTN




802.11ax(HEW40) HCH 5795MHz SU / Ant2 NTN




802.11ax(HEW40) HCH 5795MHz SU / MIMO NTNV




802.11ax(HEW80) MCH 5775MHz SU / Ant1 NTNV



802.11ax(HEW80) MCH 5775MHz SU / Ant2 NTN



802.11ax(HEW80) MCH 5775MHz SU / MIMO NTN



5. Frequency Stability

5.1 Test Result

5.1.1 Ant1

Ant1									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage	Measured Frequency (MHz)	Limit (MHz)	Verdict
802.11a	MIMO	5180	/	/	20	LV	5180.040	5150 to 5250	Pass
						NV	5180.040	5150 to 5250	Pass
						HV	5180.000	5150 to 5250	Pass
					-30	NV	5179.960	5150 to 5250	Pass
					-20	NV	5179.980	5150 to 5250	Pass
					-10	NV	5180.040	5150 to 5250	Pass
					0	NV	5180.020	5150 to 5250	Pass
					10	NV	5180.080	5150 to 5250	Pass
					30	NV	5180.020	5150 to 5250	Pass
					40	NV	5180.000	5150 to 5250	Pass
					50	NV	5180.000	5150 to 5250	Pass
		5200	/	/	20	LV	5200.020	5150 to 5250	Pass
						NV	5199.960	5150 to 5250	Pass
						HV	5200.020	5150 to 5250	Pass
					-30	NV	5200.060	5150 to 5250	Pass
					-20	NV	5200.040	5150 to 5250	Pass
					-10	NV	5199.960	5150 to 5250	Pass
					0	NV	5200.080	5150 to 5250	Pass
					10	NV	5200.060	5150 to 5250	Pass
					30	NV	5199.980	5150 to 5250	Pass
					40	NV	5200.060	5150 to 5250	Pass
					50	NV	5199.960	5150 to 5250	Pass
		5240	/	/	20	LV	5239.980	5150 to 5250	Pass
						NV	5240.020	5150 to 5250	Pass
						HV	5240.060	5150 to 5250	Pass
					-30	NV	5240.020	5150 to 5250	Pass
					-20	NV	5239.980	5150 to 5250	Pass
					-10	NV	5240.000	5150 to 5250	Pass
					0	NV	5240.000	5150 to 5250	Pass
					10	NV	5240.020	5150 to 5250	Pass
					30	NV	5239.980	5150 to 5250	Pass
					40	NV	5240.020	5150 to 5250	Pass
					50	NV	5239.980	5150 to 5250	Pass
		5260	/	/	20	LV	5259.960	5250 to 5350	Pass
						NV	5259.980	5250 to 5350	Pass
						HV	5259.900	5250 to 5350	Pass
					-30	NV	5259.960	5250 to 5350	Pass
					-20	NV	5260.000	5250 to 5350	Pass
					-10	NV	5260.060	5250 to 5350	Pass
					0	NV	5259.940	5250 to 5350	Pass
					10	NV	5260.060	5250 to 5350	Pass
					30	NV	5260.020	5250 to 5350	Pass
					40	NV	5260.020	5250 to 5350	Pass
					50	NV	5260.020	5250 to 5350	Pass
		5300	/	/	20	LV	5299.920	5250 to 5350	Pass
						NV	5299.960	5250 to 5350	Pass

						HV	5300.000	5250 to 5350	Pass
					-30	NV	5299.920	5250 to 5350	Pass
					-20	NV	5299.940	5250 to 5350	Pass
					-10	NV	5299.980	5250 to 5350	Pass
					0	NV	5300.000	5250 to 5350	Pass
					10	NV	5299.900	5250 to 5350	Pass
					30	NV	5300.000	5250 to 5350	Pass
					40	NV	5299.980	5250 to 5350	Pass
					50	NV	5299.900	5250 to 5350	Pass
		5320	/	/	20	LV	5319.940	5250 to 5350	Pass
						NV	5319.980	5250 to 5350	Pass
						HV	5319.980	5250 to 5350	Pass
					-30	NV	5320.000	5250 to 5350	Pass
					-20	NV	5320.000	5250 to 5350	Pass
					-10	NV	5319.940	5250 to 5350	Pass
					0	NV	5319.980	5250 to 5350	Pass
					10	NV	5320.020	5250 to 5350	Pass
					30	NV	5319.960	5250 to 5350	Pass
					40	NV	5319.920	5250 to 5350	Pass
					50	NV	5320.000	5250 to 5350	Pass
		5500	/	/	20	LV	5499.980	5470 to 5725	Pass
						NV	5500.020	5470 to 5725	Pass
						HV	5499.900	5470 to 5725	Pass
					-30	NV	5499.980	5470 to 5725	Pass
					-20	NV	5499.960	5470 to 5725	Pass
					-10	NV	5499.980	5470 to 5725	Pass
					0	NV	5499.980	5470 to 5725	Pass
					10	NV	5500.020	5470 to 5725	Pass
					30	NV	5499.980	5470 to 5725	Pass
					40	NV	5500.000	5470 to 5725	Pass
					50	NV	5500.020	5470 to 5725	Pass
		5600	/	/	20	LV	5600.060	5470 to 5725	Pass
						NV	5600.060	5470 to 5725	Pass
						HV	5600.020	5470 to 5725	Pass
					-30	NV	5600.060	5470 to 5725	Pass
					-20	NV	5600.040	5470 to 5725	Pass
					-10	NV	5600.040	5470 to 5725	Pass
					0	NV	5600.020	5470 to 5725	Pass
					10	NV	5600.080	5470 to 5725	Pass
					30	NV	5600.060	5470 to 5725	Pass
					40	NV	5600.060	5470 to 5725	Pass
					50	NV	5600.040	5470 to 5725	Pass
		5700	/	/	20	LV	5699.960	5470 to 5725	Pass
						NV	5700.000	5470 to 5725	Pass
						HV	5699.920	5470 to 5725	Pass
					-30	NV	5699.980	5470 to 5725	Pass
					-20	NV	5699.920	5470 to 5725	Pass
					-10	NV	5699.940	5470 to 5725	Pass
					0	NV	5700.000	5470 to 5725	Pass
					10	NV	5699.940	5470 to 5725	Pass
					30	NV	5699.940	5470 to 5725	Pass
					40	NV	5700.020	5470 to 5725	Pass
					50	NV	5699.900	5470 to 5725	Pass
		5745	/	/	20	LV	5744.920	5725 to 5850	Pass
						NV	5745.040	5725 to 5850	Pass
						HV	5744.980	5725 to 5850	Pass
					-30	NV	5745.040	5725 to 5850	Pass
					-20	NV	5745.020	5725 to 5850	Pass
					-10	NV	5744.960	5725 to 5850	Pass

					0	NV	5745.000	5725 to 5850	Pass
					10	NV	5744.980	5725 to 5850	Pass
					30	NV	5744.960	5725 to 5850	Pass
					40	NV	5745.080	5725 to 5850	Pass
					50	NV	5745.020	5725 to 5850	Pass
		5785	/	/	20	LV	5785.000	5725 to 5850	Pass
						NV	5784.960	5725 to 5850	Pass
						HV	5784.980	5725 to 5850	Pass
					-30	NV	5785.060	5725 to 5850	Pass
					-20	NV	5784.980	5725 to 5850	Pass
					-10	NV	5784.960	5725 to 5850	Pass
					0	NV	5784.980	5725 to 5850	Pass
					10	NV	5785.020	5725 to 5850	Pass
					30	NV	5784.940	5725 to 5850	Pass
					40	NV	5784.960	5725 to 5850	Pass
					50	NV	5785.000	5725 to 5850	Pass
		5825	/	/	20	LV	5825.040	5725 to 5850	Pass
						NV	5825.020	5725 to 5850	Pass
						HV	5824.980	5725 to 5850	Pass
					-30	NV	5825.020	5725 to 5850	Pass
					-20	NV	5825.040	5725 to 5850	Pass
					-10	NV	5825.020	5725 to 5850	Pass
					0	NV	5824.980	5725 to 5850	Pass
					10	NV	5824.960	5725 to 5850	Pass
					30	NV	5825.000	5725 to 5850	Pass
					40	NV	5825.060	5725 to 5850	Pass
					50	NV	5825.020	5725 to 5850	Pass
802.11n (HT20)	MIMO	5180	/	/	20	LV	5179.960	5150 to 5250	Pass
						NV	5179.960	5150 to 5250	Pass
						HV	5180.020	5150 to 5250	Pass
					-30	NV	5179.900	5150 to 5250	Pass
					-20	NV	5180.000	5150 to 5250	Pass
					-10	NV	5180.020	5150 to 5250	Pass
					0	NV	5179.960	5150 to 5250	Pass
					10	NV	5180.000	5150 to 5250	Pass
					30	NV	5180.100	5150 to 5250	Pass
					40	NV	5180.040	5150 to 5250	Pass
					50	NV	5180.000	5150 to 5250	Pass
		5200	/	/	20	LV	5199.980	5150 to 5250	Pass
						NV	5200.000	5150 to 5250	Pass
						HV	5199.980	5150 to 5250	Pass
					-30	NV	5200.000	5150 to 5250	Pass
					-20	NV	5200.000	5150 to 5250	Pass
					-10	NV	5199.980	5150 to 5250	Pass
					0	NV	5199.980	5150 to 5250	Pass
					10	NV	5199.980	5150 to 5250	Pass
					30	NV	5199.900	5150 to 5250	Pass
					40	NV	5200.020	5150 to 5250	Pass
					50	NV	5199.980	5150 to 5250	Pass
		5240	/	/	20	LV	5240.080	5150 to 5250	Pass
						NV	5240.020	5150 to 5250	Pass
						HV	5240.000	5150 to 5250	Pass
					-30	NV	5239.980	5150 to 5250	Pass
					-20	NV	5239.960	5150 to 5250	Pass
					-10	NV	5240.000	5150 to 5250	Pass
					0	NV	5239.960	5150 to 5250	Pass
					10	NV	5240.060	5150 to 5250	Pass
					30	NV	5240.020	5150 to 5250	Pass
					40	NV	5240.020	5150 to 5250	Pass

					50	NV	5240.020	5150 to 5250	Pass
		5260	/	/	20	LV	5259.980	5250 to 5350	Pass
						NV	5260.020	5250 to 5350	Pass
						HV	5260.000	5250 to 5350	Pass
					-30	NV	5260.020	5250 to 5350	Pass
					-20	NV	5259.940	5250 to 5350	Pass
					-10	NV	5259.940	5250 to 5350	Pass
					0	NV	5259.960	5250 to 5350	Pass
					10	NV	5259.940	5250 to 5350	Pass
					30	NV	5259.960	5250 to 5350	Pass
					40	NV	5260.000	5250 to 5350	Pass
					50	NV	5260.020	5250 to 5350	Pass
		5300	/	/	20	LV	5300.000	5250 to 5350	Pass
						NV	5299.960	5250 to 5350	Pass
						HV	5299.980	5250 to 5350	Pass
					-30	NV	5299.980	5250 to 5350	Pass
					-20	NV	5299.940	5250 to 5350	Pass
					-10	NV	5299.980	5250 to 5350	Pass
					0	NV	5299.960	5250 to 5350	Pass
					10	NV	5299.960	5250 to 5350	Pass
					30	NV	5299.940	5250 to 5350	Pass
					40	NV	5299.960	5250 to 5350	Pass
					50	NV	5300.000	5250 to 5350	Pass
		5320	/	/	20	LV	5320.040	5250 to 5350	Pass
						NV	5320.040	5250 to 5350	Pass
						HV	5319.960	5250 to 5350	Pass
					-30	NV	5320.000	5250 to 5350	Pass
					-20	NV	5319.960	5250 to 5350	Pass
					-10	NV	5320.040	5250 to 5350	Pass
					0	NV	5319.940	5250 to 5350	Pass
					10	NV	5319.920	5250 to 5350	Pass
					30	NV	5319.940	5250 to 5350	Pass
					40	NV	5319.960	5250 to 5350	Pass
					50	NV	5320.020	5250 to 5350	Pass
		5500	/	/	20	LV	5500.020	5470 to 5725	Pass
						NV	5500.020	5470 to 5725	Pass
						HV	5499.980	5470 to 5725	Pass
					-30	NV	5499.980	5470 to 5725	Pass
					-20	NV	5500.020	5470 to 5725	Pass
					-10	NV	5500.000	5470 to 5725	Pass
					0	NV	5500.020	5470 to 5725	Pass
					10	NV	5500.040	5470 to 5725	Pass
					30	NV	5499.980	5470 to 5725	Pass
					40	NV	5499.980	5470 to 5725	Pass
					50	NV	5500.020	5470 to 5725	Pass
		5600	/	/	20	LV	5600.080	5470 to 5725	Pass
						NV	5600.100	5470 to 5725	Pass
						HV	5600.020	5470 to 5725	Pass
					-30	NV	5599.980	5470 to 5725	Pass
					-20	NV	5600.020	5470 to 5725	Pass
					-10	NV	5600.060	5470 to 5725	Pass
					0	NV	5600.020	5470 to 5725	Pass
					10	NV	5599.980	5470 to 5725	Pass
					30	NV	5599.980	5470 to 5725	Pass
					40	NV	5599.980	5470 to 5725	Pass
					50	NV	5599.960	5470 to 5725	Pass
		5700	/	/	20	LV	5699.880	5470 to 5725	Pass
						NV	5700.020	5470 to 5725	Pass
						HV	5700.000	5470 to 5725	Pass

					-30	NV	5699.980	5470 to 5725	Pass
					-20	NV	5699.920	5470 to 5725	Pass
					-10	NV	5700.040	5470 to 5725	Pass
					0	NV	5699.960	5470 to 5725	Pass
					10	NV	5699.960	5470 to 5725	Pass
					30	NV	5699.980	5470 to 5725	Pass
					40	NV	5699.960	5470 to 5725	Pass
					50	NV	5700.020	5470 to 5725	Pass
		5745	/	/	20	LV	5744.960	5725 to 5850	Pass
						NV	5745.020	5725 to 5850	Pass
						HV	5745.000	5725 to 5850	Pass
					-30	NV	5745.100	5725 to 5850	Pass
					-20	NV	5744.960	5725 to 5850	Pass
					-10	NV	5745.000	5725 to 5850	Pass
					0	NV	5745.040	5725 to 5850	Pass
					10	NV	5745.000	5725 to 5850	Pass
					30	NV	5745.000	5725 to 5850	Pass
					40	NV	5745.040	5725 to 5850	Pass
					50	NV	5745.060	5725 to 5850	Pass
		5785	/	/	20	LV	5784.940	5725 to 5850	Pass
						NV	5784.980	5725 to 5850	Pass
						HV	5785.020	5725 to 5850	Pass
					-30	NV	5785.040	5725 to 5850	Pass
					-20	NV	5784.980	5725 to 5850	Pass
					-10	NV	5784.940	5725 to 5850	Pass
					0	NV	5785.040	5725 to 5850	Pass
					10	NV	5784.980	5725 to 5850	Pass
					30	NV	5784.980	5725 to 5850	Pass
					40	NV	5785.000	5725 to 5850	Pass
					50	NV	5785.060	5725 to 5850	Pass
		5825	/	/	20	LV	5825.080	5725 to 5850	Pass
						NV	5825.020	5725 to 5850	Pass
						HV	5824.980	5725 to 5850	Pass
					-30	NV	5824.980	5725 to 5850	Pass
					-20	NV	5825.020	5725 to 5850	Pass
					-10	NV	5824.920	5725 to 5850	Pass
					0	NV	5824.900	5725 to 5850	Pass
					10	NV	5824.980	5725 to 5850	Pass
					30	NV	5824.980	5725 to 5850	Pass
					40	NV	5824.980	5725 to 5850	Pass
					50	NV	5825.060	5725 to 5850	Pass
802.11n (HT40)	MIMO	5190	/	/	20	LV	5190.040	5150 to 5250	Pass
						NV	5190.080	5150 to 5250	Pass
						HV	5190.080	5150 to 5250	Pass
					-30	NV	5190.040	5150 to 5250	Pass
					-20	NV	5190.040	5150 to 5250	Pass
					-10	NV	5190.000	5150 to 5250	Pass
					0	NV	5190.040	5150 to 5250	Pass
					10	NV	5190.040	5150 to 5250	Pass
					30	NV	5190.040	5150 to 5250	Pass
					40	NV	5190.080	5150 to 5250	Pass
					50	NV	5190.040	5150 to 5250	Pass
		5230	/	/	20	LV	5230.040	5150 to 5250	Pass
						NV	5230.000	5150 to 5250	Pass
						HV	5230.040	5150 to 5250	Pass
					-30	NV	5230.080	5150 to 5250	Pass
					-20	NV	5230.080	5150 to 5250	Pass
					-10	NV	5230.120	5150 to 5250	Pass
					0	NV	5230.080	5150 to 5250	Pass

					10	NV	5230.040	5150 to 5250	Pass
					30	NV	5230.120	5150 to 5250	Pass
					40	NV	5230.040	5150 to 5250	Pass
					50	NV	5230.040	5150 to 5250	Pass
		5270	/	/	20	LV	5270.000	5250 to 5350	Pass
						NV	5270.000	5250 to 5350	Pass
						HV	5270.040	5250 to 5350	Pass
					-30	NV	5269.960	5250 to 5350	Pass
					-20	NV	5270.120	5250 to 5350	Pass
					-10	NV	5270.000	5250 to 5350	Pass
					0	NV	5270.080	5250 to 5350	Pass
					10	NV	5270.040	5250 to 5350	Pass
					30	NV	5270.040	5250 to 5350	Pass
					40	NV	5270.120	5250 to 5350	Pass
					50	NV	5270.040	5250 to 5350	Pass
							5310	/	/
NV	5310.040	5250 to 5350	Pass						
HV	5310.040	5250 to 5350	Pass						
-30	NV	5310.000	5250 to 5350	Pass					
-20	NV	5310.000	5250 to 5350	Pass					
-10	NV	5310.000	5250 to 5350	Pass					
0	NV	5310.040	5250 to 5350	Pass					
10	NV	5310.000	5250 to 5350	Pass					
30	NV	5310.000	5250 to 5350	Pass					
40	NV	5310.040	5250 to 5350	Pass					
50	NV	5310.000	5250 to 5350	Pass					
		5510	/	/					
					NV	5510.000	5470 to 5725	Pass	
					HV	5510.080	5470 to 5725	Pass	
					-30	NV	5510.080	5470 to 5725	Pass
					-20	NV	5510.040	5470 to 5725	Pass
					-10	NV	5509.960	5470 to 5725	Pass
					0	NV	5510.000	5470 to 5725	Pass
					10	NV	5510.000	5470 to 5725	Pass
					30	NV	5510.000	5470 to 5725	Pass
					40	NV	5510.040	5470 to 5725	Pass
					50	NV	5510.040	5470 to 5725	Pass
							5590	/	/
NV	5590.120	5470 to 5725	Pass						
HV	5590.040	5470 to 5725	Pass						
-30	NV	5590.120	5470 to 5725	Pass					
-20	NV	5590.080	5470 to 5725	Pass					
-10	NV	5590.080	5470 to 5725	Pass					
0	NV	5590.080	5470 to 5725	Pass					
10	NV	5590.120	5470 to 5725	Pass					
30	NV	5590.040	5470 to 5725	Pass					
40	NV	5590.080	5470 to 5725	Pass					
50	NV	5590.080	5470 to 5725	Pass					
		5670	/	/					
					NV	5669.960	5470 to 5725	Pass	
					HV	5669.960	5470 to 5725	Pass	
					-30	NV	5670.080	5470 to 5725	Pass
					-20	NV	5670.000	5470 to 5725	Pass
					-10	NV	5670.000	5470 to 5725	Pass
					0	NV	5670.040	5470 to 5725	Pass
					10	NV	5670.080	5470 to 5725	Pass
					30	NV	5670.080	5470 to 5725	Pass
					40	NV	5670.040	5470 to 5725	Pass
					50	NV	5670.000	5470 to 5725	Pass

802.11ac (VHT20)	MIMO	5755	/	/	20	LV	5755.080	5725 to 5850	Pass
						NV	5755.120	5725 to 5850	Pass
						HV	5755.120	5725 to 5850	Pass
					-30	NV	5755.040	5725 to 5850	Pass
					-20	NV	5755.120	5725 to 5850	Pass
					-10	NV	5755.080	5725 to 5850	Pass
					0	NV	5755.080	5725 to 5850	Pass
					10	NV	5755.080	5725 to 5850	Pass
					30	NV	5755.120	5725 to 5850	Pass
					40	NV	5755.040	5725 to 5850	Pass
					50	NV	5755.040	5725 to 5850	Pass
		5795	/	/	20	LV	5795.120	5725 to 5850	Pass
						NV	5795.000	5725 to 5850	Pass
						HV	5795.000	5725 to 5850	Pass
					-30	NV	5795.120	5725 to 5850	Pass
					-20	NV	5795.160	5725 to 5850	Pass
					-10	NV	5795.080	5725 to 5850	Pass
					0	NV	5795.040	5725 to 5850	Pass
					10	NV	5795.000	5725 to 5850	Pass
					30	NV	5795.120	5725 to 5850	Pass
					40	NV	5795.080	5725 to 5850	Pass
					50	NV	5795.120	5725 to 5850	Pass
		5180	/	/	20	LV	5180.000	5150 to 5250	Pass
						NV	5180.000	5150 to 5250	Pass
						HV	5180.000	5150 to 5250	Pass
					-30	NV	5179.980	5150 to 5250	Pass
					-20	NV	5179.980	5150 to 5250	Pass
					-10	NV	5180.020	5150 to 5250	Pass
					0	NV	5179.960	5150 to 5250	Pass
					10	NV	5179.960	5150 to 5250	Pass
					30	NV	5180.060	5150 to 5250	Pass
					40	NV	5179.980	5150 to 5250	Pass
					50	NV	5180.000	5150 to 5250	Pass
		5200	/	/	20	LV	5200.080	5150 to 5250	Pass
						NV	5199.980	5150 to 5250	Pass
						HV	5200.080	5150 to 5250	Pass
					-30	NV	5200.060	5150 to 5250	Pass
					-20	NV	5200.080	5150 to 5250	Pass
					-10	NV	5199.940	5150 to 5250	Pass
					0	NV	5199.960	5150 to 5250	Pass
					10	NV	5200.020	5150 to 5250	Pass
					30	NV	5200.000	5150 to 5250	Pass
					40	NV	5200.000	5150 to 5250	Pass
					50	NV	5200.060	5150 to 5250	Pass
		5240	/	/	20	LV	5239.980	5150 to 5250	Pass
						NV	5239.980	5150 to 5250	Pass
						HV	5240.000	5150 to 5250	Pass
					-30	NV	5240.020	5150 to 5250	Pass
					-20	NV	5240.020	5150 to 5250	Pass
					-10	NV	5240.000	5150 to 5250	Pass
					0	NV	5239.960	5150 to 5250	Pass
					10	NV	5240.000	5150 to 5250	Pass
					30	NV	5240.040	5150 to 5250	Pass
					40	NV	5240.020	5150 to 5250	Pass
					50	NV	5239.960	5150 to 5250	Pass
		5260	/	/	20	LV	5259.980	5250 to 5350	Pass
						NV	5259.940	5250 to 5350	Pass
						HV	5260.060	5250 to 5350	Pass
					-30	NV	5259.940	5250 to 5350	Pass

					-20	NV	5259.980	5250 to 5350	Pass
					-10	NV	5260.020	5250 to 5350	Pass
					0	NV	5260.020	5250 to 5350	Pass
					10	NV	5259.980	5250 to 5350	Pass
					30	NV	5260.020	5250 to 5350	Pass
					40	NV	5259.940	5250 to 5350	Pass
					50	NV	5259.980	5250 to 5350	Pass
		5300	/	/	20	LV	5299.960	5250 to 5350	Pass
						NV	5300.000	5250 to 5350	Pass
						HV	5300.000	5250 to 5350	Pass
					-30	NV	5299.920	5250 to 5350	Pass
					-20	NV	5299.940	5250 to 5350	Pass
					-10	NV	5299.960	5250 to 5350	Pass
					0	NV	5299.920	5250 to 5350	Pass
					10	NV	5300.020	5250 to 5350	Pass
					30	NV	5299.960	5250 to 5350	Pass
					40	NV	5300.000	5250 to 5350	Pass
					50	NV	5299.940	5250 to 5350	Pass
		5320	/	/	20	LV	5319.960	5250 to 5350	Pass
						NV	5319.980	5250 to 5350	Pass
						HV	5319.960	5250 to 5350	Pass
					-30	NV	5319.960	5250 to 5350	Pass
					-20	NV	5320.040	5250 to 5350	Pass
					-10	NV	5320.000	5250 to 5350	Pass
					0	NV	5319.960	5250 to 5350	Pass
					10	NV	5320.020	5250 to 5350	Pass
					30	NV	5320.000	5250 to 5350	Pass
					40	NV	5319.940	5250 to 5350	Pass
					50	NV	5319.960	5250 to 5350	Pass
		5500	/	/	20	LV	5499.980	5470 to 5725	Pass
						NV	5500.000	5470 to 5725	Pass
						HV	5499.900	5470 to 5725	Pass
					-30	NV	5499.940	5470 to 5725	Pass
					-20	NV	5499.980	5470 to 5725	Pass
					-10	NV	5499.940	5470 to 5725	Pass
					0	NV	5500.000	5470 to 5725	Pass
					10	NV	5499.980	5470 to 5725	Pass
					30	NV	5499.940	5470 to 5725	Pass
					40	NV	5500.080	5470 to 5725	Pass
					50	NV	5500.020	5470 to 5725	Pass
		5600	/	/	20	LV	5600.020	5470 to 5725	Pass
						NV	5600.040	5470 to 5725	Pass
						HV	5599.980	5470 to 5725	Pass
					-30	NV	5600.040	5470 to 5725	Pass
					-20	NV	5600.080	5470 to 5725	Pass
					-10	NV	5599.940	5470 to 5725	Pass
					0	NV	5600.060	5470 to 5725	Pass
					10	NV	5600.060	5470 to 5725	Pass
					30	NV	5600.000	5470 to 5725	Pass
					40	NV	5599.980	5470 to 5725	Pass
					50	NV	5600.000	5470 to 5725	Pass
		5700	/	/	20	LV	5699.940	5470 to 5725	Pass
						NV	5699.980	5470 to 5725	Pass
						HV	5699.980	5470 to 5725	Pass
					-30	NV	5699.920	5470 to 5725	Pass
					-20	NV	5699.960	5470 to 5725	Pass
					-10	NV	5699.940	5470 to 5725	Pass
					0	NV	5700.020	5470 to 5725	Pass
					10	NV	5699.960	5470 to 5725	Pass

802.11ac (VHT40)	MIMO				30	NV	5699.880	5470 to 5725	Pass
					40	NV	5699.920	5470 to 5725	Pass
					50	NV	5699.980	5470 to 5725	Pass
		5745	/	/	20	LV	5744.920	5725 to 5850	Pass
						NV	5744.940	5725 to 5850	Pass
						HV	5744.980	5725 to 5850	Pass
					-30	NV	5744.980	5725 to 5850	Pass
					-20	NV	5745.040	5725 to 5850	Pass
					-10	NV	5745.040	5725 to 5850	Pass
					0	NV	5744.960	5725 to 5850	Pass
					10	NV	5744.880	5725 to 5850	Pass
					30	NV	5745.020	5725 to 5850	Pass
					40	NV	5744.980	5725 to 5850	Pass
					50	NV	5744.940	5725 to 5850	Pass
		5785	/	/	20	LV	5785.020	5725 to 5850	Pass
						NV	5785.020	5725 to 5850	Pass
						HV	5785.020	5725 to 5850	Pass
					-30	NV	5785.000	5725 to 5850	Pass
					-20	NV	5784.960	5725 to 5850	Pass
					-10	NV	5785.040	5725 to 5850	Pass
					0	NV	5785.020	5725 to 5850	Pass
					10	NV	5785.060	5725 to 5850	Pass
					30	NV	5785.060	5725 to 5850	Pass
					40	NV	5784.980	5725 to 5850	Pass
					50	NV	5785.000	5725 to 5850	Pass
		5825	/	/	20	LV	5825.020	5725 to 5850	Pass
						NV	5825.060	5725 to 5850	Pass
						HV	5825.040	5725 to 5850	Pass
					-30	NV	5825.000	5725 to 5850	Pass
					-20	NV	5824.920	5725 to 5850	Pass
					-10	NV	5825.020	5725 to 5850	Pass
					0	NV	5825.080	5725 to 5850	Pass
					10	NV	5825.040	5725 to 5850	Pass
					30	NV	5824.960	5725 to 5850	Pass
					40	NV	5825.040	5725 to 5850	Pass
					50	NV	5825.000	5725 to 5850	Pass
802.11ac (VHT40)	MIMO	5190	/	/	20	LV	5190.120	5150 to 5250	Pass
						NV	5190.080	5150 to 5250	Pass
						HV	5190.040	5150 to 5250	Pass
					-30	NV	5190.040	5150 to 5250	Pass
					-20	NV	5190.040	5150 to 5250	Pass
					-10	NV	5190.080	5150 to 5250	Pass
					0	NV	5190.120	5150 to 5250	Pass
					10	NV	5190.120	5150 to 5250	Pass
					30	NV	5190.080	5150 to 5250	Pass
					40	NV	5190.080	5150 to 5250	Pass
					50	NV	5190.040	5150 to 5250	Pass
		5230	/	/	20	LV	5230.040	5150 to 5250	Pass
						NV	5230.040	5150 to 5250	Pass
						HV	5230.120	5150 to 5250	Pass
					-30	NV	5230.080	5150 to 5250	Pass
					-20	NV	5230.080	5150 to 5250	Pass
					-10	NV	5230.160	5150 to 5250	Pass
					0	NV	5230.120	5150 to 5250	Pass
					10	NV	5230.000	5150 to 5250	Pass
					30	NV	5230.000	5150 to 5250	Pass
					40	NV	5230.080	5150 to 5250	Pass
					50	NV	5230.040	5150 to 5250	Pass
		5270	/	/	20	LV	5270.120	5250 to 5350	Pass

						NV	5270.080	5250 to 5350	Pass
						HV	5270.000	5250 to 5350	Pass
					-30	NV	5270.080	5250 to 5350	Pass
					-20	NV	5270.000	5250 to 5350	Pass
					-10	NV	5270.040	5250 to 5350	Pass
					0	NV	5270.080	5250 to 5350	Pass
					10	NV	5270.040	5250 to 5350	Pass
					30	NV	5270.080	5250 to 5350	Pass
					40	NV	5270.120	5250 to 5350	Pass
					50	NV	5270.040	5250 to 5350	Pass
		5310	/	/	20	LV	5310.040	5250 to 5350	Pass
						NV	5310.080	5250 to 5350	Pass
						HV	5310.040	5250 to 5350	Pass
					-30	NV	5310.080	5250 to 5350	Pass
					-20	NV	5310.080	5250 to 5350	Pass
					-10	NV	5310.000	5250 to 5350	Pass
					0	NV	5310.000	5250 to 5350	Pass
					10	NV	5310.000	5250 to 5350	Pass
					30	NV	5310.040	5250 to 5350	Pass
					40	NV	5310.040	5250 to 5350	Pass
					50	NV	5309.960	5250 to 5350	Pass
		5510	/	/	20	LV	5510.040	5470 to 5725	Pass
						NV	5509.960	5470 to 5725	Pass
						HV	5510.000	5470 to 5725	Pass
					-30	NV	5510.040	5470 to 5725	Pass
					-20	NV	5510.000	5470 to 5725	Pass
					-10	NV	5510.080	5470 to 5725	Pass
					0	NV	5510.040	5470 to 5725	Pass
					10	NV	5510.040	5470 to 5725	Pass
					30	NV	5510.000	5470 to 5725	Pass
					40	NV	5510.000	5470 to 5725	Pass
					50	NV	5510.080	5470 to 5725	Pass
		5590	/	/	20	LV	5590.120	5470 to 5725	Pass
						NV	5590.160	5470 to 5725	Pass
						HV	5590.080	5470 to 5725	Pass
					-30	NV	5590.120	5470 to 5725	Pass
					-20	NV	5590.120	5470 to 5725	Pass
					-10	NV	5590.120	5470 to 5725	Pass
					0	NV	5590.120	5470 to 5725	Pass
					10	NV	5590.080	5470 to 5725	Pass
					30	NV	5590.080	5470 to 5725	Pass
					40	NV	5590.040	5470 to 5725	Pass
					50	NV	5590.040	5470 to 5725	Pass
		5670	/	/	20	LV	5670.040	5470 to 5725	Pass
						NV	5670.000	5470 to 5725	Pass
						HV	5670.000	5470 to 5725	Pass
					-30	NV	5670.080	5470 to 5725	Pass
					-20	NV	5670.040	5470 to 5725	Pass
					-10	NV	5670.040	5470 to 5725	Pass
					0	NV	5670.080	5470 to 5725	Pass
					10	NV	5670.000	5470 to 5725	Pass
					30	NV	5670.000	5470 to 5725	Pass
					40	NV	5670.080	5470 to 5725	Pass
					50	NV	5670.120	5470 to 5725	Pass
		5755	/	/	20	LV	5755.040	5725 to 5850	Pass
						NV	5755.080	5725 to 5850	Pass
						HV	5755.040	5725 to 5850	Pass
					-30	NV	5755.080	5725 to 5850	Pass
					-20	NV	5755.080	5725 to 5850	Pass

					-10	NV	5755.080	5725 to 5850	Pass
					0	NV	5755.080	5725 to 5850	Pass
					10	NV	5755.080	5725 to 5850	Pass
					30	NV	5755.080	5725 to 5850	Pass
					40	NV	5755.080	5725 to 5850	Pass
		5795	/	/	50	NV	5755.000	5725 to 5850	Pass
					20	LV	5795.160	5725 to 5850	Pass
						NV	5795.080	5725 to 5850	Pass
						HV	5795.120	5725 to 5850	Pass
					-30	NV	5795.160	5725 to 5850	Pass
					-20	NV	5795.080	5725 to 5850	Pass
					-10	NV	5795.160	5725 to 5850	Pass
					0	NV	5795.000	5725 to 5850	Pass
					10	NV	5795.040	5725 to 5850	Pass
					30	NV	5795.120	5725 to 5850	Pass
					40	NV	5795.080	5725 to 5850	Pass
					50	NV	5795.120	5725 to 5850	Pass
802.11ac (VHT80)	MIMO	5210	/	/	20	LV	5210.075	5150 to 5250	Pass
						NV	5210.075	5150 to 5250	Pass
						HV	5210.075	5150 to 5250	Pass
					-30	NV	5210.075	5150 to 5250	Pass
					-20	NV	5210.075	5150 to 5250	Pass
					-10	NV	5210.075	5150 to 5250	Pass
					0	NV	5210.150	5150 to 5250	Pass
					10	NV	5210.075	5150 to 5250	Pass
					30	NV	5210.150	5150 to 5250	Pass
					40	NV	5210.150	5150 to 5250	Pass
					50	NV	5210.075	5150 to 5250	Pass
		5290	/	/	20	LV	5290.075	5250 to 5350	Pass
						NV	5290.075	5250 to 5350	Pass
						HV	5290.000	5250 to 5350	Pass
					-30	NV	5290.000	5250 to 5350	Pass
					-20	NV	5290.075	5250 to 5350	Pass
					-10	NV	5290.000	5250 to 5350	Pass
					0	NV	5290.000	5250 to 5350	Pass
					10	NV	5290.000	5250 to 5350	Pass
					30	NV	5290.000	5250 to 5350	Pass
					40	NV	5290.000	5250 to 5350	Pass
					50	NV	5290.000	5250 to 5350	Pass
		5530	/	/	20	LV	5530.000	5470 to 5725	Pass
						NV	5530.000	5470 to 5725	Pass
						HV	5530.000	5470 to 5725	Pass
					-30	NV	5530.000	5470 to 5725	Pass
					-20	NV	5530.000	5470 to 5725	Pass
					-10	NV	5530.000	5470 to 5725	Pass
					0	NV	5530.000	5470 to 5725	Pass
					10	NV	5530.000	5470 to 5725	Pass
					30	NV	5530.075	5470 to 5725	Pass
					40	NV	5530.000	5470 to 5725	Pass
					50	NV	5530.000	5470 to 5725	Pass
		5610	/	/	20	LV	5610.150	5470 to 5725	Pass
						NV	5610.150	5470 to 5725	Pass
						HV	5610.075	5470 to 5725	Pass
					-30	NV	5610.075	5470 to 5725	Pass
					-20	NV	5610.075	5470 to 5725	Pass
					-10	NV	5610.150	5470 to 5725	Pass
					0	NV	5610.150	5470 to 5725	Pass
					10	NV	5610.075	5470 to 5725	Pass
					30	NV	5610.075	5470 to 5725	Pass

					40	NV	5610.150	5470 to 5725	Pass
					50	NV	5610.225	5470 to 5725	Pass
		5775	/	/	20	LV	5775.075	5725 to 5850	Pass
						NV	5775.075	5725 to 5850	Pass
						HV	5775.150	5725 to 5850	Pass
					-30	NV	5775.075	5725 to 5850	Pass
					-20	NV	5775.000	5725 to 5850	Pass
					-10	NV	5775.075	5725 to 5850	Pass
					0	NV	5775.075	5725 to 5850	Pass
					10	NV	5775.150	5725 to 5850	Pass
					30	NV	5775.150	5725 to 5850	Pass
					40	NV	5775.150	5725 to 5850	Pass
					50	NV	5775.150	5725 to 5850	Pass
		5180	SU	/	20	LV	5180.020	5150 to 5250	Pass
						NV	5180.020	5150 to 5250	Pass
						HV	5180.000	5150 to 5250	Pass
					-30	NV	5179.980	5150 to 5250	Pass
					-20	NV	5180.000	5150 to 5250	Pass
					-10	NV	5180.020	5150 to 5250	Pass
					0	NV	5180.020	5150 to 5250	Pass
					10	NV	5180.000	5150 to 5250	Pass
					30	NV	5180.000	5150 to 5250	Pass
					40	NV	5180.020	5150 to 5250	Pass
					50	NV	5180.020	5150 to 5250	Pass
		5200	SU	/	20	LV	5200.000	5150 to 5250	Pass
						NV	5200.020	5150 to 5250	Pass
						HV	5200.000	5150 to 5250	Pass
					-30	NV	5200.000	5150 to 5250	Pass
					-20	NV	5200.020	5150 to 5250	Pass
					-10	NV	5199.940	5150 to 5250	Pass
					0	NV	5200.040	5150 to 5250	Pass
					10	NV	5200.100	5150 to 5250	Pass
					30	NV	5200.020	5150 to 5250	Pass
					40	NV	5200.000	5150 to 5250	Pass
					50	NV	5200.000	5150 to 5250	Pass
		5240	SU	/	20	LV	5239.940	5150 to 5250	Pass
						NV	5240.060	5150 to 5250	Pass
						HV	5240.000	5150 to 5250	Pass
					-30	NV	5240.020	5150 to 5250	Pass
					-20	NV	5240.020	5150 to 5250	Pass
					-10	NV	5240.040	5150 to 5250	Pass
					0	NV	5239.980	5150 to 5250	Pass
					10	NV	5239.960	5150 to 5250	Pass
					30	NV	5239.980	5150 to 5250	Pass
					40	NV	5240.020	5150 to 5250	Pass
					50	NV	5240.000	5150 to 5250	Pass
		5260	SU	/	20	LV	5260.000	5250 to 5350	Pass
						NV	5259.960	5250 to 5350	Pass
						HV	5260.040	5250 to 5350	Pass
					-30	NV	5259.960	5250 to 5350	Pass
					-20	NV	5259.980	5250 to 5350	Pass
					-10	NV	5260.020	5250 to 5350	Pass
					0	NV	5260.000	5250 to 5350	Pass
					10	NV	5260.040	5250 to 5350	Pass
					30	NV	5260.020	5250 to 5350	Pass
					40	NV	5259.940	5250 to 5350	Pass
					50	NV	5260.000	5250 to 5350	Pass
		5300	SU	/	20	LV	5300.000	5250 to 5350	Pass
						NV	5300.000	5250 to 5350	Pass

						HV	5299.920	5250 to 5350	Pass
					-30	NV	5299.980	5250 to 5350	Pass
					-20	NV	5300.000	5250 to 5350	Pass
					-10	NV	5299.940	5250 to 5350	Pass
					0	NV	5299.940	5250 to 5350	Pass
					10	NV	5299.960	5250 to 5350	Pass
					30	NV	5300.020	5250 to 5350	Pass
					40	NV	5299.940	5250 to 5350	Pass
					50	NV	5300.000	5250 to 5350	Pass
		5320	SU	/	20	LV	5319.980	5250 to 5350	Pass
						NV	5319.980	5250 to 5350	Pass
						HV	5320.060	5250 to 5350	Pass
					-30	NV	5320.080	5250 to 5350	Pass
					-20	NV	5319.980	5250 to 5350	Pass
					-10	NV	5319.900	5250 to 5350	Pass
					0	NV	5320.000	5250 to 5350	Pass
					10	NV	5320.000	5250 to 5350	Pass
					30	NV	5319.940	5250 to 5350	Pass
					40	NV	5319.940	5250 to 5350	Pass
					50	NV	5319.980	5250 to 5350	Pass
		5500	SU	/	20	LV	5499.980	5470 to 5725	Pass
						NV	5499.980	5470 to 5725	Pass
						HV	5499.980	5470 to 5725	Pass
					-30	NV	5500.040	5470 to 5725	Pass
					-20	NV	5499.980	5470 to 5725	Pass
					-10	NV	5500.000	5470 to 5725	Pass
					0	NV	5500.020	5470 to 5725	Pass
					10	NV	5500.040	5470 to 5725	Pass
					30	NV	5499.960	5470 to 5725	Pass
					40	NV	5499.980	5470 to 5725	Pass
					50	NV	5500.020	5470 to 5725	Pass
		5600	SU	/	20	LV	5600.020	5470 to 5725	Pass
						NV	5600.100	5470 to 5725	Pass
						HV	5600.000	5470 to 5725	Pass
					-30	NV	5600.000	5470 to 5725	Pass
					-20	NV	5600.040	5470 to 5725	Pass
					-10	NV	5600.060	5470 to 5725	Pass
					0	NV	5600.000	5470 to 5725	Pass
					10	NV	5600.020	5470 to 5725	Pass
					30	NV	5599.980	5470 to 5725	Pass
					40	NV	5599.920	5470 to 5725	Pass
					50	NV	5600.020	5470 to 5725	Pass
		5700	SU	/	20	LV	5699.960	5470 to 5725	Pass
						NV	5699.980	5470 to 5725	Pass
						HV	5699.980	5470 to 5725	Pass
					-30	NV	5699.940	5470 to 5725	Pass
					-20	NV	5699.980	5470 to 5725	Pass
					-10	NV	5699.960	5470 to 5725	Pass
					0	NV	5700.040	5470 to 5725	Pass
					10	NV	5700.020	5470 to 5725	Pass
					30	NV	5699.940	5470 to 5725	Pass
					40	NV	5699.980	5470 to 5725	Pass
					50	NV	5700.020	5470 to 5725	Pass
		5745	SU	/	20	LV	5745.060	5725 to 5850	Pass
						NV	5745.000	5725 to 5850	Pass
						HV	5744.980	5725 to 5850	Pass
					-30	NV	5745.000	5725 to 5850	Pass
					-20	NV	5744.920	5725 to 5850	Pass
					-10	NV	5745.000	5725 to 5850	Pass

					0	NV	5745.060	5725 to 5850	Pass
					10	NV	5745.080	5725 to 5850	Pass
					30	NV	5745.060	5725 to 5850	Pass
					40	NV	5745.000	5725 to 5850	Pass
					50	NV	5744.980	5725 to 5850	Pass
		5785	SU	/	20	LV	5785.040	5725 to 5850	Pass
						NV	5785.020	5725 to 5850	Pass
						HV	5785.020	5725 to 5850	Pass
					-30	NV	5785.020	5725 to 5850	Pass
					-20	NV	5785.000	5725 to 5850	Pass
					-10	NV	5785.040	5725 to 5850	Pass
					0	NV	5784.980	5725 to 5850	Pass
					10	NV	5785.000	5725 to 5850	Pass
					30	NV	5785.000	5725 to 5850	Pass
					40	NV	5785.040	5725 to 5850	Pass
					50	NV	5785.040	5725 to 5850	Pass
		5825	SU	/	20	LV	5824.940	5725 to 5850	Pass
						NV	5825.060	5725 to 5850	Pass
						HV	5825.040	5725 to 5850	Pass
					-30	NV	5824.980	5725 to 5850	Pass
					-20	NV	5825.060	5725 to 5850	Pass
					-10	NV	5825.020	5725 to 5850	Pass
					0	NV	5825.000	5725 to 5850	Pass
					10	NV	5825.000	5725 to 5850	Pass
					30	NV	5825.020	5725 to 5850	Pass
					40	NV	5825.020	5725 to 5850	Pass
					50	NV	5825.020	5725 to 5850	Pass
802.11ax (HEW40)	MIMO	5190	SU	/	20	LV	5190.080	5150 to 5250	Pass
						NV	5190.080	5150 to 5250	Pass
						HV	5190.040	5150 to 5250	Pass
					-30	NV	5190.040	5150 to 5250	Pass
					-20	NV	5190.080	5150 to 5250	Pass
					-10	NV	5190.080	5150 to 5250	Pass
					0	NV	5190.080	5150 to 5250	Pass
					10	NV	5190.160	5150 to 5250	Pass
					30	NV	5190.040	5150 to 5250	Pass
					40	NV	5190.000	5150 to 5250	Pass
					50	NV	5190.040	5150 to 5250	Pass
		5230	SU	/	20	LV	5230.040	5150 to 5250	Pass
						NV	5230.000	5150 to 5250	Pass
						HV	5230.160	5150 to 5250	Pass
					-30	NV	5230.040	5150 to 5250	Pass
					-20	NV	5230.080	5150 to 5250	Pass
					-10	NV	5230.040	5150 to 5250	Pass
					0	NV	5230.040	5150 to 5250	Pass
					10	NV	5230.040	5150 to 5250	Pass
					30	NV	5230.080	5150 to 5250	Pass
					40	NV	5230.040	5150 to 5250	Pass
					50	NV	5230.160	5150 to 5250	Pass
		5270	SU	/	20	LV	5270.080	5250 to 5350	Pass
						NV	5270.000	5250 to 5350	Pass
						HV	5270.040	5250 to 5350	Pass
					-30	NV	5270.000	5250 to 5350	Pass
					-20	NV	5270.080	5250 to 5350	Pass
					-10	NV	5270.080	5250 to 5350	Pass
					0	NV	5270.080	5250 to 5350	Pass
					10	NV	5270.080	5250 to 5350	Pass
					30	NV	5270.040	5250 to 5350	Pass
					40	NV	5270.000	5250 to 5350	Pass

					50	NV	5270.120	5250 to 5350	Pass
		5310	SU	/	20	LV	5310.040	5250 to 5350	Pass
						NV	5310.000	5250 to 5350	Pass
						HV	5310.080	5250 to 5350	Pass
					-30	NV	5310.040	5250 to 5350	Pass
					-20	NV	5310.040	5250 to 5350	Pass
					-10	NV	5310.000	5250 to 5350	Pass
					0	NV	5310.160	5250 to 5350	Pass
					10	NV	5310.000	5250 to 5350	Pass
					30	NV	5310.040	5250 to 5350	Pass
					40	NV	5310.000	5250 to 5350	Pass
					50	NV	5310.000	5250 to 5350	Pass
		5510	SU	/	20	LV	5510.080	5470 to 5725	Pass
						NV	5510.040	5470 to 5725	Pass
						HV	5510.040	5470 to 5725	Pass
					-30	NV	5510.040	5470 to 5725	Pass
					-20	NV	5510.000	5470 to 5725	Pass
					-10	NV	5510.000	5470 to 5725	Pass
					0	NV	5510.080	5470 to 5725	Pass
					10	NV	5510.040	5470 to 5725	Pass
					30	NV	5510.040	5470 to 5725	Pass
					40	NV	5510.000	5470 to 5725	Pass
					50	NV	5510.080	5470 to 5725	Pass
		5590	SU	/	20	LV	5590.160	5470 to 5725	Pass
						NV	5590.040	5470 to 5725	Pass
						HV	5590.080	5470 to 5725	Pass
					-30	NV	5590.120	5470 to 5725	Pass
					-20	NV	5590.040	5470 to 5725	Pass
					-10	NV	5590.120	5470 to 5725	Pass
					0	NV	5590.120	5470 to 5725	Pass
					10	NV	5590.040	5470 to 5725	Pass
					30	NV	5590.040	5470 to 5725	Pass
					40	NV	5590.080	5470 to 5725	Pass
					50	NV	5590.120	5470 to 5725	Pass
		5670	SU	/	20	LV	5670.000	5470 to 5725	Pass
						NV	5670.040	5470 to 5725	Pass
						HV	5670.040	5470 to 5725	Pass
					-30	NV	5670.040	5470 to 5725	Pass
					-20	NV	5670.040	5470 to 5725	Pass
					-10	NV	5670.040	5470 to 5725	Pass
					0	NV	5670.040	5470 to 5725	Pass
					10	NV	5670.040	5470 to 5725	Pass
					30	NV	5670.040	5470 to 5725	Pass
					40	NV	5670.040	5470 to 5725	Pass
					50	NV	5670.120	5470 to 5725	Pass
		5755	SU	/	20	LV	5755.080	5725 to 5850	Pass
						NV	5755.040	5725 to 5850	Pass
						HV	5755.040	5725 to 5850	Pass
					-30	NV	5755.040	5725 to 5850	Pass
					-20	NV	5755.080	5725 to 5850	Pass
					-10	NV	5755.080	5725 to 5850	Pass
					0	NV	5755.000	5725 to 5850	Pass
					10	NV	5755.080	5725 to 5850	Pass
					30	NV	5755.080	5725 to 5850	Pass
					40	NV	5755.080	5725 to 5850	Pass
					50	NV	5755.040	5725 to 5850	Pass
		5795	SU	/	20	LV	5795.080	5725 to 5850	Pass
						NV	5795.040	5725 to 5850	Pass
						HV	5795.080	5725 to 5850	Pass

802.11ax (HEW80)	MIMO				-30	NV	5795.080	5725 to 5850	Pass
					-20	NV	5795.120	5725 to 5850	Pass
					-10	NV	5795.040	5725 to 5850	Pass
					0	NV	5795.040	5725 to 5850	Pass
					10	NV	5795.080	5725 to 5850	Pass
					30	NV	5795.040	5725 to 5850	Pass
					40	NV	5795.080	5725 to 5850	Pass
					50	NV	5795.080	5725 to 5850	Pass
		5210	SU	/	20	LV	5210.075	5150 to 5250	Pass
						NV	5210.000	5150 to 5250	Pass
						HV	5210.150	5150 to 5250	Pass
					-30	NV	5210.075	5150 to 5250	Pass
					-20	NV	5210.075	5150 to 5250	Pass
					-10	NV	5210.075	5150 to 5250	Pass
					0	NV	5210.075	5150 to 5250	Pass
					10	NV	5210.150	5150 to 5250	Pass
					30	NV	5210.075	5150 to 5250	Pass
					40	NV	5210.075	5150 to 5250	Pass
					50	NV	5210.075	5150 to 5250	Pass
		5290	SU	/	20	LV	5290.075	5250 to 5350	Pass
						NV	5290.075	5250 to 5350	Pass
						HV	5290.000	5250 to 5350	Pass
					-30	NV	5290.000	5250 to 5350	Pass
					-20	NV	5290.075	5250 to 5350	Pass
					-10	NV	5290.075	5250 to 5350	Pass
					0	NV	5290.000	5250 to 5350	Pass
					10	NV	5290.000	5250 to 5350	Pass
					30	NV	5290.075	5250 to 5350	Pass
					40	NV	5290.075	5250 to 5350	Pass
					50	NV	5290.000	5250 to 5350	Pass
		5530	SU	/	20	LV	5530.075	5470 to 5725	Pass
						NV	5530.075	5470 to 5725	Pass
						HV	5530.075	5470 to 5725	Pass
					-30	NV	5530.000	5470 to 5725	Pass
					-20	NV	5529.925	5470 to 5725	Pass
					-10	NV	5529.925	5470 to 5725	Pass
					0	NV	5530.075	5470 to 5725	Pass
					10	NV	5530.075	5470 to 5725	Pass
					30	NV	5530.000	5470 to 5725	Pass
					40	NV	5530.000	5470 to 5725	Pass
					50	NV	5530.075	5470 to 5725	Pass
		5610	SU	/	20	LV	5610.150	5470 to 5725	Pass
						NV	5610.150	5470 to 5725	Pass
						HV	5610.150	5470 to 5725	Pass
					-30	NV	5610.075	5470 to 5725	Pass
					-20	NV	5610.075	5470 to 5725	Pass
					-10	NV	5610.075	5470 to 5725	Pass
					0	NV	5610.075	5470 to 5725	Pass
					10	NV	5610.150	5470 to 5725	Pass
					30	NV	5610.075	5470 to 5725	Pass
					40	NV	5610.075	5470 to 5725	Pass
					50	NV	5610.075	5470 to 5725	Pass
		5775	SU	/	20	LV	5775.150	5725 to 5850	Pass
						NV	5775.075	5725 to 5850	Pass
						HV	5775.075	5725 to 5850	Pass
					-30	NV	5775.075	5725 to 5850	Pass
					-20	NV	5775.075	5725 to 5850	Pass
					-10	NV	5775.150	5725 to 5850	Pass
					0	NV	5775.075	5725 to 5850	Pass

					10	NV	5775.075	5725 to 5850	Pass
					30	NV	5775.075	5725 to 5850	Pass
					40	NV	5775.075	5725 to 5850	Pass
					50	NV	5775.150	5725 to 5850	Pass

6. Band Edge

6.1 Test Result

6.1.1 BandEdge


Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Level of Unwanted Emissions (dBm)		Verdict
						Result	Limit	
802.11a	MIMO	5180	/	/	MIMO	Refer To Test Graph		Pass
		5240	/	/	MIMO	Refer To Test Graph		Pass
		5260	/	/	MIMO	Refer To Test Graph		Pass
		5320	/	/	MIMO	Refer To Test Graph		Pass
		5500	/	/	MIMO	Refer To Test Graph		Pass
		5700	/	/	MIMO	Refer To Test Graph		Pass
		5745	/	/	1	Refer To Test Graph		Pass
					2	Refer To Test Graph		Pass
					MIMO	Refer To Test Graph		Pass
		5825	/	/	1	Refer To Test Graph		Pass
2	Refer To Test Graph				Pass			
MIMO	Refer To Test Graph				Pass			
802.11n (HT20)	MIMO	5180	/	/	MIMO	Refer To Test Graph		Pass
		5240	/	/	MIMO	Refer To Test Graph		Pass
		5260	/	/	MIMO	Refer To Test Graph		Pass
		5320	/	/	MIMO	Refer To Test Graph		Pass
		5500	/	/	MIMO	Refer To Test Graph		Pass
		5700	/	/	MIMO	Refer To Test Graph		Pass
		5745	/	/	1	Refer To Test Graph		Pass
					2	Refer To Test Graph		Pass
					MIMO	Refer To Test Graph		Pass
		5825	/	/	1	Refer To Test Graph		Pass
2	Refer To Test Graph				Pass			
MIMO	Refer To Test Graph				Pass			
802.11n (HT40)	MIMO	5190	/	/	MIMO	Refer To Test Graph		Pass
		5230	/	/	MIMO	Refer To Test Graph		Pass
		5270	/	/	MIMO	Refer To Test Graph		Pass
		5310	/	/	MIMO	Refer To Test Graph		Pass
		5510	/	/	MIMO	Refer To Test Graph		Pass
		5670	/	/	MIMO	Refer To Test Graph		Pass
		5755	/	/	1	Refer To Test Graph		Pass
					2	Refer To Test Graph		Pass
					MIMO	Refer To Test Graph		Pass
		5795	/	/	1	Refer To Test Graph		Pass
2	Refer To Test Graph				Pass			
MIMO	Refer To Test Graph				Pass			
802.11ac (VHT20)	MIMO	5180	/	/	MIMO	Refer To Test Graph		Pass
		5240	/	/	MIMO	Refer To Test Graph		Pass
		5260	/	/	MIMO	Refer To Test Graph		Pass
		5320	/	/	MIMO	Refer To Test Graph		Pass
		5500	/	/	MIMO	Refer To Test Graph		Pass
		5700	/	/	MIMO	Refer To Test Graph		Pass
		5745	/	/	1	Refer To Test Graph		Pass

		5825	/	/	2	Refer To Test Graph	Pass
					MIMO	Refer To Test Graph	Pass
					1	Refer To Test Graph	Pass
					2	Refer To Test Graph	Pass
					MIMO	Refer To Test Graph	Pass
802.11ac (VHT40)	MIMO	5190	/	/	MIMO	Refer To Test Graph	Pass
		5230	/	/	MIMO	Refer To Test Graph	Pass
		5270	/	/	MIMO	Refer To Test Graph	Pass
		5310	/	/	MIMO	Refer To Test Graph	Pass
		5510	/	/	MIMO	Refer To Test Graph	Pass
		5670	/	/	MIMO	Refer To Test Graph	Pass
		5755	/	/	1	Refer To Test Graph	Pass
					2	Refer To Test Graph	Pass
					MIMO	Refer To Test Graph	Pass
		5795	/	/	1	Refer To Test Graph	Pass
					2	Refer To Test Graph	Pass
					MIMO	Refer To Test Graph	Pass
802.11ac (VHT80)	MIMO	5210	/	/	1	Refer To Test Graph	Pass
					2	Refer To Test Graph	Pass
					MIMO	Refer To Test Graph	Pass
		5290	/	/	1	Refer To Test Graph	Pass
					2	Refer To Test Graph	Pass
					MIMO	Refer To Test Graph	Pass
		5530	/	/	MIMO	Refer To Test Graph	Pass
		5610	/	/	MIMO	Refer To Test Graph	Pass
		5775	/	/	1	Refer To Test Graph	Pass
					2	Refer To Test Graph	Pass
					MIMO	Refer To Test Graph	Pass
802.11ax (HEW20)	MIMO	5180	SU	/	MIMO	Refer To Test Graph	Pass
		5240	SU	/	MIMO	Refer To Test Graph	Pass
		5260	SU	/	MIMO	Refer To Test Graph	Pass
		5320	SU	/	MIMO	Refer To Test Graph	Pass
		5500	SU	/	MIMO	Refer To Test Graph	Pass
		5700	SU	/	MIMO	Refer To Test Graph	Pass
		5745	SU	/	1	Refer To Test Graph	Pass
					2	Refer To Test Graph	Pass
					MIMO	Refer To Test Graph	Pass
		5825	SU	/	1	Refer To Test Graph	Pass
					2	Refer To Test Graph	Pass
					MIMO	Refer To Test Graph	Pass
802.11ax (HEW40)	MIMO	5190	SU	/	MIMO	Refer To Test Graph	Pass
		5230	SU	/	MIMO	Refer To Test Graph	Pass
		5270	SU	/	MIMO	Refer To Test Graph	Pass
		5310	SU	/	MIMO	Refer To Test Graph	Pass
		5510	SU	/	MIMO	Refer To Test Graph	Pass
		5670	SU	/	MIMO	Refer To Test Graph	Pass
		5755	SU	/	1	Refer To Test Graph	Pass
					2	Refer To Test Graph	Pass
					MIMO	Refer To Test Graph	Pass
		5795	SU	/	1	Refer To Test Graph	Pass
					2	Refer To Test Graph	Pass
					MIMO	Refer To Test Graph	Pass
802.11ax (HEW80)	MIMO	5210	SU	/	1	Refer To Test Graph	Pass
					2	Refer To Test Graph	Pass
					MIMO	Refer To Test Graph	Pass
		5290	SU	/	1	Refer To Test Graph	Pass
					2	Refer To Test Graph	Pass
					MIMO	Refer To Test Graph	Pass
		5530	SU	/	MIMO	Refer To Test Graph	Pass


		5610	SU	/	MIMO	Refer To Test Graph	Pass
		5775	SU	/	1	Refer To Test Graph	Pass
					2	Refer To Test Graph	Pass
					MIMO	Refer To Test Graph	Pass

6.2 Test Graph

6.2.1 BandEdge




802.11a LCH 5260MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4699.000	-45.89	-21.20	24.69	Pass	Peak	7	4699.000	-53.27	-41.20	12.07	Pass	AVG
2	4987.500	-45.91	-21.20	24.71	Pass	Peak	8	4987.500	-53.45	-41.20	12.25	Pass	AVG
3	5027.000	-44.27	-21.20	23.07	Pass	Peak	9	5027.000	-53.17	-41.20	11.97	Pass	AVG
4	5051.000	-45.04	-21.20	23.84	Pass	Peak	10	5051.000	-52.77	-41.20	11.57	Pass	AVG
5	5082.000	-46.32	-21.20	25.12	Pass	Peak	11	5082.000	-52.59	-41.20	11.39	Pass	AVG
6	5107.500	-46.45	-21.20	25.25	Pass	Peak	12	5107.500	-53.12	-41.20	11.92	Pass	AVG

802.11a_HCH_5320MHz_MIMO_NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5352.480	-43.80	-21.20	22.60	Pass	Peak	7	5352.480	-51.99	-41.20	10.79	Pass	AVG
2	5360.000	-42.88	-21.20	21.68	Pass	Peak	8	5360.000	-52.27	-41.20	11.07	Pass	AVG
3	5365.280	-43.34	-21.20	22.14	Pass	Peak	9	5365.280	-52.41	-41.20	11.21	Pass	AVG
4	5370.880	-44.42	-21.20	23.22	Pass	Peak	10	5370.880	-52.41	-41.20	11.21	Pass	AVG
5	5376.480	-45.56	-21.20	24.36	Pass	Peak	11	5376.480	-52.45	-41.20	11.25	Pass	AVG
6	5400.000	-45.37	-21.20	24.17	Pass	Peak	12	5400.000	-52.47	-41.20	11.27	Pass	AVG


802.11a LCH 5500MHz MIMO NTN




802.11a_HCH_5700MHz_MIMO_NTN




802.11a LCH 5745MHz Ant1 NTN




802.11a LCH 5745MHz Ant2 NTN




802.11a LCH 5745MHz MIMO NTV




802.11a_HCH 5825MHz_Ant1_NTNV




802.11a_HCH_5825MHz_Ant2_NTNV



802.11a_HCH_5825MHz_MIMO_NTNV




802.11n(HT20) LCH 5180MHz MIMO NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4702.000	-46.30	-21.20	25.10	Pass	Peak	7	4702.000	-53.54	-41.20	12.34	Pass	AVG
2	5013.500	-46.00	-21.20	24.80	Pass	Peak	8	5013.500	-53.21	-41.20	12.01	Pass	AVG
3	5046.500	-44.87	-21.20	23.67	Pass	Peak	9	5046.500	-52.96	-41.20	11.76	Pass	AVG
4	5074.500	-46.20	-21.20	25.00	Pass	Peak	10	5074.500	-52.86	-41.20	11.66	Pass	AVG
5	5105.000	-44.34	-21.20	23.14	Pass	Peak	11	5105.000	-53.08	-41.20	11.88	Pass	AVG
6	5129.000	-44.73	-21.20	23.53	Pass	Peak	12	5129.000	-53.41	-41.20	12.21	Pass	AVG

802.11n(HT20) HCH 5240MHz MIMO NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5355.120	-46.07	-21.20	24.87	Pass	Peak	7	5355.120	-53.48	-41.20	12.28	Pass	AVG
2	5364.720	-45.88	-21.20	24.68	Pass	Peak	8	5364.720	-53.66	-41.20	12.46	Pass	AVG
3	5390.880	-45.59	-21.20	24.39	Pass	Peak	9	5390.880	-53.66	-41.20	12.46	Pass	AVG
4	5413.200	-45.89	-21.20	24.69	Pass	Peak	10	5413.200	-53.49	-41.20	12.29	Pass	AVG
5	5420.880	-46.11	-21.20	24.91	Pass	Peak	11	5420.880	-53.46	-41.20	12.26	Pass	AVG
6	5432.640	-46.22	-21.20	25.02	Pass	Peak	12	5432.640	-53.39	-41.20	12.19	Pass	AVG

802.11n(HT20) LCH 5260MHz MIMO NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4718.000	-45.03	-21.20	23.83	Pass	Peak	7	4718.000	-53.41	-41.20	12.21	Pass	AVG
2	5000.500	-46.03	-21.20	24.83	Pass	Peak	8	5000.500	-53.45	-41.20	12.25	Pass	AVG
3	5023.000	-45.74	-21.20	24.54	Pass	Peak	9	5023.000	-53.17	-41.20	11.97	Pass	AVG
4	5045.500	-44.19	-21.20	22.99	Pass	Peak	10	5045.500	-52.90	-41.20	11.70	Pass	AVG
5	5080.000	-46.08	-21.20	24.88	Pass	Peak	11	5080.000	-53.03	-41.20	11.83	Pass	AVG
6	5104.500	-45.66	-21.20	24.46	Pass	Peak	12	5104.500	-53.18	-41.20	11.98	Pass	AVG

802.11n(HT20) HCH 5320MHz MIMO NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5352.640	-44.89	-21.20	23.69	Pass	Peak	7	5352.640	-52.15	-41.20	10.95	Pass	AVG
2	5358.080	-45.25	-21.20	24.05	Pass	Peak	8	5358.080	-52.49	-41.20	11.29	Pass	AVG
3	5366.720	-44.51	-21.20	23.31	Pass	Peak	9	5366.720	-52.38	-41.20	11.18	Pass	AVG
4	5377.600	-45.54	-21.20	24.34	Pass	Peak	10	5377.600	-52.56	-41.20	11.36	Pass	AVG
5	5384.960	-45.65	-21.20	24.45	Pass	Peak	11	5384.960	-52.85	-41.20	11.65	Pass	AVG
6	5393.440	-45.10	-21.20	23.90	Pass	Peak	12	5393.440	-52.94	-41.20	11.74	Pass	AVG

802.11n(HT20) LCH 5500MHz MIMO NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5433.300	-42.00	-21.20	20.80	Pass	Peak	7	5433.300	-52.26	-41.20	11.06	Pass	AVG
2	5439.080	-44.22	-21.20	23.02	Pass	Peak	8	5439.080	-52.01	-41.20	10.81	Pass	AVG
3	5444.860	-44.47	-21.20	23.27	Pass	Peak	9	5444.860	-51.57	-41.20	10.37	Pass	AVG
4	5454.720	-37.24	-21.20	16.04	Pass	Peak	10	5454.720	-51.15	-41.20	9.95	Pass	AVG
5	5460.840	-34.82	-27.00	7.82	Pass	Peak	11	5460.840	/	/	/	/	AVG
6	5467.130	-31.44	-27.00	4.44	Pass	Peak	12	5467.130	/	/	/	/	AVG

802.11n(HT20) HCH 5700MHz MIMO NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5725.000	-32.57	-27.00	5.57	Pass	Peak	7	5725.000	/	-27.00	/	/	AVG
2	5729.800	-31.61	-27.00	4.61	Pass	Peak	8	5729.800	/	-27.00	/	/	AVG
3	5734.000	-35.75	-27.00	8.75	Pass	Peak	9	5734.000	/	-27.00	/	/	AVG
4	5738.440	-39.77	-27.00	12.77	Pass	Peak	10	5738.440	/	-27.00	/	/	AVG
5	5742.280	-40.62	-27.00	13.62	Pass	Peak	11	5742.280	/	-27.00	/	/	AVG
6	5749.360	-40.18	-27.00	13.18	Pass	Peak	12	5749.360	/	-27.00	/	/	AVG


802.11n(HT20) LCH_5745MHz_Ant1_NTNV




802.11n(HT20) LCH_5745MHz_Ant2_NTNV




802.11n(HT20) LCH 5745MHz MIMO NTNV



802.11n(HT20)_HCH_5825MHz_Ant1_NTNV




802.11n(HT20) HCH 5825MHz Ant2 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5850.000	-44.36	27.00	71.36	Pass	Peak	3	5925.000	-48.29	-27.00	21.29	Pass	Peak
2	5850.385	-41.23	26.12	67.35	Pass	Peak							

802.11n(HT20) HCH 5825MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5850.000	-38.47	27.00	65.47	Pass	Peak	3	5925.000	-44.87	-27.00	17.87	Pass	Peak
2	5850.530	-34.20	25.79	59.99	Pass	Peak							


802.11n(HT40) LCH 5190MHz MIMO NTNV



802.11n(HT40) HCH 5230MHz MIMO NTNV




802.11n(HT40) LCH 5270MHz MIMO NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4714.000	-45.24	-21.20	24.04	Pass	Peak	7	4714.000	-53.47	-41.20	12.27	Pass	AVG
2	4999.000	-44.95	-21.20	23.75	Pass	Peak	8	4999.000	-53.33	-41.20	12.13	Pass	AVG
3	5035.500	-45.40	-21.20	24.20	Pass	Peak	9	5035.500	-52.95	-41.20	11.75	Pass	AVG
4	5067.000	-44.95	-21.20	23.75	Pass	Peak	10	5067.000	-52.95	-41.20	11.75	Pass	AVG
5	5093.500	-44.04	-21.20	22.84	Pass	Peak	11	5093.500	-53.06	-41.20	11.86	Pass	AVG
6	5125.500	-46.05	-21.20	24.85	Pass	Peak	12	5125.500	-53.26	-41.20	12.06	Pass	AVG

802.11n(HT40) HCH 5310MHz MIMO NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5350.560	-41.86	-21.20	20.66	Pass	Peak	7	5350.560	-50.40	-41.20	9.20	Pass	AVG
2	5357.020	-43.68	-21.20	22.48	Pass	Peak	8	5357.020	-51.58	-41.20	10.38	Pass	AVG
3	5365.000	-43.72	-21.20	22.52	Pass	Peak	9	5365.000	-51.99	-41.20	10.79	Pass	AVG
4	5372.980	-44.73	-21.20	23.53	Pass	Peak	10	5372.980	-52.10	-41.20	10.90	Pass	AVG
5	5394.830	-44.04	-21.20	22.84	Pass	Peak	11	5394.830	-52.30	-41.20	11.10	Pass	AVG
6	5420.670	-43.22	-21.20	22.02	Pass	Peak	12	5420.670	-52.31	-41.20	11.11	Pass	AVG

802.11n(HT40) LCH 5510MHz MIMO NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5430.600	-41.23	-21.20	20.03	Pass	Peak	7	5430.600	-51.77	-41.20	10.57	Pass	AVG
2	5438.400	-43.33	-21.20	22.13	Pass	Peak	8	5438.400	-51.55	-41.20	10.35	Pass	AVG
3	5446.800	-43.36	-21.20	22.16	Pass	Peak	9	5446.800	-51.08	-41.20	9.88	Pass	AVG
4	5454.200	-37.58	-21.20	16.38	Pass	Peak	10	5454.200	-50.76	-41.20	9.56	Pass	AVG
5	5460.600	-34.31	-27.00	7.31	Pass	Peak	11	5460.600	/	/	/	/	AVG
6	5468.400	-29.70	-27.00	2.70	Pass	Peak	12	5468.400	/	/	/	/	AVG

802.11n(HT40) HCH 5670MHz MIMO NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5728.770	-35.74	-27.00	8.74	Pass	Peak	7	5728.770	/	-27.00	/	/	AVG
2	5735.230	-36.44	-27.00	9.44	Pass	Peak	8	5735.230	/	-27.00	/	/	AVG
3	5741.180	-38.59	-27.00	11.59	Pass	Peak	9	5741.180	/	-27.00	/	/	AVG
4	5749.680	-37.71	-27.00	10.71	Pass	Peak	10	5749.680	/	-27.00	/	/	AVG
5	5759.540	-38.93	-27.00	11.93	Pass	Peak	11	5759.540	/	-27.00	/	/	AVG
6	5776.030	-40.41	-27.00	13.41	Pass	Peak	12	5776.030	/	-27.00	/	/	AVG


802.11n(HT40) LCH_5755MHz_Ant1_NTNV




802.11n(HT40) LCH_5755MHz_Ant2_NTNV




802.11n(HT40) LCH 5755MHz MIMO NTN




802.11n(HT40)_HCH_5795MHz_Ant1 NTN




802.11n(HT40) HCH 5795MHz Ant2 NTN



802.11n(HT40) HCH 5795MHz MIMO NTN




802.11ac(VHT20) LCH 5180MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4697.000	-46.22	-21.20	25.02	Pass	Peak	7	4697.000	-53.48	-41.20	12.28	Pass	AVG
2	5008.500	-45.89	-21.20	24.69	Pass	Peak	8	5008.500	-53.25	-41.20	12.05	Pass	AVG
3	5036.000	-46.31	-21.20	25.11	Pass	Peak	9	5036.000	-53.03	-41.20	11.83	Pass	AVG
4	5058.500	-45.27	-21.20	24.07	Pass	Peak	10	5058.500	-53.08	-41.20	11.88	Pass	AVG
5	5084.500	-46.56	-21.20	25.36	Pass	Peak	11	5084.500	-53.08	-41.20	11.88	Pass	AVG
6	5113.000	-45.01	-21.20	23.81	Pass	Peak	12	5113.000	-53.35	-41.20	12.15	Pass	AVG

802.11ac(VHT20) HCH 5240MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5350.320	-46.82	-21.20	25.62	Pass	Peak	7	5350.320	-53.66	-41.20	12.46	Pass	AVG
2	5385.120	-44.29	-21.20	23.09	Pass	Peak	8	5385.120	-53.75	-41.20	12.55	Pass	AVG
3	5417.040	-46.69	-21.20	25.49	Pass	Peak	9	5417.040	-53.74	-41.20	12.54	Pass	AVG
4	5425.200	-45.72	-21.20	24.52	Pass	Peak	10	5425.200	-53.68	-41.20	12.48	Pass	AVG
5	5432.880	-46.90	-21.20	25.70	Pass	Peak	11	5432.880	-53.64	-41.20	12.44	Pass	AVG
6	5449.440	-45.90	-21.20	24.70	Pass	Peak	12	5449.440	-53.79	-41.20	12.59	Pass	AVG

802.11ac(VHT20) LCH 5260MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4997.500	-45.78	-21.20	24.58	Pass	Peak	7	4997.500	-53.49	-41.20	12.29	Pass	AVG
2	5019.500	-46.10	-21.20	24.90	Pass	Peak	8	5019.500	-53.21	-41.20	12.01	Pass	AVG
3	5055.000	-44.75	-21.20	23.55	Pass	Peak	9	5055.000	-52.86	-41.20	11.66	Pass	AVG
4	5081.500	-45.07	-21.20	23.87	Pass	Peak	10	5081.500	-53.07	-41.20	11.87	Pass	AVG
5	5115.000	-45.60	-21.20	24.40	Pass	Peak	11	5115.000	-53.23	-41.20	12.03	Pass	AVG
6	5144.000	-46.13	-21.20	24.93	Pass	Peak	12	5144.000	-53.43	-41.20	12.23	Pass	AVG

802.11ac(VHT20) HCH 5320MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5350.400	-43.87	-21.20	22.67	Pass	Peak	7	5350.400	-52.33	-41.20	11.13	Pass	AVG
2	5359.040	-45.51	-21.20	24.31	Pass	Peak	8	5359.040	-52.70	-41.20	11.50	Pass	AVG
3	5365.120	-44.93	-21.20	23.73	Pass	Peak	9	5365.120	-52.73	-41.20	11.53	Pass	AVG
4	5375.520	-45.39	-21.20	24.19	Pass	Peak	10	5375.520	-52.71	-41.20	11.51	Pass	AVG
5	5381.120	-44.52	-21.20	23.32	Pass	Peak	11	5381.120	-53.00	-41.20	11.80	Pass	AVG
6	5391.520	-45.02	-21.20	23.82	Pass	Peak	12	5391.520	-52.84	-41.20	11.64	Pass	AVG

802.11ac(VHT20) LCH 5500MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5428.880	-44.18	-21.20	22.98	Pass	Peak	7	5428.880	-52.40	-41.20	11.20	Pass	AVG
2	5439.080	-42.92	-21.20	21.72	Pass	Peak	8	5439.080	-52.01	-41.20	10.81	Pass	AVG
3	5446.390	-42.72	-21.20	21.52	Pass	Peak	9	5446.390	-51.58	-41.20	10.38	Pass	AVG
4	5454.550	-42.46	-21.20	21.26	Pass	Peak	10	5454.550	-51.06	-41.20	9.86	Pass	AVG
5	5462.540	-32.47	-27.00	5.47	Pass	Peak	11	5462.540	/	/	/	/	AVG
6	5467.810	-30.68	-27.00	3.68	Pass	Peak	12	5467.810	/	/	/	/	AVG

802.11ac(VHT20) HCH 5700MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5725.840	-34.05	-27.00	7.05	Pass	Peak	7	5725.840	/	-27.00	/	/	AVG
2	5731.480	-37.82	-27.00	10.82	Pass	Peak	8	5731.480	/	-27.00	/	/	AVG
3	5737.360	-38.31	-27.00	11.31	Pass	Peak	9	5737.360	/	-27.00	/	/	AVG
4	5741.440	-37.46	-27.00	10.46	Pass	Peak	10	5741.440	/	-27.00	/	/	AVG
5	5746.720	-40.77	-27.00	13.77	Pass	Peak	11	5746.720	/	-27.00	/	/	AVG
6	5757.640	-41.75	-27.00	14.75	Pass	Peak	12	5757.640	/	-27.00	/	/	AVG


802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5745MHz_Ant2_NTNV




802.11ac(VHT20) LCH 5745MHz MIMO NTN




802.11ac(VHT20) HCH 5825MHz Ant1 NTN




802.11ac(VHT20) HCH 5825MHz Ant2 NTN



802.11ac(VHT20) HCH 5825MHz MIMO NTN




802.11ac(VHT40) LCH 5190MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4989.500	-45.56	-21.20	24.36	Pass	Peak	7	4989.500	-53.43	-41.20	12.23	Pass	AVG
2	5040.000	-44.74	-21.20	23.54	Pass	Peak	8	5040.000	-53.00	-41.20	11.80	Pass	AVG
3	5063.000	-45.49	-21.20	24.29	Pass	Peak	9	5063.000	-53.10	-41.20	11.90	Pass	AVG
4	5085.500	-44.68	-21.20	23.48	Pass	Peak	10	5085.500	-52.99	-41.20	11.79	Pass	AVG
5	5106.000	-43.98	-21.20	22.78	Pass	Peak	11	5106.000	-52.88	-41.20	11.68	Pass	AVG
6	5147.500	-42.65	-21.20	21.45	Pass	Peak	12	5147.500	-53.11	-41.20	11.91	Pass	AVG

802.11ac(VHT40) HCH 5230MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5352.270	-44.47	-21.20	23.27	Pass	Peak	7	5352.270	-52.98	-41.20	11.78	Pass	AVG
2	5364.150	-44.72	-21.20	23.52	Pass	Peak	8	5364.150	-53.13	-41.20	11.93	Pass	AVG
3	5373.330	-45.16	-21.20	23.96	Pass	Peak	9	5373.330	-52.82	-41.20	11.62	Pass	AVG
4	5386.560	-44.68	-21.20	23.48	Pass	Peak	10	5386.560	-53.10	-41.20	11.90	Pass	AVG
5	5403.030	-44.42	-21.20	23.22	Pass	Peak	11	5403.030	-53.21	-41.20	12.01	Pass	AVG
6	5412.480	-45.56	-21.20	24.36	Pass	Peak	12	5412.480	-53.35	-41.20	12.15	Pass	AVG

802.11ac(VHT40) LCH 5270MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4986.500	-45.80	-21.20	24.60	Pass	Peak	7	4986.500	-53.52	-41.20	12.32	Pass	AVG
2	5009.500	-46.06	-21.20	24.86	Pass	Peak	8	5009.500	-53.30	-41.20	12.10	Pass	AVG
3	5042.000	-45.33	-21.20	24.13	Pass	Peak	9	5042.000	-52.94	-41.20	11.74	Pass	AVG
4	5067.000	-45.18	-21.20	23.98	Pass	Peak	10	5067.000	-53.23	-41.20	12.03	Pass	AVG
5	5096.000	-45.68	-21.20	24.48	Pass	Peak	11	5096.000	-53.15	-41.20	11.95	Pass	AVG
6	5120.500	-45.93	-21.20	24.73	Pass	Peak	12	5120.500	-53.40	-41.20	12.20	Pass	AVG

802.11ac(VHT40) HCH 5310MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5351.700	-42.63	-21.20	21.43	Pass	Peak	7	5351.700	-51.19	-41.20	9.99	Pass	AVG
2	5357.970	-44.12	-21.20	22.92	Pass	Peak	8	5357.970	-51.72	-41.20	10.52	Pass	AVG
3	5369.370	-43.12	-21.20	21.92	Pass	Peak	9	5369.370	-51.87	-41.20	10.67	Pass	AVG
4	5377.350	-43.84	-21.20	22.64	Pass	Peak	10	5377.350	-52.25	-41.20	11.05	Pass	AVG
5	5394.830	-43.38	-21.20	22.18	Pass	Peak	11	5394.830	-52.34	-41.20	11.14	Pass	AVG
6	5400.910	-44.33	-21.20	23.13	Pass	Peak	12	5400.910	-52.20	-41.20	11.00	Pass	AVG

802.11ac(VHT40) LCH 5510MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5430.800	-39.80	-21.20	18.60	Pass	Peak	7	5430.800	-51.65	-41.20	10.45	Pass	AVG
2	5440.000	-43.52	-21.20	22.32	Pass	Peak	8	5440.000	-51.39	-41.20	10.19	Pass	AVG
3	5446.200	-38.56	-21.20	17.36	Pass	Peak	9	5446.200	-51.08	-41.20	9.88	Pass	AVG
4	5454.200	-36.55	-21.20	15.35	Pass	Peak	10	5454.200	-50.93	-41.20	9.73	Pass	AVG
5	5460.400	-34.32	-27.00	7.32	Pass	Peak	11	5460.400	/	/	/	/	AVG
6	5468.200	-28.29	-27.00	1.29	Pass	Peak	12	5468.200	/	/	/	/	AVG

802.11ac(VHT40) HCH 5670MHz MIMO NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5729.620	-35.61	-27.00	8.61	Pass	Peak	7	5729.620	/	-27.00	/	/	AVG
2	5736.250	-36.84	-27.00	9.84	Pass	Peak	8	5736.250	/	-27.00	/	/	AVG
3	5744.070	-38.10	-27.00	11.10	Pass	Peak	9	5744.070	/	-27.00	/	/	AVG
4	5750.870	-39.20	-27.00	12.20	Pass	Peak	10	5750.870	/	-27.00	/	/	AVG
5	5756.650	-40.50	-27.00	13.50	Pass	Peak	11	5756.650	/	-27.00	/	/	AVG
6	5764.130	-39.15	-27.00	12.15	Pass	Peak	12	5764.130	/	-27.00	/	/	AVG


802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant2_NTNV




802.11ac(VHT40) LCH 5755MHz MIMO NTN




802.11ac(VHT40) HCH 5795MHz Ant1 NTN




802.11ac(VHT40) HCH 5795MHz Ant2 NTN




802.11ac(VHT40) HCH 5795MHz MIMO NTN




802.11ac(VHT80) MCH 5210MHz Ant1 NTN




802.11ac(VHT80) MCH 5210MHz Ant2 NTN




802.11ac(VHT80) MCH_5210MHz MIMO_NTNV




802.11ac(VHT80) MCH_5210MHz MIMO_NTNV




802.11ac(VHT80) MCH 5290MHz Ant1 NTN




802.11ac(VHT80) MCH 5290MHz Ant2 NTN




802.11ac(VHT80) MCH_5290MHz MIMO_NTNV




802.11ac(VHT80) MCH_5290MHz MIMO_NTNV




802.11ac(VHT80) LCH 5530MHz MIMO NTN



802.11ac(VHT80) HCH 5610MHz MIMO NTN



802.11ac(VHT80) MCH 5775MHz Ant1 NTN



802.11ac(VHT80) MCH 5775MHz Ant1 NTN

