




802.11ac(VHT20) LCH 5745MHz Ant1 NTN




802.11ac(VHT20) MCH 5785MHz Ant1 NTN




802.11ac(VHT20) HCH 5825MHz Ant1 NTN




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTN




802.11ac(VHT40) HCH 5795MHz Ant1 NTN




802.11ax(HEW20) LCH 5745MHz SU / Ant1 NTN




802.11ax(HEW20) MCH 5785MHz SU / Ant1 NTN




802.11ax(HEW20) HCH 5825MHz SU / Ant1 NTN



802.11ax(HEW40) LCH 5755MHz SU / Ant1 NTN



802.11ax(HEW40) HCH 5795MHz SU / Ant1 NTN



5. Frequency Stability

5.1 Test Result

5.1.1 Ant1

Ant1									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage	Measured Frequency (MHz)	Limit (MHz)	Verdict
802.11a	SISO	5180	/	/	20	LV	5180.100	5150 to 5250	Pass
						NV	5180.080	5150 to 5250	Pass
						HV	5180.040	5150 to 5250	Pass
					-30	NV	5180.020	5150 to 5250	Pass
					-20	NV	5180.000	5150 to 5250	Pass
					-10	NV	5180.000	5150 to 5250	Pass
					0	NV	5180.060	5150 to 5250	Pass
					10	NV	5180.040	5150 to 5250	Pass
					30	NV	5180.040	5150 to 5250	Pass
					40	NV	5180.000	5150 to 5250	Pass
					50	NV	5179.960	5150 to 5250	Pass
		5200	/	/	20	LV	5200.040	5150 to 5250	Pass
						NV	5200.100	5150 to 5250	Pass
						HV	5200.040	5150 to 5250	Pass
					-30	NV	5199.980	5150 to 5250	Pass
					-20	NV	5200.020	5150 to 5250	Pass
					-10	NV	5200.040	5150 to 5250	Pass
					0	NV	5200.040	5150 to 5250	Pass
					10	NV	5200.080	5150 to 5250	Pass
					30	NV	5199.980	5150 to 5250	Pass
					40	NV	5200.040	5150 to 5250	Pass
					50	NV	5200.000	5150 to 5250	Pass
		5240	/	/	20	LV	5240.040	5150 to 5250	Pass
						NV	5240.040	5150 to 5250	Pass
						HV	5240.040	5150 to 5250	Pass
					-30	NV	5240.020	5150 to 5250	Pass
					-20	NV	5240.020	5150 to 5250	Pass
					-10	NV	5240.000	5150 to 5250	Pass
					0	NV	5240.080	5150 to 5250	Pass
					10	NV	5240.040	5150 to 5250	Pass
					30	NV	5240.040	5150 to 5250	Pass
					40	NV	5240.040	5150 to 5250	Pass
					50	NV	5240.000	5150 to 5250	Pass
		5260	/	/	20	LV	5260.080	5250 to 5350	Pass
						NV	5260.000	5250 to 5350	Pass
						HV	5260.040	5250 to 5350	Pass
					-30	NV	5260.000	5250 to 5350	Pass
					-20	NV	5260.020	5250 to 5350	Pass
					-10	NV	5259.980	5250 to 5350	Pass
					0	NV	5259.980	5250 to 5350	Pass
					10	NV	5260.040	5250 to 5350	Pass
					30	NV	5259.980	5250 to 5350	Pass
					40	NV	5260.020	5250 to 5350	Pass
					50	NV	5260.020	5250 to 5350	Pass
		5300	/	/	20	LV	5299.980	5250 to 5350	Pass
						NV	5300.000	5250 to 5350	Pass

						HV	5300.040	5250 to 5350	Pass
					-30	NV	5300.000	5250 to 5350	Pass
					-20	NV	5300.000	5250 to 5350	Pass
					-10	NV	5300.000	5250 to 5350	Pass
					0	NV	5300.020	5250 to 5350	Pass
					10	NV	5299.980	5250 to 5350	Pass
					30	NV	5299.980	5250 to 5350	Pass
					40	NV	5300.020	5250 to 5350	Pass
					50	NV	5300.040	5250 to 5350	Pass
		5320	/	/	20	LV	5320.100	5250 to 5350	Pass
						NV	5319.960	5250 to 5350	Pass
						HV	5320.060	5250 to 5350	Pass
					-30	NV	5320.040	5250 to 5350	Pass
					-20	NV	5320.060	5250 to 5350	Pass
					-10	NV	5320.000	5250 to 5350	Pass
					0	NV	5320.040	5250 to 5350	Pass
					10	NV	5320.040	5250 to 5350	Pass
					30	NV	5320.040	5250 to 5350	Pass
					40	NV	5320.080	5250 to 5350	Pass
					50	NV	5320.000	5250 to 5350	Pass
		5500	/	/	20	LV	5500.000	5470 to 5725	Pass
						NV	5500.040	5470 to 5725	Pass
						HV	5500.060	5470 to 5725	Pass
					-30	NV	5500.000	5470 to 5725	Pass
					-20	NV	5500.100	5470 to 5725	Pass
					-10	NV	5500.020	5470 to 5725	Pass
					0	NV	5500.060	5470 to 5725	Pass
					10	NV	5500.080	5470 to 5725	Pass
					30	NV	5500.020	5470 to 5725	Pass
					40	NV	5500.080	5470 to 5725	Pass
					50	NV	5500.060	5470 to 5725	Pass
		5580	/	/	20	LV	5580.020	5470 to 5725	Pass
						NV	5580.000	5470 to 5725	Pass
						HV	5580.020	5470 to 5725	Pass
					-30	NV	5580.060	5470 to 5725	Pass
					-20	NV	5579.960	5470 to 5725	Pass
					-10	NV	5580.020	5470 to 5725	Pass
					0	NV	5580.060	5470 to 5725	Pass
					10	NV	5580.040	5470 to 5725	Pass
					30	NV	5580.040	5470 to 5725	Pass
					40	NV	5580.000	5470 to 5725	Pass
					50	NV	5580.020	5470 to 5725	Pass
		5700	/	/	20	LV	5700.000	5470 to 5725	Pass
						NV	5700.020	5470 to 5725	Pass
						HV	5700.020	5470 to 5725	Pass
					-30	NV	5700.060	5470 to 5725	Pass
					-20	NV	5700.100	5470 to 5725	Pass
					-10	NV	5699.980	5470 to 5725	Pass
					0	NV	5700.040	5470 to 5725	Pass
					10	NV	5699.980	5470 to 5725	Pass
					30	NV	5700.060	5470 to 5725	Pass
					40	NV	5700.000	5470 to 5725	Pass
					50	NV	5700.000	5470 to 5725	Pass
		5745	/	/	20	LV	5745.020	5725 to 5850	Pass
						NV	5745.020	5725 to 5850	Pass
						HV	5745.020	5725 to 5850	Pass
					-30	NV	5745.000	5725 to 5850	Pass
					-20	NV	5744.980	5725 to 5850	Pass
					-10	NV	5745.020	5725 to 5850	Pass

					0	NV	5744.980	5725 to 5850	Pass
					10	NV	5745.040	5725 to 5850	Pass
					30	NV	5745.080	5725 to 5850	Pass
					40	NV	5744.960	5725 to 5850	Pass
					50	NV	5745.020	5725 to 5850	Pass
		5785	/	/	20	LV	5785.040	5725 to 5850	Pass
						NV	5785.060	5725 to 5850	Pass
						HV	5785.060	5725 to 5850	Pass
					-30	NV	5784.980	5725 to 5850	Pass
					-20	NV	5785.000	5725 to 5850	Pass
					-10	NV	5784.980	5725 to 5850	Pass
					0	NV	5785.020	5725 to 5850	Pass
					10	NV	5785.020	5725 to 5850	Pass
					30	NV	5785.040	5725 to 5850	Pass
					40	NV	5784.960	5725 to 5850	Pass
					50	NV	5785.000	5725 to 5850	Pass
		5825	/	/	20	LV	5825.040	5725 to 5850	Pass
						NV	5825.040	5725 to 5850	Pass
						HV	5825.080	5725 to 5850	Pass
					-30	NV	5825.020	5725 to 5850	Pass
					-20	NV	5825.000	5725 to 5850	Pass
					-10	NV	5825.060	5725 to 5850	Pass
					0	NV	5825.020	5725 to 5850	Pass
					10	NV	5825.060	5725 to 5850	Pass
					30	NV	5824.960	5725 to 5850	Pass
					40	NV	5825.040	5725 to 5850	Pass
					50	NV	5825.000	5725 to 5850	Pass
802.11n (HT20)	SISO	5180	/	/	20	LV	5179.980	5150 to 5250	Pass
						NV	5180.060	5150 to 5250	Pass
						HV	5180.020	5150 to 5250	Pass
					-30	NV	5180.020	5150 to 5250	Pass
					-20	NV	5180.000	5150 to 5250	Pass
					-10	NV	5180.060	5150 to 5250	Pass
					0	NV	5180.020	5150 to 5250	Pass
					10	NV	5180.060	5150 to 5250	Pass
					30	NV	5180.040	5150 to 5250	Pass
					40	NV	5180.020	5150 to 5250	Pass
					50	NV	5180.000	5150 to 5250	Pass
		5200	/	/	20	LV	5200.020	5150 to 5250	Pass
						NV	5200.020	5150 to 5250	Pass
						HV	5200.060	5150 to 5250	Pass
					-30	NV	5200.080	5150 to 5250	Pass
					-20	NV	5200.040	5150 to 5250	Pass
					-10	NV	5200.000	5150 to 5250	Pass
					0	NV	5200.060	5150 to 5250	Pass
					10	NV	5200.040	5150 to 5250	Pass
					30	NV	5200.040	5150 to 5250	Pass
					40	NV	5199.980	5150 to 5250	Pass
					50	NV	5200.080	5150 to 5250	Pass
		5240	/	/	20	LV	5240.100	5150 to 5250	Pass
						NV	5240.020	5150 to 5250	Pass
						HV	5240.060	5150 to 5250	Pass
					-30	NV	5240.000	5150 to 5250	Pass
					-20	NV	5240.080	5150 to 5250	Pass
					-10	NV	5240.080	5150 to 5250	Pass
					0	NV	5240.000	5150 to 5250	Pass
					10	NV	5239.980	5150 to 5250	Pass
					30	NV	5240.060	5150 to 5250	Pass
					40	NV	5239.960	5150 to 5250	Pass

					50	NV	5240.000	5150 to 5250	Pass
		5260	/	/	20	LV	5260.020	5250 to 5350	Pass
						NV	5259.980	5250 to 5350	Pass
						HV	5260.040	5250 to 5350	Pass
					-30	NV	5260.060	5250 to 5350	Pass
					-20	NV	5260.020	5250 to 5350	Pass
					-10	NV	5260.060	5250 to 5350	Pass
					0	NV	5260.000	5250 to 5350	Pass
					10	NV	5260.000	5250 to 5350	Pass
					30	NV	5260.060	5250 to 5350	Pass
					40	NV	5259.960	5250 to 5350	Pass
					50	NV	5259.940	5250 to 5350	Pass
		5300	/	/	20	LV	5300.000	5250 to 5350	Pass
						NV	5299.960	5250 to 5350	Pass
						HV	5300.060	5250 to 5350	Pass
					-30	NV	5300.000	5250 to 5350	Pass
					-20	NV	5299.980	5250 to 5350	Pass
					-10	NV	5299.980	5250 to 5350	Pass
					0	NV	5300.060	5250 to 5350	Pass
					10	NV	5300.000	5250 to 5350	Pass
					30	NV	5300.000	5250 to 5350	Pass
					40	NV	5300.060	5250 to 5350	Pass
					50	NV	5300.080	5250 to 5350	Pass
		5320	/	/	20	LV	5320.060	5250 to 5350	Pass
						NV	5319.980	5250 to 5350	Pass
						HV	5320.140	5250 to 5350	Pass
					-30	NV	5320.040	5250 to 5350	Pass
					-20	NV	5320.000	5250 to 5350	Pass
					-10	NV	5320.080	5250 to 5350	Pass
					0	NV	5320.040	5250 to 5350	Pass
					10	NV	5320.020	5250 to 5350	Pass
					30	NV	5320.060	5250 to 5350	Pass
					40	NV	5320.040	5250 to 5350	Pass
					50	NV	5320.020	5250 to 5350	Pass
		5500	/	/	20	LV	5500.040	5470 to 5725	Pass
						NV	5500.060	5470 to 5725	Pass
						HV	5500.040	5470 to 5725	Pass
					-30	NV	5500.040	5470 to 5725	Pass
					-20	NV	5500.020	5470 to 5725	Pass
					-10	NV	5500.040	5470 to 5725	Pass
					0	NV	5500.000	5470 to 5725	Pass
					10	NV	5500.080	5470 to 5725	Pass
					30	NV	5500.080	5470 to 5725	Pass
					40	NV	5500.040	5470 to 5725	Pass
					50	NV	5500.060	5470 to 5725	Pass
		5580	/	/	20	LV	5580.020	5470 to 5725	Pass
						NV	5580.020	5470 to 5725	Pass
						HV	5580.000	5470 to 5725	Pass
					-30	NV	5580.100	5470 to 5725	Pass
					-20	NV	5580.040	5470 to 5725	Pass
					-10	NV	5579.980	5470 to 5725	Pass
					0	NV	5580.020	5470 to 5725	Pass
					10	NV	5580.000	5470 to 5725	Pass
					30	NV	5580.020	5470 to 5725	Pass
					40	NV	5580.040	5470 to 5725	Pass
					50	NV	5579.960	5470 to 5725	Pass
		5700	/	/	20	LV	5700.060	5470 to 5725	Pass
						NV	5700.000	5470 to 5725	Pass
						HV	5700.040	5470 to 5725	Pass

					-30	NV	5700.060	5470 to 5725	Pass
					-20	NV	5700.040	5470 to 5725	Pass
					-10	NV	5700.000	5470 to 5725	Pass
					0	NV	5700.040	5470 to 5725	Pass
					10	NV	5700.020	5470 to 5725	Pass
					30	NV	5699.940	5470 to 5725	Pass
					40	NV	5700.080	5470 to 5725	Pass
					50	NV	5700.000	5470 to 5725	Pass
		5745	/	/	20	LV	5745.060	5725 to 5850	Pass
						NV	5745.000	5725 to 5850	Pass
						HV	5744.980	5725 to 5850	Pass
					-30	NV	5745.020	5725 to 5850	Pass
					-20	NV	5745.020	5725 to 5850	Pass
					-10	NV	5745.060	5725 to 5850	Pass
					0	NV	5745.040	5725 to 5850	Pass
					10	NV	5745.000	5725 to 5850	Pass
					30	NV	5744.980	5725 to 5850	Pass
					40	NV	5745.020	5725 to 5850	Pass
					50	NV	5745.040	5725 to 5850	Pass
		5785	/	/	20	LV	5785.040	5725 to 5850	Pass
						NV	5785.040	5725 to 5850	Pass
						HV	5784.980	5725 to 5850	Pass
					-30	NV	5785.040	5725 to 5850	Pass
					-20	NV	5785.000	5725 to 5850	Pass
					-10	NV	5784.980	5725 to 5850	Pass
					0	NV	5785.040	5725 to 5850	Pass
					10	NV	5785.000	5725 to 5850	Pass
					30	NV	5785.020	5725 to 5850	Pass
					40	NV	5785.060	5725 to 5850	Pass
					50	NV	5785.040	5725 to 5850	Pass
		5825	/	/	20	LV	5825.020	5725 to 5850	Pass
						NV	5824.980	5725 to 5850	Pass
						HV	5825.020	5725 to 5850	Pass
					-30	NV	5825.020	5725 to 5850	Pass
					-20	NV	5825.020	5725 to 5850	Pass
					-10	NV	5825.000	5725 to 5850	Pass
					0	NV	5825.040	5725 to 5850	Pass
					10	NV	5825.000	5725 to 5850	Pass
					30	NV	5825.020	5725 to 5850	Pass
					40	NV	5824.960	5725 to 5850	Pass
					50	NV	5825.020	5725 to 5850	Pass
802.11n (HT40)	SISO	5190	/	/	20	LV	5190.040	5150 to 5250	Pass
						NV	5190.080	5150 to 5250	Pass
						HV	5190.080	5150 to 5250	Pass
					-30	NV	5190.080	5150 to 5250	Pass
					-20	NV	5190.160	5150 to 5250	Pass
					-10	NV	5190.040	5150 to 5250	Pass
					0	NV	5190.000	5150 to 5250	Pass
					10	NV	5190.040	5150 to 5250	Pass
					30	NV	5190.080	5150 to 5250	Pass
					40	NV	5190.160	5150 to 5250	Pass
					50	NV	5190.120	5150 to 5250	Pass
		5230	/	/	20	LV	5230.080	5150 to 5250	Pass
						NV	5230.080	5150 to 5250	Pass
						HV	5230.080	5150 to 5250	Pass
					-30	NV	5230.120	5150 to 5250	Pass
					-20	NV	5230.080	5150 to 5250	Pass
					-10	NV	5230.120	5150 to 5250	Pass
					0	NV	5230.120	5150 to 5250	Pass

					10	NV	5230.080	5150 to 5250	Pass
					30	NV	5230.080	5150 to 5250	Pass
					40	NV	5230.120	5150 to 5250	Pass
					50	NV	5230.080	5150 to 5250	Pass
		5270	/	/	20	LV	5270.080	5250 to 5350	Pass
						NV	5270.080	5250 to 5350	Pass
						HV	5270.000	5250 to 5350	Pass
					-30	NV	5270.040	5250 to 5350	Pass
					-20	NV	5270.120	5250 to 5350	Pass
					-10	NV	5270.080	5250 to 5350	Pass
					0	NV	5270.040	5250 to 5350	Pass
					10	NV	5270.080	5250 to 5350	Pass
					30	NV	5270.040	5250 to 5350	Pass
					40	NV	5270.120	5250 to 5350	Pass
					50	NV	5270.080	5250 to 5350	Pass
							5310	/	/
NV	5310.120	5250 to 5350	Pass						
HV	5310.000	5250 to 5350	Pass						
-30	NV	5310.080	5250 to 5350	Pass					
-20	NV	5310.080	5250 to 5350	Pass					
-10	NV	5310.160	5250 to 5350	Pass					
0	NV	5310.160	5250 to 5350	Pass					
10	NV	5310.080	5250 to 5350	Pass					
30	NV	5310.040	5250 to 5350	Pass					
40	NV	5310.040	5250 to 5350	Pass					
50	NV	5310.080	5250 to 5350	Pass					
		5510	/	/					
					NV	5510.080	5470 to 5725	Pass	
					HV	5510.080	5470 to 5725	Pass	
					-30	NV	5510.080	5470 to 5725	Pass
					-20	NV	5510.120	5470 to 5725	Pass
					-10	NV	5510.160	5470 to 5725	Pass
					0	NV	5510.120	5470 to 5725	Pass
					10	NV	5510.120	5470 to 5725	Pass
					30	NV	5510.040	5470 to 5725	Pass
					40	NV	5510.040	5470 to 5725	Pass
					50	NV	5510.120	5470 to 5725	Pass
							5550	/	/
NV	5550.040	5470 to 5725	Pass						
HV	5550.080	5470 to 5725	Pass						
-30	NV	5550.120	5470 to 5725	Pass					
-20	NV	5550.040	5470 to 5725	Pass					
-10	NV	5550.080	5470 to 5725	Pass					
0	NV	5550.080	5470 to 5725	Pass					
10	NV	5550.080	5470 to 5725	Pass					
30	NV	5550.080	5470 to 5725	Pass					
40	NV	5550.120	5470 to 5725	Pass					
50	NV	5550.120	5470 to 5725	Pass					
		5670	/	/					
					NV	5670.040	5470 to 5725	Pass	
					HV	5670.080	5470 to 5725	Pass	
					-30	NV	5670.120	5470 to 5725	Pass
					-20	NV	5670.080	5470 to 5725	Pass
					-10	NV	5670.040	5470 to 5725	Pass
					0	NV	5670.080	5470 to 5725	Pass
					10	NV	5670.120	5470 to 5725	Pass
					30	NV	5670.080	5470 to 5725	Pass
					40	NV	5670.120	5470 to 5725	Pass
					50	NV	5670.040	5470 to 5725	Pass

		5755	/	/	20	LV	5755.080	5725 to 5850	Pass
						NV	5755.040	5725 to 5850	Pass
						HV	5754.960	5725 to 5850	Pass
					-30	NV	5755.040	5725 to 5850	Pass
					-20	NV	5755.080	5725 to 5850	Pass
					-10	NV	5755.040	5725 to 5850	Pass
					0	NV	5755.040	5725 to 5850	Pass
					10	NV	5755.040	5725 to 5850	Pass
					30	NV	5754.960	5725 to 5850	Pass
					40	NV	5755.040	5725 to 5850	Pass
					50	NV	5755.080	5725 to 5850	Pass
		5795	/	/	20	LV	5795.000	5725 to 5850	Pass
						NV	5795.080	5725 to 5850	Pass
						HV	5795.040	5725 to 5850	Pass
					-30	NV	5795.080	5725 to 5850	Pass
					-20	NV	5795.080	5725 to 5850	Pass
					-10	NV	5795.040	5725 to 5850	Pass
					0	NV	5795.080	5725 to 5850	Pass
					10	NV	5795.040	5725 to 5850	Pass
					30	NV	5795.040	5725 to 5850	Pass
					40	NV	5795.040	5725 to 5850	Pass
					50	NV	5795.040	5725 to 5850	Pass
802.11ac (VHT20)	SISO	5180	/	/	20	LV	5180.020	5150 to 5250	Pass
						NV	5180.020	5150 to 5250	Pass
						HV	5180.060	5150 to 5250	Pass
					-30	NV	5180.080	5150 to 5250	Pass
					-20	NV	5180.000	5150 to 5250	Pass
					-10	NV	5180.000	5150 to 5250	Pass
					0	NV	5179.960	5150 to 5250	Pass
					10	NV	5180.020	5150 to 5250	Pass
					30	NV	5179.980	5150 to 5250	Pass
					40	NV	5180.060	5150 to 5250	Pass
					50	NV	5180.120	5150 to 5250	Pass
		5200	/	/	20	LV	5199.980	5150 to 5250	Pass
						NV	5200.080	5150 to 5250	Pass
						HV	5200.020	5150 to 5250	Pass
					-30	NV	5200.020	5150 to 5250	Pass
					-20	NV	5200.020	5150 to 5250	Pass
					-10	NV	5200.040	5150 to 5250	Pass
					0	NV	5200.040	5150 to 5250	Pass
					10	NV	5200.020	5150 to 5250	Pass
					30	NV	5200.100	5150 to 5250	Pass
					40	NV	5200.080	5150 to 5250	Pass
					50	NV	5200.040	5150 to 5250	Pass
		5240	/	/	20	LV	5239.960	5150 to 5250	Pass
						NV	5240.100	5150 to 5250	Pass
						HV	5240.040	5150 to 5250	Pass
					-30	NV	5240.040	5150 to 5250	Pass
					-20	NV	5240.020	5150 to 5250	Pass
					-10	NV	5240.080	5150 to 5250	Pass
					0	NV	5240.020	5150 to 5250	Pass
					10	NV	5240.060	5150 to 5250	Pass
					30	NV	5240.040	5150 to 5250	Pass
					40	NV	5239.980	5150 to 5250	Pass
					50	NV	5240.000	5150 to 5250	Pass
		5260	/	/	20	LV	5260.080	5250 to 5350	Pass
						NV	5260.000	5250 to 5350	Pass
						HV	5260.000	5250 to 5350	Pass
					-30	NV	5260.060	5250 to 5350	Pass

					-20	NV	5260.020	5250 to 5350	Pass
					-10	NV	5260.020	5250 to 5350	Pass
					0	NV	5260.020	5250 to 5350	Pass
					10	NV	5260.060	5250 to 5350	Pass
					30	NV	5260.060	5250 to 5350	Pass
					40	NV	5260.060	5250 to 5350	Pass
					50	NV	5259.960	5250 to 5350	Pass
		5300	/	/	20	LV	5300.040	5250 to 5350	Pass
						NV	5299.980	5250 to 5350	Pass
						HV	5300.040	5250 to 5350	Pass
					-30	NV	5300.000	5250 to 5350	Pass
					-20	NV	5300.040	5250 to 5350	Pass
					-10	NV	5300.020	5250 to 5350	Pass
					0	NV	5300.020	5250 to 5350	Pass
					10	NV	5300.060	5250 to 5350	Pass
					30	NV	5299.980	5250 to 5350	Pass
					40	NV	5299.980	5250 to 5350	Pass
					50	NV	5299.980	5250 to 5350	Pass
		5320	/	/	20	LV	5320.020	5250 to 5350	Pass
						NV	5319.980	5250 to 5350	Pass
						HV	5320.040	5250 to 5350	Pass
					-30	NV	5320.000	5250 to 5350	Pass
					-20	NV	5320.060	5250 to 5350	Pass
					-10	NV	5320.000	5250 to 5350	Pass
					0	NV	5320.080	5250 to 5350	Pass
					10	NV	5320.060	5250 to 5350	Pass
					30	NV	5320.020	5250 to 5350	Pass
					40	NV	5320.040	5250 to 5350	Pass
					50	NV	5320.000	5250 to 5350	Pass
		5500	/	/	20	LV	5500.120	5470 to 5725	Pass
						NV	5500.080	5470 to 5725	Pass
						HV	5500.000	5470 to 5725	Pass
					-30	NV	5500.080	5470 to 5725	Pass
					-20	NV	5500.040	5470 to 5725	Pass
					-10	NV	5500.060	5470 to 5725	Pass
					0	NV	5500.020	5470 to 5725	Pass
					10	NV	5500.100	5470 to 5725	Pass
					30	NV	5500.020	5470 to 5725	Pass
					40	NV	5500.020	5470 to 5725	Pass
					50	NV	5500.100	5470 to 5725	Pass
		5580	/	/	20	LV	5580.000	5470 to 5725	Pass
						NV	5580.020	5470 to 5725	Pass
						HV	5580.060	5470 to 5725	Pass
					-30	NV	5580.060	5470 to 5725	Pass
					-20	NV	5580.020	5470 to 5725	Pass
					-10	NV	5579.980	5470 to 5725	Pass
					0	NV	5579.980	5470 to 5725	Pass
					10	NV	5579.960	5470 to 5725	Pass
					30	NV	5580.040	5470 to 5725	Pass
					40	NV	5579.940	5470 to 5725	Pass
					50	NV	5580.000	5470 to 5725	Pass
		5700	/	/	20	LV	5700.060	5470 to 5725	Pass
						NV	5700.020	5470 to 5725	Pass
						HV	5700.040	5470 to 5725	Pass
					-30	NV	5700.060	5470 to 5725	Pass
					-20	NV	5700.000	5470 to 5725	Pass
					-10	NV	5700.040	5470 to 5725	Pass
					0	NV	5700.080	5470 to 5725	Pass
					10	NV	5700.020	5470 to 5725	Pass

802.11ac (VHT40)	SISO				30	NV	5700.060	5470 to 5725	Pass
					40	NV	5700.060	5470 to 5725	Pass
					50	NV	5700.040	5470 to 5725	Pass
		5745	/	/	20	LV	5745.000	5725 to 5850	Pass
						NV	5745.020	5725 to 5850	Pass
						HV	5745.020	5725 to 5850	Pass
					-30	NV	5745.000	5725 to 5850	Pass
					-20	NV	5745.000	5725 to 5850	Pass
					-10	NV	5745.020	5725 to 5850	Pass
					0	NV	5744.980	5725 to 5850	Pass
					10	NV	5745.020	5725 to 5850	Pass
					30	NV	5745.040	5725 to 5850	Pass
					40	NV	5744.940	5725 to 5850	Pass
					50	NV	5744.960	5725 to 5850	Pass
		5785	/	/	20	LV	5785.040	5725 to 5850	Pass
						NV	5785.020	5725 to 5850	Pass
						HV	5785.020	5725 to 5850	Pass
					-30	NV	5785.020	5725 to 5850	Pass
					-20	NV	5784.980	5725 to 5850	Pass
					-10	NV	5785.060	5725 to 5850	Pass
					0	NV	5785.040	5725 to 5850	Pass
					10	NV	5785.060	5725 to 5850	Pass
					30	NV	5784.960	5725 to 5850	Pass
					40	NV	5785.020	5725 to 5850	Pass
					50	NV	5785.000	5725 to 5850	Pass
		5825	/	/	20	LV	5825.000	5725 to 5850	Pass
						NV	5825.020	5725 to 5850	Pass
						HV	5824.960	5725 to 5850	Pass
					-30	NV	5824.960	5725 to 5850	Pass
					-20	NV	5824.960	5725 to 5850	Pass
					-10	NV	5825.000	5725 to 5850	Pass
					0	NV	5825.020	5725 to 5850	Pass
					10	NV	5825.040	5725 to 5850	Pass
					30	NV	5825.060	5725 to 5850	Pass
					40	NV	5825.040	5725 to 5850	Pass
					50	NV	5825.020	5725 to 5850	Pass
802.11ac (VHT40)	SISO	5190	/	/	20	LV	5190.120	5150 to 5250	Pass
						NV	5190.000	5150 to 5250	Pass
						HV	5190.120	5150 to 5250	Pass
					-30	NV	5190.080	5150 to 5250	Pass
					-20	NV	5190.160	5150 to 5250	Pass
					-10	NV	5190.080	5150 to 5250	Pass
					0	NV	5190.040	5150 to 5250	Pass
					10	NV	5190.160	5150 to 5250	Pass
					30	NV	5190.040	5150 to 5250	Pass
					40	NV	5190.160	5150 to 5250	Pass
					50	NV	5190.040	5150 to 5250	Pass
		5230	/	/	20	LV	5230.120	5150 to 5250	Pass
						NV	5230.040	5150 to 5250	Pass
						HV	5230.080	5150 to 5250	Pass
					-30	NV	5230.040	5150 to 5250	Pass
					-20	NV	5230.080	5150 to 5250	Pass
					-10	NV	5230.080	5150 to 5250	Pass
					0	NV	5230.120	5150 to 5250	Pass
					10	NV	5230.120	5150 to 5250	Pass
					30	NV	5230.160	5150 to 5250	Pass
					40	NV	5230.120	5150 to 5250	Pass
					50	NV	5230.040	5150 to 5250	Pass
		5270	/	/	20	LV	5270.080	5250 to 5350	Pass

						NV	5270.120	5250 to 5350	Pass
						HV	5270.120	5250 to 5350	Pass
					-30	NV	5270.120	5250 to 5350	Pass
					-20	NV	5270.080	5250 to 5350	Pass
					-10	NV	5270.080	5250 to 5350	Pass
					0	NV	5270.080	5250 to 5350	Pass
					10	NV	5270.080	5250 to 5350	Pass
					30	NV	5270.080	5250 to 5350	Pass
					40	NV	5270.080	5250 to 5350	Pass
					50	NV	5270.120	5250 to 5350	Pass
		5310	/	/	20	LV	5310.120	5250 to 5350	Pass
						NV	5310.040	5250 to 5350	Pass
						HV	5310.040	5250 to 5350	Pass
					-30	NV	5310.080	5250 to 5350	Pass
					-20	NV	5310.160	5250 to 5350	Pass
					-10	NV	5309.960	5250 to 5350	Pass
					0	NV	5310.040	5250 to 5350	Pass
					10	NV	5310.040	5250 to 5350	Pass
					30	NV	5310.160	5250 to 5350	Pass
					40	NV	5310.120	5250 to 5350	Pass
					50	NV	5310.000	5250 to 5350	Pass
		5510	/	/	20	LV	5510.040	5470 to 5725	Pass
						NV	5510.080	5470 to 5725	Pass
						HV	5510.120	5470 to 5725	Pass
					-30	NV	5510.120	5470 to 5725	Pass
					-20	NV	5510.120	5470 to 5725	Pass
					-10	NV	5510.120	5470 to 5725	Pass
					0	NV	5510.120	5470 to 5725	Pass
					10	NV	5510.120	5470 to 5725	Pass
					30	NV	5510.120	5470 to 5725	Pass
					40	NV	5510.120	5470 to 5725	Pass
					50	NV	5510.120	5470 to 5725	Pass
		5550	/	/	20	LV	5550.080	5470 to 5725	Pass
						NV	5550.080	5470 to 5725	Pass
						HV	5550.080	5470 to 5725	Pass
					-30	NV	5550.000	5470 to 5725	Pass
					-20	NV	5550.120	5470 to 5725	Pass
					-10	NV	5550.120	5470 to 5725	Pass
					0	NV	5550.040	5470 to 5725	Pass
					10	NV	5550.080	5470 to 5725	Pass
					30	NV	5550.080	5470 to 5725	Pass
					40	NV	5550.080	5470 to 5725	Pass
					50	NV	5550.080	5470 to 5725	Pass
		5670	/	/	20	LV	5670.040	5470 to 5725	Pass
						NV	5670.120	5470 to 5725	Pass
						HV	5670.080	5470 to 5725	Pass
					-30	NV	5670.120	5470 to 5725	Pass
					-20	NV	5670.040	5470 to 5725	Pass
					-10	NV	5670.080	5470 to 5725	Pass
					0	NV	5670.040	5470 to 5725	Pass
					10	NV	5670.040	5470 to 5725	Pass
					30	NV	5670.080	5470 to 5725	Pass
					40	NV	5670.080	5470 to 5725	Pass
					50	NV	5670.040	5470 to 5725	Pass
		5755	/	/	20	LV	5755.000	5725 to 5850	Pass
						NV	5755.080	5725 to 5850	Pass
						HV	5755.040	5725 to 5850	Pass
					-30	NV	5755.080	5725 to 5850	Pass
					-20	NV	5755.000	5725 to 5850	Pass

					-10	NV	5755.040	5725 to 5850	Pass
					0	NV	5755.080	5725 to 5850	Pass
					10	NV	5755.080	5725 to 5850	Pass
					30	NV	5755.040	5725 to 5850	Pass
					40	NV	5755.080	5725 to 5850	Pass
					50	NV	5755.080	5725 to 5850	Pass
		5795	/	/	20	LV	5795.040	5725 to 5850	Pass
						NV	5795.040	5725 to 5850	Pass
						HV	5795.040	5725 to 5850	Pass
					-30	NV	5795.080	5725 to 5850	Pass
					-20	NV	5795.000	5725 to 5850	Pass
					-10	NV	5795.000	5725 to 5850	Pass
					0	NV	5795.080	5725 to 5850	Pass
					10	NV	5795.080	5725 to 5850	Pass
					30	NV	5795.040	5725 to 5850	Pass
					40	NV	5795.040	5725 to 5850	Pass
					50	NV	5795.040	5725 to 5850	Pass
802.11ax (HEW20)	SISO	5180	SU	/	20	LV	5180.040	5150 to 5250	Pass
						NV	5180.020	5150 to 5250	Pass
						HV	5180.020	5150 to 5250	Pass
					-30	NV	5180.100	5150 to 5250	Pass
					-20	NV	5180.020	5150 to 5250	Pass
					-10	NV	5180.060	5150 to 5250	Pass
					0	NV	5180.080	5150 to 5250	Pass
					10	NV	5180.040	5150 to 5250	Pass
					30	NV	5180.080	5150 to 5250	Pass
					40	NV	5180.040	5150 to 5250	Pass
		5200	SU	/	20	LV	5200.060	5150 to 5250	Pass
						NV	5200.040	5150 to 5250	Pass
						HV	5200.040	5150 to 5250	Pass
					-30	NV	5200.100	5150 to 5250	Pass
					-20	NV	5200.060	5150 to 5250	Pass
					-10	NV	5199.960	5150 to 5250	Pass
					0	NV	5200.000	5150 to 5250	Pass
					10	NV	5200.040	5150 to 5250	Pass
					30	NV	5200.040	5150 to 5250	Pass
					40	NV	5200.060	5150 to 5250	Pass
		5240	SU	/	20	LV	5240.020	5150 to 5250	Pass
						NV	5240.040	5150 to 5250	Pass
						HV	5240.080	5150 to 5250	Pass
					-30	NV	5239.960	5150 to 5250	Pass
					-20	NV	5240.060	5150 to 5250	Pass
					-10	NV	5240.020	5150 to 5250	Pass
					0	NV	5239.980	5150 to 5250	Pass
					10	NV	5240.000	5150 to 5250	Pass
					30	NV	5240.020	5150 to 5250	Pass
					40	NV	5240.040	5150 to 5250	Pass
		5260	SU	/	20	LV	5260.080	5250 to 5350	Pass
						NV	5259.960	5250 to 5350	Pass
						HV	5260.020	5250 to 5350	Pass
					-30	NV	5260.020	5250 to 5350	Pass
					-20	NV	5260.040	5250 to 5350	Pass
					-10	NV	5260.040	5250 to 5350	Pass
					0	NV	5259.960	5250 to 5350	Pass
					10	NV	5260.040	5250 to 5350	Pass
					30	NV	5260.000	5250 to 5350	Pass

					40	NV	5260.100	5250 to 5350	Pass
					50	NV	5260.080	5250 to 5350	Pass
		5300	SU	/	20	LV	5300.000	5250 to 5350	Pass
						NV	5300.080	5250 to 5350	Pass
						HV	5299.980	5250 to 5350	Pass
					-30	NV	5300.000	5250 to 5350	Pass
					-20	NV	5300.040	5250 to 5350	Pass
					-10	NV	5300.000	5250 to 5350	Pass
					0	NV	5299.980	5250 to 5350	Pass
					10	NV	5300.000	5250 to 5350	Pass
					30	NV	5300.020	5250 to 5350	Pass
					40	NV	5300.000	5250 to 5350	Pass
					50	NV	5299.980	5250 to 5350	Pass
		5320	SU	/	20	LV	5319.980	5250 to 5350	Pass
						NV	5320.020	5250 to 5350	Pass
						HV	5320.000	5250 to 5350	Pass
					-30	NV	5320.020	5250 to 5350	Pass
					-20	NV	5319.980	5250 to 5350	Pass
					-10	NV	5320.000	5250 to 5350	Pass
					0	NV	5320.100	5250 to 5350	Pass
					10	NV	5319.960	5250 to 5350	Pass
					30	NV	5320.040	5250 to 5350	Pass
					40	NV	5320.000	5250 to 5350	Pass
					50	NV	5320.060	5250 to 5350	Pass
		5500	SU	/	20	LV	5500.000	5470 to 5725	Pass
						NV	5500.100	5470 to 5725	Pass
						HV	5500.080	5470 to 5725	Pass
					-30	NV	5500.040	5470 to 5725	Pass
					-20	NV	5500.080	5470 to 5725	Pass
					-10	NV	5500.060	5470 to 5725	Pass
					0	NV	5500.000	5470 to 5725	Pass
					10	NV	5500.000	5470 to 5725	Pass
					30	NV	5500.060	5470 to 5725	Pass
					40	NV	5500.140	5470 to 5725	Pass
					50	NV	5500.040	5470 to 5725	Pass
		5580	SU	/	20	LV	5579.980	5470 to 5725	Pass
						NV	5579.980	5470 to 5725	Pass
						HV	5580.040	5470 to 5725	Pass
					-30	NV	5580.020	5470 to 5725	Pass
					-20	NV	5580.040	5470 to 5725	Pass
					-10	NV	5580.060	5470 to 5725	Pass
					0	NV	5580.040	5470 to 5725	Pass
					10	NV	5580.020	5470 to 5725	Pass
					30	NV	5580.040	5470 to 5725	Pass
					40	NV	5580.040	5470 to 5725	Pass
					50	NV	5580.080	5470 to 5725	Pass
		5700	SU	/	20	LV	5700.020	5470 to 5725	Pass
						NV	5700.020	5470 to 5725	Pass
						HV	5700.020	5470 to 5725	Pass
					-30	NV	5700.040	5470 to 5725	Pass
					-20	NV	5700.020	5470 to 5725	Pass
					-10	NV	5700.000	5470 to 5725	Pass
					0	NV	5700.100	5470 to 5725	Pass
					10	NV	5700.000	5470 to 5725	Pass
					30	NV	5700.120	5470 to 5725	Pass
					40	NV	5699.960	5470 to 5725	Pass
					50	NV	5700.040	5470 to 5725	Pass
		5745	SU	/	20	LV	5745.000	5725 to 5850	Pass
						NV	5744.980	5725 to 5850	Pass

						HV	5745.040	5725 to 5850	Pass
					-30	NV	5745.060	5725 to 5850	Pass
					-20	NV	5745.000	5725 to 5850	Pass
					-10	NV	5745.100	5725 to 5850	Pass
					0	NV	5745.060	5725 to 5850	Pass
					10	NV	5745.040	5725 to 5850	Pass
					30	NV	5745.120	5725 to 5850	Pass
					40	NV	5745.020	5725 to 5850	Pass
					50	NV	5745.060	5725 to 5850	Pass
		5785	SU	/	20	LV	5785.020	5725 to 5850	Pass
						NV	5784.980	5725 to 5850	Pass
						HV	5784.980	5725 to 5850	Pass
					-30	NV	5785.000	5725 to 5850	Pass
					-20	NV	5784.980	5725 to 5850	Pass
					-10	NV	5784.960	5725 to 5850	Pass
					0	NV	5785.000	5725 to 5850	Pass
					10	NV	5785.040	5725 to 5850	Pass
					30	NV	5785.000	5725 to 5850	Pass
					40	NV	5784.920	5725 to 5850	Pass
					50	NV	5784.900	5725 to 5850	Pass
		5825	SU	/	20	LV	5825.020	5725 to 5850	Pass
						NV	5825.020	5725 to 5850	Pass
						HV	5825.060	5725 to 5850	Pass
					-30	NV	5825.080	5725 to 5850	Pass
					-20	NV	5824.940	5725 to 5850	Pass
					-10	NV	5824.980	5725 to 5850	Pass
					0	NV	5825.100	5725 to 5850	Pass
					10	NV	5825.040	5725 to 5850	Pass
					30	NV	5825.040	5725 to 5850	Pass
					40	NV	5824.980	5725 to 5850	Pass
					50	NV	5825.060	5725 to 5850	Pass
802.11ax (HEW40)	SISO	5190	SU	/	20	LV	5190.120	5150 to 5250	Pass
						NV	5190.160	5150 to 5250	Pass
						HV	5190.120	5150 to 5250	Pass
					-30	NV	5190.040	5150 to 5250	Pass
					-20	NV	5190.120	5150 to 5250	Pass
					-10	NV	5190.080	5150 to 5250	Pass
					0	NV	5190.080	5150 to 5250	Pass
					10	NV	5190.080	5150 to 5250	Pass
					30	NV	5190.000	5150 to 5250	Pass
					40	NV	5190.040	5150 to 5250	Pass
					50	NV	5190.160	5150 to 5250	Pass
		5230	SU	/	20	LV	5230.080	5150 to 5250	Pass
						NV	5230.120	5150 to 5250	Pass
						HV	5230.080	5150 to 5250	Pass
					-30	NV	5230.040	5150 to 5250	Pass
					-20	NV	5230.080	5150 to 5250	Pass
					-10	NV	5230.120	5150 to 5250	Pass
					0	NV	5230.000	5150 to 5250	Pass
					10	NV	5230.040	5150 to 5250	Pass
					30	NV	5230.040	5150 to 5250	Pass
					40	NV	5230.080	5150 to 5250	Pass
					50	NV	5230.160	5150 to 5250	Pass
		5270	SU	/	20	LV	5270.040	5250 to 5350	Pass
						NV	5270.080	5250 to 5350	Pass
						HV	5270.040	5250 to 5350	Pass
					-30	NV	5270.120	5250 to 5350	Pass
					-20	NV	5270.080	5250 to 5350	Pass
					-10	NV	5270.080	5250 to 5350	Pass

					0	NV	5270.040	5250 to 5350	Pass
					10	NV	5270.120	5250 to 5350	Pass
					30	NV	5270.040	5250 to 5350	Pass
					40	NV	5269.960	5250 to 5350	Pass
					50	NV	5270.040	5250 to 5350	Pass
		5310	SU	/	20	LV	5310.160	5250 to 5350	Pass
						NV	5310.120	5250 to 5350	Pass
						HV	5310.040	5250 to 5350	Pass
					-30	NV	5310.040	5250 to 5350	Pass
					-20	NV	5310.120	5250 to 5350	Pass
					-10	NV	5310.080	5250 to 5350	Pass
					0	NV	5310.080	5250 to 5350	Pass
					10	NV	5310.080	5250 to 5350	Pass
					30	NV	5310.160	5250 to 5350	Pass
					40	NV	5310.040	5250 to 5350	Pass
					50	NV	5310.080	5250 to 5350	Pass
		5510	SU	/	20	LV	5510.080	5470 to 5725	Pass
						NV	5510.080	5470 to 5725	Pass
						HV	5510.160	5470 to 5725	Pass
					-30	NV	5510.080	5470 to 5725	Pass
					-20	NV	5510.160	5470 to 5725	Pass
					-10	NV	5510.080	5470 to 5725	Pass
					0	NV	5510.120	5470 to 5725	Pass
					10	NV	5510.120	5470 to 5725	Pass
					30	NV	5510.040	5470 to 5725	Pass
					40	NV	5510.120	5470 to 5725	Pass
					50	NV	5510.160	5470 to 5725	Pass
		5550	SU	/	20	LV	5550.000	5470 to 5725	Pass
						NV	5550.080	5470 to 5725	Pass
						HV	5550.120	5470 to 5725	Pass
					-30	NV	5550.080	5470 to 5725	Pass
					-20	NV	5550.080	5470 to 5725	Pass
					-10	NV	5550.080	5470 to 5725	Pass
					0	NV	5550.000	5470 to 5725	Pass
					10	NV	5550.160	5470 to 5725	Pass
					30	NV	5550.040	5470 to 5725	Pass
					40	NV	5550.080	5470 to 5725	Pass
					50	NV	5550.080	5470 to 5725	Pass
		5670	SU	/	20	LV	5670.120	5470 to 5725	Pass
						NV	5670.160	5470 to 5725	Pass
						HV	5670.120	5470 to 5725	Pass
					-30	NV	5670.040	5470 to 5725	Pass
					-20	NV	5670.040	5470 to 5725	Pass
					-10	NV	5670.120	5470 to 5725	Pass
					0	NV	5670.000	5470 to 5725	Pass
					10	NV	5670.120	5470 to 5725	Pass
					30	NV	5670.040	5470 to 5725	Pass
					40	NV	5670.160	5470 to 5725	Pass
					50	NV	5670.120	5470 to 5725	Pass
		5755	SU	/	20	LV	5755.000	5725 to 5850	Pass
						NV	5755.040	5725 to 5850	Pass
						HV	5755.120	5725 to 5850	Pass
					-30	NV	5755.000	5725 to 5850	Pass
					-20	NV	5755.080	5725 to 5850	Pass
					-10	NV	5755.040	5725 to 5850	Pass
					0	NV	5755.120	5725 to 5850	Pass
					10	NV	5755.000	5725 to 5850	Pass
					30	NV	5755.040	5725 to 5850	Pass
					40	NV	5755.080	5725 to 5850	Pass

					50	NV	5755.160	5725 to 5850	Pass
		5795	SU	/	20	LV	5795.120	5725 to 5850	Pass
						NV	5795.080	5725 to 5850	Pass
						HV	5795.080	5725 to 5850	Pass
						-30	NV	5795.080	5725 to 5850
					-20	NV	5795.120	5725 to 5850	Pass
					-10	NV	5795.040	5725 to 5850	Pass
					0	NV	5795.120	5725 to 5850	Pass
					10	NV	5795.160	5725 to 5850	Pass
					30	NV	5795.080	5725 to 5850	Pass
					40	NV	5795.080	5725 to 5850	Pass
		50	NV	5795.040	5725 to 5850	Pass			

6. Band Edge

6.1 Test Result


6.1.1 BandEdge

Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Level of Unwanted Emissions (dBm)		Verdict
						Result	Limit	
802.11a	SISO	5180	/	/	1	Refer To Test Graph		Pass
		5240	/	/	1	Refer To Test Graph		Pass
		5260	/	/	1	Refer To Test Graph		Pass
		5320	/	/	1	Refer To Test Graph		Pass
		5500	/	/	1	Refer To Test Graph		Pass
		5700	/	/	1	Refer To Test Graph		Pass
		5745	/	/	1	Refer To Test Graph		Pass
		5825	/	/	1	Refer To Test Graph		Pass
802.11n (HT20)	SISO	5180	/	/	1	Refer To Test Graph		Pass
		5240	/	/	1	Refer To Test Graph		Pass
		5260	/	/	1	Refer To Test Graph		Pass
		5320	/	/	1	Refer To Test Graph		Pass
		5500	/	/	1	Refer To Test Graph		Pass
		5700	/	/	1	Refer To Test Graph		Pass
		5745	/	/	1	Refer To Test Graph		Pass
		5825	/	/	1	Refer To Test Graph		Pass
802.11n (HT40)	SISO	5190	/	/	1	Refer To Test Graph		Pass
		5230	/	/	1	Refer To Test Graph		Pass
		5270	/	/	1	Refer To Test Graph		Pass
		5310	/	/	1	Refer To Test Graph		Pass
		5510	/	/	1	Refer To Test Graph		Pass
		5670	/	/	1	Refer To Test Graph		Pass
		5755	/	/	1	Refer To Test Graph		Pass
		5795	/	/	1	Refer To Test Graph		Pass
802.11ac (VHT20)	SISO	5180	/	/	1	Refer To Test Graph		Pass
		5240	/	/	1	Refer To Test Graph		Pass
		5260	/	/	1	Refer To Test Graph		Pass
		5320	/	/	1	Refer To Test Graph		Pass
		5500	/	/	1	Refer To Test Graph		Pass
		5700	/	/	1	Refer To Test Graph		Pass
		5745	/	/	1	Refer To Test Graph		Pass
		5825	/	/	1	Refer To Test Graph		Pass
802.11ac (VHT40)	SISO	5190	/	/	1	Refer To Test Graph		Pass
		5230	/	/	1	Refer To Test Graph		Pass
		5270	/	/	1	Refer To Test Graph		Pass


		5310	/	/	1	Refer To Test Graph	Pass
		5510	/	/	1	Refer To Test Graph	Pass
		5670	/	/	1	Refer To Test Graph	Pass
		5755	/	/	1	Refer To Test Graph	Pass
		5795	/	/	1	Refer To Test Graph	Pass
802.11ax (HEW20)	SISO	5180	SU	/	1	Refer To Test Graph	Pass
		5240	SU	/	1	Refer To Test Graph	Pass
		5260	SU	/	1	Refer To Test Graph	Pass
		5320	SU	/	1	Refer To Test Graph	Pass
		5500	SU	/	1	Refer To Test Graph	Pass
		5700	SU	/	1	Refer To Test Graph	Pass
		5745	SU	/	1	Refer To Test Graph	Pass
		5825	SU	/	1	Refer To Test Graph	Pass
802.11ax (HEW40)	SISO	5190	SU	/	1	Refer To Test Graph	Pass
		5230	SU	/	1	Refer To Test Graph	Pass
		5270	SU	/	1	Refer To Test Graph	Pass
		5310	SU	/	1	Refer To Test Graph	Pass
		5510	SU	/	1	Refer To Test Graph	Pass
		5670	SU	/	1	Refer To Test Graph	Pass
		5755	SU	/	1	Refer To Test Graph	Pass
		5795	SU	/	1	Refer To Test Graph	Pass

6.2 Test Graph

6.2.1 BandEdge




802.11a LCH 5260MHz Ant1 NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4701.500	-50.52	-21.20	29.32	Pass	Peak	7	4701.500	-54.92	-41.20	13.72	Pass	AVG
2	5016.500	-48.41	-21.20	27.21	Pass	Peak	8	5016.500	-54.98	-41.20	13.78	Pass	AVG
3	5044.000	-45.21	-21.20	24.01	Pass	Peak	9	5044.000	-54.46	-41.20	13.26	Pass	AVG
4	5067.000	-47.85	-21.20	26.65	Pass	Peak	10	5067.000	-54.39	-41.20	13.19	Pass	AVG
5	5105.000	-47.41	-21.20	26.21	Pass	Peak	11	5105.000	-54.43	-41.20	13.23	Pass	AVG
6	5135.000	-50.29	-21.20	29.09	Pass	Peak	12	5135.000	-54.95	-41.20	13.75	Pass	AVG

802.11a_HCH 5320MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5353.120	-47.54	-21.20	26.34	Pass	Peak	7	5353.120	-53.75	-41.20	12.55	Pass	AVG
2	5358.400	-47.19	-21.20	25.99	Pass	Peak	8	5358.400	-54.18	-41.20	12.98	Pass	AVG
3	5365.760	-48.66	-21.20	27.46	Pass	Peak	9	5365.760	-54.41	-41.20	13.21	Pass	AVG
4	5372.000	-47.76	-21.20	26.56	Pass	Peak	10	5372.000	-54.49	-41.20	13.29	Pass	AVG
5	5377.920	-49.50	-21.20	28.30	Pass	Peak	11	5377.920	-54.90	-41.20	13.70	Pass	AVG
6	5399.520	-49.39	-21.20	28.19	Pass	Peak	12	5399.520	-55.02	-41.20	13.82	Pass	AVG

802.11a LCH 5500MHz Ant1 NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5402.530	-46.93	-21.20	25.73	Pass	Peak	7	5402.530	-54.47	-41.20	13.27	Pass	AVG
2	5424.630	-47.05	-21.20	25.85	Pass	Peak	8	5424.630	-54.34	-41.20	13.14	Pass	AVG
3	5433.470	-48.12	-21.20	26.92	Pass	Peak	9	5433.470	-54.04	-41.20	12.84	Pass	AVG
4	5443.840	-47.37	-21.20	26.17	Pass	Peak	10	5443.840	-54.04	-41.20	12.84	Pass	AVG
5	5449.960	-46.95	-21.20	25.75	Pass	Peak	11	5449.960	-54.15	-41.20	12.95	Pass	AVG
6	5455.570	-47.69	-21.20	26.49	Pass	Peak	12	5455.570	-53.62	-41.20	12.42	Pass	AVG

802.11a_HCH_5700MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5727.280	-39.95	-27.00	12.95	Pass	Peak	7	5727.280	/	-27.00	/	/	AVG
2	5731.000	-43.52	-27.00	16.52	Pass	Peak	8	5731.000	/	-27.00	/	/	AVG
3	5736.760	-41.97	-27.00	14.97	Pass	Peak	9	5736.760	/	-27.00	/	/	AVG
4	5740.960	-43.14	-27.00	16.14	Pass	Peak	10	5740.960	/	-27.00	/	/	AVG
5	5748.160	-44.43	-27.00	17.43	Pass	Peak	11	5748.160	/	-27.00	/	/	AVG
6	5755.840	-43.93	-27.00	16.93	Pass	Peak	12	5755.840	/	-27.00	/	/	AVG


802.11a_LCH_5745MHz_Ant1_NTNV




802.11a_HCH_5825MHz_Ant1_NTNV




802.11n(HT20) LCH 5180MHz Ant1 NTV



802.11n(HT20)_HCH 5240MHz_Ant1_NTV




802.11n(HT20) LCH 5260MHz Ant1 NTV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4702.000	-49.25	-21.20	28.05	Pass	Peak	7	4702.000	-55.81	-41.20	14.61	Pass	AVG
2	5009.000	-48.32	-21.20	27.12	Pass	Peak	8	5009.000	-55.79	-41.20	14.59	Pass	AVG
3	5036.500	-48.99	-21.20	27.79	Pass	Peak	9	5036.500	-55.35	-41.20	14.15	Pass	AVG
4	5058.500	-47.34	-21.20	26.14	Pass	Peak	10	5058.500	-55.29	-41.20	14.09	Pass	AVG
5	5080.500	-48.10	-21.20	26.90	Pass	Peak	11	5080.500	-55.95	-41.20	14.75	Pass	AVG
6	5103.500	-48.70	-21.20	27.50	Pass	Peak	12	5103.500	-55.41	-41.20	14.21	Pass	AVG

802.11n(HT20)_HCH 5320MHz_Ant1_NTV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5350.080	-44.81	-21.20	23.61	Pass	Peak	7	5350.080	-53.39	-41.20	12.19	Pass	AVG
2	5356.000	-47.60	-21.20	26.40	Pass	Peak	8	5356.000	-54.26	-41.20	13.06	Pass	AVG
3	5362.720	-48.05	-21.20	26.85	Pass	Peak	9	5362.720	-54.75	-41.20	13.55	Pass	AVG
4	5369.440	-46.83	-21.20	25.63	Pass	Peak	10	5369.440	-54.89	-41.20	13.69	Pass	AVG
5	5378.400	-49.29	-21.20	28.09	Pass	Peak	11	5378.400	-55.15	-41.20	13.95	Pass	AVG
6	5387.520	-47.72	-21.20	26.52	Pass	Peak	12	5387.520	-55.78	-41.20	14.58	Pass	AVG

802.11n(HT20) LCH 5500MHz Ant1 NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5411.200	-48.05	-21.20	26.85	Pass	Peak	7	5411.200	-55.36	-41.20	14.16	Pass	AVG
2	5428.540	-47.59	-21.20	26.39	Pass	Peak	8	5428.540	-55.23	-41.20	14.03	Pass	AVG
3	5440.440	-47.13	-21.20	25.93	Pass	Peak	9	5440.440	-54.75	-41.20	13.55	Pass	AVG
4	5446.900	-48.18	-21.20	26.98	Pass	Peak	10	5446.900	-54.79	-41.20	13.59	Pass	AVG
5	5452.680	-46.62	-21.20	25.42	Pass	Peak	11	5452.680	-54.63	-41.20	13.43	Pass	AVG
6	5459.820	-46.88	-21.20	25.68	Pass	Peak	12	5459.820	-54.38	-41.20	13.18	Pass	AVG

802.11n(HT20)_HCH_5700MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5725.360	-38.57	-27.00	11.57	Pass	Peak	7	5725.360	/	-27.00	/	/	AVG
2	5732.320	-42.10	-27.00	15.10	Pass	Peak	8	5732.320	/	-27.00	/	/	AVG
3	5737.360	-43.08	-27.00	16.08	Pass	Peak	9	5737.360	/	-27.00	/	/	AVG
4	5744.080	-44.42	-27.00	17.42	Pass	Peak	10	5744.080	/	-27.00	/	/	AVG
5	5748.040	-43.47	-27.00	16.47	Pass	Peak	11	5748.040	/	-27.00	/	/	AVG
6	5754.640	-43.88	-27.00	16.88	Pass	Peak	12	5754.640	/	-27.00	/	/	AVG


802.11n(HT20) LCH 5745MHz Ant1 NTV



802.11n(HT20)_HCH_5825MHz_Ant1_NTV




802.11n(HT40) LCH 5190MHz Ant1 NTV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4689.500	-49.31	-21.20	28.11	Pass	Peak	7	4689.500	-56.25	-41.20	15.05	Pass	AVG
2	5036.000	-47.69	-21.20	26.49	Pass	Peak	8	5036.000	-55.60	-41.20	14.40	Pass	AVG
3	5061.000	-48.40	-21.20	27.20	Pass	Peak	9	5061.000	-55.99	-41.20	14.79	Pass	AVG
4	5085.500	-49.07	-21.20	27.87	Pass	Peak	10	5085.500	-55.69	-41.20	14.49	Pass	AVG
5	5107.500	-49.34	-21.20	28.14	Pass	Peak	11	5107.500	-55.62	-41.20	14.42	Pass	AVG
6	5144.000	-47.95	-21.20	26.75	Pass	Peak	12	5144.000	-56.01	-41.20	14.81	Pass	AVG

802.11n(HT40)_HCH 5230MHz_Ant1_NTV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5366.040	-49.62	-21.20	28.42	Pass	Peak	7	5366.040	-56.82	-41.20	15.62	Pass	AVG
2	5388.720	-49.11	-21.20	27.91	Pass	Peak	8	5388.720	-56.70	-41.20	15.50	Pass	AVG
3	5406.540	-49.58	-21.20	28.38	Pass	Peak	9	5406.540	-56.72	-41.20	15.52	Pass	AVG
4	5418.150	-48.80	-21.20	27.60	Pass	Peak	10	5418.150	-56.85	-41.20	15.65	Pass	AVG
5	5434.350	-49.04	-21.20	27.84	Pass	Peak	11	5434.350	-56.41	-41.20	15.21	Pass	AVG
6	5452.980	-48.90	-21.20	27.70	Pass	Peak	12	5452.980	-56.47	-41.20	15.27	Pass	AVG

802.11n(HT40) LCH 5270MHz Ant1 NTV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4739.000	-48.28	-21.20	27.08	Pass	Peak	7	4739.000	-55.93	-41.20	14.73	Pass	AVG
2	4973.000	-50.39	-21.20	29.19	Pass	Peak	8	4973.000	-55.96	-41.20	14.76	Pass	AVG
3	4998.000	-49.30	-21.20	28.10	Pass	Peak	9	4998.000	-55.84	-41.20	14.64	Pass	AVG
4	5026.500	-48.79	-21.20	27.59	Pass	Peak	10	5026.500	-55.43	-41.20	14.23	Pass	AVG
5	5063.000	-48.18	-21.20	26.98	Pass	Peak	11	5063.000	-55.36	-41.20	14.16	Pass	AVG
6	5105.500	-46.47	-21.20	25.27	Pass	Peak	12	5105.500	-55.51	-41.20	14.31	Pass	AVG

802.11n(HT40)_HCH_5310MHz_Ant1_NTV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5352.270	-43.89	-21.20	22.69	Pass	Peak	7	5352.270	-52.17	-41.20	10.97	Pass	AVG
2	5358.730	-44.49	-21.20	23.29	Pass	Peak	8	5358.730	-53.36	-41.20	12.16	Pass	AVG
3	5366.140	-46.69	-21.20	25.49	Pass	Peak	9	5366.140	-53.88	-41.20	12.68	Pass	AVG
4	5372.410	-48.70	-21.20	27.50	Pass	Peak	10	5372.410	-54.65	-41.20	13.45	Pass	AVG
5	5379.820	-48.89	-21.20	27.69	Pass	Peak	11	5379.820	-54.97	-41.20	13.77	Pass	AVG
6	5388.370	-49.03	-21.20	27.83	Pass	Peak	12	5388.370	-55.82	-41.20	14.62	Pass	AVG

802.11n(HT40) LCH 5510MHz Ant1 NTV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5405.200	-48.74	-21.20	27.54	Pass	Peak	7	5405.200	-55.49	-41.20	14.29	Pass	AVG
2	5424.000	-48.84	-21.20	27.64	Pass	Peak	8	5424.000	-55.44	-41.20	14.24	Pass	AVG
3	5431.600	-48.68	-21.20	27.48	Pass	Peak	9	5431.600	-55.26	-41.20	14.06	Pass	AVG
4	5438.600	-47.77	-21.20	26.57	Pass	Peak	10	5438.600	-54.77	-41.20	13.57	Pass	AVG
5	5446.600	-47.29	-21.20	26.09	Pass	Peak	11	5446.600	-54.61	-41.20	13.41	Pass	AVG
6	5459.000	-47.55	-21.20	26.35	Pass	Peak	12	5459.000	-54.62	-41.20	13.42	Pass	AVG

802.11n(HT40)_HCH 5670MHz_Ant1_NTV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5726.560	-43.21	-27.00	16.21	Pass	Peak	7	5726.560	/	-27.00	/	/	AVG
2	5734.890	-44.07	-27.00	17.07	Pass	Peak	8	5734.890	/	-27.00	/	/	AVG
3	5742.880	-44.05	-27.00	17.05	Pass	Peak	9	5742.880	/	-27.00	/	/	AVG
4	5751.720	-45.50	-27.00	18.50	Pass	Peak	10	5751.720	/	-27.00	/	/	AVG
5	5757.330	-45.52	-27.00	18.52	Pass	Peak	11	5757.330	/	-27.00	/	/	AVG
6	5786.230	-45.41	-27.00	18.41	Pass	Peak	12	5786.230	/	-27.00	/	/	AVG


802.11n(HT40) LCH 5755MHz Ant1 NTV



802.11n(HT40)_HCH_5795MHz_Ant1_NTV




802.11ac(VHT20) LCH 5180MHz Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5009.500	-49.12	-21.20	27.92	Pass	Peak	7	5009.500	-56.14	-41.20	14.94	Pass	AVG
2	5030.500	-48.44	-21.20	27.24	Pass	Peak	8	5030.500	-55.67	-41.20	14.47	Pass	AVG
3	5050.500	-48.65	-21.20	27.45	Pass	Peak	9	5050.500	-55.61	-41.20	14.41	Pass	AVG
4	5077.000	-48.75	-21.20	27.55	Pass	Peak	10	5077.000	-55.76	-41.20	14.56	Pass	AVG
5	5097.000	-47.82	-21.20	26.62	Pass	Peak	11	5097.000	-56.03	-41.20	14.83	Pass	AVG
6	5123.500	-48.08	-21.20	26.88	Pass	Peak	12	5123.500	-56.09	-41.20	14.89	Pass	AVG

802.11ac(VHT20) HCH 5240MHz Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5368.080	-48.86	-21.20	27.66	Pass	Peak	7	5368.080	-56.69	-41.20	15.49	Pass	AVG
2	5388.480	-49.22	-21.20	28.02	Pass	Peak	8	5388.480	-56.61	-41.20	15.41	Pass	AVG
3	5404.080	-48.97	-21.20	27.77	Pass	Peak	9	5404.080	-56.09	-41.20	14.89	Pass	AVG
4	5419.440	-49.65	-21.20	28.45	Pass	Peak	10	5419.440	-56.49	-41.20	15.29	Pass	AVG
5	5448.960	-49.47	-21.20	28.27	Pass	Peak	11	5448.960	-56.67	-41.20	15.47	Pass	AVG
6	5457.120	-50.20	-21.20	29.00	Pass	Peak	12	5457.120	-56.69	-41.20	15.49	Pass	AVG

802.11ac(VHT20) LCH 5260MHz Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4700.000	-47.67	-21.20	26.47	Pass	Peak	7	4700.000	-55.99	-41.20	14.79	Pass	AVG
2	4984.500	-49.72	-21.20	28.52	Pass	Peak	8	4984.500	-55.98	-41.20	14.78	Pass	AVG
3	5024.000	-49.75	-21.20	28.55	Pass	Peak	9	5024.000	-55.34	-41.20	14.14	Pass	AVG
4	5062.000	-47.94	-21.20	26.74	Pass	Peak	10	5062.000	-55.26	-41.20	14.06	Pass	AVG
5	5101.000	-47.59	-21.20	26.39	Pass	Peak	11	5101.000	-55.49	-41.20	14.29	Pass	AVG
6	5139.500	-50.03	-21.20	28.83	Pass	Peak	12	5139.500	-55.95	-41.20	14.75	Pass	AVG

802.11ac(VHT20) HCH 5320MHz Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5353.920	-46.36	-21.20	25.16	Pass	Peak	7	5353.920	-53.77	-41.20	12.57	Pass	AVG
2	5361.920	-46.88	-21.20	25.68	Pass	Peak	8	5361.920	-54.60	-41.20	13.40	Pass	AVG
3	5366.880	-46.46	-21.20	25.26	Pass	Peak	9	5366.880	-55.31	-41.20	14.11	Pass	AVG
4	5372.160	-48.20	-21.20	27.00	Pass	Peak	10	5372.160	-54.39	-41.20	13.19	Pass	AVG
5	5380.160	-49.38	-21.20	28.18	Pass	Peak	11	5380.160	-55.51	-41.20	14.31	Pass	AVG
6	5385.440	-49.35	-21.20	28.15	Pass	Peak	12	5385.440	-55.86	-41.20	14.66	Pass	AVG

802.11ac(VHT20) LCH 5500MHz Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5426.160	-49.02	-21.20	27.82	Pass	Peak	7	5426.160	-55.15	-41.20	13.95	Pass	AVG
2	5434.320	-48.75	-21.20	27.55	Pass	Peak	8	5434.320	-54.85	-41.20	13.65	Pass	AVG
3	5439.930	-48.32	-21.20	27.12	Pass	Peak	9	5439.930	-54.88	-41.20	13.68	Pass	AVG
4	5445.540	-49.08	-21.20	27.88	Pass	Peak	10	5445.540	-54.58	-41.20	13.38	Pass	AVG
5	5450.980	-47.40	-21.20	26.20	Pass	Peak	11	5450.980	-54.29	-41.20	13.09	Pass	AVG
6	5457.440	-46.16	-21.20	24.96	Pass	Peak	12	5457.440	-53.74	-41.20	12.54	Pass	AVG

802.11ac(VHT20) HCH 5700MHz Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5725.000	-38.67	-27.00	11.67	Pass	Peak	7	5725.000	/	-27.00	/	/	AVG
2	5729.080	-39.65	-27.00	12.65	Pass	Peak	8	5729.080	/	-27.00	/	/	AVG
3	5732.800	-40.94	-27.00	13.94	Pass	Peak	9	5732.800	/	-27.00	/	/	AVG
4	5737.720	-41.02	-27.00	14.02	Pass	Peak	10	5737.720	/	-27.00	/	/	AVG
5	5741.920	-41.63	-27.00	14.63	Pass	Peak	11	5741.920	/	-27.00	/	/	AVG
6	5746.360	-43.59	-27.00	16.59	Pass	Peak	12	5746.360	/	-27.00	/	/	AVG


802.11ac(VHT20) LCH 5745MHz Ant1 NTN




802.11ac(VHT20) HCH 5825MHz Ant1 NTN




802.11ac(VHT40) LCH 5190MHz Ant1 NTNV




802.11ac(VHT40) HCH 5230MHz Ant1 NTNV




802.11ac(VHT40) LCH 5270MHz Ant1 NTNV



802.11ac(VHT40)_HCH_5310MHz_Ant1_NTNV




802.11ac(VHT40) LCH 5510MHz Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5428.000	-53.28	-21.20	32.08	Pass	Peak	7	5428.000	-60.60	-41.20	19.40	Pass	AVG
2	5438.800	-52.31	-21.20	31.11	Pass	Peak	8	5438.800	-60.06	-41.20	18.86	Pass	AVG
3	5446.400	-52.67	-21.20	31.47	Pass	Peak	9	5446.400	-59.71	-41.20	18.51	Pass	AVG
4	5453.000	-50.25	-21.20	29.05	Pass	Peak	10	5453.000	-58.82	-41.20	17.62	Pass	AVG
5	5459.600	-50.08	-21.20	28.88	Pass	Peak	11	5459.600	-57.94	-41.20	16.74	Pass	AVG
6	5467.000	-46.61	-27.00	19.61	Pass	Peak	12	5467.000	/	/	/	/	AVG

802.11ac(VHT40) HCH 5670MHz Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5725.880	-44.81	-27.00	17.81	Pass	Peak	7	5725.880	/	-27.00	/	/	AVG
2	5731.830	-45.74	-27.00	18.74	Pass	Peak	8	5731.830	/	-27.00	/	/	AVG
3	5737.950	-47.84	-27.00	20.84	Pass	Peak	9	5737.950	/	-27.00	/	/	AVG
4	5744.410	-49.35	-27.00	22.35	Pass	Peak	10	5744.410	/	-27.00	/	/	AVG
5	5750.020	-48.86	-27.00	21.86	Pass	Peak	11	5750.020	/	-27.00	/	/	AVG
6	5758.350	-39.31	-27.00	12.31	Pass	Peak	12	5758.350	/	-27.00	/	/	AVG


802.11ac(VHT40) LCH 5755MHz Ant1 NTN



802.11ac(VHT40) HCH 5795MHz Ant1 NTN




802.11ax(HEW20) LCH 5180MHz SU / Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4988.500	-49.65	-21.20	28.45	Pass	Peak	7	4988.500	-56.17	-41.20	14.97	Pass	AVG
2	5026.000	-47.22	-21.20	26.02	Pass	Peak	8	5026.000	-55.50	-41.20	14.30	Pass	AVG
3	5051.500	-48.52	-21.20	27.32	Pass	Peak	9	5051.500	-55.53	-41.20	14.33	Pass	AVG
4	5077.000	-48.33	-21.20	27.13	Pass	Peak	10	5077.000	-55.78	-41.20	14.58	Pass	AVG
5	5116.000	-49.69	-21.20	28.49	Pass	Peak	11	5116.000	-55.92	-41.20	14.72	Pass	AVG
6	5145.000	-48.26	-21.20	27.06	Pass	Peak	12	5145.000	-55.87	-41.20	14.67	Pass	AVG

802.11ax(HEW20) HCH 5240MHz SU / Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5352.480	-50.21	-21.20	29.01	Pass	Peak	7	5352.480	-56.56	-41.20	15.36	Pass	AVG
2	5363.280	-49.64	-21.20	28.44	Pass	Peak	8	5363.280	-56.62	-41.20	15.42	Pass	AVG
3	5382.000	-49.42	-21.20	28.22	Pass	Peak	9	5382.000	-56.53	-41.20	15.33	Pass	AVG
4	5397.600	-49.49	-21.20	28.29	Pass	Peak	10	5397.600	-56.62	-41.20	15.42	Pass	AVG
5	5415.120	-50.39	-21.20	29.19	Pass	Peak	11	5415.120	-56.22	-41.20	15.02	Pass	AVG
6	5448.240	-49.04	-21.20	27.84	Pass	Peak	12	5448.240	-56.56	-41.20	15.36	Pass	AVG

802.11ax(HEW20) LCH 5260MHz SU / Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4770.000	-49.32	-21.20	28.12	Pass	Peak	7	4770.000	-55.73	-41.20	14.53	Pass	AVG
2	5008.500	-48.63	-21.20	27.43	Pass	Peak	8	5008.500	-55.71	-41.20	14.51	Pass	AVG
3	5031.000	-48.42	-21.20	27.22	Pass	Peak	9	5031.000	-55.35	-41.20	14.15	Pass	AVG
4	5071.500	-49.17	-21.20	27.97	Pass	Peak	10	5071.500	-55.07	-41.20	13.87	Pass	AVG
5	5093.500	-47.69	-21.20	26.49	Pass	Peak	11	5093.500	-55.60	-41.20	14.40	Pass	AVG
6	5117.500	-49.31	-21.20	28.11	Pass	Peak	12	5117.500	-55.68	-41.20	14.48	Pass	AVG

802.11ax(HEW20) HCH 5320MHz SU / Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5350.400	-44.62	-21.20	23.42	Pass	Peak	7	5350.400	-53.54	-41.20	12.34	Pass	AVG
2	5356.000	-46.90	-21.20	25.70	Pass	Peak	8	5356.000	-53.71	-41.20	12.51	Pass	AVG
3	5360.960	-46.56	-21.20	25.36	Pass	Peak	9	5360.960	-54.47	-41.20	13.27	Pass	AVG
4	5365.920	-46.93	-21.20	25.73	Pass	Peak	10	5365.920	-54.74	-41.20	13.54	Pass	AVG
5	5373.600	-47.76	-21.20	26.56	Pass	Peak	11	5373.600	-54.87	-41.20	13.67	Pass	AVG
6	5383.200	-48.19	-21.20	26.99	Pass	Peak	12	5383.200	-55.42	-41.20	14.22	Pass	AVG

802.11ax(HEW20) LCH 5500MHz SU / Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5422.590	-47.51	-21.20	26.31	Pass	Peak	7	5422.590	-54.96	-41.20	13.76	Pass	AVG
2	5428.540	-48.13	-21.20	26.93	Pass	Peak	8	5428.540	-55.15	-41.20	13.95	Pass	AVG
3	5437.890	-48.46	-21.20	27.26	Pass	Peak	9	5437.890	-54.82	-41.20	13.62	Pass	AVG
4	5443.670	-48.15	-21.20	26.95	Pass	Peak	10	5443.670	-54.44	-41.20	13.24	Pass	AVG
5	5452.340	-47.04	-21.20	25.84	Pass	Peak	11	5452.340	-54.46	-41.20	13.26	Pass	AVG
6	5459.480	-47.47	-21.20	26.27	Pass	Peak	12	5459.480	-54.00	-41.20	12.80	Pass	AVG

802.11ax(HEW20) HCH 5700MHz SU / Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5725.840	-40.19	-27.00	13.19	Pass	Peak	7	5725.840	/	-27.00	/	/	AVG
2	5731.000	-43.30	-27.00	16.30	Pass	Peak	8	5731.000	/	-27.00	/	/	AVG
3	5739.280	-43.15	-27.00	16.15	Pass	Peak	9	5739.280	/	-27.00	/	/	AVG
4	5748.280	-44.41	-27.00	17.41	Pass	Peak	10	5748.280	/	-27.00	/	/	AVG
5	5756.200	-44.51	-27.00	17.51	Pass	Peak	11	5756.200	/	-27.00	/	/	AVG
6	5759.920	-44.25	-27.00	17.25	Pass	Peak	12	5759.920	/	-27.00	/	/	AVG


802.11ax(HEW20) LCH 5745MHz SU / Ant1 NTN



802.11ax(HEW20) HCH 5825MHz SU / Ant1 NTN




802.11ax(HEW40) LCH 5190MHz SU / Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4718.500	-48.50	-21.20	27.30	Pass	Peak	7	4718.500	-56.02	-41.20	14.82	Pass	AVG
2	5026.500	-48.86	-21.20	27.66	Pass	Peak	8	5026.500	-55.69	-41.20	14.49	Pass	AVG
3	5048.000	-47.58	-21.20	26.38	Pass	Peak	9	5048.000	-56.12	-41.20	14.92	Pass	AVG
4	5070.500	-48.99	-21.20	27.79	Pass	Peak	10	5070.500	-55.76	-41.20	14.56	Pass	AVG
5	5102.500	-47.84	-21.20	26.64	Pass	Peak	11	5102.500	-55.78	-41.20	14.58	Pass	AVG
6	5147.000	-49.55	-21.20	28.35	Pass	Peak	12	5147.000	-55.77	-41.20	14.57	Pass	AVG

802.11ax(HEW40) HCH 5230MHz SU / Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5375.760	-50.44	-21.20	29.24	Pass	Peak	7	5375.760	-56.52	-41.20	15.32	Pass	AVG
2	5391.690	-48.72	-21.20	27.52	Pass	Peak	8	5391.690	-56.54	-41.20	15.34	Pass	AVG
3	5407.620	-49.85	-21.20	28.65	Pass	Peak	9	5407.620	-56.42	-41.20	15.22	Pass	AVG
4	5423.550	-50.04	-21.20	28.84	Pass	Peak	10	5423.550	-56.42	-41.20	15.22	Pass	AVG
5	5438.400	-50.32	-21.20	29.12	Pass	Peak	11	5438.400	-56.45	-41.20	15.25	Pass	AVG
6	5448.930	-48.55	-21.20	27.35	Pass	Peak	12	5448.930	-56.37	-41.20	15.17	Pass	AVG

802.11ax(HEW40) LCH 5270MHz SU / Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4721.000	-48.21	-21.20	27.01	Pass	Peak	7	4721.000	-55.87	-41.20	14.67	Pass	AVG
2	5011.000	-49.76	-21.20	28.56	Pass	Peak	8	5011.000	-55.52	-41.20	14.32	Pass	AVG
3	5034.000	-48.29	-21.20	27.09	Pass	Peak	9	5034.000	-55.39	-41.20	14.19	Pass	AVG
4	5061.000	-49.52	-21.20	28.32	Pass	Peak	10	5061.000	-55.24	-41.20	14.04	Pass	AVG
5	5093.500	-46.20	-21.20	25.00	Pass	Peak	11	5093.500	-55.00	-41.20	13.80	Pass	AVG
6	5130.500	-49.39	-21.20	28.19	Pass	Peak	12	5130.500	-55.57	-41.20	14.37	Pass	AVG

802.11ax(HEW40) HCH 5310MHz SU / Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5352.080	-43.60	-21.20	22.40	Pass	Peak	7	5352.080	-51.56	-41.20	10.36	Pass	AVG
2	5359.300	-45.18	-21.20	23.98	Pass	Peak	8	5359.300	-52.77	-41.20	11.57	Pass	AVG
3	5366.330	-46.37	-21.20	25.17	Pass	Peak	9	5366.330	-54.08	-41.20	12.88	Pass	AVG
4	5372.600	-46.81	-21.20	25.61	Pass	Peak	10	5372.600	-54.78	-41.20	13.58	Pass	AVG
5	5378.490	-48.99	-21.20	27.79	Pass	Peak	11	5378.490	-55.13	-41.20	13.93	Pass	AVG
6	5386.470	-48.92	-21.20	27.72	Pass	Peak	12	5386.470	-55.52	-41.20	14.32	Pass	AVG

802.11ax(HEW40) LCH 5510MHz SU / Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5388.000	-49.04	-21.20	27.84	Pass	Peak	7	5388.000	-55.34	-41.20	14.14	Pass	AVG
2	5408.000	-47.64	-21.20	26.44	Pass	Peak	8	5408.000	-55.23	-41.20	14.03	Pass	AVG
3	5437.800	-48.62	-21.20	27.42	Pass	Peak	9	5437.800	-54.83	-41.20	13.63	Pass	AVG
4	5445.600	-47.55	-21.20	26.35	Pass	Peak	10	5445.600	-54.97	-41.20	13.77	Pass	AVG
5	5452.600	-46.15	-21.20	24.95	Pass	Peak	11	5452.600	-54.60	-41.20	13.40	Pass	AVG
6	5459.400	-48.03	-21.20	26.83	Pass	Peak	12	5459.400	-54.26	-41.20	13.06	Pass	AVG

802.11ax(HEW40) HCH 5670MHz SU / Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5725.200	-44.03	-27.00	17.03	Pass	Peak	7	5725.200	/	-27.00	/	/	AVG
2	5731.490	-44.41	-27.00	17.41	Pass	Peak	8	5731.490	/	-27.00	/	/	AVG
3	5738.290	-45.69	-27.00	18.69	Pass	Peak	9	5738.290	/	-27.00	/	/	AVG
4	5743.900	-44.37	-27.00	17.37	Pass	Peak	10	5743.900	/	-27.00	/	/	AVG
5	5770.760	-45.21	-27.00	18.21	Pass	Peak	11	5770.760	/	-27.00	/	/	AVG
6	5788.780	-42.00	-27.00	15.00	Pass	Peak	12	5788.780	/	-27.00	/	/	AVG

802.11ax(HEW40) LCH 5755MHz SU / Ant1 NTN



802.11ax(HEW40) HCH 5795MHz SU / Ant1 NTN



7. Spurious Emission

7.1 Test Result


7.1.1 SE

Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Level of Unwanted Emissions (dBm)		Verdict
						Result	Limit	
802.11a	SISO	5180	/	/	1	Refer To Test Graph		Pass
		5200	/	/	1	Refer To Test Graph		Pass
		5240	/	/	1	Refer To Test Graph		Pass
		5260	/	/	1	Refer To Test Graph		Pass
		5300	/	/	1	Refer To Test Graph		Pass
		5320	/	/	1	Refer To Test Graph		Pass
		5500	/	/	1	Refer To Test Graph		Pass
		5580	/	/	1	Refer To Test Graph		Pass
		5700	/	/	1	Refer To Test Graph		Pass
		5745	/	/	1	Refer To Test Graph		Pass
		5785	/	/	1	Refer To Test Graph		Pass
		5825	/	/	1	Refer To Test Graph		Pass
802.11n (HT20)	SISO	5180	/	/	1	Refer To Test Graph		Pass
		5200	/	/	1	Refer To Test Graph		Pass
		5240	/	/	1	Refer To Test Graph		Pass
		5260	/	/	1	Refer To Test Graph		Pass
		5300	/	/	1	Refer To Test Graph		Pass
		5320	/	/	1	Refer To Test Graph		Pass
		5500	/	/	1	Refer To Test Graph		Pass
		5580	/	/	1	Refer To Test Graph		Pass
		5700	/	/	1	Refer To Test Graph		Pass
		5745	/	/	1	Refer To Test Graph		Pass
		5785	/	/	1	Refer To Test Graph		Pass
		5825	/	/	1	Refer To Test Graph		Pass
802.11n (HT40)	SISO	5190	/	/	1	Refer To Test Graph		Pass
		5230	/	/	1	Refer To Test Graph		Pass
		5270	/	/	1	Refer To Test Graph		Pass
		5310	/	/	1	Refer To Test Graph		Pass
		5510	/	/	1	Refer To Test Graph		Pass
		5550	/	/	1	Refer To Test Graph		Pass
		5670	/	/	1	Refer To Test Graph		Pass
		5755	/	/	1	Refer To Test Graph		Pass
802.11ac (VHT20)	SISO	5180	/	/	1	Refer To Test Graph		Pass
		5200	/	/	1	Refer To Test Graph		Pass
		5240	/	/	1	Refer To Test Graph		Pass
		5260	/	/	1	Refer To Test Graph		Pass
		5300	/	/	1	Refer To Test Graph		Pass
		5320	/	/	1	Refer To Test Graph		Pass
		5500	/	/	1	Refer To Test Graph		Pass
		5580	/	/	1	Refer To Test Graph		Pass
		5700	/	/	1	Refer To Test Graph		Pass
		5745	/	/	1	Refer To Test Graph		Pass
		5785	/	/	1	Refer To Test Graph		Pass
		5825	/	/	1	Refer To Test Graph		Pass
802.11ac (VHT40)	SISO	5190	/	/	1	Refer To Test Graph		Pass
		5230	/	/	1	Refer To Test Graph		Pass


		5270	/	/	1	Refer To Test Graph	Pass
		5310	/	/	1	Refer To Test Graph	Pass
		5510	/	/	1	Refer To Test Graph	Pass
		5550	/	/	1	Refer To Test Graph	Pass
		5670	/	/	1	Refer To Test Graph	Pass
		5755	/	/	1	Refer To Test Graph	Pass
		5795	/	/	1	Refer To Test Graph	Pass
802.11ax (HEW20)	SISO	5180	SU	/	1	Refer To Test Graph	Pass
		5200	SU	/	1	Refer To Test Graph	Pass
		5240	SU	/	1	Refer To Test Graph	Pass
		5260	SU	/	1	Refer To Test Graph	Pass
		5300	SU	/	1	Refer To Test Graph	Pass
		5320	SU	/	1	Refer To Test Graph	Pass
		5500	SU	/	1	Refer To Test Graph	Pass
		5580	SU	/	1	Refer To Test Graph	Pass
		5700	SU	/	1	Refer To Test Graph	Pass
		5745	SU	/	1	Refer To Test Graph	Pass
		5785	SU	/	1	Refer To Test Graph	Pass
		5825	SU	/	1	Refer To Test Graph	Pass
802.11ax (HEW40)	SISO	5190	SU	/	1	Refer To Test Graph	Pass
		5230	SU	/	1	Refer To Test Graph	Pass
		5270	SU	/	1	Refer To Test Graph	Pass
		5310	SU	/	1	Refer To Test Graph	Pass
		5510	SU	/	1	Refer To Test Graph	Pass
		5550	SU	/	1	Refer To Test Graph	Pass
		5670	SU	/	1	Refer To Test Graph	Pass
		5755	SU	/	1	Refer To Test Graph	Pass
		5795	SU	/	1	Refer To Test Graph	Pass

7.2 Test Graph

7.2.1 SE




802.11a_HCH_5240MHz_Ant1_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4192.6	-37.59	-21.20	16.39	Pass	Peak	7	4192.6	-52.36	-41.20	11.16	Pass	AVG
2	21346.45	-35.10	-21.20	13.90	Pass	Peak	8	21346.45	-43.50	-41.20	2.30	Pass	AVG
3	23043.9	-36.89	-21.20	15.69	Pass	Peak	9	23043.9	-45.65	-41.20	4.45	Pass	AVG
4	23940.65	-35.71	-21.20	14.51	Pass	Peak	10	23940.65	-43.45	-41.20	2.25	Pass	AVG
5	24839.1	-32.37	-27.00	5.37	Pass	Peak	11	24839.1	/	-27.00	/	/	AVG
6	25897.35	-31.76	-27.00	4.76	Pass	Peak	12	25897.35	/	-27.00	/	/	AVG

802.11a_LCH_5260MHz_Ant1_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	18936.7	-36.90	-21.20	15.70	Pass	Peak	7	18936.7	-46.33	-41.20	5.13	Pass	AVG
2	21315	-34.57	-21.20	13.37	Pass	Peak	8	21315	-43.18	-41.20	1.98	Pass	AVG
3	22480.35	-36.70	-21.20	15.50	Pass	Peak	9	22480.35	-45.63	-41.20	4.43	Pass	AVG
4	24305.3	-32.56	-27.00	5.56	Pass	Peak	10	24305.3	/	-27.00	/	/	AVG
5	25133.2	-33.80	-27.00	6.80	Pass	Peak	11	25133.2	/	-27.00	/	/	AVG
6	25899.9	-29.39	-27.00	2.39	Pass	Peak	12	25899.9	/	-27.00	/	/	AVG