

Frequency Stability

Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict	Environment
4	1.4	19957	1710.7	QPSK	6@0	-22.86	-0.01336	±2.5	PASS	VL
4	1.4	19957	1710.7	QPSK	6@0	-18.94	-0.01107	±2.5	PASS	VN
4	1.4	19957	1710.7	QPSK	6@0	-17.81	-0.01041	±2.5	PASS	VH
4	1.4	19957	1710.7	QPSK	6@0	-16.47	-0.00962	±2.5	PASS	-30°C
4	1.4	19957	1710.7	QPSK	6@0	-19.2	-0.01122	±2.5	PASS	-20°C
4	1.4	19957	1710.7	QPSK	6@0	-6.35	-0.00371	±2.5	PASS	-10°C
4	1.4	19957	1710.7	QPSK	6@0	-16.04	-0.00937	±2.5	PASS	0°C
4	1.4	19957	1710.7	QPSK	6@0	-10.51	-0.00615	±2.5	PASS	10°C
4	1.4	19957	1710.7	QPSK	6@0	-13.02	-0.00761	±2.5	PASS	20°C
4	1.4	19957	1710.7	QPSK	6@0	-12.79	-0.00748	±2.5	PASS	30°C
4	1.4	19957	1710.7	QPSK	6@0	-27.52	-0.01609	±2.5	PASS	40°C
4	1.4	19957	1710.7	QPSK	6@0	-17.6	-0.01029	±2.5	PASS	50°C
4	1.4	20175	1732.5	QPSK	6@0	-17.71	-0.01022	±2.5	PASS	VL
4	1.4	20175	1732.5	QPSK	6@0	-20.41	-0.01178	±2.5	PASS	VN
4	1.4	20175	1732.5	QPSK	6@0	-24.36	-0.01406	±2.5	PASS	VH
4	1.4	20175	1732.5	QPSK	6@0	-17.87	-0.01031	±2.5	PASS	-30°C
4	1.4	20175	1732.5	QPSK	6@0	-23.42	-0.01352	±2.5	PASS	-20°C
4	1.4	20175	1732.5	QPSK	6@0	-15.34	-0.00885	±2.5	PASS	-10°C
4	1.4	20175	1732.5	QPSK	6@0	-20.99	-0.01211	±2.5	PASS	0°C
4	1.4	20175	1732.5	QPSK	6@0	-18.7	-0.01079	±2.5	PASS	10°C
4	1.4	20175	1732.5	QPSK	6@0	-16.69	-0.00964	±2.5	PASS	20°C
4	1.4	20175	1732.5	QPSK	6@0	-15.85	-0.00915	±2.5	PASS	30°C
4	1.4	20175	1732.5	QPSK	6@0	-23.36	-0.01348	±2.5	PASS	40°C
4	1.4	20175	1732.5	QPSK	6@0	-21.19	-0.01223	±2.5	PASS	50°C
4	1.4	20393	1754.3	QPSK	6@0	2.46	0.0014	±2.5	PASS	VL
4	1.4	20393	1754.3	QPSK	6@0	-18.94	-0.0108	±2.5	PASS	VN
4	1.4	20393	1754.3	QPSK	6@0	-22.4	-0.01277	±2.5	PASS	VH
4	1.4	20393	1754.3	QPSK	6@0	-12.66	-0.00722	±2.5	PASS	-30°C
4	1.4	20393	1754.3	QPSK	6@0	-20.0	-0.0114	±2.5	PASS	-20°C
4	1.4	20393	1754.3	QPSK	6@0	-15.52	-0.00885	±2.5	PASS	-10°C
4	1.4	20393	1754.3	QPSK	6@0	-14.32	-0.00816	±2.5	PASS	0°C
4	1.4	20393	1754.3	QPSK	6@0	-22.29	-0.0127	±2.5	PASS	10°C
4	1.4	20393	1754.3	QPSK	6@0	-9.91	-0.00565	±2.5	PASS	20°C
4	1.4	20393	1754.3	QPSK	6@0	-23.89	-0.01362	±2.5	PASS	30°C
4	1.4	20393	1754.3	QPSK	6@0	0.64	0.00037	±2.5	PASS	40°C
4	1.4	20393	1754.3	QPSK	6@0	14.92	0.0085	±2.5	PASS	50°C
4	3.0	19965	1711.5	QPSK	15@0	-19.4	-0.01133	±2.5	PASS	VL
4	3.0	19965	1711.5	QPSK	15@0	-16.91	-0.00988	±2.5	PASS	VN
4	3.0	19965	1711.5	QPSK	15@0	-20.07	-0.01173	±2.5	PASS	VH
4	3.0	19965	1711.5	QPSK	15@0	-11.76	-0.00687	±2.5	PASS	-30°C
4	3.0	19965	1711.5	QPSK	15@0	-11.16	-0.00652	±2.5	PASS	-20°C
4	3.0	19965	1711.5	QPSK	15@0	-20.73	-0.01211	±2.5	PASS	-10°C
4	3.0	19965	1711.5	QPSK	15@0	-12.43	-0.00726	±2.5	PASS	0°C
4	3.0	19965	1711.5	QPSK	15@0	-20.17	-0.01179	±2.5	PASS	10°C
4	3.0	19965	1711.5	QPSK	15@0	3.82	0.00223	±2.5	PASS	20°C
4	3.0	19965	1711.5	QPSK	15@0	6.77	0.00395	±2.5	PASS	30°C
4	3.0	19965	1711.5	QPSK	15@0	14.95	0.00873	±2.5	PASS	40°C
4	3.0	19965	1711.5	QPSK	15@0	16.38	0.00957	±2.5	PASS	50°C
4	3.0	20175	1732.5	QPSK	15@0	-16.39	-0.00946	±2.5	PASS	VL
4	3.0	20175	1732.5	QPSK	15@0	21.89	0.01263	±2.5	PASS	VN
4	3.0	20175	1732.5	QPSK	15@0	9.73	0.00561	±2.5	PASS	VH
4	3.0	20175	1732.5	QPSK	15@0	21.2	0.01224	±2.5	PASS	-30°C
4	3.0	20175	1732.5	QPSK	15@0	18.63	0.01075	±2.5	PASS	-20°C
4	3.0	20175	1732.5	QPSK	15@0	21.49	0.0124	±2.5	PASS	-10°C
4	3.0	20175	1732.5	QPSK	15@0	19.11	0.01103	±2.5	PASS	0°C
4	3.0	20175	1732.5	QPSK	15@0	15.25	0.0088	±2.5	PASS	10°C
4	3.0	20175	1732.5	QPSK	15@0	13.38	0.00772	±2.5	PASS	20°C
4	3.0	20175	1732.5	QPSK	15@0	14.36	0.00829	±2.5	PASS	30°C
4	3.0	20175	1732.5	QPSK	15@0	17.44	0.01007	±2.5	PASS	40°C
4	3.0	20175	1732.5	QPSK	15@0	11.69	0.00675	±2.5	PASS	50°C
4	3.0	20385	1753.5	QPSK	15@0	-22.02	-0.01256	±2.5	PASS	VL
4	3.0	20385	1753.5	QPSK	15@0	16.55	0.00944	±2.5	PASS	VN
4	3.0	20385	1753.5	QPSK	15@0	8.01	0.00457	±2.5	PASS	VH
4	3.0	20385	1753.5	QPSK	15@0	12.83	0.00732	±2.5	PASS	-30°C
4	3.0	20385	1753.5	QPSK	15@0	20.63	0.01176	±2.5	PASS	-20°C
4	3.0	20385	1753.5	QPSK	15@0	16.59	0.00946	±2.5	PASS	-10°C
4	3.0	20385	1753.5	QPSK	15@0	16.31	0.0093	±2.5	PASS	0°C
4	3.0	20385	1753.5	QPSK	15@0	20.5	0.01169	±2.5	PASS	10°C
4	3.0	20385	1753.5	QPSK	15@0	19.94	0.01137	±2.5	PASS	20°C
4	3.0	20385	1753.5	QPSK	15@0	19.83	0.01131	±2.5	PASS	30°C
4	3.0	20385	1753.5	QPSK	15@0	9.16	0.00522	±2.5	PASS	40°C
4	3.0	20385	1753.5	QPSK	15@0	16.89	0.00963	±2.5	PASS	50°C
4	5.0	19975	1712.5	QPSK	25@0	-13.99	-0.00817	±2.5	PASS	VL
4	5.0	19975	1712.5	QPSK	25@0	-16.41	-0.00958	±2.5	PASS	VN

FCC ID:2A5AN-PH960G

4	5.0	19975	1712.5	QPSK	25@0	-9.64	-0.00563	±2.5	PASS	VH
4	5.0	19975	1712.5	QPSK	25@0	-17.34	-0.01012	±2.5	PASS	-30°C
4	5.0	19975	1712.5	QPSK	25@0	16.31	0.00952	±2.5	PASS	-20°C
4	5.0	19975	1712.5	QPSK	25@0	19.87	0.0116	±2.5	PASS	-10°C
4	5.0	19975	1712.5	QPSK	25@0	13.88	0.0081	±2.5	PASS	0°C
4	5.0	19975	1712.5	QPSK	25@0	12.46	0.00728	±2.5	PASS	10°C
4	5.0	19975	1712.5	QPSK	25@0	16.59	0.00969	±2.5	PASS	20°C
4	5.0	19975	1712.5	QPSK	25@0	8.2	0.00479	±2.5	PASS	30°C
4	5.0	19975	1712.5	QPSK	25@0	13.43	0.00784	±2.5	PASS	40°C
4	5.0	19975	1712.5	QPSK	25@0	20.08	0.01173	±2.5	PASS	50°C
4	5.0	20175	1732.5	QPSK	25@0	-17.34	-0.01001	±2.5	PASS	VL
4	5.0	20175	1732.5	QPSK	25@0	14.25	0.00822	±2.5	PASS	VN
4	5.0	20175	1732.5	QPSK	25@0	9.46	0.00546	±2.5	PASS	VH
4	5.0	20175	1732.5	QPSK	25@0	18.6	0.01073	±2.5	PASS	-30°C
4	5.0	20175	1732.5	QPSK	25@0	17.05	0.00984	±2.5	PASS	-20°C
4	5.0	20175	1732.5	QPSK	25@0	19.18	0.01107	±2.5	PASS	-10°C
4	5.0	20175	1732.5	QPSK	25@0	17.8	0.01027	±2.5	PASS	0°C
4	5.0	20175	1732.5	QPSK	25@0	15.58	0.00899	±2.5	PASS	10°C
4	5.0	20175	1732.5	QPSK	25@0	15.25	0.0088	±2.5	PASS	20°C
4	5.0	20175	1732.5	QPSK	25@0	19.35	0.01117	±2.5	PASS	30°C
4	5.0	20175	1732.5	QPSK	25@0	19.9	0.01149	±2.5	PASS	40°C
4	5.0	20175	1732.5	QPSK	25@0	16.79	0.00969	±2.5	PASS	50°C
4	5.0	20375	1752.5	QPSK	25@0	-17.47	-0.00997	±2.5	PASS	VL
4	5.0	20375	1752.5	QPSK	25@0	-9.77	-0.00558	±2.5	PASS	VN
4	5.0	20375	1752.5	QPSK	25@0	-16.47	-0.0094	±2.5	PASS	VH
4	5.0	20375	1752.5	QPSK	25@0	-20.26	-0.01156	±2.5	PASS	-30°C
4	5.0	20375	1752.5	QPSK	25@0	-11.06	-0.00631	±2.5	PASS	-20°C
4	5.0	20375	1752.5	QPSK	25@0	7.4	0.00422	±2.5	PASS	-10°C
4	5.0	20375	1752.5	QPSK	25@0	9.96	0.00568	±2.5	PASS	0°C
4	5.0	20375	1752.5	QPSK	25@0	8.64	0.00493	±2.5	PASS	10°C
4	5.0	20375	1752.5	QPSK	25@0	6.65	0.0038	±2.5	PASS	20°C
4	5.0	20375	1752.5	QPSK	25@0	1.17	0.00067	±2.5	PASS	30°C
4	5.0	20375	1752.5	QPSK	25@0	0.69	0.00039	±2.5	PASS	40°C
4	5.0	20375	1752.5	QPSK	25@0	18.74	0.01069	±2.5	PASS	50°C

Transmitter Conducted Output Power


Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	Conducted Power (dBm)	(Limit) (dBm)	Verdict
4	1.4	19957	1710.7	QPSK	1@0	22.84	30	PASS
4	1.4	19957	1710.7	QPSK	1@2	22.36	30	PASS
4	1.4	19957	1710.7	QPSK	1@5	22.27	30	PASS
4	1.4	19957	1710.7	QPSK	3@0	22.07	30	PASS
4	1.4	19957	1710.7	QPSK	3@1	22.03	30	PASS
4	1.4	19957	1710.7	QPSK	3@2	21.98	30	PASS
4	1.4	19957	1710.7	QPSK	6@0	21.23	30	PASS
4	1.4	19957	1710.7	16QAM	1@0	21.21	30	PASS
4	1.4	19957	1710.7	16QAM	1@2	21.27	30	PASS
4	1.4	19957	1710.7	16QAM	1@5	21.25	30	PASS
4	1.4	19957	1710.7	16QAM	3@0	21.39	30	PASS
4	1.4	19957	1710.7	16QAM	3@1	21.37	30	PASS
4	1.4	19957	1710.7	16QAM	3@2	21.38	30	PASS
4	1.4	19957	1710.7	16QAM	6@0	20.43	30	PASS
4	1.4	20175	1732.5	QPSK	1@0	21.65	30	PASS
4	1.4	20175	1732.5	QPSK	1@2	21.66	30	PASS
4	1.4	20175	1732.5	QPSK	1@5	21.68	30	PASS
4	1.4	20175	1732.5	QPSK	3@0	21.64	30	PASS
4	1.4	20175	1732.5	QPSK	3@1	21.67	30	PASS
4	1.4	20175	1732.5	QPSK	3@2	21.64	30	PASS
4	1.4	20175	1732.5	QPSK	6@0	20.88	30	PASS
4	1.4	20175	1732.5	16QAM	1@0	21.03	30	PASS
4	1.4	20175	1732.5	16QAM	1@2	21.03	30	PASS
4	1.4	20175	1732.5	16QAM	1@5	21.04	30	PASS
4	1.4	20175	1732.5	16QAM	3@0	20.91	30	PASS
4	1.4	20175	1732.5	16QAM	3@1	20.92	30	PASS
4	1.4	20175	1732.5	16QAM	3@2	20.92	30	PASS
4	1.4	20175	1732.5	16QAM	6@0	20.14	30	PASS
4	1.4	20393	1754.3	QPSK	1@0	22.05	30	PASS
4	1.4	20393	1754.3	QPSK	1@2	22.12	30	PASS
4	1.4	20393	1754.3	QPSK	1@5	22.12	30	PASS
4	1.4	20393	1754.3	QPSK	3@0	22.07	30	PASS
4	1.4	20393	1754.3	QPSK	3@1	22.05	30	PASS
4	1.4	20393	1754.3	QPSK	3@2	22.04	30	PASS
4	1.4	20393	1754.3	QPSK	6@0	21.25	30	PASS
4	1.4	20393	1754.3	16QAM	1@0	21.34	30	PASS
4	1.4	20393	1754.3	16QAM	1@2	21.32	30	PASS
4	1.4	20393	1754.3	16QAM	1@5	21.36	30	PASS
4	1.4	20393	1754.3	16QAM	3@0	21.4	30	PASS
4	1.4	20393	1754.3	16QAM	3@1	21.37	30	PASS
4	1.4	20393	1754.3	16QAM	3@2	21.38	30	PASS
4	1.4	20393	1754.3	16QAM	6@0	20.35	30	PASS
4	3.0	19965	1711.5	QPSK	1@0	22.08	30	PASS
4	3.0	19965	1711.5	QPSK	1@7	22.08	30	PASS
4	3.0	19965	1711.5	QPSK	1@14	22.04	30	PASS
4	3.0	19965	1711.5	QPSK	8@0	21.18	30	PASS
4	3.0	19965	1711.5	QPSK	8@4	21.17	30	PASS
4	3.0	19965	1711.5	QPSK	8@7	21.24	30	PASS
4	3.0	19965	1711.5	QPSK	15@0	21.16	30	PASS
4	3.0	19965	1711.5	16QAM	1@0	21.2	30	PASS
4	3.0	19965	1711.5	16QAM	1@7	21.32	30	PASS
4	3.0	19965	1711.5	16QAM	1@14	21.26	30	PASS
4	3.0	19965	1711.5	16QAM	8@0	20.42	30	PASS
4	3.0	19965	1711.5	16QAM	8@4	20.42	30	PASS
4	3.0	19965	1711.5	16QAM	8@7	20.53	30	PASS
4	3.0	19965	1711.5	16QAM	15@0	20.46	30	PASS
4	3.0	20175	1732.5	QPSK	1@0	21.6	30	PASS
4	3.0	20175	1732.5	QPSK	1@7	21.62	30	PASS
4	3.0	20175	1732.5	QPSK	1@14	21.58	30	PASS
4	3.0	20175	1732.5	QPSK	8@0	20.9	30	PASS
4	3.0	20175	1732.5	QPSK	8@4	20.91	30	PASS
4	3.0	20175	1732.5	QPSK	8@7	20.92	30	PASS
4	3.0	20175	1732.5	QPSK	15@0	20.92	30	PASS
4	3.0	20175	1732.5	16QAM	1@0	21.48	30	PASS
4	3.0	20175	1732.5	16QAM	1@7	21.5	30	PASS
4	3.0	20175	1732.5	16QAM	1@14	21.44	30	PASS
4	3.0	20175	1732.5	16QAM	8@0	20.29	30	PASS
4	3.0	20175	1732.5	16QAM	8@4	20.23	30	PASS
4	3.0	20175	1732.5	16QAM	8@7	20.25	30	PASS
4	3.0	20175	1732.5	16QAM	15@0	20.16	30	PASS
4	3.0	20385	1753.5	QPSK	1@0	22.0	30	PASS
4	3.0	20385	1753.5	QPSK	1@7	22.14	30	PASS
4	3.0	20385	1753.5	QPSK	1@14	22.06	30	PASS
4	3.0	20385	1753.5	QPSK	8@0	21.24	30	PASS


FCC ID:2A5AN-PH960G


4	3.0	20385	1753.5	QPSK	8@4	21.21	30	PASS
4	3.0	20385	1753.5	QPSK	8@7	21.29	30	PASS
4	3.0	20385	1753.5	QPSK	15@0	21.27	30	PASS
4	3.0	20385	1753.5	16QAM	1@0	21.28	30	PASS
4	3.0	20385	1753.5	16QAM	1@7	21.46	30	PASS
4	3.0	20385	1753.5	16QAM	1@14	21.39	30	PASS
4	3.0	20385	1753.5	16QAM	8@0	20.32	30	PASS
4	3.0	20385	1753.5	16QAM	8@4	20.34	30	PASS
4	3.0	20385	1753.5	16QAM	8@7	20.38	30	PASS
4	3.0	20385	1753.5	16QAM	15@0	20.36	30	PASS
4	5.0	19975	1712.5	QPSK	1@0	22.57	30	PASS
4	5.0	19975	1712.5	QPSK	1@12	22.18	30	PASS
4	5.0	19975	1712.5	QPSK	1@24	22.01	30	PASS
4	5.0	19975	1712.5	QPSK	12@0	21.14	30	PASS
4	5.0	19975	1712.5	QPSK	12@6	21.13	30	PASS
4	5.0	19975	1712.5	QPSK	12@11	21.12	30	PASS
4	5.0	19975	1712.5	QPSK	25@0	21.11	30	PASS
4	5.0	19975	1712.5	16QAM	1@0	21.13	30	PASS
4	5.0	19975	1712.5	16QAM	1@12	21.22	30	PASS
4	5.0	19975	1712.5	16QAM	1@24	21.18	30	PASS
4	5.0	19975	1712.5	16QAM	12@0	20.36	30	PASS
4	5.0	19975	1712.5	16QAM	12@6	20.35	30	PASS
4	5.0	19975	1712.5	16QAM	12@11	20.36	30	PASS
4	5.0	19975	1712.5	16QAM	25@0	20.43	30	PASS
4	5.0	20175	1732.5	QPSK	1@0	21.8	30	PASS
4	5.0	20175	1732.5	QPSK	1@12	21.72	30	PASS
4	5.0	20175	1732.5	QPSK	1@24	21.75	30	PASS
4	5.0	20175	1732.5	QPSK	12@0	20.89	30	PASS
4	5.0	20175	1732.5	QPSK	12@6	20.9	30	PASS
4	5.0	20175	1732.5	QPSK	12@11	20.92	30	PASS
4	5.0	20175	1732.5	QPSK	25@0	20.84	30	PASS
4	5.0	20175	1732.5	16QAM	1@0	21.3	30	PASS
4	5.0	20175	1732.5	16QAM	1@12	21.22	30	PASS
4	5.0	20175	1732.5	16QAM	1@24	21.23	30	PASS
4	5.0	20175	1732.5	16QAM	12@0	20.12	30	PASS
4	5.0	20175	1732.5	16QAM	12@6	20.12	30	PASS
4	5.0	20175	1732.5	16QAM	12@11	20.11	30	PASS
4	5.0	20175	1732.5	16QAM	25@0	20.09	30	PASS
4	5.0	20375	1752.5	QPSK	1@0	22.04	30	PASS
4	5.0	20375	1752.5	QPSK	1@12	22.06	30	PASS
4	5.0	20375	1752.5	QPSK	1@24	22.17	30	PASS
4	5.0	20375	1752.5	QPSK	12@0	21.22	30	PASS
4	5.0	20375	1752.5	QPSK	12@6	21.25	30	PASS
4	5.0	20375	1752.5	QPSK	12@11	21.22	30	PASS
4	5.0	20375	1752.5	QPSK	25@0	21.21	30	PASS
4	5.0	20375	1752.5	16QAM	1@0	21.29	30	PASS
4	5.0	20375	1752.5	16QAM	1@12	21.37	30	PASS
4	5.0	20375	1752.5	16QAM	1@24	21.46	30	PASS
4	5.0	20375	1752.5	16QAM	12@0	20.37	30	PASS
4	5.0	20375	1752.5	16QAM	12@6	20.32	30	PASS
4	5.0	20375	1752.5	16QAM	12@11	20.34	30	PASS
4	5.0	20375	1752.5	16QAM	25@0	20.43	30	PASS

Peak to Average Ratio

Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	Result (dB)	Limit (dB)	Verdict
4	1.4	19957	1710.7	QPSK	6@0	5.46	13	PASS
4	1.4	19957	1710.7	16QAM	6@0	6.21	13	PASS
4	1.4	20175	1732.5	QPSK	6@0	5.66	13	PASS
4	1.4	20175	1732.5	16QAM	6@0	6.49	13	PASS
4	1.4	20393	1754.3	QPSK	6@0	5.41	13	PASS
4	1.4	20393	1754.3	16QAM	6@0	6.1	13	PASS
4	3.0	19965	1711.5	QPSK	15@0	5.46	13	PASS
4	3.0	19965	1711.5	16QAM	15@0	6.3	13	PASS
4	3.0	20175	1732.5	QPSK	15@0	5.7	13	PASS
4	3.0	20175	1732.5	16QAM	15@0	6.52	13	PASS
4	3.0	20385	1753.5	QPSK	15@0	5.38	13	PASS
4	3.0	20385	1753.5	16QAM	15@0	6.23	13	PASS
4	5.0	19975	1712.5	QPSK	25@0	5.46	13	PASS
4	5.0	19975	1712.5	16QAM	25@0	6.24	13	PASS
4	5.0	20175	1732.5	QPSK	25@0	5.63	13	PASS
4	5.0	20175	1732.5	16QAM	25@0	6.41	13	PASS
4	5.0	20375	1752.5	QPSK	25@0	5.39	13	PASS
4	5.0	20375	1752.5	16QAM	25@0	6.11	13	PASS










Occupied Bandwidth

Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	OBW (MHz)	26dB BW (MHz)	Verdict
4	1.4	19957	1710.7	QPSK	6@0	1.0765	1.239	PASS
4	1.4	19957	1710.7	16QAM	6@0	1.0806	1.242	PASS
4	1.4	20175	1732.5	QPSK	6@0	1.0797	1.264	PASS
4	1.4	20175	1732.5	16QAM	6@0	1.0759	1.222	PASS
4	1.4	20393	1754.3	QPSK	6@0	1.0807	1.215	PASS
4	1.4	20393	1754.3	16QAM	6@0	1.0770	1.225	PASS
4	3.0	19965	1711.5	QPSK	15@0	2.6860	2.894	PASS
4	3.0	19965	1711.5	16QAM	15@0	2.6788	2.873	PASS
4	3.0	20175	1732.5	QPSK	15@0	2.6844	2.880	PASS
4	3.0	20175	1732.5	16QAM	15@0	2.6720	2.895	PASS
4	3.0	20385	1753.5	QPSK	15@0	2.6825	2.872	PASS
4	3.0	20385	1753.5	16QAM	15@0	2.6804	2.869	PASS
4	5.0	19975	1712.5	QPSK	25@0	4.4657	4.842	PASS
4	5.0	19975	1712.5	16QAM	25@0	4.4546	4.868	PASS
4	5.0	20175	1732.5	QPSK	25@0	4.4831	4.859	PASS
4	5.0	20175	1732.5	16QAM	25@0	4.4606	4.803	PASS
4	5.0	20375	1752.5	QPSK	25@0	4.4570	4.798	PASS
4	5.0	20375	1752.5	16QAM	25@0	4.4641	4.858	PASS







Conducted Spurious Emissions

Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	StartFreq (MHz)	StopFreq (MHz)	Result (dBm)	Limit (dBm)	Verdict
4	1.4	19957	1710.7	QPSK	1@0	30	1000	-49.16	-13	PASS
4	1.4	19957	1710.7	QPSK	1@0	1000	20000	-39.53	-13	PASS
4	1.4	19957	1710.7	16QAM	1@0	30	1000	-48.6	-13	PASS
4	1.4	19957	1710.7	16QAM	1@0	1000	20000	-39.2	-13	PASS
4	1.4	20175	1732.5	QPSK	1@0	30	1000	-49.38	-13	PASS
4	1.4	20175	1732.5	QPSK	1@0	1000	20000	-41.62	-13	PASS
4	1.4	20175	1732.5	16QAM	1@0	30	1000	-49.35	-13	PASS
4	1.4	20175	1732.5	16QAM	1@0	1000	20000	-41.6	-13	PASS
4	1.4	20393	1754.3	QPSK	1@0	30	1000	-49.43	-13	PASS
4	1.4	20393	1754.3	QPSK	1@0	1000	20000	-37.18	-13	PASS
4	1.4	20393	1754.3	16QAM	1@0	30	1000	-49.95	-13	PASS
4	1.4	20393	1754.3	16QAM	1@0	1000	20000	-41.04	-13	PASS
4	3.0	19965	1711.5	QPSK	1@0	30	1000	-50.02	-13	PASS
4	3.0	19965	1711.5	QPSK	1@0	1000	20000	-36.12	-13	PASS
4	3.0	19965	1711.5	16QAM	1@0	30	1000	-49.94	-13	PASS
4	3.0	19965	1711.5	16QAM	1@0	1000	20000	-37.31	-13	PASS
4	3.0	20175	1732.5	QPSK	1@0	30	1000	-49.31	-13	PASS
4	3.0	20175	1732.5	QPSK	1@0	1000	20000	-41.28	-13	PASS
4	3.0	20175	1732.5	16QAM	1@0	30	1000	-49.0	-13	PASS
4	3.0	20175	1732.5	16QAM	1@0	1000	20000	-42.09	-13	PASS
4	3.0	20385	1753.5	QPSK	1@0	30	1000	-50.21	-13	PASS
4	3.0	20385	1753.5	QPSK	1@0	1000	20000	-38.07	-13	PASS
4	3.0	20385	1753.5	16QAM	1@0	30	1000	-50.34	-13	PASS
4	3.0	20385	1753.5	16QAM	1@0	1000	20000	-40.05	-13	PASS
4	5.0	19975	1712.5	QPSK	1@0	30	1000	-49.24	-13	PASS
4	5.0	19975	1712.5	QPSK	1@0	1000	20000	-38.69	-13	PASS
4	5.0	19975	1712.5	16QAM	1@0	30	1000	-49.58	-13	PASS
4	5.0	19975	1712.5	16QAM	1@0	1000	20000	-37.37	-13	PASS
4	5.0	20175	1732.5	QPSK	1@0	30	1000	-49.54	-13	PASS
4	5.0	20175	1732.5	QPSK	1@0	1000	20000	-41.44	-13	PASS
4	5.0	20175	1732.5	16QAM	1@0	30	1000	-49.47	-13	PASS
4	5.0	20175	1732.5	16QAM	1@0	1000	20000	-41.82	-13	PASS
4	5.0	20375	1752.5	QPSK	1@0	30	1000	-50.03	-13	PASS
4	5.0	20375	1752.5	QPSK	1@0	1000	20000	-41.47	-13	PASS
4	5.0	20375	1752.5	16QAM	1@0	30	1000	-48.82	-13	PASS
4	5.0	20375	1752.5	16QAM	1@0	1000	20000	-41.03	-13	PASS



