

Product Installation Instructions

Product installation


1、 Install the backup battery

- (1) Open the backup battery compartment at the bottom of the feeder.
- (2) Place 3 units of No. 1 batteries into it as backup power supply.
- (3) When the main power supply is cut off, it will automatically switch to the backup power supply.

⚠ Note: This is the emergency power supply in case of power failure. You can skip it if you don't need it.


* Please ensure that there is no grain in the tank before installing the battery.

*You can install it after you turn the tank upside down.




2、 Install the power cord

Plug the USB power cord into the bottom power cord slot.



3、 Install the food tray


Place the feeder horizontally on the ground and install the bowl at the contact point below the food outlet.



4、 Install the food tank


Remove the inverted food tank, and insert it into the host connection of the main engine completely, from top to bottom.

* Observe the direction of the installation when installing the food storage bucket, the front side displays the LOGO side.



5、 Flip the camera


Manually press the bottom area of the camera, and flip it to the end.



Product use

1、 Open the lid and fill in the food


Open the top cover and add the pet food.



2、 Add desiccant bag


Open the top cover of the desiccant box, and put the desiccant bag into it, then fasten the box cover.

* The regular replacement of desiccant is recommended.



3、 Button

- (1) Press the feeding button 2 times: Manual delivery of food for 1 meal.
- (2) Press the feeding button 5 times: Turn off the indicator light manually.
- (3) Press the feeding button for 5 seconds: Restore to the factory mode of the device or reset the Wi-Fi.



FCC WARNING

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

To maintain compliance with FCC's RF Exposure guidelines, This equipment should be installed and operated with minimum distance between 20cm the radiator your body: Use only the supplied antenna.