


FCC ID WIFI 5.2
FCC_5.2G_WIFI (Part15.407) Test Data
Report No.: BKC26010433AE-2
FCC ID :2A5I9-SJ30


Table of Contents

1. -26dB and 99% Emission Bandwidth	2
2. Duty Cycle	21
3. Maximum Conducted Output Power	31
4. Power Spectral Density	41
5. Bandedge	51
6. Spurious Emission	59
7. Frequency Stability	69


1. -26dB and 99% Emission Bandwidth


Condition	Antenna	Modulation	Frequency(MHz)	-26dB_Emission_Bandwidth(MHz)	Occupied Bandwidth(MHz)
NVNT	ANT1	802.11a	5180.00	30.41	16.67
NVNT	ANT1	802.11a	5200.00	29.74	16.69
NVNT	ANT1	802.11a	5240.00	29.10	16.68
NVNT	ANT1	802.11n(HT20)	5180.00	26.82	17.86
NVNT	ANT1	802.11n(HT20)	5200.00	26.07	17.85
NVNT	ANT1	802.11n(HT20)	5240.00	27.14	17.88
NVNT	ANT1	802.11ac(VHT20)	5180.00	26.10	17.85
NVNT	ANT1	802.11ac(VHT20)	5200.00	25.86	17.93
NVNT	ANT1	802.11ac(VHT20)	5240.00	27.54	17.84
NVNT	ANT1	802.11ax(HE20)	5180.00	25.83	19.06
NVNT	ANT1	802.11ax(HE20)	5200.00	28.34	19.17
NVNT	ANT1	802.11ax(HE20)	5240.00	25.78	19.05
NVNT	ANT1	802.11n(HT40)	5190.00	59.77	38.08
NVNT	ANT1	802.11n(HT40)	5230.00	63.38	38.09
NVNT	ANT1	802.11ac(VHT40)	5190.00	51.77	38.01
NVNT	ANT1	802.11ac(VHT40)	5230.00	56.87	38.02
NVNT	ANT1	802.11ax(HE40)	5190.00	56.49	38.11
NVNT	ANT1	802.11ax(HE40)	5230.00	53.85	38.11







99% OCB NVNT_ANT1_802_11a_5200







99% OCB NVNT_ANT1_802_11a_5240







99%_OCB_NVNT_ANT1_802_11n(HT20)_5180







99%_OCB_NVNT_ANT1_802_11n(HT20)_5200





99%_OCB_NVNT_ANT1_802_11n(HT20)_5240







99% OCB_NVNT_ANT1_802_11ac(VHT20)_5180




-26BW_NVNT_ANT1_802_11ac(VHT20)_5180





99% OCB_NVNT_ANT1_802_11ac(VHT20)_5200





99% OCB_NVNT_ANT1_802_11ac(VHT20)_5240







99%_OCB_NVNT_ANT1_802_11ax(HE20)_5180



-26BW_NVNT_ANT1_802_11ax(HE20)_5180



99%_OCB_NVNT_ANT1_802_11ax(HE20)_5200




-26BW_NVNT_ANT1_802_11ax(HE20)_5200




99%_OCB_NVNT_ANT1_802_11ax(HE20)_5240




-26BW_NVNT_ANT1_802_11ax(HE20)_5240




99%_OCB_NVNT_ANT1_802_11n(HT40)_5190




-26BW_NVNT_ANT1_802_11n(HT40)_5190





99%_OCB_NVNT_ANT1_802_11n(HT40)_5230






99%_OCB_NVNT_ANT1_802_11ac(VHT40)_5190






99%_OCB_NVNT_ANT1_802_11ac(VHT40)_5230



-26BW_NVNT_ANT1_802_11ac(VHT40)_5230




99%_OCB_NVNT_ANT1_802_11ax(HE40)_5190



-26BW_NVNT_ANT1_802_11ax(HE40)_5190




99%_OCB_NVNT_ANT1_802_11ax(HE40)_5230






2. Duty Cycle


Condition	Antenna	Modulation	Frequency (MHz)	Duty cycle(%)	Duty_factor
NVNT	ANT1	802.11a	5180.00	72.92	1.37
NVNT	ANT1	802.11a	5200.00	72.92	1.37
NVNT	ANT1	802.11a	5240.00	72.16	1.42
NVNT	ANT1	802.11n(HT20)	5180.00	70.65	1.51
NVNT	ANT1	802.11n(HT20)	5200.00	70.65	1.51
NVNT	ANT1	802.11n(HT20)	5240.00	71.74	1.44
NVNT	ANT1	802.11ac(VHT20)	5180.00	83.23	0.80
NVNT	ANT1	802.11ac(VHT20)	5200.00	83.23	0.80
NVNT	ANT1	802.11ac(VHT20)	5240.00	83.23	0.80
NVNT	ANT1	802.11ax(HE20)	5180.00	88.18	0.55
NVNT	ANT1	802.11ax(HE20)	5200.00	88.18	0.55
NVNT	ANT1	802.11ax(HE20)	5240.00	87.73	0.57
NVNT	ANT1	802.11n(HT40)	5190.00	87.73	0.57
NVNT	ANT1	802.11n(HT40)	5230.00	88.13	0.55
NVNT	ANT1	802.11ac(VHT40)	5190.00	88.13	0.55
NVNT	ANT1	802.11ac(VHT40)	5230.00	88.18	0.55
NVNT	ANT1	802.11ax(HE40)	5190.00	88.13	0.55
NVNT	ANT1	802.11ax(HE40)	5230.00	75.78	1.20




Duty Cycle NVNT ANT1 802 11a 5200




Duty_Cycle_NVNT_ANT1_802_11a_5240




Duty_Cycle_NVNT_ANT1_802_11n(HT20)_5180




Duty_Cycle_NVNT_ANT1_802_11n(HT20)_5200




Duty_Cycle_NVNT_ANT1_802_11n(HT20)_5240




Duty_Cycle_NVNT_ANT1_802_11ac(VHT20)_5180




Duty_Cycle_NVNT_ANT1_802_11ac(VHT20)_5200




Duty_Cycle_NVNT_ANT1_802_11ac(VHT20)_5240




Duty_Cycle_NVNT_ANT1_802_11ax(HE20)_5180




Duty Cycle_NVNT_ANT1_802_11ax(HE20)_5200




Duty Cycle_NVNT_ANT1_802_11ax(HE20)_5240




Duty_Cycle_NVNT_ANT1_802_11n(HT40)_5190




Duty_Cycle_NVNT_ANT1_802_11n(HT40)_5230




Duty_Cycle_NVNT_ANT1_802_11ac(VHT40)_5190




Duty_Cycle_NVNT_ANT1_802_11ac(VHT40)_5230



Duty Cycle_NVNT_ANT1_802_11ax(HE40)_5190



Duty Cycle_NVNT_ANT1_802_11ax(HE40)_5230




3. Maximum Conducted Output Power

Condition	Antenna	Modulation	Frequency (MHz)	Conducted Power(dBm)	Duty factor(dB)	Total Power(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	14.26	0.00	14.26	24	Pass
NVNT	ANT1	802.11a	5200.00	15.00	1.37	16.37	24	Pass
NVNT	ANT1	802.11a	5240.00	14.21	1.42	15.63	24	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	13.72	1.51	15.23	24	Pass
NVNT	ANT1	802.11n(HT20)	5200.00	14.08	1.51	15.59	24	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	13.39	1.44	14.83	24	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	14.32	0.80	15.12	24	Pass
NVNT	ANT1	802.11ac(VHT20)	5200.00	14.78	0.80	15.58	24	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	13.98	0.80	14.78	24	Pass
NVNT	ANT1	802.11ax(HE20)	5180.00	14.49	0.55	15.04	24	Pass
NVNT	ANT1	802.11ax(HE20)	5200.00	14.98	0.55	15.53	24	Pass
NVNT	ANT1	802.11ax(HE20)	5240.00	14.12	0.57	14.69	24	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	12.75	0.57	13.32	24	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	12.89	0.55	13.44	24	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	11.96	0.55	12.51	24	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	12.91	0.55	13.46	24	Pass
NVNT	ANT1	802.11ax(HE40)	5190.00	12.48	0.55	13.03	24	Pass
NVNT	ANT1	802.11ax(HE40)	5230.00	12.91	1.20	14.11	24	Pass

Maximum_Conducted_Output_Power_NVNT_ANT1_802_11a_5180_20M



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11a_5200_20M




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11a_5240_20M



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT20)_5180_20M



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT20)_5200_20M




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT20)_5240_20M



Maximum Conducted Output Power_NVNT_ANT1_802_11ac(VHT20)_5180_20M




Maximum Conducted Output Power_NVNT_ANT1_802_11ac(VHT20)_5200_20M




Maximum Conducted Output Power NVNT_ANT1_802_11ac(VHT20)_5240_20M




Maximum Conducted Output Power NVNT_ANT1_802_11ax(HE20)_5180_20M




Maximum Conducted Output Power NVNT_ANT1_802_11ax(HE20)_5200_20M



Maximum Conducted Output Power NVNT_ANT1_802_11ax(HE20)_5240_20M



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT40)_5190_40M




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT40)_5230_40M



Maximum Conducted Output Power_NVNT_ANT1_802_11ac(VHT40)_5190_40M




Maximum Conducted Output Power_NVNT_ANT1_802_11ac(VHT40)_5230_40M



Maximum Conducted Output Power NVNT_ANT1_802_11ax(HE40)_5190_40M



Maximum Conducted Output Power NVNT_ANT1_802_11ax(HE40)_5230_40M



4. Power Spectral Density

Condition	Antenna	Modulation	Frequency (MHz)	PSD(dBm/MHz)	Duty factor(dB)	Total PSD(dBm/MHz)	limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	-10.55	1.37	-9.18	11	Pass
NVNT	ANT1	802.11a	5200.00	-7.63	1.37	-6.26	11	Pass
NVNT	ANT1	802.11a	5240.00	-11.74	1.42	-10.32	11	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	-11.54	1.51	-10.03	11	Pass
NVNT	ANT1	802.11n(HT20)	5200.00	-12.30	1.51	-10.79	11	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	-12.53	1.44	-11.09	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	-8.59	0.80	-7.79	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5200.00	-4.87	0.80	-4.07	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	-4.78	0.80	-3.98	11	Pass
NVNT	ANT1	802.11ax(HE20)	5180.00	-3.62	0.55	-3.07	11	Pass
NVNT	ANT1	802.11ax(HE20)	5200.00	-3.47	0.55	-2.92	11	Pass
NVNT	ANT1	802.11ax(HE20)	5240.00	-4.46	0.57	-3.89	11	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	-8.61	0.57	-8.04	11	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	-7.82	0.55	-7.27	11	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	-11.33	0.55	-10.78	11	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	-7.98	0.55	-7.43	11	Pass
NVNT	ANT1	802.11ax(HE40)	5190.00	-8.16	0.55	-7.61	11	Pass
NVNT	ANT1	802.11ax(HE40)	5230.00	-8.19	1.20	-6.99	11	Pass

Power_Spectral_Density_NVNT_ANT1_802_11a_5180



Power_Spectral_Density_NVNT_ANT1_802_11a_5200



Power_Spectral_Density_NVNT_ANT1_802_11a_5240




Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5180




Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5200



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5240



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5180



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5200



Power Spectral Density NVNT_ANT1_802_11ax(HE20)_5180



Power Spectral Density_NVNT_ANT1_802_11ax(HE20)_5200




Power Spectral Density_NVNT_ANT1_802_11ax(HE20)_5240




Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_5190



Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_5230



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT40)_5190



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT40)_5230



Power Spectral Density_NVNT_ANT1_802_11ax(HE40)_5190




Power Spectral Density_NVNT_ANT1_802_11ax(HE40)_5230



5. Bandedge

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	5149.60	-33.39	-27	Pass
NVNT	ANT1	802.11a	5240.00	5350.60	-40.75	-27	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	5148.80	-29.05	-27	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	5376.20	-40.22	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	5149.40	-34.83	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	5351.80	-40.03	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5180.00	5147.60	-36.13	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5240.00	5414.00	-41.54	-27	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	5147.21	-33.48	-27	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	5350.70	-40.15	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	5144.90	-34.48	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	5356.58	-40.73	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5190.00	5144.69	-28.63	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5230.00	5355.74	-40.13	-27	Pass


Note: The test diagram has integrated antenna gain to Offset Settings.



Bandedge_NVNT_ANT1_802_11a_5240




Bandedge_NVNT_ANT1_802_11n(HT20)_5180



Bandedge_NVNT_ANT1_802_11n(HT20)_5240




Bandedge_NVNT_ANT1_802_11ac(VHT20)_5180



Bandedge_NVNT_ANT1_802_11ac(VHT20)_5240



Bandedge_NVNT_ANT1_802_11ax(HE20)_5180



Bandedge_NVNT_ANT1_802_11ax(HE20)_5240




Bandedge_NVNT_ANT1_802_11n(HT40)_5190



Bandedge_NVNT_ANT1_802_11n(HT40)_5230



Bandedge_NVNT_ANT1_802_11ac(VHT40)_5190



Bandedge_NVNT_ANT1_802_11ac(VHT40)_5230



Bandedge_NVNT_ANT1_802_11ax(HE40)_5190



Bandedge_NVNT_ANT1_802_11ax(HE40)_5230




6. Spurious Emission


Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	2491.71	-39.79	-27	Pass
NVNT	ANT1	802.11a	5200.00	24302.99	-39.88	-27	Pass
NVNT	ANT1	802.11a	5240.00	25785.31	-40.64	-27	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	24911.80	-39.50	-27	Pass
NVNT	ANT1	802.11n(HT20)	5200.00	25017.68	-40.33	-27	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	2438.77	-29.80	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	25202.97	-40.41	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5200.00	2438.77	-38.08	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	25017.68	-40.12	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5180.00	25044.15	-40.50	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5200.00	25070.62	-39.62	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5240.00	2491.71	-38.76	-27	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	24355.93	-40.91	-27	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	25044.15	-40.38	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	24461.81	-40.72	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	24991.21	-40.29	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5190.00	24938.27	-40.49	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5230.00	26208.83	-40.11	-27	Pass

Note:1. The antenna gain is compensated in the test data.


2. 26.5GHz-40GHz the Spurious level margin is the largest, so the test data only reflects 30MHz-26.5GHz




Spurious Emission NVNT ANT1 802 11a 5200 20M




Spurious Emission_NVNT_ANT1_802_11a_5240_20M




Spurious Emission_NVNT_ANT1_802_11n(HT20)_5180_20M




Spurious Emission_NVNT_ANT1_802_11n(HT20)_5200_20M





Spurious Emission_NVNT_ANT1_802_11n(HT20)_5240_20M




Spurious Emission NVNT_ANT1_802_11ac(VHT20)_5180_20M




Spurious Emission NVNT_ANT1_802_11ac(VHT20)_5200_20M




Spurious_Emission_NVNT_ANT1_802_11ax(HE20)_5180_20M




Spurious_Emission_NVNT_ANT1_802_11ax(HE20)_5200_20M




Spurious_Emission_NVNT_ANT1_802_11ax(HE20)_5240_20M




Spurious Emission_NVNT_ANT1_802_11n(HT40)_5190_40M




Spurious Emission_NVNT_ANT1_802_11n(HT40)_5230_40M




Spurious Emission NVNT_ANT1_802_11ac(VHT40)_5190_40M




Spurious Emission NVNT_ANT1_802_11ac(VHT40)_5230_40M



Spurious_Emission_NVNT_ANT1_802_11ax(HE40)_5190_40M



Spurious_Emission_NVNT_ANT1_802_11ax(HE40)_5230_40M



7. Frequency Stability

Condition	Antenna	Modulation	Frequency (MHz)	Fc(MHz)	Fl(MHz)	Fh(MHz)	Limit(MHz)	Result
55degrees C&&3.80V	ANT1	802.11a	5180.00	5180.008	5170.660	5189.356	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11a	5180.00	5180.000	5171.476	5188.524	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11a	5180.00	5179.994	5171.680	5188.308	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5180.00	5180.004	5171.808	5188.200	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11a	5180.00	5179.994	5171.880	5188.108	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11a	5180.00	5179.988	5171.944	5188.032	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11a	5180.00	5179.994	5172.000	5187.988	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11a	5180.00	5179.992	5172.056	5187.928	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11a	5180.00	5179.994	5172.112	5187.876	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5180.00	5179.990	5172.164	5187.816	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11a	5180.00	5179.996	5172.232	5187.760	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11a	5200.00	5199.812	5190.224	5209.400	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11a	5200.00	5199.930	5191.360	5208.500	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11a	5200.00	5199.954	5191.612	5208.296	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5200.00	5199.968	5191.748	5208.188	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11a	5200.00	5199.952	5191.820	5208.084	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11a	5200.00	5199.950	5191.888	5208.012	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11a	5200.00	5199.950	5191.948	5207.952	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11a	5200.00	5199.934	5191.996	5207.872	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11a	5200.00	5199.950	5192.044	5207.856	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5200.00	5199.932	5192.096	5207.768	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11a	5200.00	5199.946	5192.152	5207.740	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11a	5240.00	5239.892	5230.320	5249.464	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11a	5240.00	5239.892	5231.312	5248.472	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11a	5240.00	5239.934	5231.608	5248.260	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5240.00	5239.956	5231.752	5248.160	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11a	5240.00	5239.964	5231.844	5248.084	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11a	5240.00	5239.956	5231.908	5248.004	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11a	5240.00	5239.966	5231.964	5247.968	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11a	5240.00	5239.962	5232.020	5247.904	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11a	5240.00	5239.932	5232.064	5247.800	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5240.00	5239.954	5232.104	5247.804	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11a	5240.00	5239.948	5232.152	5247.744	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.082	5170.424	5189.740	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.004	5170.964	5189.044	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.002	5171.128	5188.876	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.004	5171.228	5188.780	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5179.988	5171.300	5188.676	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5179.988	5171.360	5188.616	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.004	5171.420	5188.588	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.000	5171.500	5188.500	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5180.00	5180.000	5171.564	5188.436	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.020	5171.640	5188.400	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5180.00	5180.032	5171.712	5188.352	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5199.946	5190.236	5209.656	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5199.962	5190.892	5209.032	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5199.950	5191.080	5208.820	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5199.966	5191.188	5208.744	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5199.976	5191.276	5208.676	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5199.976	5191.344	5208.608	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5199.964	5191.404	5208.524	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5199.974	5191.448	5208.500	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5200.00	5199.940	5191.512	5208.368	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5199.948	5191.564	5208.332	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5200.00	5199.928	5191.624	5208.232	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5239.956	5230.300	5249.612	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5239.978	5230.920	5249.036	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5239.974	5231.100	5248.848	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5239.980	5231.204	5248.756	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5239.968	5231.272	5248.664	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5239.974	5231.340	5248.608	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5239.966	5231.404	5248.528	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5239.974	5231.476	5248.472	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5240.00	5239.970	5231.548	5248.392	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5239.976	5231.620	5248.332	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5240.00	5239.988	5231.680	5248.296	5150~5250	Pass

55degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.110	5170.408	5189.812	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.024	5170.920	5189.128	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.014	5171.112	5188.916	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5179.994	5171.220	5188.768	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5179.994	5171.292	5188.696	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.002	5171.360	5188.644	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.014	5171.440	5188.588	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.014	5171.504	5188.524	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5180.00	5180.020	5171.572	5188.468	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.036	5171.652	5188.420	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5180.00	5180.010	5171.704	5188.316	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5199.976	5190.256	5209.696	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5199.938	5190.852	5209.024	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5199.966	5191.052	5208.880	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5199.954	5191.172	5208.736	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5199.966	5191.256	5208.676	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5199.966	5191.320	5208.612	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5199.956	5191.380	5208.532	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5199.954	5191.432	5208.476	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5200.00	5199.964	5191.492	5208.436	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5199.956	5191.560	5208.352	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5200.00	5199.928	5191.620	5208.236	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5239.910	5230.140	5249.680	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5239.932	5230.856	5249.008	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5239.952	5231.056	5248.848	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5239.970	5231.184	5248.756	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5239.972	5231.272	5248.672	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5239.960	5231.332	5248.588	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5239.958	5231.392	5248.524	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5239.970	5231.456	5248.484	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5240.00	5239.960	5231.512	5248.408	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5239.956	5231.568	5248.344	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5240.00	5239.962	5231.632	5248.292	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5179.982	5170.136	5189.828	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5179.988	5170.412	5189.564	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5179.988	5170.504	5189.472	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5180.008	5170.596	5189.420	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5180.010	5170.676	5189.344	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5180.006	5170.744	5189.268	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5179.998	5170.796	5189.200	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5179.992	5170.848	5189.136	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE20)	5180.00	5179.984	5170.904	5189.064	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5180.012	5170.992	5189.032	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE20)	5180.00	5179.988	5171.048	5188.928	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5199.980	5190.088	5209.872	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5199.952	5190.364	5209.540	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5199.972	5190.484	5209.460	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5199.954	5190.556	5209.352	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5199.956	5190.608	5209.304	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5199.958	5190.652	5209.264	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5199.960	5190.716	5209.204	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5199.952	5190.788	5209.116	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE20)	5200.00	5199.946	5190.848	5209.044	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5199.918	5190.904	5208.932	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE20)	5200.00	5199.924	5190.964	5208.884	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5239.954	5230.088	5249.820	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5239.976	5230.392	5249.560	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5239.968	5230.504	5249.432	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5239.954	5230.580	5249.328	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5239.966	5230.648	5249.284	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5239.974	5230.708	5249.240	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5239.950	5230.748	5249.152	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5239.948	5230.804	5249.092	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE20)	5240.00	5239.936	5230.864	5249.008	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5239.980	5230.920	5249.040	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE20)	5240.00	5239.948	5230.976	5248.920	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.028	5170.800	5209.256	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.040	5171.064	5209.016	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.040	5171.216	5208.864	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.052	5171.352	5208.752	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.028	5171.496	5208.560	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.084	5171.648	5208.520	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.028	5171.752	5208.304	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.056	5171.856	5208.256	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11n(HT40)	5190.00	5190.072	5171.992	5208.152	5150~5250	Pass

25degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.096	5172.096	5208.096	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11n(HT40)	5190.00	5189.960	5172.232	5207.688	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.028	5210.792	5249.264	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.028	5211.056	5249.000	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.032	5211.184	5248.880	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.040	5211.312	5248.768	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.000	5211.408	5248.592	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.036	5211.552	5248.520	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.016	5211.656	5248.376	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5229.996	5211.784	5248.208	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11n(HT40)	5230.00	5230.056	5211.896	5248.216	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.072	5212.048	5248.096	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11n(HT40)	5230.00	5230.028	5212.136	5247.920	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.048	5170.792	5209.304	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.016	5171.032	5209.000	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.008	5171.168	5208.848	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.028	5171.296	5208.760	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.044	5171.408	5208.680	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.052	5171.512	5208.592	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.016	5171.656	5208.376	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.052	5171.808	5208.296	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT40)	5190.00	5190.020	5171.920	5208.120	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.076	5172.016	5208.136	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT40)	5190.00	5190.036	5172.152	5207.920	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.004	5210.768	5249.240	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.004	5211.008	5249.000	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.028	5211.192	5248.864	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5229.992	5211.288	5248.696	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.020	5211.408	5248.632	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5229.984	5211.544	5248.424	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.044	5211.640	5248.448	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.000	5211.736	5248.264	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT40)	5230.00	5229.968	5211.880	5248.056	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.040	5212.040	5248.040	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT40)	5230.00	5230.056	5212.176	5247.936	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5190.004	5170.712	5209.296	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5190.000	5170.960	5209.040	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5190.032	5171.120	5208.944	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5189.956	5171.216	5208.696	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5189.952	5171.280	5208.624	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5189.992	5171.408	5208.576	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5189.956	5171.552	5208.360	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5190.036	5171.672	5208.400	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE40)	5190.00	5189.968	5171.776	5208.160	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5190.068	5171.936	5208.200	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE40)	5190.00	5189.976	5172.072	5207.880	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5230.028	5210.776	5249.280	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5230.024	5211.056	5248.992	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5230.044	5211.184	5248.904	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5230.016	5211.272	5248.760	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5230.012	5211.440	5248.584	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5230.076	5211.600	5248.552	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5230.032	5211.712	5248.352	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5230.052	5211.808	5248.296	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE40)	5230.00	5230.072	5211.944	5248.200	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5229.984	5212.056	5247.912	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE40)	5230.00	5230.044	5212.160	5247.928	5150~5250	Pass