

| System     | Band | Channel | TestItem                                                                                                 |  |  |  |  |  |  |  |  |  | Measured Value | EIRP  |
|------------|------|---------|----------------------------------------------------------------------------------------------------------|--|--|--|--|--|--|--|--|--|----------------|-------|
| NR UL MIMO | n78  | 647334  | 6.2D.2 UE maximum output power reduction:n78_20MHz_30kHz_647334;13;CP-OFDM 256QAM_Edge_1RB_Right;PC3_SUM |  |  |  |  |  |  |  |  |  | 15.88          | 20.4  |
| NR UL MIMO | n78  | 647334  | 6.2D.2 UE maximum output power reduction:n78_20MHz_30kHz_647334;14;CP-OFDM 256QAM_Outer_Full;PC3_SUM     |  |  |  |  |  |  |  |  |  | 16.17          | 20.69 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_20MHz_30kHz_650000;11;CP-OFDM QPSK_Inner_Full;PC3_SUM       |  |  |  |  |  |  |  |  |  | 20.72          | 25.24 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_20MHz_30kHz_650000;12;CP-OFDM QPSK_Edge_1RB_Left;PC3_SUM    |  |  |  |  |  |  |  |  |  | 19.74          | 24.26 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_20MHz_30kHz_650000;13;CP-OFDM QPSK_Edge_1RB_Right;PC3_SUM   |  |  |  |  |  |  |  |  |  | 19.72          | 24.24 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_20MHz_30kHz_650000;14;CP-OFDM 16QAM_Inner_Full;PC3_SUM      |  |  |  |  |  |  |  |  |  | 20.74          | 25.26 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_20MHz_30kHz_650000;15;CP-OFDM 16QAM_Edge_1RB_Left;PC3_SUM   |  |  |  |  |  |  |  |  |  | 19.9           | 24.42 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_20MHz_30kHz_650000;17;CP-OFDM 16QAM_Edge_1RB_Right;PC3_SUM  |  |  |  |  |  |  |  |  |  | 19.9           | 24.42 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_20MHz_30kHz_650000;18;CP-OFDM 16QAM_Outer_Full;PC3_SUM      |  |  |  |  |  |  |  |  |  | 19.74          | 24.26 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_20MHz_30kHz_650000;19;CP-OFDM 64QAM_Edge_1RB_Left;PC3_SUM   |  |  |  |  |  |  |  |  |  | 18.39          | 22.91 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_20MHz_30kHz_650000;20;CP-OFDM 64QAM_Edge_1RB_Right;PC3_SUM  |  |  |  |  |  |  |  |  |  | 18.39          | 22.91 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_20MHz_30kHz_650000;21;CP-OFDM 64QAM_Outer_Full;PC3_SUM      |  |  |  |  |  |  |  |  |  | 18.08          | 22.6  |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_20MHz_30kHz_650000;22;CP-OFDM 256QAM_Edge_1RB_Left;PC3_SUM  |  |  |  |  |  |  |  |  |  | 15.95          | 20.47 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_20MHz_30kHz_650000;23;CP-OFDM 256QAM_Edge_1RB_Right;PC3_SUM |  |  |  |  |  |  |  |  |  | 15.91          | 20.43 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_20MHz_30kHz_650000;24;CP-OFDM 256QAM_Outer_Full;PC3_SUM     |  |  |  |  |  |  |  |  |  | 16.1           | 20.62 |
| NR UL MIMO | n78  | 652666  | 6.2D.2 UE maximum output power reduction:n78_20MHz_30kHz_652666;11;CP-OFDM QPSK_Inner_Full;PC3_SUM       |  |  |  |  |  |  |  |  |  | 20.61          | 25.13 |
| NR UL MIMO | n78  | 652666  | 6.2D.2 UE maximum output power reduction:n78_20MHz_30kHz_652666;12;CP-OFDM QPSK_Edge_1RB_Left;PC3_SUM    |  |  |  |  |  |  |  |  |  | 19.7           | 24.22 |
| NR UL MIMO | n78  | 652666  | 6.2D.2 UE maximum output power reduction:n78_20MHz_30kHz_652666;13;CP-OFDM QPSK_Edge_1RB_Right;PC3_SUM   |  |  |  |  |  |  |  |  |  | 19.68          | 24.21 |
| NR UL MIMO | n78  | 652666  | 6.2D.2 UE maximum output power reduction:n78_20MHz_30kHz_652666;14;CP-OFDM QPSK_Outer_Full;PC3_SUM       |  |  |  |  |  |  |  |  |  | 19.59          | 24.1  |
| NR UL MIMO | n78  | 652666  | 6.2D.2 UE maximum output power reduction:n78_20MHz_30kHz_652666;15;CP-OFDM 16QAM_Inner_Full;PC3_SUM      |  |  |  |  |  |  |  |  |  | 20.61          | 25.13 |
| NR UL MIMO | n78  | 652666  | 6.2D.2 UE maximum output power reduction:n78_20MHz_30kHz_652666;16;CP-OFDM 16QAM_Edge_1RB_Left;PC3_SUM   |  |  |  |  |  |  |  |  |  | 19.71          | 24.23 |
| NR UL MIMO | n78  | 652666  | 6.2D.2 UE maximum output power reduction:n78_20MHz_30kHz_652666;17;CP-OFDM 16QAM_Edge_1RB_Right;PC3_SUM  |  |  |  |  |  |  |  |  |  | 19.67          | 24.19 |
| NR UL MIMO | n78  | 652666  | 6.2D.2 UE maximum output power reduction:n78_20MHz_30kHz_652666;18;CP-OFDM 16QAM_Outer_Full;PC3_SUM      |  |  |  |  |  |  |  |  |  | 19.58          | 24.1  |
| NR UL MIMO | n78  | 652666  | 6.2D.2 UE maximum output power reduction:n78_20MHz_30kHz_652666;19;CP-OFDM 64QAM_Edge_1RB_Left;PC3_SUM   |  |  |  |  |  |  |  |  |  | 18.21          | 22.73 |
| NR UL MIMO | n78  | 652666  | 6.2D.2 UE maximum output power reduction:n78_20MHz_30kHz_652666;20;CP-OFDM 64QAM_Edge_1RB_Right;PC3_SUM  |  |  |  |  |  |  |  |  |  | 18.23          | 22.75 |
| NR UL MIMO | n78  | 652666  | 6.2D.2 UE maximum output power reduction:n78_20MHz_30kHz_652666;21;CP-OFDM 64QAM_Outer_Full;PC3_SUM      |  |  |  |  |  |  |  |  |  | 17.9           | 22.42 |
| NR UL MIMO | n78  | 652666  | 6.2D.2 UE maximum output power reduction:n78_20MHz_30kHz_652666;22;CP-OFDM 256QAM_Edge_1RB_Left;PC3_SUM  |  |  |  |  |  |  |  |  |  | 15.76          | 20.28 |
| NR UL MIMO | n78  | 652666  | 6.2D.2 UE maximum output power reduction:n78_20MHz_30kHz_652666;23;CP-OFDM 256QAM_Edge_1RB_Right;PC3_SUM |  |  |  |  |  |  |  |  |  | 15.73          | 20.25 |
| NR UL MIMO | n78  | 652666  | 6.2D.2 UE maximum output power reduction:n78_20MHz_30kHz_652666;24;CP-OFDM 256QAM_Outer_Full;PC3_SUM     |  |  |  |  |  |  |  |  |  | 15.96          | 20.48 |
| NR UL MIMO | n78  | 647668  | 6.2D.2 UE maximum output power reduction:n78_30MHz_30kHz_647668;11;CP-OFDM QPSK_Inner_Full;PC3_SUM       |  |  |  |  |  |  |  |  |  | 21.1           | 25.62 |
| NR UL MIMO | n78  | 647668  | 6.2D.2 UE maximum output power reduction:n78_30MHz_30kHz_647668;12;CP-OFDM QPSK_Edge_1RB_Left;PC3_SUM    |  |  |  |  |  |  |  |  |  | 21.01          | 25.53 |
| NR UL MIMO | n78  | 647668  | 6.2D.2 UE maximum output power reduction:n78_30MHz_30kHz_647668;13;CP-OFDM QPSK_Edge_1RB_Right;PC3_SUM   |  |  |  |  |  |  |  |  |  | 20.95          | 25.47 |
| NR UL MIMO | n78  | 647668  | 6.2D.2 UE maximum output power reduction:n78_30MHz_30kHz_647668;14;CP-OFDM QPSK_Outer_Full;PC3_SUM       |  |  |  |  |  |  |  |  |  | 20.66          | 25.18 |
| NR UL MIMO | n78  | 647668  | 6.2D.2 UE maximum output power reduction:n78_30MHz_30kHz_647668;15;CP-OFDM 16QAM_Inner_Full;PC3_SUM      |  |  |  |  |  |  |  |  |  | 21.09          | 25.61 |
| NR UL MIMO | n78  | 647668  | 6.2D.2 UE maximum output power reduction:n78_30MHz_30kHz_647668;16;CP-OFDM 16QAM_Edge_1RB_Left;PC3_SUM   |  |  |  |  |  |  |  |  |  | 21.01          | 25.53 |
| NR UL MIMO | n78  | 647668  | 6.2D.2 UE maximum output power reduction:n78_30MHz_30kHz_647668;17;CP-OFDM 16QAM_Edge_1RB_Right;PC3_SUM  |  |  |  |  |  |  |  |  |  | 20.98          | 25.5  |
| NR UL MIMO | n78  | 647668  | 6.2D.2 UE maximum output power reduction:n78_30MHz_30kHz_647668;18;CP-OFDM 16QAM_Outer_Full;PC3_SUM      |  |  |  |  |  |  |  |  |  | 20.66          | 25.18 |
| NR UL MIMO | n78  | 647668  | 6.2D.2 UE maximum output power reduction:n78_30MHz_30kHz_647668;19;CP-OFDM 64QAM_Edge_1RB_Left;PC3_SUM   |  |  |  |  |  |  |  |  |  | 19.5           | 24.02 |
| NR UL MIMO | n78  | 647668  | 6.2D.2 UE maximum output power reduction:n78_30MHz_30kHz_647668;20;CP-OFDM 64QAM_Edge_1RB_Right;PC3_SUM  |  |  |  |  |  |  |  |  |  | 19.45          | 23.97 |
| NR UL MIMO | n78  | 647668  | 6.2D.2 UE maximum output power reduction:n78_30MHz_30kHz_647668;21;CP-OFDM 64QAM_Outer_Full;PC3_SUM      |  |  |  |  |  |  |  |  |  | 19.1           | 23.62 |
| NR UL MIMO | n78  | 647668  | 6.2D.2 UE maximum output power reduction:n78_30MHz_30kHz_647668;22;CP-OFDM 256QAM_Edge_1RB_Left;PC3_SUM  |  |  |  |  |  |  |  |  |  | 17.28          | 21.8  |
| NR UL MIMO | n78  | 647668  | 6.2D.2 UE maximum output power reduction:n78_30MHz_30kHz_647668;23;CP-OFDM 256QAM_Edge_1RB_Right;PC3_SUM |  |  |  |  |  |  |  |  |  | 17.12          | 21.64 |
| NR UL MIMO | n78  | 647668  | 6.2D.2 UE maximum output power reduction:n78_30MHz_30kHz_647668;24;CP-OFDM 256QAM_Outer_Full;PC3_SUM     |  |  |  |  |  |  |  |  |  | 17.23          | 21.75 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_30MHz_30kHz_650000;11;CP-OFDM QPSK_Inner_Full;PC3_SUM       |  |  |  |  |  |  |  |  |  | 21.17          | 25.69 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_30MHz_30kHz_650000;12;CP-OFDM QPSK_Edge_1RB_Left;PC3_SUM    |  |  |  |  |  |  |  |  |  | 21.07          | 25.59 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_30MHz_30kHz_650000;13;CP-OFDM QPSK_Edge_1RB_Right;PC3_SUM   |  |  |  |  |  |  |  |  |  | 20.93          | 25.45 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_30MHz_30kHz_650000;14;CP-OFDM QPSK_Outer_Full;PC3_SUM       |  |  |  |  |  |  |  |  |  | 20.76          | 25.28 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_30MHz_30kHz_650000;15;CP-OFDM 16QAM_Inner_Full;PC3_SUM      |  |  |  |  |  |  |  |  |  | 21.13          | 25.65 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_30MHz_30kHz_650000;16;CP-OFDM 16QAM_Edge_1RB_Left;PC3_SUM   |  |  |  |  |  |  |  |  |  | 21.06          | 25.58 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_30MHz_30kHz_650000;17;CP-OFDM 16QAM_Edge_1RB_Right;PC3_SUM  |  |  |  |  |  |  |  |  |  | 21             | 25.52 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_30MHz_30kHz_650000;18;CP-OFDM 16QAM_Outer_Full;PC3_SUM      |  |  |  |  |  |  |  |  |  | 20.74          | 25.26 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_30MHz_30kHz_650000;19;CP-OFDM 64QAM_Edge_1RB_Left;PC3_SUM   |  |  |  |  |  |  |  |  |  | 19.61          | 24.13 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_30MHz_30kHz_650000;20;CP-OFDM 64QAM_Edge_1RB_Right;PC3_SUM  |  |  |  |  |  |  |  |  |  | 19.53          | 24.05 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_30MHz_30kHz_650000;21;CP-OFDM 64QAM_Outer_Full;PC3_SUM      |  |  |  |  |  |  |  |  |  | 19.12          | 23.64 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_30MHz_30kHz_650000;22;CP-OFDM 256QAM_Edge_1RB_Left;PC3_SUM  |  |  |  |  |  |  |  |  |  | 17.17          | 21.69 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_30MHz_30kHz_650000;23;CP-OFDM 256QAM_Edge_1RB_Right;PC3_SUM |  |  |  |  |  |  |  |  |  | 17.03          | 21.55 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_30MHz_30kHz_650000;24;CP-OFDM 256QAM_Outer_Full;PC3_SUM     |  |  |  |  |  |  |  |  |  | 17.18          | 21.7  |
| NR UL MIMO | n78  | 652332  | 6.2D.2 UE maximum output power reduction:n78_30MHz_30kHz_652332;11;CP-OFDM QPSK_Inner_Full;PC3_SUM       |  |  |  |  |  |  |  |  |  | 21.1           | 25.62 |
| NR UL MIMO | n78  | 652332  | 6.2D.2 UE maximum output power reduction:n78_30MHz_30kHz_652332;12;CP-OFDM QPSK_Edge_1RB_Left;PC3_SUM    |  |  |  |  |  |  |  |  |  | 20.94          | 25.45 |
| NR UL MIMO | n78  | 652332  | 6.2D.2 UE maximum output power reduction:n78_30MHz_30kHz_652332;13;CP-OFDM QPSK_Edge_1RB_Right;PC3_SUM   |  |  |  |  |  |  |  |  |  | 20.78          | 25.3  |
| NR UL MIMO | n78  | 652332  | 6.2D.2 UE maximum output power reduction:n78_30MHz_30kHz_652332;14;CP-OFDM QPSK_Outer_Full;PC3_SUM       |  |  |  |  |  |  |  |  |  | 20.72          | 25.24 |
| NR UL MIMO | n78  | 652332  | 6.2D.2 UE maximum output power reduction:n78_30MHz_30kHz_652332;15;CP-OFDM 16QAM_Inner_Full;PC3_SUM      |  |  |  |  |  |  |  |  |  | 21.09          | 25.61 |
| NR UL MIMO | n78  | 652332  | 6.2D.2 UE maximum output power reduction:n78_30MHz_30kHz_652332;16;CP-OFDM 16QAM_Edge_1RB_Left;PC3_SUM   |  |  |  |  |  |  |  |  |  | 20.87          | 25.39 |
| NR UL MIMO | n78  | 652332  | 6.2D.2 UE maximum output power reduction:n78_30MHz_30kHz_652332;17;CP-OFDM 16QAM_Edge_1RB_Right;PC3_SUM  |  |  |  |  |  |  |  |  |  | 20.75          | 25.27 |
| NR UL MIMO | n78  | 652332  | 6.2D.2 UE maximum output power reduction:n78_30MHz_30kHz_652332;18;CP-OFDM 16QAM_Outer_Full;PC3_SUM      |  |  |  |  |  |  |  |  |  | 20.75          | 25.27 |
| NR UL MIMO | n78  | 652332  | 6.2D.2 UE maximum output power reduction:n78_30MHz_30kHz_652332;19;CP-OFDM 64QAM_Edge_1RB_Left;PC3_SUM   |  |  |  |  |  |  |  |  |  | 19.55          | 24.07 |
| NR UL MIMO | n78  | 652332  | 6.2D.2 UE maximum output power reduction:n78_30MHz_30kHz_652332;20;CP-OFDM 64QAM_Edge_1RB_Right;PC3_SUM  |  |  |  |  |  |  |  |  |  | 19.4           | 23.92 |
| NR UL MIMO | n78  | 652332  | 6.2D.2 UE maximum output power reduction:n78_30MHz_30kHz_652332;21;CP-OFDM 64QAM_Outer_Full;PC3_SUM      |  |  |  |  |  |  |  |  |  | 19.04          | 23.56 |
| NR UL MIMO | n78  | 652332  | 6.2D.2 UE maximum output power reduction:n78_30MHz_30kHz_652332;22;CP-OFDM 256QAM_Edge_1RB_Left;PC3_SUM  |  |  |  |  |  |  |  |  |  | 17.18          | 21.7  |
| NR UL MIMO | n78  | 652332  | 6.2D.2 UE maximum output power reduction:n78_30MHz_30kHz_652332;23;CP-OFDM 256QAM_Edge_1RB_Right;PC3_SUM |  |  |  |  |  |  |  |  |  | 16.99          | 21.51 |
| NR UL MIMO | n78  | 652332  | 6.2D.2 UE maximum output power reduction:n78_30MHz_30kHz_652332;24;CP-OFDM 256QAM_Outer_Full;PC3_SUM     |  |  |  |  |  |  |  |  |  | 17.16          | 21.68 |
| NR UL MIMO | n78  | 648000  | 6.2D.2 UE maximum output power reduction:n78_40MHz_30kHz_648000;11;CP-OFDM QPSK_Inner_Full;PC3_SUM       |  |  |  |  |  |  |  |  |  | 21.08          | 25.6  |
| NR UL MIMO | n78  | 648000  | 6.2D.2 UE maximum output power reduction:n78_40MHz_30kHz_648000;12;CP-OFDM QPSK_Edge_1RB_Left;PC3_SUM    |  |  |  |  |  |  |  |  |  | 20.29          | 24.81 |
| NR UL MIMO | n78  | 648000  | 6.2D.2 UE maximum output power reduction:n78_40MHz_30kHz_648000;13;CP-OFDM QPSK_Edge_1RB_Right;PC3_SUM   |  |  |  |  |  |  |  |  |  | 20.11          | 24.63 |
| NR UL MIMO | n78  | 648000  | 6.2D.2 UE maximum output power reduction:n78_40MHz_30kHz_648000;14;CP-OFDM QPSK_Outer_Full;PC3_SUM       |  |  |  |  |  |  |  |  |  | 20.36          | 24.88 |
| NR UL MIMO | n78  | 648000  | 6.2D.2 UE maximum output power reduction:n78_40MHz_30kHz_648000;15;CP-OFDM 16QAM_Inner_Full;PC3_SUM      |  |  |  |  |  |  |  |  |  | 21.08          | 25.6  |
| NR UL MIMO | n78  | 648000  | 6.2D.2 UE maximum output power reduction:n78_40MHz_30kHz_648000;16;CP-OFDM 16QAM_Edge_1RB_Left;PC3_SUM   |  |  |  |  |  |  |  |  |  | 20.31          | 24.83 |
| NR UL MIMO | n78  | 648000  | 6.2D.2 UE maximum output power reduction:n78_40MHz_30kHz_648000;17;CP-OFDM 16QAM_Edge_1RB_Right;PC3_SUM  |  |  |  |  |  |  |  |  |  | 20.2           | 24.72 |
| NR UL MIMO | n78  | 648000  | 6.2D.2 UE maximum output power reduction:n78_40MHz_30kHz_648000;18;CP-OFDM 16QAM_Outer_Full;PC3_SUM      |  |  |  |  |  |  |  |  |  | 20.37          | 24.89 |
| NR UL MIMO | n78  | 648000  | 6.2D.2 UE maximum output power reduction:n78_40MHz_30kHz_648000;19;CP-OFDM 64QAM_Edge_1RB_Left;PC3_SUM   |  |  |  |  |  |  |  |  |  | 18.77          | 23.29 |
| NR UL MIMO | n78  | 648000  | 6.2D.2 UE maximum output power reduction:n78_40MHz_30kHz_648000;20;CP-OFDM 64QAM_Edge_1RB_Right;PC3_SUM  |  |  |  |  |  |  |  |  |  | 18.58          | 23.1  |
| NR UL MIMO | n78  | 648000  | 6.2D.2 UE maximum output power reduction:n78_40MHz_30kHz_648000;21;CP-OFDM 64QAM_Outer_Full;PC3_SUM      |  |  |  |  |  |  |  |  |  | 18.82          | 23.34 |
| NR UL MIMO | n78  | 648000  | 6.2D.2 UE maximum output power reduction:n78_40MHz_30kHz_648000;22;CP-OFDM 256QAM_Edge_1RB_Left;PC3_SUM  |  |  |  |  |  |  |  |  |  | 16.37          | 20.89 |
| NR UL MIMO | n78  | 648000  | 6.2D.2 UE maximum output power reduction:n78_40MHz_30kHz_648000;23;CP-OFDM 256QAM_Edge_1RB_Right;PC3_SUM |  |  |  |  |  |  |  |  |  | 16.19          | 20.71 |
| NR UL MIMO | n78  | 648000  | 6.2D.2 UE maximum output power reduction:n78_40MHz_30kHz_648000;24;CP-OFDM 256QAM_Outer_Full;PC3_SUM     |  |  |  |  |  |  |  |  |  | 16.84          | 21.36 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_40MHz_30kHz_650000;11;CP-OFDM QPSK_Inner_Full;PC3_SUM       |  |  |  |  |  |  |  |  |  | 21.09          | 25.61 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_40MHz_30kHz_650000;12;CP-OFDM QPSK_Edge_1RB_Left;PC3_SUM    |  |  |  |  |  |  |  |  |  | 20.33          | 24.85 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_40MHz_30kHz_650000;13;CP-OFDM QPSK_Edge_1RB_Right;PC3_SUM   |  |  |  |  |  |  |  |  |  | 20.2           | 24.72 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_40MHz_30kHz_650000;14;CP-OFDM QPSK_Outer_Full;PC3_SUM       |  |  |  |  |  |  |  |  |  | 20.45          | 24.97 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_40MHz_30kHz_650000;15;CP-OFDM 16QAM_Inner_Full;PC3_SUM      |  |  |  |  |  |  |  |  |  | 21.07          | 25.59 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_40MHz_30kHz_650000;16;CP-OFDM 16QAM_Edge_1RB_Left;PC3_SUM   |  |  |  |  |  |  |  |  |  | 20.3           | 24.82 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_40MHz_30kHz_650000;17;CP-OFDM 16QAM_Edge_1RB_Right;PC3_SUM  |  |  |  |  |  |  |  |  |  | 20.17          | 24.69 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_40MHz_30kHz_650000;18;CP-OFDM 16QAM_Outer_Full;PC3_SUM      |  |  |  |  |  |  |  |  |  | 20.42          | 24.94 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_40MHz_30kHz_650000;19;CP-OFDM 64QAM_Edge_1RB_Left;PC3_SUM   |  |  |  |  |  |  |  |  |  | 18.77          | 23.29 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_40MHz_30kHz_650000;20;CP-OFDM 64QAM_Edge_1RB_Right;PC3_SUM  |  |  |  |  |  |  |  |  |  | 18.64          | 23.16 |

Page 103 of 143

Page 104 of 143

| System     | Band | Channel | TestItem                                                                                                  | Measured Value | EIRP  |
|------------|------|---------|-----------------------------------------------------------------------------------------------------------|----------------|-------|
| NR UL MIMO | n78  | 649668  | 6.2D.2 UE maximum output power reduction:n78_90MHz_30kHz_649668;7;CP-OFDM 16QAM_Edge_1RB_Right;PC3_SUM    | 21.72          | 26.24 |
| NR UL MIMO | n78  | 649668  | 6.2D.2 UE maximum output power reduction:n78_90MHz_30kHz_649668;8;CP-OFDM 16QAM_Outer_Full;PC3_SUM        | 20.48          | 25    |
| NR UL MIMO | n78  | 649668  | 6.2D.2 UE maximum output power reduction:n78_90MHz_30kHz_649668;9;CP-OFDM 64QAM_Edge_1RB_Left;PC3_SUM     | 20.22          | 24.74 |
| NR UL MIMO | n78  | 649668  | 6.2D.2 UE maximum output power reduction:n78_90MHz_30kHz_649668;10;CP-OFDM 64QAM_Edge_1RB_Right;PC3_SUM   | 20.41          | 24.93 |
| NR UL MIMO | n78  | 649668  | 6.2D.2 UE maximum output power reduction:n78_90MHz_30kHz_649668;11;CP-OFDM 64QAM_Outer_Full;PC3_SUM       | 18.79          | 23.31 |
| NR UL MIMO | n78  | 649668  | 6.2D.2 UE maximum output power reduction:n78_90MHz_30kHz_649668;12;CP-OFDM 256QAM_Edge_1RB_Left;PC3_SUM   | 17.8           | 22.32 |
| NR UL MIMO | n78  | 649668  | 6.2D.2 UE maximum output power reduction:n78_90MHz_30kHz_649668;13;CP-OFDM 256QAM_Edge_1RB_Right;PC3_SUM  | 17.87          | 22.39 |
| NR UL MIMO | n78  | 649668  | 6.2D.2 UE maximum output power reduction:n78_90MHz_30kHz_649668;14;CP-OFDM 256QAM_Outer_Full;PC3_SUM      | 16.91          | 21.43 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_90MHz_30kHz_650000;1;CP-OFDM QPSK_Inner_Full;PC3_SUM         | 20.79          | 25.31 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_90MHz_30kHz_650000;2;CP-OFDM QPSK_Edge_1RB_Left;PC3_SUM      | 21.71          | 26.23 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_90MHz_30kHz_650000;3;CP-OFDM QPSK_Edge_1RB_Right;PC3_SUM     | 21.49          | 26.01 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_90MHz_30kHz_650000;4;CP-OFDM QPSK_Outer_Full;PC3_SUM         | 20.34          | 24.86 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_90MHz_30kHz_650000;5;CP-OFDM 16QAM_Inner_Full;PC3_SUM        | 20.84          | 25.36 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_90MHz_30kHz_650000;6;CP-OFDM 16QAM_Edge_1RB_Left;PC3_SUM     | 21.58          | 26.1  |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_90MHz_30kHz_650000;7;CP-OFDM 16QAM_Edge_1RB_Right;PC3_SUM    | 21.52          | 26.04 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_90MHz_30kHz_650000;8;CP-OFDM 16QAM_Outer_Full;PC3_SUM        | 20.34          | 24.86 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_90MHz_30kHz_650000;9;CP-OFDM 64QAM_Edge_1RB_Left;PC3_SUM     | 20.22          | 24.74 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_90MHz_30kHz_650000;10;CP-OFDM 64QAM_Edge_1RB_Right;PC3_SUM   | 20.02          | 24.54 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_90MHz_30kHz_650000;11;CP-OFDM 64QAM_Outer_Full;PC3_SUM       | 18.86          | 23.38 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_90MHz_30kHz_650000;12;CP-OFDM 256QAM_Edge_1RB_Left;PC3_SUM   | 17.75          | 22.27 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_90MHz_30kHz_650000;13;CP-OFDM 256QAM_Edge_1RB_Right;PC3_SUM  | 17.55          | 22.07 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_90MHz_30kHz_650000;14;CP-OFDM 256QAM_Outer_Full;PC3_SUM      | 16.79          | 21.31 |
| NR UL MIMO | n78  | 650332  | 6.2D.2 UE maximum output power reduction:n78_90MHz_30kHz_650332;1;CP-OFDM QPSK_Inner_Full;PC3_SUM         | 20.86          | 25.38 |
| NR UL MIMO | n78  | 650332  | 6.2D.2 UE maximum output power reduction:n78_90MHz_30kHz_650332;2;CP-OFDM QPSK_Edge_1RB_Left;PC3_SUM      | 21.84          | 26.36 |
| NR UL MIMO | n78  | 650332  | 6.2D.2 UE maximum output power reduction:n78_90MHz_30kHz_650332;3;CP-OFDM QPSK_Edge_1RB_Right;PC3_SUM     | 21.4           | 25.92 |
| NR UL MIMO | n78  | 650332  | 6.2D.2 UE maximum output power reduction:n78_90MHz_30kHz_650332;4;CP-OFDM QPSK_Outer_Full;PC3_SUM         | 20.46          | 24.98 |
| NR UL MIMO | n78  | 650332  | 6.2D.2 UE maximum output power reduction:n78_90MHz_30kHz_650332;5;CP-OFDM 16QAM_Inner_Full;PC3_SUM        | 20.91          | 25.43 |
| NR UL MIMO | n78  | 650332  | 6.2D.2 UE maximum output power reduction:n78_90MHz_30kHz_650332;6;CP-OFDM 16QAM_Edge_1RB_Left;PC3_SUM     | 21.8           | 26.32 |
| NR UL MIMO | n78  | 650332  | 6.2D.2 UE maximum output power reduction:n78_90MHz_30kHz_650332;7;CP-OFDM 16QAM_Edge_1RB_Right;PC3_SUM    | 21.37          | 25.89 |
| NR UL MIMO | n78  | 650332  | 6.2D.2 UE maximum output power reduction:n78_90MHz_30kHz_650332;8;CP-OFDM 16QAM_Outer_Full;PC3_SUM        | 20.41          | 24.93 |
| NR UL MIMO | n78  | 650332  | 6.2D.2 UE maximum output power reduction:n78_90MHz_30kHz_650332;9;CP-OFDM 64QAM_Edge_1RB_Left;PC3_SUM     | 20.49          | 25.01 |
| NR UL MIMO | n78  | 650332  | 6.2D.2 UE maximum output power reduction:n78_90MHz_30kHz_650332;10;CP-OFDM 64QAM_Edge_1RB_Right;PC3_SUM   | 20.09          | 24.61 |
| NR UL MIMO | n78  | 650332  | 6.2D.2 UE maximum output power reduction:n78_90MHz_30kHz_650332;11;CP-OFDM 64QAM_Outer_Full;PC3_SUM       | 18.81          | 23.33 |
| NR UL MIMO | n78  | 650332  | 6.2D.2 UE maximum output power reduction:n78_90MHz_30kHz_650332;12;CP-OFDM 256QAM_Edge_1RB_Left;PC3_SUM   | 17.99          | 22.51 |
| NR UL MIMO | n78  | 650332  | 6.2D.2 UE maximum output power reduction:n78_90MHz_30kHz_650332;13;CP-OFDM 256QAM_Edge_1RB_Right;PC3_SUM  | 17.54          | 22.06 |
| NR UL MIMO | n78  | 650332  | 6.2D.2 UE maximum output power reduction:n78_90MHz_30kHz_650332;14;CP-OFDM 256QAM_Outer_Full;PC3_SUM      | 16.89          | 21.41 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_100MHz_30kHz_650000;1;CP-OFDM QPSK_Inner_Full;PC3_SUM        | 20.88          | 25.4  |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_100MHz_30kHz_650000;2;CP-OFDM QPSK_Edge_1RB_Left;PC3_SUM     | 20.46          | 24.98 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_100MHz_30kHz_650000;3;CP-OFDM QPSK_Edge_1RB_Right;PC3_SUM    | 20.2           | 24.72 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_100MHz_30kHz_650000;4;CP-OFDM QPSK_Outer_Full;PC3_SUM        | 20.17          | 24.69 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_100MHz_30kHz_650000;5;CP-OFDM 16QAM_Inner_Full;PC3_SUM       | 20.85          | 25.37 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_100MHz_30kHz_650000;6;CP-OFDM 16QAM_Edge_1RB_Left;PC3_SUM    | 20.51          | 25.03 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_100MHz_30kHz_650000;7;CP-OFDM 16QAM_Edge_1RB_Right;PC3_SUM   | 20.13          | 24.65 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_100MHz_30kHz_650000;8;CP-OFDM 16QAM_Outer_Full;PC3_SUM       | 20.17          | 24.69 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_100MHz_30kHz_650000;9;CP-OFDM 64QAM_Edge_1RB_Left;PC3_SUM    | 19.01          | 23.53 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_100MHz_30kHz_650000;10;CP-OFDM 64QAM_Edge_1RB_Right;PC3_SUM  | 18.79          | 23.31 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_100MHz_30kHz_650000;11;CP-OFDM 64QAM_Outer_Full;PC3_SUM      | 18.58          | 23.1  |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_100MHz_30kHz_650000;12;CP-OFDM 256QAM_Edge_1RB_Left;PC3_SUM  | 16.61          | 21.13 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_100MHz_30kHz_650000;13;CP-OFDM 256QAM_Edge_1RB_Right;PC3_SUM | 16.29          | 20.81 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_100MHz_30kHz_650000;14;CP-OFDM 256QAM_Outer_Full;PC3_SUM     | 16.59          | 21.11 |

| System     | Band | Channel | TestItem                                     |                                                             | Measured Value | EIRP  |
|------------|------|---------|----------------------------------------------|-------------------------------------------------------------|----------------|-------|
| NR UL MIMO | n78  | 647000  | 6.2D.2 UE maximum output power reduction:n78 | 10MHz_30kHz_647000;1;CP-OFDM QPSK_Inner_Full;PC2_SUM        | 24.03          | 28.57 |
| NR UL MIMO | n78  | 647000  | 6.2D.2 UE maximum output power reduction:n78 | 10MHz_30kHz_647000;2;CP-OFDM QPSK_Edge_1RB_Left;PC2_SUM     | 21.94          | 26.48 |
| NR UL MIMO | n78  | 647000  | 6.2D.2 UE maximum output power reduction:n78 | 10MHz_30kHz_647000;3;CP-OFDM QPSK_Edge_1RB_Right;PC2_SUM    | 21.98          | 26.52 |
| NR UL MIMO | n78  | 647000  | 6.2D.2 UE maximum output power reduction:n78 | 10MHz_30kHz_647000;4;CP-OFDM QPSK_Outer_Full;PC2_SUM        | 21.3           | 25.84 |
| NR UL MIMO | n78  | 647000  | 6.2D.2 UE maximum output power reduction:n78 | 10MHz_30kHz_647000;5;CP-OFDM 16QAM_Inner_Full;PC2_SUM       | 23.46          | 28    |
| NR UL MIMO | n78  | 647000  | 6.2D.2 UE maximum output power reduction:n78 | 10MHz_30kHz_647000;6;CP-OFDM 16QAM_Edge_1RB_Left;PC2_SUM    | 21.96          | 26.5  |
| NR UL MIMO | n78  | 647000  | 6.2D.2 UE maximum output power reduction:n78 | 10MHz_30kHz_647000;7;CP-OFDM 16QAM_Edge_1RB_Right;PC2_SUM   | 22.01          | 26.55 |
| NR UL MIMO | n78  | 647000  | 6.2D.2 UE maximum output power reduction:n78 | 10MHz_30kHz_647000;8;CP-OFDM 16QAM_Outer_Full;PC2_SUM       | 21.31          | 25.85 |
| NR UL MIMO | n78  | 647000  | 6.2D.2 UE maximum output power reduction:n78 | 10MHz_30kHz_647000;9;CP-OFDM 64QAM_Edge_1RB_Left;PC2_SUM    | 20.5           | 25.04 |
| NR UL MIMO | n78  | 647000  | 6.2D.2 UE maximum output power reduction:n78 | 10MHz_30kHz_647000;10;CP-OFDM 64QAM_Edge_1RB_Right;PC2_SUM  | 20.58          | 25.12 |
| NR UL MIMO | n78  | 647000  | 6.2D.2 UE maximum output power reduction:n78 | 10MHz_30kHz_647000;11;CP-OFDM 64QAM_Outer_Full;PC2_SUM      | 19.7           | 24.24 |
| NR UL MIMO | n78  | 647000  | 6.2D.2 UE maximum output power reduction:n78 | 10MHz_30kHz_647000;12;CP-OFDM 256QAM_Edge_1RB_Left;PC2_SUM  | 17.96          | 22.5  |
| NR UL MIMO | n78  | 647000  | 6.2D.2 UE maximum output power reduction:n78 | 10MHz_30kHz_647000;13;CP-OFDM 256QAM_Edge_1RB_Right;PC2_SUM | 17.99          | 22.53 |
| NR UL MIMO | n78  | 647000  | 6.2D.2 UE maximum output power reduction:n78 | 10MHz_30kHz_647000;14;CP-OFDM 256QAM_Outer_Full;PC2_SUM     | 17.64          | 22.18 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78 | 10MHz_30kHz_650000;1;CP-OFDM QPSK_Inner_Full;PC2_SUM        | 23.95          | 28.49 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78 | 10MHz_30kHz_650000;2;CP-OFDM QPSK_Edge_1RB_Left;PC2_SUM     | 21.98          | 26.52 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78 | 10MHz_30kHz_650000;3;CP-OFDM QPSK_Edge_1RB_Right;PC2_SUM    | 22.01          | 26.55 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78 | 10MHz_30kHz_650000;4;CP-OFDM QPSK_Outer_Full;PC2_SUM        | 21.28          | 25.82 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78 | 10MHz_30kHz_650000;5;CP-OFDM 16QAM_Inner_Full;PC2_SUM       | 23.48          | 28.02 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78 | 10MHz_30kHz_650000;6;CP-OFDM 16QAM_Edge_1RB_Left;PC2_SUM    | 21.95          | 26.49 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78 | 10MHz_30kHz_650000;7;CP-OFDM 16QAM_Edge_1RB_Right;PC2_SUM   | 22.04          | 26.58 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78 | 10MHz_30kHz_650000;8;CP-OFDM 16QAM_Outer_Full;PC2_SUM       | 21.3           | 25.84 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78 | 10MHz_30kHz_650000;9;CP-OFDM 64QAM_Edge_1RB_Left;PC2_SUM    | 20.47          | 25.01 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78 | 10MHz_30kHz_650000;10;CP-OFDM 64QAM_Edge_1RB_Right;PC2_SUM  | 20.48          | 25.02 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78 | 10MHz_30kHz_650000;11;CP-OFDM 64QAM_Outer_Full;PC2_SUM      | 19.75          | 24.29 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78 | 10MHz_30kHz_650000;12;CP-OFDM 256QAM_Edge_1RB_Left;PC2_SUM  | 17.98          | 22.52 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78 | 10MHz_30kHz_650000;13;CP-OFDM 256QAM_Edge_1RB_Right;PC2_SUM | 18             | 22.54 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78 | 10MHz_30kHz_650000;14;CP-OFDM 256QAM_Outer_Full;PC2_SUM     | 17.63          | 22.17 |
| NR UL MIMO | n78  | 653000  | 6.2D.2 UE maximum output power reduction:n78 | 10MHz_30kHz_653000;1;CP-OFDM QPSK_Inner_Full;PC2_SUM        | 23.89          | 28.43 |
| NR UL MIMO | n78  | 653000  | 6.2D.2 UE maximum output power reduction:n78 | 10MHz_30kHz_653000;2;CP-OFDM QPSK_Edge_1RB_Left;PC2_SUM     | 22.12          | 26.66 |
| NR UL MIMO | n78  | 653000  | 6.2D.2 UE maximum output power reduction:n78 | 10MHz_30kHz_653000;3;CP-OFDM QPSK_Edge_1RB_Right;PC2_SUM    | 22.08          | 26.62 |
| NR UL MIMO | n78  | 653000  | 6.2D.2 UE maximum output power reduction:n78 | 10MHz_30kHz_653000;4;CP-OFDM QPSK_Outer_Full;PC2_SUM        | 21.28          | 25.82 |
| NR UL MIMO | n78  | 653000  | 6.2D.2 UE maximum output power reduction:n78 | 10MHz_30kHz_653000;5;CP-OFDM 16QAM_Inner_Full;PC2_SUM       | 23.52          | 28.06 |
| NR UL MIMO | n78  | 653000  | 6.2D.2 UE maximum output power reduction:n78 | 10MHz_30kHz_653000;6;CP-OFDM 16QAM_Edge_1RB_Left;PC2_SUM    | 22.12          | 26.66 |
| NR UL MIMO | n78  | 653000  | 6.2D.2 UE maximum output power reduction:n78 | 10MHz_30kHz_653000;7;CP-OFDM 16QAM_Edge_1RB_Right;PC2_SUM   | 22.14          | 26.68 |
| NR UL MIMO | n78  | 653000  | 6.2D.2 UE maximum output power reduction:n78 | 10MHz_30kHz_653000;8;CP-OFDM 16QAM_Outer_Full;PC2_SUM       | 21.3           | 25.84 |
| NR UL MIMO | n78  | 653000  | 6.2D.2 UE maximum output power reduction:n78 | 10MHz_30kHz_653000;9;CP-OFDM 64QAM_Edge_1RB_Left;PC2_SUM    | 20.55          | 25.0  |

Page 107 of 143


Page 108 of 143

Page 109 of 143

| System     | Band | Channel | TestItem                                                                                                  | Measured Value | EIRP  |
|------------|------|---------|-----------------------------------------------------------------------------------------------------------|----------------|-------|
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_100MHz_30kHz_650000;7;CP-OFDM 16QAM_Edge_1RB_Right;PC2_SUM   | 22.14          | 26.68 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_100MHz_30kHz_650000;8;CP-OFDM 16QAM_Outer_Full;PC2_SUM       | 22.06          | 26.6  |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_100MHz_30kHz_650000;9;CP-OFDM 64QAM_Edge_1RB_Left;PC2_SUM    | 20.93          | 25.47 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_100MHz_30kHz_650000;10;CP-OFDM 64QAM_Edge_1RB_Right;PC2_SUM  | 20.58          | 25.12 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_100MHz_30kHz_650000;11;CP-OFDM 64QAM_Outer_Full;PC2_SUM      | 20.57          | 25.11 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_100MHz_30kHz_650000;12;CP-OFDM 256QAM_Edge_1RB_Left;PC2_SUM  | 18.5           | 23.04 |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_100MHz_30kHz_650000;13;CP-OFDM 256QAM_Edge_1RB_Right;PC2_SUM | 18.16          | 22.7  |
| NR UL MIMO | n78  | 650000  | 6.2D.2 UE maximum output power reduction:n78_100MHz_30kHz_650000;14;CP-OFDM 256QAM_Outer_Full;PC2_SUM     | 18.55          | 23.09 |

## **APPENDIX B - OCCUPIED BANDWIDTH**

| NR n77_CH656000_10MHz |                              |                      |
|-----------------------|------------------------------|----------------------|
| Modulation            | 99% Occupied Bandwidth (MHz) | 26dB Bandwidth (MHz) |
| DFT-s-OFDM PI/2 BPSK  | 8.6575                       | 9.927                |
| DFT-s-OFDM QPSK       | 8.6721                       | 9.935                |
| DFT-s-OFDM 16QAM      | 8.9395                       | 9.994                |
| DFT-s-OFDM 64QAM      | 8.6662                       | 9.923                |
| DFT-s-OFDM 256QAM     | 8.6603                       | 9.902                |
| CP-OFDM QPSK          | 8.6896                       | 10.15                |
| CP-OFDM 16QAM         | 8.6392                       | 10.35                |
| CP-OFDM 64QAM         | 8.6911                       | 9.922                |
| CP-OFDM 256QAM        | 8.6445                       | 9.869                |



| NR n77_CH656000_15MHz |                              |                      |
|-----------------------|------------------------------|----------------------|
| Modulation            | 99% Occupied Bandwidth (MHz) | 26dB Bandwidth (MHz) |
| DFT-s-OFDM PI/2 BPSK  | 12.893                       | 14.78                |
| DFT-s-OFDM QPSK       | 12.962                       | 14.60                |
| DFT-s-OFDM 16QAM      | 12.978                       | 14.54                |
| DFT-s-OFDM 64QAM      | 12.978                       | 14.87                |
| DFT-s-OFDM 256QAM     | 12.928                       | 14.88                |
| CP-OFDM QPSK          | 13.640                       | 15.02                |
| CP-OFDM 16QAM         | 13.608                       | 15.13                |
| CP-OFDM 64QAM         | 13.660                       | 15.30                |
| CP-OFDM 256QAM        | 13.657                       | 14.93                |

