






Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6425	325.12	314.20	320	Pass

6425 26 dB Bandwidth 	-	-
99 % Occupied Bandwidth 	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6585	324.72	314.74	320	Pass
6745	324.67	313.76	320	Pass




Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6905	325.10	315.82	320	Pass



6905 26 dB Bandwidth 	-	-
99 % Occupied Bandwidth 	-	-

Test Mode	IEEE 802.11be(EHT320)_Ant_4
-----------	-----------------------------


Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6105	325.06	314.57	320	Pass
6265	325.21	314.02	320	Pass





Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6425	325.31	314.48	320	Pass

6425 26 dB Bandwidth 	-	-
99 % Occupied Bandwidth 	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6585	325.08	314.92	320	Pass
6745	325.15	313.67	320	Pass



Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6905	324.61	315.81	320	Pass

6905 26 dB Bandwidth 	-	-
99 % Occupied Bandwidth 	-	-

APPENDIX F - MAXIMUM E.I.R.P.

Test Mode	IEEE 802.11be(EHT20)_Ant.1
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	-1.80	3.48	0.0022	30.00	1.0000	Pass
6175	-1.08	4.20	0.0026	30.00	1.0000	Pass
6415	-1.03	4.25	0.0027	30.00	1.0000	Pass
6435	-1.17	4.11	0.0026	30.00	1.0000	Pass
6475	-0.76	4.52	0.0028	30.00	1.0000	Pass
6515	-1.47	3.81	0.0024	30.00	1.0000	Pass
6535	-1.03	4.25	0.0027	30.00	1.0000	Pass
6695	-2.73	2.55	0.0018	30.00	1.0000	Pass
6855	-1.02	4.26	0.0027	30.00	1.0000	Pass
6875	-0.11	5.17	0.0033	30.00	1.0000	Pass
6995	-0.43	4.85	0.0031	30.00	1.0000	Pass
7095	-0.92	4.36	0.0027	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT20)_Ant.2
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	-2.37	2.91	0.0020	30.00	1.0000	Pass
6175	-1.73	3.55	0.0023	30.00	1.0000	Pass
6415	-1.56	3.72	0.0024	30.00	1.0000	Pass
6435	-2.41	2.87	0.0019	30.00	1.0000	Pass
6475	-1.54	3.74	0.0024	30.00	1.0000	Pass
6515	-1.60	3.68	0.0023	30.00	1.0000	Pass
6535	-1.50	3.78	0.0024	30.00	1.0000	Pass
6695	-2.29	2.99	0.0020	30.00	1.0000	Pass
6855	-1.17	4.11	0.0026	30.00	1.0000	Pass
6875	-0.68	4.60	0.0029	30.00	1.0000	Pass
6995	0.23	5.51	0.0036	30.00	1.0000	Pass
7095	-0.32	4.96	0.0031	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT20)_Ant.3
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	-1.60	3.68	0.0023	30.00	1.0000	Pass
6175	-1.50	3.78	0.0024	30.00	1.0000	Pass
6415	-1.43	3.85	0.0024	30.00	1.0000	Pass
6435	-1.44	3.84	0.0024	30.00	1.0000	Pass
6475	-0.92	4.36	0.0027	30.00	1.0000	Pass
6515	-1.49	3.79	0.0024	30.00	1.0000	Pass
6535	-1.73	3.55	0.0023	30.00	1.0000	Pass
6695	-2.89	2.39	0.0017	30.00	1.0000	Pass
6855	-1.30	3.98	0.0025	30.00	1.0000	Pass
6875	-1.04	4.24	0.0027	30.00	1.0000	Pass
6995	-0.80	4.48	0.0028	30.00	1.0000	Pass
7095	-0.97	4.31	0.0027	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT20)_Ant.4
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	-1.07	4.21	0.0026	30.00	1.0000	Pass
6175	-0.96	4.32	0.0027	30.00	1.0000	Pass
6415	-1.60	3.68	0.0023	30.00	1.0000	Pass
6435	-0.69	4.59	0.0029	30.00	1.0000	Pass
6475	-0.47	4.81	0.0030	30.00	1.0000	Pass
6515	-1.38	3.90	0.0025	30.00	1.0000	Pass
6535	-1.58	3.70	0.0023	30.00	1.0000	Pass
6695	-1.98	3.30	0.0021	30.00	1.0000	Pass
6855	-0.87	4.41	0.0028	30.00	1.0000	Pass
6875	-0.43	4.85	0.0031	30.00	1.0000	Pass
6995	-0.68	4.60	0.0029	30.00	1.0000	Pass
7095	-0.56	4.72	0.0030	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT20)_Total
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	4.34	9.62	0.0092	30.00	1.0000	Pass
6175	4.71	9.99	0.0100	30.00	1.0000	Pass
6415	4.62	9.90	0.0098	30.00	1.0000	Pass
6435	4.64	9.92	0.0098	30.00	1.0000	Pass
6475	5.12	10.40	0.0110	30.00	1.0000	Pass
6515	4.54	9.82	0.0096	30.00	1.0000	Pass
6535	4.57	9.85	0.0097	30.00	1.0000	Pass
6695	3.56	8.84	0.0077	30.00	1.0000	Pass
6855	4.93	10.21	0.0105	30.00	1.0000	Pass
6875	5.47	10.75	0.0119	30.00	1.0000	Pass
6995	5.62	10.90	0.0123	30.00	1.0000	Pass
7095	5.34	10.62	0.0015	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT40)_Ant.1
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5965	1.72	7.00	0.0050	30.00	1.0000	Pass
6165	2.06	7.34	0.0054	30.00	1.0000	Pass
6405	2.32	7.60	0.0058	30.00	1.0000	Pass
6445	2.19	7.47	0.0056	30.00	1.0000	Pass
6485	1.71	6.99	0.0050	30.00	1.0000	Pass
6525	1.54	6.82	0.0048	30.00	1.0000	Pass
6565	2.39	7.67	0.0058	30.00	1.0000	Pass
6725	0.91	6.19	0.0042	30.00	1.0000	Pass
6845	2.15	7.43	0.0055	30.00	1.0000	Pass
6885	2.61	7.89	0.0062	30.00	1.0000	Pass
7005	2.97	8.25	0.0067	30.00	1.0000	Pass
7085	2.54	7.82	0.0061	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT40)_Ant.2
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5965	1.83	7.11	0.0051	30.00	1.0000	Pass
6165	2.25	7.53	0.0057	30.00	1.0000	Pass
6405	2.07	7.35	0.0054	30.00	1.0000	Pass
6445	2.04	7.32	0.0054	30.00	1.0000	Pass
6485	1.41	6.69	0.0047	30.00	1.0000	Pass
6525	1.97	7.25	0.0053	30.00	1.0000	Pass
6565	2.32	7.60	0.0058	30.00	1.0000	Pass
6725	1.17	6.45	0.0044	30.00	1.0000	Pass
6845	2.21	7.49	0.0056	30.00	1.0000	Pass
6885	2.61	7.89	0.0062	30.00	1.0000	Pass
7005	3.27	8.55	0.0072	30.00	1.0000	Pass
7085	2.31	7.59	0.0057	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT40)_Ant.3
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5965	1.42	6.70	0.0047	30.00	1.0000	Pass
6165	1.35	6.63	0.0046	30.00	1.0000	Pass
6405	2.22	7.50	0.0056	30.00	1.0000	Pass
6445	2.41	7.69	0.0059	30.00	1.0000	Pass
6485	1.94	7.22	0.0053	30.00	1.0000	Pass
6525	1.37	6.65	0.0046	30.00	1.0000	Pass
6565	1.67	6.95	0.0050	30.00	1.0000	Pass
6725	0.80	6.08	0.0041	30.00	1.0000	Pass
6845	1.82	7.10	0.0051	30.00	1.0000	Pass
6885	2.53	7.81	0.0060	30.00	1.0000	Pass
7005	2.49	7.77	0.0060	30.00	1.0000	Pass
7085	2.71	7.99	0.0063	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT40)_Ant.4
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5965	2.12	7.40	0.0055	30.00	1.0000	Pass
6165	2.11	7.39	0.0055	30.00	1.0000	Pass
6405	1.74	7.02	0.0050	30.00	1.0000	Pass
6445	2.54	7.82	0.0061	30.00	1.0000	Pass
6485	2.27	7.55	0.0057	30.00	1.0000	Pass
6525	1.69	6.97	0.0050	30.00	1.0000	Pass
6565	2.05	7.33	0.0054	30.00	1.0000	Pass
6725	0.93	6.21	0.0042	30.00	1.0000	Pass
6845	2.10	7.38	0.0055	30.00	1.0000	Pass
6885	2.45	7.73	0.0059	30.00	1.0000	Pass
7005	3.08	8.36	0.0069	30.00	1.0000	Pass
7085	2.37	7.65	0.0058	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT40)_Total
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5965	7.80	13.08	0.0203	30.00	1.0000	Pass
6165	7.98	13.26	0.0212	30.00	1.0000	Pass
6405	8.11	13.39	0.0218	30.00	1.0000	Pass
6445	8.32	13.60	0.0229	30.00	1.0000	Pass
6485	7.86	13.14	0.0206	30.00	1.0000	Pass
6525	7.67	12.95	0.0197	30.00	1.0000	Pass
6565	8.14	13.42	0.0220	30.00	1.0000	Pass
6725	6.98	12.26	0.0168	30.00	1.0000	Pass
6845	8.09	13.37	0.0217	30.00	1.0000	Pass
6885	8.57	13.85	0.0243	30.00	1.0000	Pass
7005	8.98	14.26	0.0267	30.00	1.0000	Pass
7085	8.51	13.79	0.0239	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT80)_Ant.1
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5985	3.13	8.41	0.0069	30.00	1.0000	Pass
6145	4.21	9.49	0.0089	30.00	1.0000	Pass
6385	3.80	9.08	0.0081	30.00	1.0000	Pass
6465	4.24	9.52	0.0090	30.00	1.0000	Pass
6545	4.95	10.23	0.0105	30.00	1.0000	Pass
6705	2.95	8.23	0.0067	30.00	1.0000	Pass
6865	5.03	10.31	0.0107	30.00	1.0000	Pass
6945	5.58	10.86	0.0122	30.00	1.0000	Pass
7025	5.36	10.64	0.0116	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT80)_Ant.2
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5985	3.10	8.38	0.0069	30.00	1.0000	Pass
6145	3.99	9.27	0.0085	30.00	1.0000	Pass
6385	4.06	9.34	0.0086	30.00	1.0000	Pass
6465	3.60	8.88	0.0077	30.00	1.0000	Pass
6545	4.80	10.08	0.0102	30.00	1.0000	Pass
6705	3.09	8.37	0.0069	30.00	1.0000	Pass
6865	4.84	10.12	0.0103	30.00	1.0000	Pass
6945	5.29	10.57	0.0114	30.00	1.0000	Pass
7025	4.90	10.18	0.0104	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT80)_Ant.3
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5985	2.80	8.08	0.0064	30.00	1.0000	Pass
6145	3.39	8.67	0.0074	30.00	1.0000	Pass
6385	4.28	9.56	0.0090	30.00	1.0000	Pass
6465	4.27	9.55	0.0090	30.00	1.0000	Pass
6545	4.26	9.54	0.0090	30.00	1.0000	Pass
6705	2.74	8.02	0.0063	30.00	1.0000	Pass
6865	4.23	9.51	0.0089	30.00	1.0000	Pass
6945	5.19	10.47	0.0111	30.00	1.0000	Pass
7025	4.93	10.21	0.0105	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT80)_Ant.4
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5985	3.97	9.25	0.0084	30.00	1.0000	Pass
6145	4.26	9.54	0.0090	30.00	1.0000	Pass
6385	4.19	9.47	0.0089	30.00	1.0000	Pass
6465	4.76	10.04	0.0101	30.00	1.0000	Pass
6545	4.60	9.88	0.0097	30.00	1.0000	Pass
6705	2.58	7.86	0.0061	30.00	1.0000	Pass
6865	4.40	9.68	0.0093	30.00	1.0000	Pass
6945	5.75	11.03	0.0127	30.00	1.0000	Pass
7025	5.33	10.61	0.0115	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT80)_Total
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5985	9.29	14.57	0.0286	30.00	1.0000	Pass
6145	10.00	15.28	0.0337	30.00	1.0000	Pass
6385	10.11	15.39	0.0346	30.00	1.0000	Pass
6465	10.26	15.54	0.0358	30.00	1.0000	Pass
6545	10.68	15.96	0.0394	30.00	1.0000	Pass
6705	8.86	14.14	0.0259	30.00	1.0000	Pass
6865	10.66	15.94	0.0393	30.00	1.0000	Pass
6945	11.48	16.76	0.0474	30.00	1.0000	Pass
7025	11.16	16.44	0.0441	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT160)_Ant.1
-----------	-----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6025	5.87	11.15	0.0130	30.00	1.0000	Pass
6185	6.38	11.66	0.0147	30.00	1.0000	Pass
6345	6.75	12.03	0.0160	30.00	1.0000	Pass
6505	6.10	11.38	0.0137	30.00	1.0000	Pass
6665	5.50	10.78	0.0120	30.00	1.0000	Pass
6825	5.70	10.98	0.0125	30.00	1.0000	Pass
6985	7.70	12.98	0.0199	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT160)_Ant.2
-----------	-----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6025	6.09	11.37	0.0137	30.00	1.0000	Pass
6185	6.69	11.97	0.0157	30.00	1.0000	Pass
6345	5.68	10.96	0.0125	30.00	1.0000	Pass
6505	6.14	11.42	0.0139	30.00	1.0000	Pass
6665	5.64	10.92	0.0124	30.00	1.0000	Pass
6825	5.51	10.79	0.0120	30.00	1.0000	Pass
6985	7.48	12.76	0.0189	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT160)_Ant.3
-----------	-----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6025	6.16	11.44	0.0139	30.00	1.0000	Pass
6185	6.44	11.72	0.0149	30.00	1.0000	Pass
6345	5.94	11.22	0.0132	30.00	1.0000	Pass
6505	6.10	11.38	0.0137	30.00	1.0000	Pass
6665	5.60	10.88	0.0122	30.00	1.0000	Pass
6825	5.59	10.87	0.0122	30.00	1.0000	Pass
6985	8.10	13.38	0.0218	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT160)_Ant.4
-----------	-----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6025	6.72	12.00	0.0158	30.00	1.0000	Pass
6185	7.05	12.33	0.0171	30.00	1.0000	Pass
6345	6.28	11.56	0.0143	30.00	1.0000	Pass
6505	6.27	11.55	0.0143	30.00	1.0000	Pass
6665	5.29	10.57	0.0114	30.00	1.0000	Pass
6825	6.07	11.35	0.0136	30.00	1.0000	Pass
6985	8.72	14.00	0.0251	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT160)_Total
-----------	-----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6025	12.24	17.52	0.0565	30.00	1.0000	Pass
6185	12.67	17.95	0.0624	30.00	1.0000	Pass
6345	12.20	17.48	0.0560	30.00	1.0000	Pass
6505	12.17	17.45	0.0556	30.00	1.0000	Pass
6665	11.53	16.81	0.0480	30.00	1.0000	Pass
6825	11.74	17.02	0.0504	30.00	1.0000	Pass
6985	14.05	19.33	0.0857	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT320)_Ant.1
-----------	-----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6105	9.37	14.65	0.0292	30.00	1.0000	Pass
6265	9.48	14.76	0.0299	30.00	1.0000	Pass
6425	9.40	14.68	0.0294	30.00	1.0000	Pass
6585	9.20	14.48	0.0281	30.00	1.0000	Pass
6745	8.93	14.21	0.0264	30.00	1.0000	Pass
6905	9.35	14.63	0.0290	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT320)_Ant.2
-----------	-----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6105	9.20	14.48	0.0281	30.00	1.0000	Pass
6265	9.59	14.87	0.0307	30.00	1.0000	Pass
6425	9.52	14.80	0.0302	30.00	1.0000	Pass
6585	9.42	14.70	0.0295	30.00	1.0000	Pass
6745	9.24	14.52	0.0283	30.00	1.0000	Pass
6905	9.70	14.98	0.0315	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT320)_Ant.3
-----------	-----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6105	8.58	13.86	0.0243	30.00	1.0000	Pass
6265	8.32	13.60	0.0229	30.00	1.0000	Pass
6425	9.76	15.04	0.0319	30.00	1.0000	Pass
6585	9.54	14.82	0.0303	30.00	1.0000	Pass
6745	8.62	13.90	0.0245	30.00	1.0000	Pass
6905	8.78	14.06	0.0255	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT320)_Ant.4
-----------	-----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6105	9.27	14.55	0.0285	30.00	1.0000	Pass
6265	8.69	13.97	0.0249	30.00	1.0000	Pass
6425	9.16	14.44	0.0278	30.00	1.0000	Pass
6585	9.02	14.30	0.0269	30.00	1.0000	Pass
6745	9.14	14.42	0.0277	30.00	1.0000	Pass
6905	9.78	15.06	0.0321	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT320)_Total
-----------	-----------------------------


Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6105	15.14	20.42	0.1102	30.00	1.0000	Pass
6265	15.07	20.35	0.1084	30.00	1.0000	Pass
6425	15.49	20.77	0.1194	30.00	1.0000	Pass
6585	15.32	20.60	0.1148	30.00	1.0000	Pass
6745	15.01	20.29	0.1069	30.00	1.0000	Pass
6905	15.44	20.72	0.1180	30.00	1.0000	Pass

Note: Conducted power = Measure result + Cable loss + Duty factor


APPENDIX G - MAXIMUM POWER SPECTRAL DENSITY (E.I.R.P.)

Test Mode	IEEE 802.11be(EHT20)_Ant.1
-----------	----------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5955	-12.98	0.25	-1.43	5.00	Pass
6175	-12.77	0.25	-1.22	5.00	Pass
6415	-13.24	0.25	-1.69	5.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6435	-13.24	0.25	-1.69	5.00	Pass
6475	-12.74	0.25	-1.19	5.00	Pass
6515	-12.84	0.25	-1.29	5.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6535	-12.85	0.25	-1.30	5.00	Pass
6695	-14.35	0.25	-2.80	5.00	Pass
6855	-12.35	0.25	-0.80	5.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6875	-12.14	0.25	-0.59	5.00	Pass
6995	-13.03	0.25	-1.48	5.00	Pass
7095	-13.19	0.25	-0.64	5.00	Pass




Test Mode	IEEE 802.11be(EHT20)_Ant.2
-----------	----------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5955	-11.81	0.25	-0.26	5.00	Pass
6175	-12.40	0.25	-0.85	5.00	Pass
6415	-12.59	0.25	-1.04	5.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6435	-12.42	0.25	-0.87	5.00	Pass
6475	-12.39	0.25	-0.84	5.00	Pass
6515	-12.81	0.25	-1.26	5.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6535	-12.10	0.25	-0.55	5.00	Pass
6695	-12.54	0.25	-0.99	5.00	Pass
6855	-12.86	0.25	-1.31	5.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6875	-12.46	0.25	-0.91	5.00	Pass
6995	-11.67	0.25	-0.12	5.00	Pass
7095	-13.02	0.25	0.06	5.00	Pass



Test Mode	IEEE 802.11be(EHT20)_Ant.3
-----------	----------------------------

Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5955	-13.18	0.25	-1.63	5.00	Pass
6175	-12.36	0.25	-0.81	5.00	Pass
6415	-12.49	0.25	-0.94	5.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6435	-13.77	0.25	-2.22	5.00	Pass
6475	-12.48	0.25	-0.93	5.00	Pass
6515	-12.66	0.25	-1.11	5.00	Pass

