



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6535	-12.62	0.25	-1.07	5.00	Pass
6695	-12.77	0.25	-1.22	5.00	Pass
6855	-13.02	0.25	-1.47	5.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6875	-13.39	0.25	-1.84	5.00	Pass
6995	-13.15	0.25	-1.60	5.00	Pass
7095	-13.02	0.25	-0.47	5.00	Pass




Test Mode	IEEE 802.11be(EHT20)_Ant.4
-----------	----------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5955	-13.20	0.25	-1.65	5.00	Pass
6175	-12.97	0.25	-1.42	5.00	Pass
6415	-13.43	0.25	-1.88	5.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6435	-13.22	0.25	-1.67	5.00	Pass
6475	-12.91	0.25	-1.36	5.00	Pass
6515	-12.78	0.25	-1.23	5.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6535	-12.97	0.25	-1.42	5.00	Pass
6695	-13.18	0.25	-1.63	5.00	Pass
6855	-12.49	0.25	-0.94	5.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6875	-12.47	0.25	-0.92	5.00	Pass
6995	-13.17	0.25	-1.62	5.00	Pass
7095	-13.15	0.25	-1.60	5.00	Pass




Test Mode	IEEE 802.11be(EHT20)_Total
-----------	----------------------------


Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5955	4.82	5.00	Pass
6175	4.95	5.00	Pass
6415	4.65	5.00	Pass
6435	4.44	5.00	Pass
6475	4.95	5.00	Pass
6515	4.80	5.00	Pass
6535	4.95	5.00	Pass
6695	4.41	5.00	Pass
6855	4.90	5.00	Pass
6875	4.98	5.00	Pass
6995	4.86	5.00	Pass
7095	4.62	5.00	Pass

Test Mode	IEEE 802.11be(EHT40)_Ant.1
-----------	----------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5965	-12.88	0.46	-1.12	5.00	Pass
6165	-13.15	0.46	-1.39	5.00	Pass
6405	-12.93	0.46	-1.17	5.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6445	-13.30	0.46	-1.54	5.00	Pass
6485	-13.48	0.46	-1.72	5.00	Pass
6525	-12.65	0.46	-0.89	5.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6565	-13.17	0.46	-1.41	5.00	Pass
6725	-13.85	0.46	-2.09	5.00	Pass
6845	-12.55	0.46	-0.79	5.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6885	-12.61	0.46	-0.85	5.00	Pass
7005	-13.65	0.46	-1.89	5.00	Pass
7085	-12.75	0.46	-0.99	5.00	Pass




Test Mode	IEEE 802.11be(EHT40)_Ant.2
-----------	----------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5965	-13.47	0.46	-1.71	5.00	Pass
6165	-13.15	0.46	-1.39	5.00	Pass
6405	-12.30	0.46	-0.54	5.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6445	-13.98	0.46	-2.22	5.00	Pass
6485	-13.39	0.46	-1.63	5.00	Pass
6525	-13.50	0.46	-1.74	5.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6565	-13.28	0.46	-1.52	5.00	Pass
6725	-12.08	0.46	-0.32	5.00	Pass
6845	-12.54	0.46	-0.78	5.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6885	-12.77	0.46	-1.01	5.00	Pass
7005	-12.58	0.46	-0.82	5.00	Pass
7085	-13.16	0.46	-1.40	5.00	Pass




Test Mode	IEEE 802.11be(EHT40)_Ant.3
-----------	----------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5965	-13.35	0.46	-1.59	5.00	Pass
6165	-13.41	0.46	-1.65	5.00	Pass
6405	-13.16	0.46	-1.40	5.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6445	-13.39	0.46	-1.63	5.00	Pass
6485	-13.03	0.46	-1.27	5.00	Pass
6525	-12.96	0.46	-1.20	5.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6565	-12.90	0.46	-1.14	5.00	Pass
6725	-13.78	0.46	-2.02	5.00	Pass
6845	-13.77	0.46	-2.01	5.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6885	-13.91	0.46	-2.15	5.00	Pass
7005	-13.04	0.46	-1.28	5.00	Pass
7085	-13.42	0.46	-1.66	5.00	Pass

