





Test Mode UNII-1_TX BE(EHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	3.77	0.22	3.99	10.40	Pass
40	5200	3.44	0.22	3.66	10.40	Pass
48	5240	3.79	0.22	4.01	10.40	Pass



Test Mode UNII-1_TX BE(EHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.14	0.22	4.36	10.40	Pass
40	5200	3.77	0.22	3.99	10.40	Pass
48	5240	3.87	0.22	4.09	10.40	Pass




Test Mode	UNII-1_TX BE(EHT20) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.09	10.40	Pass
40	5200	9.86	10.40	Pass
48	5240	10.05	10.40	Pass

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	3.80	0.26	4.07	10.40	Pass
46	5230	3.61	0.26	3.88	10.40	Pass




Date: 10.OCT.2025 11:22:42




Date: 10.OCT.2025 11:26:23

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	4.32	0.26	4.58	10.40	Pass
46	5230	4.33	0.26	4.59	10.40	Pass




Date: 10.OCT.2025 11:23:21




Date: 10.OCT.2025 11:26:49

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	3.87	0.26	4.13	10.40	Pass
46	5230	4.00	0.26	4.27	10.40	Pass




Date: 10.OCT.2025 11:22:06




Date: 10.OCT.2025 11:27:21

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	4.37	0.26	4.63	10.40	Pass
46	5230	4.06	0.26	4.32	10.40	Pass



Date: 10.OCT.2025 11:24:01




Date: 10.OCT.2025 11:25:51

Test Mode	UNII-1_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	10.38	10.40	Pass
46	5230	10.29	10.40	Pass

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	3.70	0.23	3.93	10.40	Pass



Date: 10.OCT.2025 11:54:25

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	3.93	0.23	4.16	10.40	Pass



Date: 10.OCT.2025 11:55:01

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 3
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	4.52	0.23	4.75	10.40	Pass



Date: 10.OCT.2025 11:55:39

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	3.91	0.23	4.15	10.40	Pass




Date: 10.OCT.2025 11:56:15

Test Mode	UNII-1_TX BE(EHT80) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	10.28	10.40	Pass

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-2.75	0.20	-2.55	4.40	Pass
60	5300	-3.28	0.20	-3.08	4.40	Pass
64	5320	-2.64	0.20	-2.45	4.40	Pass



Date: 28.SEP.2025 20:12:22




Date: 28.SEP.2025 20:12:08



Date: 28.SEP.2025 20:12:32

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-1.64	0.20	-1.44	4.40	Pass
60	5300	-2.20	0.20	-2.01	4.40	Pass
64	5320	-2.26	0.20	-2.07	4.40	Pass



Date: 28.SEP.2025 20:12:105




Date: 28.SEP.2025 20:12:46




Date: 28.SEP.2025 20:12:56

Test Mode	UNII-2A_TX A Mode_Ant. 3
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-2.06	0.20	-1.86	4.40	Pass
60	5300	-1.76	0.20	-1.57	4.40	Pass
64	5320	-2.05	0.20	-1.86	4.40	Pass



Date: 28.SEP.2025 20:21:37




Date: 28.SEP.2025 20:30:13




Date: 28.SEP.2025 20:32:06

Test Mode	UNII-2A_TX A Mode_Ant. 4
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-2.20	0.20	-2.00	4.40	Pass
60	5300	-1.35	0.20	-1.15	4.40	Pass
64	5320	-1.70	0.20	-1.51	4.40	Pass



Date: 28.SEP.2025 20:22:03



Date: 28.SEP.2025 20:28:29




Date: 28.SEP.2025 20:33:24

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.07	4.40	Pass
60	5300	4.13	4.40	Pass
64	5320	4.06	4.40	Pass

Test Mode UNII-2A_TX BE(EHT20) Mode_Ant. 3


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-1.71	0.22	-1.49	4.40	Pass
60	5300	-1.86	0.22	-1.64	4.40	Pass
64	5320	-1.76	0.22	-1.55	4.40	Pass



Date: 10.OCT.2025 10:13:54




Date: 10.OCT.2025 10:41:01



Date: 10.OCT.2025 10:47:20

Test Mode UNII-2A_TX BE(EHT20) Mode_Ant. 4


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-2.08	0.22	-1.86	4.40	Pass
60	5300	-2.02	0.22	-1.80	4.40	Pass
64	5320	-1.65	0.22	-1.44	4.40	Pass



Date: 10.OCT.2025 10:13:16



Date: 10.OCT.2025 10:42:43




Date: 10.OCT.2025 10:48:07

Test Mode	UNII-2A_TX BE(EHT20) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.26	4.40	Pass
60	5300	3.97	4.40	Pass
64	5320	4.23	4.40	Pass

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-2.73	0.26	-2.47	4.40	Pass
62	5310	-2.81	0.26	-2.55	4.40	Pass




Date: 10.OCT.2025 11:28:52




Date: 10.OCT.2025 11:32:27

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-1.94	0.26	-1.68	4.40	Pass
62	5310	-2.19	0.26	-1.93	4.40	Pass




Date: 10.OCT.2025 11:30:45




Date: 10.OCT.2025 11:31:58

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-1.64	0.26	-1.38	4.40	Pass
62	5310	-1.52	0.26	-1.26	4.40	Pass




Date: 10.OCT.2025 11:28:25




Date: 10.OCT.2025 11:33:28

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-1.96	0.26	-1.70	4.40	Pass
62	5310	-1.53	0.26	-1.27	4.40	Pass



Date: 10.OCT.2025 11:29:54



Date: 10.OCT.2025 11:33:59

Test Mode	UNII-2A_TX BE(EHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.23	4.40	Pass
62	5310	4.30	4.40	Pass

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-3.00	0.23	-2.76	4.40	Pass




Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-2.20	0.23	-1.96	4.40	Pass




Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-2.06	0.20	-1.87	4.40	Pass
116	5580	-1.92	0.20	-1.72	4.40	Pass
140	5700	-2.43	0.20	-2.23	4.40	Pass



Date: 28.SEP.2025 20:44:09




Date: 29.SEP.2025 09:47:09



Date: 29.SEP.2025 09:52:20

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-2.61	0.20	-2.41	4.40	Pass
116	5580	-3.03	0.20	-2.83	4.40	Pass
140	5700	-3.02	0.20	-2.83	4.40	Pass



Date: 28.SEP.2025 20:44:46




Date: 29.SEP.2025 09:47:52




Date: 29.SEP.2025 09:53:01

Test Mode UNII-2C_TX A Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-1.42	0.20	-1.23	4.40	Pass
116	5580	-2.37	0.20	-2.18	4.40	Pass
140	5700	-1.99	0.20	-1.80	4.40	Pass



Date: 28.SEP.2025 20:45:16




Date: 29.SEP.2025 09:48:34



Date: 29.SEP.2025 09:53:39

Test Mode UNII-2C_TX A Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-1.66	0.20	-1.47	4.40	Pass
116	5580	-2.22	0.20	-2.02	4.40	Pass
140	5700	-1.83	0.20	-1.64	4.40	Pass



Date: 28.SEP.2025 20:45:44



Date: 29.SEP.2025 09:49:05




Date: 29.SEP.2025 09:54:24

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.30	4.40	Pass
116	5580	3.85	4.40	Pass
140	5700	3.92	4.40	Pass

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-2.52	0.22	-2.31	4.40	Pass
116	5580	-1.78	0.22	-1.56	4.40	Pass
140	5700	-2.20	0.22	-1.98	4.40	Pass



Date: 10.OCT.2025 10:58:05




Date: 10.OCT.2025 10:59:53




Date: 10.OCT.2025 11:03:10

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-3.34	0.22	-3.12	4.40	Pass
116	5580	-2.68	0.22	-2.46	4.40	Pass
140	5700	-2.98	0.22	-2.76	4.40	Pass



Date: 10.OCT.2025 10:58:30



Date: 10.OCT.2025 11:00:25




Date: 10.OCT.2025 11:04:19

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-1.49	0.22	-1.27	4.40	Pass
116	5580	-2.41	0.22	-2.19	4.40	Pass
140	5700	-1.67	0.22	-1.45	4.40	Pass



Date: 10.OCT.2025 10:57:00




Date: 10.OCT.2025 11:00:56




Date: 10.OCT.2025 11:05:09

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 4
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-2.10	0.22	-1.88	4.40	Pass
116	5580	-2.20	0.22	-1.98	4.40	Pass
140	5700	-2.53	0.22	-2.31	4.40	Pass



Date: 10.OCT.2025 10:57:36



Date: 10.OCT.2025 11:01:23



Date: 10.OCT.2025 11:05:45

Test Mode	UNII-2C_TX BE(EHT20) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.93	4.40	Pass
116	5580	3.99	4.40	Pass
140	5700	3.92	4.40	Pass

Test Mode UNII-2C_TX BE(EHT40) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-2.50	0.26	-2.23	4.40	Pass
110	5550	-2.76	0.26	-2.50	4.40	Pass
134	5670	-1.81	0.26	-1.55	4.40	Pass



Date: 10.OCT.2025 11:35:49




Date: 10.OCT.2025 11:38:42




Date: 10.OCT.2025 11:41:37

Test Mode UNII-2C_TX BE(EHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-3.06	0.26	-2.80	4.40	Pass
110	5550	-2.89	0.26	-2.62	4.40	Pass
134	5670	-2.37	0.26	-2.10	4.40	Pass



Date: 10.OCT.2025 11:36:10



Date: 10.OCT.2025 11:39:16




Date: 10.OCT.2025 11:42:13

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 3
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-1.69	0.26	-1.42	4.40	Pass
110	5550	-1.21	0.26	-0.94	4.40	Pass
134	5670	-1.95	0.26	-1.69	4.40	Pass



Date: 10.OCT.2025 11:37:05




Date: 10.OCT.2025 11:38:10




Date: 10.OCT.2025 11:42:47

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 4
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-2.13	0.26	-1.87	4.40	Pass
110	5550	-2.57	0.26	-2.31	4.40	Pass
134	5670	-2.41	0.26	-2.15	4.40	Pass



Date: 10.OCT.2025 11:35:17



Date: 10.OCT.2025 11:39:55





Date: 10.OCT.2025 11:41:06

Test Mode	UNII-2C_TX BE(EHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	3.97	4.40	Pass
110	5550	3.98	4.40	Pass
134	5670	4.15	4.40	Pass



Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-2.52	0.23	-2.29	4.40	Pass
122	5610	-1.60	0.23	-1.37	4.40	Pass




Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-3.28	0.23	-3.04	4.40	Pass
122	5610	-2.38	0.23	-2.14	4.40	Pass




Test Mode UNII-2C_TX BE(EHT80) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-1.79	0.23	-1.56	4.40	Pass
122	5610	-1.45	0.23	-1.22	4.40	Pass




Date: 10.OCT.2025 13:56:10




Date: 10.OCT.2025 14:04:28

Test Mode UNII-2C_TX BE(EHT80) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-2.23	0.23	-2.00	4.40	Pass
122	5610	-2.14	0.23	-1.91	4.40	Pass



Date: 10.OCT.2025 13:56:54




Date: 10.OCT.2025 14:03:48

Test Mode UNII-2C_TX BE(EHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	3.83	4.40	Pass
122	5610	4.38	4.40	Pass

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 1
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-2.70	0.25	-2.45	4.40	Pass



Date: 10.OCT.2025 14:15:03

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 2
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-3.41	0.25	-3.17	4.40	Pass



Date: 10.OCT.2025 14:15:41

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 3
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-1.45	0.25	-1.21	4.40	Pass



Date: 10.OCT.2025 14:14:23

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-2.63	0.25	-2.38	4.40	Pass



Date: 10.OCT.2025 14:16:24


Test Mode	UNII-2C_TX BE(EHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	3.78	4.40	Pass


Test Mode UNII-3_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	2.84	9.83	0.20	10.02	23.40	Pass
157	5785	2.51	9.50	0.20	9.69	23.40	Pass
165	5825	1.69	8.68	0.20	8.87	23.40	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Date: 29.SEP.2025 09:59:36



Date: 29.SEP.2025 10:04:24




Date: 29.SEP.2025 10:08:08


Test Mode UNII-3_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	2.94	9.93	0.20	10.13	23.40	Pass
157	5785	1.90	8.89	0.20	9.09	23.40	Pass
165	5825	1.71	8.70	0.20	8.89	23.40	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Date: 29.SEP.2025 10:01:20



Date: 29.SEP.2025 10:05:25




Date: 29.SEP.2025 10:08:53


Test Mode UNII-3_TX A Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	2.86	9.85	0.20	10.04	23.40	Pass
157	5785	2.03	9.02	0.20	9.21	23.40	Pass
165	5825	2.07	9.06	0.20	9.26	23.40	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Date: 29.SEP.2025 10:02:06



Date: 29.SEP.2025 10:06:21




Date: 29.SEP.2025 10:09:37


Test Mode UNII-3_TX A Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	2.79	9.78	0.20	9.98	23.40	Pass
157	5785	2.74	9.73	0.20	9.93	23.40	Pass
165	5825	0.83	7.82	0.20	8.01	23.40	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Date: 29.SEP.2025 10:02:44



Date: 29.SEP.2025 10:07:02



Date: 29.SEP.2025 10:10:24


Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	16.06	23.40	Pass
157	5785	15.51	23.40	Pass
165	5825	14.80	23.40	Pass

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	1.59	8.58	0.22	8.80	23.40	Pass
157	5785	1.73	8.72	0.22	8.94	23.40	Pass
165	5825	0.59	7.58	0.22	7.80	23.40	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	1.32	8.31	0.22	8.52	23.40	Pass
157	5785	0.87	7.86	0.22	8.08	23.40	Pass
165	5825	0.03	7.02	0.22	7.24	23.40	Pass




NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Test Mode UNII-3_TX BE(EHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	1.45	8.43	0.22	8.65	23.40	Pass
157	5785	0.86	7.85	0.22	8.07	23.40	Pass
165	5825	0.36	7.35	0.22	7.57	23.40	Pass




NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Test Mode UNII-3_TX BE(EHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	1.77	8.76	0.22	8.98	23.40	Pass
157	5785	1.67	8.66	0.22	8.88	23.40	Pass
165	5825	-0.45	6.54	0.22	6.75	23.40	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Test Mode	UNII-3_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	14.76	23.40	Pass
157	5785	14.53	23.40	Pass
165	5825	13.38	23.40	Pass

