



Profile: 2250805R	Page No.: 60
Engineer:YuLiu	
Site: AC5	Time: 2022/06/12 - 01:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 11ac40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	63.196	22.190	-10.804	74.000	41.006	PK

Profile: 2250805R	Page No.: 23
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 03:23
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5690.720	56.563	14.932	-41.794	98.357	41.631	PK
2		5712.365	60.999	18.640	-47.665	108.665	42.360	PK
3		5722.570	65.783	23.765	-50.878	116.661	42.017	PK

Profile: 2250805R	Page No.: 24
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 03:24
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5690.135	54.717	13.081	-43.209	97.926	41.636	PK
2		5709.505	56.690	14.235	-51.174	107.864	42.455	PK
3		5723.415	64.195	22.205	-54.393	118.587	41.990	PK

Profile: 2250805R	Page No.: 25
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 03:25
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.672	56.311	14.292	-59.796	116.107	42.019	PK
2		5867.185	58.620	16.423	-48.766	107.386	42.197	PK
3	*	5883.047	58.133	15.843	-41.091	99.224	42.289	PK

Profile: 2250805R	Page No.: 26
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 03:26
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5851.390	56.186	14.188	-62.844	119.030	41.998	PK
2		5867.050	58.388	16.191	-49.036	107.424	42.196	PK
3	*	5880.955	58.159	15.886	-42.618	100.777	42.273	PK

Profile: 2250805R	Page No.: 61
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 01:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 6: Transmit at 5210MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	49.522	9.061	-4.478	54.000	40.461	AV

Profile: 2250805R	Page No.: 62
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 02:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 6: Transmit at 5210MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	63.410	22.949	-10.590	74.000	40.461	PK

Profile: 2250805R	Page No.: 63
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 02:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 6: Transmit at 5210MHz by 11ac80	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	45.862	5.401	-8.138	54.000	40.461	AV

Profile: 2250805R	Page No.: 64
Engineer:YuLiu	
Site: AC5	Time: 2022/06/12 - 02:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	57.224	16.763	-16.776	74.000	40.461	PK

Profile: 2250805R	Page No.: 65
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 02:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 6: Transmit at 5290MHz by 11ac80	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	51.247	10.131	-2.753	54.000	41.116	AV

Profile: 2250805R	Page No.: 66
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 02:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 6: Transmit at 5290MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	65.705	24.589	-8.295	74.000	41.116	PK
2	*	5356.575	69.109	28.050	-4.891	74.000	41.059	PK

Profile: 2250805R	Page No.: 67
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 02:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 6: Transmit at 5290MHz by 11ac80	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	48.694	7.578	-5.306	54.000	41.116	AV

Profile: 2250805R	Page No.: 68
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 02:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 6: Transmit at 5290MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	61.152	20.036	-12.848	74.000	41.116	PK
2	*	5356.890	65.280	24.228	-8.720	74.000	41.053	PK

Profile: 2250805R	Page No.: 69
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 02:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 6: Transmit at 5530MHz by 11ac80	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	50.856	9.850	-3.144	54.000	41.006	AV

Profile: 2250805R	Page No.: 70
Engineer:YuLiu	
Site: AC5	Time: 2022/06/12 - 02:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5458.570	66.800	25.798	-7.200	74.000	41.001	PK
2		5460.000	65.159	24.153	-8.841	74.000	41.006	PK

Profile: 2250805R	Page No.: 71
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 02:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 6: Transmit at 5530MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	49.805	8.799	-4.195	54.000	41.006	AV

Profile: 2250805R	Page No.: 72
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 02:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 6: Transmit at 5530MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	62.421	21.415	-11.579	74.000	41.006	PK

Profile: 2250805R	Page No.: 27
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 03:26
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5658.875	57.934	16.041	-16.857	74.791	41.893	PK
2		5713.000	64.896	22.558	-43.946	108.842	42.338	PK
3		5723.875	62.957	20.983	-56.679	119.636	41.974	PK
4		5851.750	59.344	17.340	-58.865	118.209	42.004	PK
5		5859.750	60.916	18.782	-48.552	109.468	42.135	PK
6		5889.000	58.557	16.219	-36.252	94.808	42.338	PK

Profile: 2250805R	Page No.: 28
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 03:27
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5661.375	57.834	15.960	-18.813	76.646	41.874	PK
2		5711.750	61.785	19.405	-46.707	108.492	42.380	PK
3		5723.125	61.640	19.641	-56.286	117.926	41.999	PK
4		5851.250	59.040	17.044	-60.309	119.349	41.996	PK
5		5860.375	57.624	15.479	-51.670	109.293	42.145	PK
6		5896.250	57.896	15.503	-31.541	89.437	42.392	PK

Profile: 2250805R	Page No.: 73
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 01:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5180MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	53.041	12.580	-0.959	54.000	40.461	AV

Profile: 2250805R	Page No.: 74
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 01:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5180MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	66.432	25.971	-7.568	74.000	40.461	PK

Profile: 2250805R	Page No.: 75
Engineer:YuLiu	
Site: AC5	Time: 2022/06/12 - 01:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	49.542	9.081	-4.458	54.000	40.461	AV

Profile: 2250805R	Page No.: 76
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 01:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5180MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	60.455	19.994	-13.545	74.000	40.461	PK

Profile: 2250805R	Page No.: 77
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 01:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	53.567	12.451	-0.433	54.000	41.116	AV

Profile: 2250805R	Page No.: 78
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 01:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5320MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	64.714	23.598	-9.286	74.000	41.116	PK

Profile: 2250805R	Page No.: 79
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 01:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5320MHz by 11ax20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	50.457	9.341	-3.543	54.000	41.116	AV

Profile: 2250805R	Page No.: 80
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 01:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5320MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	61.960	20.844	-12.040	74.000	41.116	PK
2	*	5357.175	63.075	22.029	-10.925	74.000	41.046	PK

Profile: 2250805R	Page No.: 81
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 01:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5500MHz by 11ax20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	52.668	11.662	-1.332	54.000	41.006	AV

Profile: 2250805R	Page No.: 82
Engineer:YuLiu	
Site: AC5	Time: 2022/06/12 - 01:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	67.468	26.462	-6.532	74.000	41.006	PK

Profile: 2250805R	Page No.: 83
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 01:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5500MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	53.169	12.163	-0.831	54.000	41.006	AV

Profile: 2250805R	Page No.: 84
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 01:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5500MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	64.931	23.925	-9.069	74.000	41.006	PK

Profile: 2250805R	Page No.: 29
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 04:15
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5691.545	57.688	16.064	-41.278	98.966	41.624	PK
2		5710.795	58.490	16.078	-49.735	108.225	42.411	PK
3		5723.610	62.774	20.791	-56.258	119.032	41.983	PK

Profile: 2250805R	Page No.: 30
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 04:16
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5690.335	56.965	15.331	-41.108	98.073	41.635	PK
2		5711.345	58.071	15.677	-50.308	108.379	42.393	PK
3		5722.730	59.600	17.588	-57.425	117.026	42.013	PK

Profile: 2250805R	Page No.: 31
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 04:18
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5692.995	57.353	15.683	-42.683	100.036	41.669	PK
2		5708.165	58.025	15.595	-49.463	107.489	42.430	PK
3		5723.130	55.288	13.289	-62.650	117.938	41.999	PK
4		5852.485	57.790	15.774	-58.743	116.533	42.016	PK
5		5867.757	58.388	16.188	-48.838	107.226	42.200	PK
6		5880.365	57.495	15.227	-43.720	101.215	42.268	PK

Profile: 2250805R	Page No.: 32
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 04:19
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5696.070	56.902	15.078	-45.402	102.304	41.824	PK
2		5708.985	57.581	15.110	-50.137	107.718	42.471	PK
3		5723.745	55.788	13.810	-63.551	119.340	41.979	PK
4		5852.792	56.253	14.232	-59.580	115.833	42.021	PK
5		5864.785	57.876	15.691	-50.182	108.058	42.185	PK
6	*	5888.257	58.502	16.170	-36.858	95.359	42.332	PK

Profile: 2250805R	Page No.: 33
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 04:20
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5851.320	64.036	22.039	-55.153	119.189	41.997	PK
2		5863.920	58.521	16.340	-49.779	108.300	42.181	PK
3	*	5883.200	58.759	16.468	-40.352	99.110	42.291	PK

Profile: 2250805R	Page No.: 34
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 04:21
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.400	56.498	14.483	-60.229	116.727	42.014	PK
2		5869.280	57.822	15.614	-48.978	106.800	42.208	PK
3	*	5884.000	58.028	15.731	-40.489	98.517	42.298	PK

Profile: 2250805R	Page No.: 85
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 03:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 8: Transmit at 5190MHz by 11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	53.704	13.243	-0.296	54.000	40.461	AV

Profile: 2250805R	Page No.: 86
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 03:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 8: Transmit at 5190MHz by 11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	66.584	26.123	-7.416	74.000	40.461	PK

Profile: 2250805R	Page No.: 87
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 03:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 8: Transmit at 5190MHz by 11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	48.850	8.389	-5.150	54.000	40.461	AV

Profile: 2250805R	Page No.: 88
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 03:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 8: Transmit at 5190MHz by 11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	59.818	19.357	-14.182	74.000	40.461	PK

Profile: 2250805R	Page No.: 89
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 03:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 8: Transmit at 5310MHz by 11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	50.451	9.335	-3.549	54.000	41.116	AV

Profile: 2250805R	Page No.: 90
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 03:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 8: Transmit at 5310MHz by 11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	62.284	21.168	-11.716	74.000	41.116	PK
2	*	5350.690	66.511	25.380	-7.489	74.000	41.131	PK

Profile: 2250805R	Page No.: 91
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 03:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 8: Transmit at 5310MHz by 11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	48.022	6.906	-5.978	54.000	41.116	AV

Profile: 2250805R	Page No.: 92
Engineer:YuLiu	
Site: AC5	Time: 2022/06/12 - 03:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	59.800	18.684	-14.200	74.000	41.116	PK
2	*	5355.790	61.153	20.077	-12.847	74.000	41.076	PK

Profile: 2250805R	Page No.: 93
Engineer:YuLiu	
Site: AC5	Time: 2022/06/12 - 03:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	50.726	9.720	-3.274	54.000	41.006	AV

Profile: 2250805R	Page No.: 94
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 03:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 8: Transmit at 5510MHz by 11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	61.729	20.723	-12.271	74.000	41.006	PK

Profile: 2250805R	Page No.: 95
Engineer:YuLiu	
Site: AC5	Time: 2022/06/12 - 03:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	50.265	9.259	-3.735	54.000	41.006	AV

Profile: 2250805R	Page No.: 96
Engineer:YuLiu	
Site: AC5	Time: 2022/06/12 - 03:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	60.716	19.710	-13.284	74.000	41.006	PK

Profile: 2250805R	Page No.: 35
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 04:22
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 11ax40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5694.555	57.178	15.430	-44.008	101.186	41.748	PK
2		5710.545	62.263	19.843	-45.892	108.155	42.420	PK
3		5723.610	69.247	27.264	-49.785	119.032	41.983	PK

Profile: 2250805R	Page No.: 36
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 04:23
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5692.410	57.194	15.553	-42.411	99.604	41.641	PK
2		5710.480	61.488	19.066	-46.648	108.137	42.422	PK
3		5723.870	67.723	25.749	-51.901	119.624	41.974	PK

Profile: 2250805R	Page No.: 37
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 04:24
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5851.795	57.946	15.941	-60.161	118.106	42.005	PK
2		5859.895	58.461	16.324	-50.967	109.428	42.137	PK
3	*	5881.833	57.256	14.976	-42.869	100.125	42.280	PK

Profile: 2250805R	Page No.: 38
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 04:25
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.605	57.311	15.293	-58.948	116.259	42.018	PK
2		5862.393	55.734	13.561	-52.994	108.728	42.173	PK
3	*	5879.200	58.508	16.249	-43.572	102.080	42.258	PK

Profile: 2250805R	Page No.: 97
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 03:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 9: Transmit at 5210MHz by 11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	52.080	11.619	-1.920	54.000	40.461	AV

Profile: 2250805R	Page No.: 98
Engineer:YuLiu	
Site: AC5	Time: 2022/06/12 - 03:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	64.286	23.825	-9.714	74.000	40.461	PK

Profile: 2250805R	Page No.: 99
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 03:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 9: Transmit at 5210MHz by 11ax80	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	47.519	7.058	-6.481	54.000	40.461	AV

Profile: 2250805R	Page No.: 100
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 03:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 9: Transmit at 5210MHz by 11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	58.871	18.410	-15.129	74.000	40.461	PK

Profile: 2250805R	Page No.: 101
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 03:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 9: Transmit at 5290MHz by 11ax80	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	50.587	9.471	-3.413	54.000	41.116	AV

Profile: 2250805R	Page No.: 102
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 03:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 9: Transmit at 5290MHz by 11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	64.156	23.040	-9.844	74.000	41.116	PK
2	*	5359.620	67.344	26.351	-6.656	74.000	40.993	PK

Profile: 2250805R	Page No.: 103
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 03:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 9: Transmit at 5290MHz by 11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	47.671	6.555	-6.329	54.000	41.116	AV

Profile: 2250805R	Page No.: 104
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 03:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 9: Transmit at 5290MHz by 11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	61.075	19.959	-12.925	74.000	41.116	PK

Profile: 2250805R	Page No.: 105
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 03:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 9: Transmit at 5530MHz by 11ax80	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	50.652	9.646	-3.348	54.000	41.006	AV

Profile: 2250805R	Page No.: 106
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 03:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 9: Transmit at 5530MHz by 11ax80	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5458.570	66.822	25.820	-7.178	74.000	41.001	PK
2		5460.000	63.395	22.389	-10.605	74.000	41.006	PK

Profile: 2250805R	Page No.: 107
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 03:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 9: Transmit at 5530MHz by 11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	50.725	9.719	-3.275	54.000	41.006	AV

Profile: 2250805R	Page No.: 108
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 03:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 9: Transmit at 5530MHz by 11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	63.884	22.878	-10.116	74.000	41.006	PK

Profile: 2250805R	Page No.: 39
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 04:26
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 11ax80	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5668.500	58.577	16.759	-23.351	81.928	41.818	PK
2		5709.500	65.316	22.861	-42.546	107.862	42.456	PK
3		5722.875	65.721	23.713	-51.636	117.356	42.008	PK
4		5851.750	63.786	21.782	-54.423	118.209	42.004	PK
5		5858.875	64.653	22.533	-45.060	109.714	42.120	PK
6		5888.625	58.559	16.224	-36.528	95.086	42.335	PK


Profile: 2250805R	Page No.: 40
Engineer: YuLiu	
Site: AC5	Time: 2022/06/12 - 04:28
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 11ax80	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5665.125	57.865	16.021	-21.562	79.427	41.844	PK
2		5709.750	63.588	21.141	-44.345	107.932	42.447	PK
3		5724.875	65.049	23.108	-56.866	121.915	41.940	PK
4		5852.875	60.910	18.888	-54.733	115.644	42.022	PK
5		5863.750	60.512	18.332	-47.836	108.348	42.179	PK
6		5893.125	57.522	15.151	-34.229	91.751	42.371	PK


CDD:

Profile: 2250805R	Page No.: 1
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 23:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	50.780	10.319	-3.220	54.000	40.461	AV

Profile: 2250805R	Page No.: 2
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 23:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	63.610	23.149	-10.390	74.000	40.461	PK

Profile: 2250805R	Page No.: 3
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 23:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	49.366	8.905	-4.634	54.000	40.461	AV

Profile: 2250805R	Page No.: 4
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 23:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	64.575	24.114	-9.425	74.000	40.461	PK

Profile: 2250805R	Page No.: 5
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 23:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	52.113	10.997	-1.887	54.000	41.116	AV

Profile: 2250805R	Page No.: 6
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 23:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	63.137	22.021	-10.863	74.000	41.116	PK

Profile: 2250805R	Page No.: 7
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 23:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	49.134	8.018	-4.866	54.000	41.116	AV

Profile: 2250805R	Page No.: 8
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 23:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	61.192	20.076	-12.808	74.000	41.116	PK

Profile: 2250805R	Page No.: 9
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 23:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	52.986	11.980	-1.014	54.000	41.006	AV

Profile: 2250805R	Page No.: 10
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 23:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	67.004	25.998	-6.996	74.000	41.006	PK

Profile: 2250805R	Page No.: 11
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 23:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	52.947	11.941	-1.053	54.000	41.006	AV

Profile: 2250805R	Page No.: 12
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 23:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5458.240	68.920	27.920	-5.080	74.000	41.001	PK
2		5460.000	66.478	25.472	-7.522	74.000	41.006	PK

Profile: 2250805R	Page No.: 1
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 02:47
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5693.195	57.182	15.502	-43.002	100.183	41.680	PK
2		5715.250	64.084	21.821	-45.388	109.472	42.262	PK
3		5723.225	70.404	28.408	-47.750	118.154	41.996	PK

Profile: 2250805R	Page No.: 2
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 02:54
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5692.480	57.409	15.765	-42.247	99.656	41.644	PK
2		5717.175	64.408	22.210	-45.602	110.010	42.198	PK
3		5723.335	67.439	25.447	-50.966	118.405	41.992	PK

Profile: 2250805R	Page No.: 3
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 02:55
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5694.840	57.122	15.360	-44.274	101.397	41.762	PK
2		5707.652	57.488	15.084	-49.856	107.345	42.404	PK
3		5723.335	57.278	15.286	-61.127	118.405	41.992	PK
4		5851.973	57.502	15.494	-60.199	117.700	42.008	PK
5		5863.658	57.804	15.625	-50.569	108.373	42.179	PK
6	*	5884.875	58.287	15.983	-39.580	97.868	42.304	PK

Profile: 2250805R	Page No.: 4
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 02:58
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5690.740	57.579	15.948	-40.793	98.372	41.631	PK
2		5712.368	58.149	15.790	-50.516	108.665	42.360	PK
3		5723.335	58.067	16.075	-60.338	118.405	41.992	PK
4		5852.485	56.301	14.285	-60.232	116.533	42.016	PK
5		5868.987	58.334	16.128	-48.547	106.882	42.206	PK
6		5879.545	58.127	15.866	-43.696	101.824	42.262	PK

Profile: 2250805R	Page No.: 5
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 02:59
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5850.960	67.243	25.252	-52.767	120.010	41.991	PK
2		5862.280	58.138	15.966	-50.621	108.759	42.172	PK
3	*	5881.840	58.482	16.202	-41.638	100.120	42.280	PK

Profile: 2250805R	Page No.: 6
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 03:00
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5851.760	67.760	25.756	-50.426	118.186	42.005	PK
2		5864.920	58.995	16.809	-49.025	108.020	42.186	PK
3	*	5882.040	55.726	13.445	-44.245	99.971	42.281	PK

Profile: 2250805R	Page No.: 13
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 23:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	52.589	12.128	-1.411	54.000	40.461	AV

Profile: 2250805R	Page No.: 14
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 23:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	64.696	24.235	-9.304	74.000	40.461	PK

Profile: 2250805R	Page No.: 15
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 23:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	48.316	7.855	-5.684	54.000	40.461	AV

Profile: 2250805R	Page No.: 16
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 00:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	61.005	20.544	-12.995	74.000	40.461	PK

Profile: 2250805R	Page No.: 17
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 00:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	52.067	10.951	-1.933	54.000	41.116	AV

Profile: 2250805R	Page No.: 18
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 00:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	66.038	24.922	-7.962	74.000	41.116	PK

Profile: 2250805R	Page No.: 19
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 00:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	52.555	11.439	-1.445	54.000	41.116	AV

Profile: 2250805R	Page No.: 20
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 00:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	66.121	25.005	-7.879	74.000	41.116	PK

Profile: 2250805R	Page No.: 21
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 00:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	52.979	11.973	-1.021	54.000	41.006	AV

Profile: 2250805R	Page No.: 22
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 00:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	66.347	25.341	-7.653	74.000	41.006	PK

Profile: 2250805R	Page No.: 23
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 00:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	52.580	11.574	-1.420	54.000	41.006	AV

Profile: 2250805R	Page No.: 24
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 00:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5456.960	71.752	30.756	-2.248	74.000	40.996	PK
2		5460.000	66.104	25.098	-7.896	74.000	41.006	PK

Profile: 2250805R	Page No.: 7
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 03:01
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5695.450	56.903	15.110	-44.944	101.846	41.793	PK
2		5715.690	62.213	19.965	-47.382	109.595	42.248	PK
3		5723.665	67.799	25.818	-51.358	119.157	41.981	PK

Profile: 2250805R	Page No.: 8
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 03:01
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5694.295	57.371	15.636	-43.624	100.995	41.735	PK
2		5712.170	59.798	17.432	-48.812	108.610	42.366	PK
3		5722.125	66.038	24.005	-49.609	115.646	42.033	PK

Profile: 2250805R	Page No.: 9
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 03:02
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5694.020	57.523	15.802	-43.269	100.792	41.721	PK
2		5706.833	58.516	16.153	-48.599	107.115	42.363	PK
3		5723.437	55.460	13.471	-63.178	118.637	41.989	PK
4		5852.178	56.317	14.306	-60.916	117.233	42.011	PK
5		5864.785	58.350	16.165	-49.708	108.058	42.185	PK
6	*	5880.570	57.961	15.691	-43.102	101.063	42.270	PK

Profile: 2250805R	Page No.: 10
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 03:04
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5693.405	57.114	15.424	-43.224	100.338	41.690	PK
2		5708.165	57.901	15.471	-49.587	107.489	42.430	PK
3		5722.822	57.195	15.186	-60.040	117.235	42.010	PK
4		5852.178	56.767	14.756	-60.466	117.233	42.011	PK
5		5869.705	58.320	16.110	-48.361	106.681	42.210	PK
6	*	5883.645	57.917	15.623	-40.863	98.780	42.294	PK

Profile: 2250805R	Page No.: 11
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 03:05
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5850.960	63.824	21.833	-56.186	120.010	41.991	PK
2		5867.000	58.161	15.965	-49.276	107.438	42.196	PK
3	*	5883.520	57.912	15.619	-40.961	98.873	42.293	PK

Profile: 2250805R	Page No.: 12
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 03:05
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5851.800	63.386	21.381	-54.709	118.095	42.005	PK
2		5869.360	59.319	17.111	-47.458	106.777	42.208	PK
3	*	5884.760	58.386	16.083	-39.567	97.953	42.304	PK

Profile: 2250805R	Page No.: 25
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 00:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	51.542	11.081	-2.458	54.000	40.461	AV

Profile: 2250805R	Page No.: 26
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 00:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	65.195	24.734	-8.805	74.000	40.461	PK

Profile: 2250805R	Page No.: 27
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 00:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	48.625	8.164	-5.375	54.000	40.461	AV

Profile: 2250805R	Page No.: 28
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 00:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	62.152	21.691	-11.848	74.000	40.461	PK

Profile: 2250805R	Page No.: 29
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 00:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	52.484	11.368	-1.516	54.000	41.116	AV

Profile: 2250805R	Page No.: 30
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 01:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	65.771	24.655	-8.229	74.000	41.116	PK
2	*	5352.135	70.439	29.284	-3.561	74.000	41.155	PK

Profile: 2250805R	Page No.: 31
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 01:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	53.852	12.736	-0.148	54.000	41.116	AV

Profile: 2250805R	Page No.: 32
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 01:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	67.891	26.775	-6.109	74.000	41.116	PK

Profile: 2250805R	Page No.: 33
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 01:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	50.325	9.319	-3.675	54.000	41.006	AV

Profile: 2250805R	Page No.: 34
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 01:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5451.970	64.055	23.101	-9.945	74.000	40.954	PK
2		5460.000	60.416	19.410	-13.584	74.000	41.006	PK

Profile: 2250805R	Page No.: 35
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 01:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	49.190	8.184	-4.810	54.000	41.006	AV

Profile: 2250805R	Page No.: 36
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 01:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 11n40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	62.277	21.271	-11.723	74.000	41.006	PK

Profile: 2250805R	Page No.: 13
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 03:06
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 11n40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5691.045	63.757	22.129	-34.840	98.597	41.629	PK
2		5710.220	69.961	27.530	-38.103	108.064	42.432	PK
3		5723.220	74.955	32.959	-43.188	118.143	41.996	PK

Profile: 2250805R	Page No.: 14
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 03:13
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5688.380	60.177	18.526	-36.453	96.630	41.651	PK
2		5709.960	67.397	24.957	-40.594	107.991	42.440	PK
3		5722.895	67.978	25.971	-49.424	117.402	42.007	PK

Profile: 2250805R	Page No.: 15
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 03:13
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5851.187	62.988	20.993	-56.505	119.493	41.995	PK
2		5861.380	59.681	17.520	-49.331	109.012	42.161	PK
3	*	5881.833	58.183	15.903	-41.942	100.125	42.280	PK

Profile: 2250805R	Page No.: 16
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 03:14
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5851.255	65.280	23.284	-54.058	119.338	41.996	PK
2		5858.680	61.961	19.844	-47.807	109.768	42.117	PK
3	*	5879.470	58.066	15.805	-43.814	101.879	42.261	PK

Profile: 2250805R	Page No.: 37
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 01:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	51.858	11.397	-2.142	54.000	40.461	AV

Profile: 2250805R	Page No.: 38
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 01:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	63.966	23.505	-10.034	74.000	40.461	PK

Profile: 2250805R	Page No.: 39
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 01:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	48.023	7.562	-5.977	54.000	40.461	AV

Profile: 2250805R	Page No.: 40
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 01:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	61.006	20.545	-12.994	74.000	40.461	PK

Profile: 2250805R	Page No.: 41
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 01:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	51.265	10.149	-2.735	54.000	41.116	AV

Profile: 2250805R	Page No.: 42
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 01:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	65.546	24.430	-8.454	74.000	41.116	PK

Profile: 2250805R	Page No.: 43
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 01:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	52.331	11.215	-1.669	54.000	41.116	AV

Profile: 2250805R	Page No.: 44
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 01:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	66.444	25.328	-7.556	74.000	41.116	PK

Profile: 2250805R	Page No.: 45
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 01:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	52.727	11.721	-1.273	54.000	41.006	AV

Profile: 2250805R	Page No.: 46
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 01:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	66.799	25.793	-7.201	74.000	41.006	PK

Profile: 2250805R	Page No.: 47
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 01:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	51.588	10.582	-2.412	54.000	41.006	AV

Profile: 2250805R	Page No.: 48
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 01:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5458.000	68.235	27.235	-5.765	74.000	40.999	PK
2		5460.000	65.127	24.121	-8.873	74.000	41.006	PK

Profile: 2250805R	Page No.: 17
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 03:15
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5689.675	57.004	15.364	-40.582	97.586	41.640	PK
2		5715.745	61.884	19.638	-47.726	109.610	42.246	PK
3		5722.070	63.243	21.208	-52.278	115.521	42.035	PK

Profile: 2250805R	Page No.: 18
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 03:19
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5693.195	56.820	15.140	-43.364	100.183	41.680	PK
2		5711.290	58.156	15.761	-50.207	108.364	42.395	PK
3		5722.125	65.250	23.217	-50.397	115.646	42.033	PK

Profile: 2250805R	Page No.: 19
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 03:21
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5692.790	57.493	15.833	-42.392	99.885	41.659	PK
2		5710.112	57.832	15.397	-50.202	108.034	42.435	PK
3		5722.515	55.470	13.450	-61.066	116.535	42.019	PK
4		5852.792	55.713	13.692	-60.120	115.833	42.021	PK
5		5866.732	58.055	15.860	-49.458	107.513	42.195	PK
6		5881.288	57.809	15.534	-42.720	100.530	42.275	PK

Profile: 2250805R	Page No.: 20
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 03:21
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 11ac20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5692.585	57.227	15.578	-42.506	99.733	41.649	PK
2		5711.958	57.656	15.283	-50.895	108.551	42.373	PK
3		5723.745	56.675	14.697	-62.664	119.340	41.979	PK
4		5852.178	56.412	14.401	-60.821	117.233	42.011	PK
5		5864.785	57.491	15.306	-50.567	108.058	42.185	PK
6	*	5883.953	57.932	15.635	-40.620	98.552	42.297	PK

Profile: 2250805R	Page No.: 21
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 03:22
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5851.520	64.141	22.141	-54.592	118.733	42.000	PK
2		5870.320	56.369	14.156	-50.140	106.509	42.213	PK
3	*	5883.040	56.872	14.582	-42.358	99.229	42.289	PK

Profile: 2250805R	Page No.: 22
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 03:22
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5853.040	59.013	16.988	-56.255	115.268	42.025	PK
2		5867.600	58.239	16.040	-49.030	107.270	42.199	PK
3	*	5882.640	57.657	15.371	-41.869	99.526	42.286	PK

Profile: 2250805R	Page No.: 49
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 01:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	52.714	12.253	-1.286	54.000	40.461	AV

Profile: 2250805R	Page No.: 50
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 01:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	65.883	25.422	-8.117	74.000	40.461	PK

Profile: 2250805R	Page No.: 51
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 01:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	48.488	8.027	-5.512	54.000	40.461	AV

Profile: 2250805R	Page No.: 52
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 01:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	62.869	22.408	-11.131	74.000	40.461	PK

Profile: 2250805R	Page No.: 53
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 01:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 11ac40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	52.270	11.154	-1.730	54.000	41.116	AV

Profile: 2250805R	Page No.: 54
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 01:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	69.601	28.485	-4.399	74.000	41.116	PK

Profile: 2250805R	Page No.: 55
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 01:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	52.007	10.891	-1.993	54.000	41.116	AV

Profile: 2250805R	Page No.: 56
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 01:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	66.817	25.701	-7.183	74.000	41.116	PK

Profile: 2250805R	Page No.: 57
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 01:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	52.426	11.420	-1.574	54.000	41.006	AV

Profile: 2250805R	Page No.: 58
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 01:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	65.596	24.590	-8.404	74.000	41.006	PK

Profile: 2250805R	Page No.: 59
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 01:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	52.256	11.250	-1.744	54.000	41.006	AV

Profile: 2250805R	Page No.: 60
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 01:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5443.240	66.441	25.627	-7.559	74.000	40.814	PK
2		5460.000	65.920	24.914	-8.080	74.000	41.006	PK

Profile: 2250805R	Page No.: 23
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 03:23
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5692.085	61.671	20.047	-37.693	99.365	41.624	PK
2	*	5713.080	71.211	28.876	-37.653	108.865	42.336	PK
3		5722.310	74.850	32.823	-41.219	116.068	42.026	PK

Profile: 2250805R	Page No.: 24
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 03:24
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5689.030	60.944	19.298	-36.166	97.110	41.646	PK
2		5712.235	69.514	27.150	-39.114	108.628	42.363	PK
3		5723.545	72.195	30.210	-46.688	118.884	41.985	PK

Profile: 2250805R	Page No.: 25
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 03:25
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.538	64.550	22.533	-51.862	116.412	42.017	PK
2		5857.937	62.329	20.224	-47.648	109.976	42.105	PK
3	*	5885.950	57.915	15.602	-39.155	97.070	42.313	PK

Profile: 2250805R	Page No.: 26
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 03:26
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 11ac40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5851.390	60.924	18.926	-58.106	119.030	41.998	PK
2		5858.072	61.642	19.535	-48.297	109.939	42.107	PK
3	*	5880.482	57.481	15.212	-43.647	101.128	42.269	PK

Profile: 2250805R	Page No.: 61
Engineer: YuLiu	
Site: AC5	Time: 2022/06/14 - 01:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: VR ALL-IN-ONE HEADSET	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 11ac80	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	48.757	8.296	-5.243	54.000	40.461	AV