





DH5_Ant2_2402_30~1000



DH5_Ant2_2402_1000~26500





Spectrum

Ref Level 30.00 dBm Offset 12.18 dB RBW 100 kHz
Att 30 dB SWT 30.1 ms VBW 300 kHz Mode Sweep

Count 10/10

1Pk View


The spectrum plot displays a blue noise floor at -45.17 dBm. A red horizontal line is drawn at -13.380 dBm, labeled 'D1 -13.380 dBm'. The plot area is labeled 'M1[1]' at the top right and 'M1' at the bottom right. The y-axis ranges from -60 dBm to 20 dBm. The x-axis ranges from 30.0 MHz to 1.0 GHz.

Start 30.0 MHz 30001 pts Stop 1.0 GHz


Date: 24.APR.2024 07:10:10



DH5_Ant1_2441_1000~26500




DH5_Ant2_2441_0~Reference








DH5_Ant2_2441_30~1000




DH5_Ant2_2441_1000~26500













2DH1_Ant1_2402_0~Reference




2DH1_Ant1_2402_30~1000







2DH1_Ant1_2402_1000~26500




2DH1_Ant2_2402_0~Reference








2DH1_Ant1_2441_0~Reference




2DH1_Ant1_2441_30~1000







2DH1_Ant1_2441_1000~26500




2DH1_Ant2_2441_0~Reference








2DH1_Ant1_2480_0~Reference



Date: 24.APR.2024 07:15:28


2DH1_Ant1_2480_30~1000




Date: 24.APR.2024 07:15:34




2DH1_Ant1_2480_1000~26500



2DH1_Ant2_2480_0~Reference







Spectrum

Ref Level 30.00 dBm Offset 12.19 dB RBW 100 kHz
 Att 30 dB SWT 30.1 ms VBW 300 kHz Mode Sweep

Count 10/10

1Pk View

M1[1] -45.71 dBm
 820.5070 MHz


D1 -14.980 dBm

Start 30.0 MHz 30001 pts Stop 1.0 GHz


Date: 24.APR.2024 07:16:59




3DH1_Ant1_2402_1000~26500




3DH1_Ant2_2402_0~Reference










3DH1_Ant1_2441_0~Reference



3DH1_Ant1_2441_30~1000













3DH1_Ant1_2480_0~Reference



3DH1_Ant1_2480_30~1000










Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS

Condition : 15C RSS247-QP LISN-060105-L 2023 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1 *	0.186	45.95	-18.25	64.20	35.51	0.03	10.41	QP
2	0.186	28.75	-25.45	54.20	18.31	0.03	10.41	Average
3	0.197	44.04	-19.72	63.76	33.60	0.03	10.41	QP
4	0.197	27.64	-26.12	53.76	17.20	0.03	10.41	Average
5	0.270	37.19	-23.93	61.12	26.80	0.04	10.35	QP
6	0.270	23.89	-27.23	51.12	13.50	0.04	10.35	Average
7	0.320	34.85	-24.86	59.71	24.50	0.03	10.32	QP
8	0.320	21.95	-27.76	49.71	11.60	0.03	10.32	Average
9	0.454	31.53	-25.27	56.80	21.30	-0.02	10.25	QP
10	0.454	22.43	-24.37	46.80	12.20	-0.02	10.25	Average
11	13.057	24.24	-35.76	60.00	13.30	-0.13	11.07	QP
12	13.057	18.24	-31.76	50.00	7.30	-0.13	11.07	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15C RSS247-QP LISN-060105-N 2023 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.159	41.96	-23.56	65.52	31.50	0.04	10.42	QP
2	0.159	23.76	-31.76	55.52	13.30	0.04	10.42	Average
3 *	0.182	43.96	-20.46	64.42	33.50	0.05	10.41	QP
4	0.182	28.66	-25.76	54.42	18.20	0.05	10.41	Average
5	0.198	38.26	-25.45	63.71	27.80	0.05	10.41	QP
6	0.198	23.06	-30.65	53.71	12.60	0.05	10.41	Average
7	0.267	35.64	-25.66	61.20	25.19	-0.01	10.36	QP
8	0.267	20.94	-30.26	51.20	10.59	-0.01	10.36	Average
9	0.474	31.77	-24.68	56.45	21.61	-0.07	10.23	QP
10	0.474	23.47	-22.98	46.45	13.31	-0.07	10.23	Average
11	13.841	31.61	-28.39	60.00	20.60	-0.12	11.13	QP
12	13.841	25.91	-24.09	50.00	14.90	-0.12	11.13	Average

Note:

1. Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Koi Ji	Relative Humidity :	41 ~ 42 %
		Temperature :	22 ~ 23 °C



Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	1	Bluetooth EDR_8-DPSK	0	2402	3Mbps	-	-
Mode 2	2400-2483.5	1	Bluetooth EDR_8-DPSK	39	2441	3Mbps	-	-
Mode 3	2400-2483.5	1	Bluetooth EDR_8-DPSK	78	2480	3Mbps	-	-
Mode 4	2400-2483.5	2	Bluetooth EDR_8-DPSK	0	2402	3Mbps	-	-
Mode 5	2400-2483.5	2	Bluetooth EDR_8-DPSK	39	2441	3Mbps	-	-
Mode 6	2400-2483.5	2	Bluetooth EDR_8-DPSK	78	2480	3Mbps	-	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	Bluetooth EDR_8-DPSK	0	2376.43	55.44	74.00	-18.56	H	PEAK	Pass	Band Edge
1	Bluetooth EDR_8-DPSK	0	4804.00	41.98	74.00	-32.02	H	PEAK	Pass	Harmonic
2	Bluetooth EDR_8-DPSK	39	-	-	-	-	-	-	-	Band Edge
2	Bluetooth EDR_8-DPSK	39	7323.00	44.57	74.00	-29.43	V	PEAK	Pass	Harmonic
3	Bluetooth EDR_8-DPSK	78	2495.58	55.59	74.00	-18.41	V	PEAK	Pass	Band Edge
3	Bluetooth EDR_8-DPSK	78	7440.00	44.46	74.00	-29.54	V	PEAK	Pass	Harmonic
4	Bluetooth EDR_8-DPSK	0	2382.93	56.52	74.00	-17.48	H	PEAK	Pass	Band Edge
4	Bluetooth EDR_8-DPSK	0	4804.00	42.37	74.00	-31.63	V	PEAK	Pass	Harmonic
5	Bluetooth EDR_8-DPSK	39	-	-	-	-	-	-	-	Band Edge
5	Bluetooth EDR_8-DPSK	39	7323.00	45.10	74.00	-28.90	H	PEAK	Pass	Harmonic
6	Bluetooth EDR_8-DPSK	78	2483.60	56.23	74.00	-17.77	H	PEAK	Pass	Band Edge
	Bluetooth EDR_8-DPSK	78	7440.00	44.74	74.00	-29.26	V	PEAK	Pass	Harmonic





Mode	1																																																																																																																								
	Band Edge																																																																																																																								
	2400-2483.5_Bluetooth EDR_8-DPSK_CH0_2402MHz																																																																																																																								
ANT	1																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																		
Peak																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2376.43</td><td>55.44</td><td>74.00</td><td>-18.56</td><td>43.30</td><td>31.75</td><td>6.58</td><td>32.19</td><td>6.00</td><td>301 PEAK</td></tr><tr><td>2</td><td>2376.43</td><td>30.68</td><td>54.00</td><td>-23.32</td><td>18.54</td><td>31.75</td><td>6.58</td><td>32.19</td><td>6.00</td><td>301 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2376.43	55.44	74.00	-18.56	43.30	31.75	6.58	32.19	6.00	301 PEAK	2	2376.43	30.68	54.00	-23.32	18.54	31.75	6.58	32.19	6.00	301 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>105.25</td><td>-----</td><td>-----</td><td>93.01</td><td>31.80</td><td>6.62</td><td>32.18</td><td>6.00</td><td>301 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>80.49</td><td>-----</td><td>-----</td><td>68.25</td><td>31.80</td><td>6.62</td><td>32.18</td><td>6.00</td><td>301 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	105.25	-----	-----	93.01	31.80	6.62	32.18	6.00	301 PEAK	2	2402.00	80.49	-----	-----	68.25	31.80	6.62	32.18	6.00	301 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	2376.43	55.44	74.00	-18.56	43.30	31.75	6.58	32.19	6.00	301 PEAK																																																																																																															
2	2376.43	30.68	54.00	-23.32	18.54	31.75	6.58	32.19	6.00	301 AVERAGE																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	2402.00	105.25	-----	-----	93.01	31.80	6.62	32.18	6.00	301 PEAK																																																																																																															
2	2402.00	80.49	-----	-----	68.25	31.80	6.62	32.18	6.00	301 AVERAGE																																																																																																															



Mode	1																																																																																																																												
	Band Edge																																																																																																																												
	2400-2483.5_Bluetooth EDR_8-DPSK_CH0_2402MHz																																																																																																																												
ANT	1																																																																																																																												
Pol.	Vertical						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2313.51</td><td>55.08</td><td>74.00</td><td>-18.92</td><td>43.25</td><td>31.55</td><td>6.49</td><td>32.21</td><td>6.00</td><td>127</td><td>32 PEAK</td></tr><tr><td>2</td><td>2313.51</td><td>30.32</td><td>54.00</td><td>-23.68</td><td>18.49</td><td>31.55</td><td>6.49</td><td>32.21</td><td>6.00</td><td>127</td><td>32 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2313.51	55.08	74.00	-18.92	43.25	31.55	6.49	32.21	6.00	127	32 PEAK	2	2313.51	30.32	54.00	-23.68	18.49	31.55	6.49	32.21	6.00	127	32 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>104.22</td><td>-----</td><td>-----</td><td>91.98</td><td>31.80</td><td>6.62</td><td>32.18</td><td>6.00</td><td>127</td><td>32 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>79.46</td><td>-----</td><td>-----</td><td>67.22</td><td>31.80</td><td>6.62</td><td>32.18</td><td>6.00</td><td>127</td><td>32 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	104.22	-----	-----	91.98	31.80	6.62	32.18	6.00	127	32 PEAK	2	2402.00	79.46	-----	-----	67.22	31.80	6.62	32.18	6.00	127	32 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2313.51	55.08	74.00	-18.92	43.25	31.55	6.49	32.21	6.00	127	32 PEAK																																																																																																																		
2	2313.51	30.32	54.00	-23.68	18.49	31.55	6.49	32.21	6.00	127	32 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2402.00	104.22	-----	-----	91.98	31.80	6.62	32.18	6.00	127	32 PEAK																																																																																																																		
2	2402.00	79.46	-----	-----	67.22	31.80	6.62	32.18	6.00	127	32 AVERAGE																																																																																																																		





Mode	1																																																																																																																																								
	Harmonic																																																																																																																																								
	2400-2483.5_Bluetooth EDR_8-DPSK_CH0_2402MHz																																																																																																																																								
ANT	1																																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																																		
Peak Avg																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4804.00</td><td>41.98</td><td>74.00</td><td>-32.02</td><td>59.51</td><td>34.31</td><td>9.44</td><td>61.28</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>--</td><td>--</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4804.00	41.98	74.00	-32.02	59.51	34.31	9.44	61.28								0.00									--	--									PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4804.00</td><td>41.90</td><td>74.00</td><td>-32.10</td><td>59.43</td><td>34.31</td><td>9.44</td><td>61.28</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>--</td><td>--</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4804.00	41.90	74.00	-32.10	59.43	34.31	9.44	61.28								0.00									--	--									PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																	
1	4804.00	41.98	74.00	-32.02	59.51	34.31	9.44	61.28																																																																																																																																	
							0.00																																																																																																																																		
							--	--																																																																																																																																	
								PEAK																																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																	
1	4804.00	41.90	74.00	-32.10	59.43	34.31	9.44	61.28																																																																																																																																	
							0.00																																																																																																																																		
							--	--																																																																																																																																	
								PEAK																																																																																																																																	





Mode	2																																																											
	Harmonic																																																											
	2400-2483.5_Bluetooth EDR_8-DPSK_CH39_2441MHz																																																											
ANT	1																																																											
Pol.	Horizontal						Vertical																																																					
Peak Avg																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>4882.00</td><td>42.06</td><td>74.00</td><td>-31.94</td><td>59.41</td><td>34.34</td><td>9.53</td><td>61.22</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>44.26</td><td>74.00</td><td>-29.74</td><td>57.52</td><td>35.00</td><td>11.69</td><td>60.75</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1	4882.00	42.06	74.00	-31.94	59.41	34.34	9.53	61.22	0.00	--	-- PEAK	2	7323.00	44.26	74.00	-29.74	57.52	35.00	11.69	60.75	0.00	--	-- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																	
1	4882.00	42.06	74.00	-31.94	59.41	34.34	9.53	61.22	0.00	--	-- PEAK																																																	
2	7323.00	44.26	74.00	-29.74	57.52	35.00	11.69	60.75	0.00	--	-- PEAK																																																	
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>4882.00</td><td>41.58</td><td>74.00</td><td>-32.42</td><td>58.93</td><td>34.34</td><td>9.53</td><td>61.22</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>44.57</td><td>74.00</td><td>-29.43</td><td>57.83</td><td>35.00</td><td>11.69</td><td>60.75</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1	4882.00	41.58	74.00	-32.42	58.93	34.34	9.53	61.22	0.00	--	-- PEAK	2	7323.00	44.57	74.00	-29.43	57.83	35.00	11.69	60.75	0.00	--	-- PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																	
1	4882.00	41.58	74.00	-32.42	58.93	34.34	9.53	61.22	0.00	--	-- PEAK																																																	
2	7323.00	44.57	74.00	-29.43	57.83	35.00	11.69	60.75	0.00	--	-- PEAK																																																	



Mode	3																																																																																																																											
	Band Edge																																																																																																																											
	2400-2483.5_Bluetooth EDR_8-DPSK_CH78_2480MHz																																																																																																																											
ANT	1																																																																																																																											
Pol.	Horizontal					Fundamental																																																																																																																						
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2497.17</td><td>55.43</td><td>74.00</td><td>-18.57</td><td>42.93</td><td>31.99</td><td>6.75</td><td>32.24</td><td>6.00</td><td>108</td><td>145 PEAK</td></tr><tr><td>2</td><td>2497.17</td><td>30.67</td><td>54.00</td><td>-23.33</td><td>18.17</td><td>31.99</td><td>6.75</td><td>32.24</td><td>6.00</td><td>108</td><td>145 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2497.17	55.43	74.00	-18.57	42.93	31.99	6.75	32.24	6.00	108	145 PEAK	2	2497.17	30.67	54.00	-23.33	18.17	31.99	6.75	32.24	6.00	108	145 AVERAGE	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>104.01</td><td>-----</td><td>-----</td><td>91.55</td><td>31.96</td><td>6.73</td><td>32.23</td><td>6.00</td><td>108</td><td>145 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>79.25</td><td>-----</td><td>-----</td><td>66.79</td><td>31.96</td><td>6.73</td><td>32.23</td><td>6.00</td><td>108</td><td>145 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	104.01	-----	-----	91.55	31.96	6.73	32.23	6.00	108	145 PEAK	2	2480.00	79.25	-----	-----	66.79	31.96	6.73	32.23	6.00	108	145 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	2497.17	55.43	74.00	-18.57	42.93	31.99	6.75	32.24	6.00	108	145 PEAK																																																																																																																	
2	2497.17	30.67	54.00	-23.33	18.17	31.99	6.75	32.24	6.00	108	145 AVERAGE																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	2480.00	104.01	-----	-----	91.55	31.96	6.73	32.23	6.00	108	145 PEAK																																																																																																																	
2	2480.00	79.25	-----	-----	66.79	31.96	6.73	32.23	6.00	108	145 AVERAGE																																																																																																																	





Mode	3																																																																			
	Band Edge																																																																			
	2400-2483.5_Bluetooth EDR_8-DPSK_CH78_2480MHz																																																																			
ANT	1																																																																			
Pol.	Vertical																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2495.58</td><td>55.59</td><td>74.00</td><td>-18.41</td><td>43.09</td><td>31.99</td><td>6.75</td><td>32.24</td><td>6.00</td><td>258</td><td>33 PEAK</td></tr><tr><td>2</td><td>2495.58</td><td>30.83</td><td>54.00</td><td>-23.17</td><td>18.33</td><td>31.99</td><td>6.75</td><td>32.24</td><td>6.00</td><td>258</td><td>33 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2495.58	55.59	74.00	-18.41	43.09	31.99	6.75	32.24	6.00	258	33 PEAK	2	2495.58	30.83	54.00	-23.17	18.33	31.99	6.75	32.24	6.00	258	33 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2495.58	55.59	74.00	-18.41	43.09	31.99	6.75	32.24	6.00	258	33 PEAK																																																									
2	2495.58	30.83	54.00	-23.17	18.33	31.99	6.75	32.24	6.00	258	33 AVERAGE																																																									
Fundamental																																																																				
																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>104.14</td><td>-----</td><td>-----</td><td>91.68</td><td>31.96</td><td>6.73</td><td>32.23</td><td>6.00</td><td>258</td><td>33 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>79.38</td><td>-----</td><td>-----</td><td>66.92</td><td>31.96</td><td>6.73</td><td>32.23</td><td>6.00</td><td>258</td><td>33 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	104.14	-----	-----	91.68	31.96	6.73	32.23	6.00	258	33 PEAK	2	2480.00	79.38	-----	-----	66.92	31.96	6.73	32.23	6.00	258	33 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2480.00	104.14	-----	-----	91.68	31.96	6.73	32.23	6.00	258	33 PEAK																																																									
2	2480.00	79.38	-----	-----	66.92	31.96	6.73	32.23	6.00	258	33 AVERAGE																																																									





Mode	3																																																																																																																																											
	Harmonic																																																																																																																																											
	2400-2483.5_Bluetooth EDR_8-DPSK_CH78_2480MHz																																																																																																																																											
ANT	1																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>41.76</td><td>74.00</td><td>-32.24</td><td>59.05</td><td>34.26</td><td>9.61</td><td>61.16</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>43.63</td><td>74.00</td><td>-30.37</td><td>57.26</td><td>35.62</td><td>11.77</td><td>61.02</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4960.00	41.76	74.00	-32.24	59.05	34.26	9.61	61.16	0.00	--	--	PEAK	2	7440.00	43.63	74.00	-30.37	57.26	35.62	11.77	61.02	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>41.99</td><td>74.00</td><td>-32.01</td><td>59.28</td><td>34.26</td><td>9.61</td><td>61.16</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>44.46</td><td>74.00</td><td>-29.54</td><td>58.09</td><td>35.62</td><td>11.77</td><td>61.02</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4960.00	41.99	74.00	-32.01	59.28	34.26	9.61	61.16	0.00	--	--	PEAK	2	7440.00	44.46	74.00	-29.54	58.09	35.62	11.77	61.02	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	4960.00	41.76	74.00	-32.24	59.05	34.26	9.61	61.16	0.00	--	--	PEAK																																																																																																																																
2	7440.00	43.63	74.00	-30.37	57.26	35.62	11.77	61.02	0.00	--	--	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	4960.00	41.99	74.00	-32.01	59.28	34.26	9.61	61.16	0.00	--	--	PEAK																																																																																																																																
2	7440.00	44.46	74.00	-29.54	58.09	35.62	11.77	61.02	0.00	--	--	PEAK																																																																																																																																



Mode	4																																																																																																																												
	Band Edge																																																																																																																												
	2400-2483.5_Bluetooth EDR_8-DPSK_CH0_2402MHz																																																																																																																												
ANT	2																																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2382.93</td><td>56.52</td><td>74.00</td><td>-17.48</td><td>44.35</td><td>31.77</td><td>6.59</td><td>32.19</td><td>6.00</td><td>164</td><td>237 PEAK</td></tr><tr><td>2</td><td>2382.93</td><td>31.73</td><td>54.00</td><td>-22.27</td><td>19.56</td><td>31.77</td><td>6.59</td><td>32.19</td><td>6.00</td><td>164</td><td>237 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2382.93	56.52	74.00	-17.48	44.35	31.77	6.59	32.19	6.00	164	237 PEAK	2	2382.93	31.73	54.00	-22.27	19.56	31.77	6.59	32.19	6.00	164	237 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>103.58</td><td>-----</td><td>-----</td><td>91.34</td><td>31.80</td><td>6.62</td><td>32.18</td><td>6.00</td><td>164</td><td>237 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>78.79</td><td>-----</td><td>-----</td><td>66.55</td><td>31.80</td><td>6.62</td><td>32.18</td><td>6.00</td><td>164</td><td>237 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	103.58	-----	-----	91.34	31.80	6.62	32.18	6.00	164	237 PEAK	2	2402.00	78.79	-----	-----	66.55	31.80	6.62	32.18	6.00	164	237 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2382.93	56.52	74.00	-17.48	44.35	31.77	6.59	32.19	6.00	164	237 PEAK																																																																																																																		
2	2382.93	31.73	54.00	-22.27	19.56	31.77	6.59	32.19	6.00	164	237 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2402.00	103.58	-----	-----	91.34	31.80	6.62	32.18	6.00	164	237 PEAK																																																																																																																		
2	2402.00	78.79	-----	-----	66.55	31.80	6.62	32.18	6.00	164	237 AVERAGE																																																																																																																		





Mode	4																																																																																																																																	
	Band Edge																																																																																																																																	
	2400-2483.5_Bluetooth EDR_8-DPSK_CH0_2402MHz																																																																																																																																	
ANT	2																																																																																																																																	
Pol.	Vertical						Fundamental																																																																																																																											
Peak																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2376.95</td><td>55.64</td><td>74.00</td><td>-18.36</td><td>43.50</td><td>31.75</td><td>6.58</td><td>32.19</td><td>6.00</td><td>246</td><td>149</td><td>PEAK</td></tr><tr><td>2</td><td>2376.95</td><td>30.85</td><td>54.00</td><td>-23.15</td><td>18.71</td><td>31.75</td><td>6.58</td><td>32.19</td><td>6.00</td><td>246</td><td>149</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2376.95	55.64	74.00	-18.36	43.50	31.75	6.58	32.19	6.00	246	149	PEAK	2	2376.95	30.85	54.00	-23.15	18.71	31.75	6.58	32.19	6.00	246	149	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>103.31</td><td>-----</td><td>-----</td><td>91.07</td><td>31.80</td><td>6.62</td><td>32.18</td><td>6.00</td><td>246</td><td>149</td><td>PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>78.52</td><td>-----</td><td>-----</td><td>66.28</td><td>31.80</td><td>6.62</td><td>32.18</td><td>6.00</td><td>246</td><td>149</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	103.31	-----	-----	91.07	31.80	6.62	32.18	6.00	246	149	PEAK	2	2402.00	78.52	-----	-----	66.28	31.80	6.62	32.18	6.00	246	149	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	2376.95	55.64	74.00	-18.36	43.50	31.75	6.58	32.19	6.00	246	149	PEAK																																																																																																																						
2	2376.95	30.85	54.00	-23.15	18.71	31.75	6.58	32.19	6.00	246	149	AVERAGE																																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	2402.00	103.31	-----	-----	91.07	31.80	6.62	32.18	6.00	246	149	PEAK																																																																																																																						
2	2402.00	78.52	-----	-----	66.28	31.80	6.62	32.18	6.00	246	149	AVERAGE																																																																																																																						





Mode	4																																																									
	Harmonic																																																									
	2400-2483.5_Bluetooth EDR_8-DPSK_CH0_2402MHz																																																									
ANT	2																																																									
Pol.	Horizontal											Vertical																																														
Peak Avg																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>42.28</td><td>74.00</td><td>-31.72</td><td>59.81</td><td>34.31</td><td>9.44</td><td>61.28</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	42.28	74.00	-31.72	59.81	34.31	9.44	61.28	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	4804.00	42.28	74.00	-31.72	59.81	34.31	9.44	61.28	0.00	--	--	PEAK																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>42.37</td><td>74.00</td><td>-31.63</td><td>59.90</td><td>34.31</td><td>9.44</td><td>61.28</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	42.37	74.00	-31.63	59.90	34.31	9.44	61.28	0.00	--	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	4804.00	42.37	74.00	-31.63	59.90	34.31	9.44	61.28	0.00	--	--	PEAK																																														





Mode	5																																																																													
	Harmonic																																																																													
	2400-2483.5_Bluetooth EDR_8-DPSK_CH39_2441MHz																																																																													
ANT	2																																																																													
Pol.	Horizontal												Vertical																																																																	
Peak Avg																																																																														
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4882.00</td><td>41.72</td><td>74.00</td><td>-32.28</td><td>59.07</td><td>34.34</td><td>9.53</td><td>61.22</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>45.10</td><td>74.00</td><td>-28.90</td><td>58.36</td><td>35.80</td><td>11.69</td><td>60.75</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>																Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4882.00	41.72	74.00	-32.28	59.07	34.34	9.53	61.22	0.00	--	--	PEAK	2	7323.00	45.10	74.00	-28.90	58.36	35.80	11.69	60.75	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1	4882.00	41.72	74.00	-32.28	59.07	34.34	9.53	61.22	0.00	--	--	PEAK																																																																		
2	7323.00	45.10	74.00	-28.90	58.36	35.80	11.69	60.75	0.00	--	--	PEAK																																																																		
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4882.00</td><td>41.78</td><td>74.00</td><td>-32.22</td><td>59.13</td><td>34.34</td><td>9.53</td><td>61.22</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>44.43</td><td>74.00</td><td>-29.57</td><td>57.69</td><td>35.80</td><td>11.69</td><td>60.75</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>																Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4882.00	41.78	74.00	-32.22	59.13	34.34	9.53	61.22	0.00	--	--	PEAK	2	7323.00	44.43	74.00	-29.57	57.69	35.80	11.69	60.75	0.00	--	--	PEAK	
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1	4882.00	41.78	74.00	-32.22	59.13	34.34	9.53	61.22	0.00	--	--	PEAK																																																																		
2	7323.00	44.43	74.00	-29.57	57.69	35.80	11.69	60.75	0.00	--	--	PEAK																																																																		





Mode	6																																																																																																																											
	Band Edge																																																																																																																											
	2400-2483.5_Bluetooth EDR_8-DPSK_CH78_2480MHz																																																																																																																											
ANT	2																																																																																																																											
Pol.	Horizontal					Fundamental																																																																																																																						
Peak																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.60</td><td>56.23</td><td>74.00</td><td>-17.77</td><td>43.76</td><td>31.97</td><td>6.73</td><td>32.23</td><td>6.00</td><td>105</td><td>226 PEAK</td></tr><tr><td>2</td><td>2483.60</td><td>31.44</td><td>54.00</td><td>-22.56</td><td>18.97</td><td>31.97</td><td>6.73</td><td>32.23</td><td>6.00</td><td>105</td><td>226 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.60	56.23	74.00	-17.77	43.76	31.97	6.73	32.23	6.00	105	226 PEAK	2	2483.60	31.44	54.00	-22.56	18.97	31.97	6.73	32.23	6.00	105	226 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>103.42</td><td>-----</td><td>-----</td><td>90.96</td><td>31.96</td><td>6.73</td><td>32.23</td><td>6.00</td><td>105</td><td>226 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>78.63</td><td>-----</td><td>-----</td><td>66.17</td><td>31.96</td><td>6.73</td><td>32.23</td><td>6.00</td><td>105</td><td>226 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	103.42	-----	-----	90.96	31.96	6.73	32.23	6.00	105	226 PEAK	2	2480.00	78.63	-----	-----	66.17	31.96	6.73	32.23	6.00	105	226 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	2483.60	56.23	74.00	-17.77	43.76	31.97	6.73	32.23	6.00	105	226 PEAK																																																																																																																	
2	2483.60	31.44	54.00	-22.56	18.97	31.97	6.73	32.23	6.00	105	226 AVERAGE																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	2480.00	103.42	-----	-----	90.96	31.96	6.73	32.23	6.00	105	226 PEAK																																																																																																																	
2	2480.00	78.63	-----	-----	66.17	31.96	6.73	32.23	6.00	105	226 AVERAGE																																																																																																																	





Mode	6																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_Bluetooth EDR_8-DPSK_CH78_2480MHz																																																																																																																													
ANT	2																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																							
Peak	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2498.94</td><td>55.98</td><td>74.00</td><td>-18.02</td><td>43.47</td><td>32.00</td><td>6.75</td><td>32.24</td><td>6.00</td><td>257</td><td>146</td><td>PEAK</td></tr><tr><td>2</td><td>2498.94</td><td>31.19</td><td>54.00</td><td>-22.81</td><td>18.68</td><td>32.00</td><td>6.75</td><td>32.24</td><td>6.00</td><td>257</td><td>146</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2498.94	55.98	74.00	-18.02	43.47	32.00	6.75	32.24	6.00	257	146	PEAK	2	2498.94	31.19	54.00	-22.81	18.68	32.00	6.75	32.24	6.00	257	146	AVERAGE	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>103.84</td><td>-----</td><td>-----</td><td>91.38</td><td>31.96</td><td>6.73</td><td>32.23</td><td>6.00</td><td>257</td><td>146</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>79.05</td><td>-----</td><td>-----</td><td>66.59</td><td>31.96</td><td>6.73</td><td>32.23</td><td>6.00</td><td>257</td><td>146</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	103.84	-----	-----	91.38	31.96	6.73	32.23	6.00	257	146	PEAK	2	2480.00	79.05	-----	-----	66.59	31.96	6.73	32.23	6.00	257	146	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2498.94	55.98	74.00	-18.02	43.47	32.00	6.75	32.24	6.00	257	146	PEAK																																																																																																																		
2	2498.94	31.19	54.00	-22.81	18.68	32.00	6.75	32.24	6.00	257	146	AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2480.00	103.84	-----	-----	91.38	31.96	6.73	32.23	6.00	257	146	PEAK																																																																																																																		
2	2480.00	79.05	-----	-----	66.59	31.96	6.73	32.23	6.00	257	146	AVERAGE																																																																																																																		



Mode	6																																																																											
	Harmonic																																																																											
	2400-2483.5_Bluetooth EDR_8-DPSK_CH78_2480MHz																																																																											
ANT	2																																																																											
Pol.	Horizontal						Vertical																																																																					
Peak Avg																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>41.83</td><td>74.00</td><td>-32.17</td><td>59.12</td><td>34.26</td><td>9.61</td><td>61.16</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>44.17</td><td>74.00</td><td>-29.83</td><td>57.80</td><td>35.62</td><td>11.77</td><td>61.02</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4960.00	41.83	74.00	-32.17	59.12	34.26	9.61	61.16	0.00	--	--	PEAK	2	7440.00	44.17	74.00	-29.83	57.80	35.62	11.77	61.02	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																	
1	4960.00	41.83	74.00	-32.17	59.12	34.26	9.61	61.16	0.00	--	--	PEAK																																																																
2	7440.00	44.17	74.00	-29.83	57.80	35.62	11.77	61.02	0.00	--	--	PEAK																																																																
																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>41.86</td><td>74.00</td><td>-32.14</td><td>59.15</td><td>34.26</td><td>9.61</td><td>61.16</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>44.74</td><td>74.00</td><td>-29.26</td><td>58.37</td><td>35.62</td><td>11.77</td><td>61.02</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4960.00	41.86	74.00	-32.14	59.15	34.26	9.61	61.16	0.00	--	--	PEAK	2	7440.00	44.74	74.00	-29.26	58.37	35.62	11.77	61.02	0.00	--	--	PEAK
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																	
1	4960.00	41.86	74.00	-32.14	59.15	34.26	9.61	61.16	0.00	--	--	PEAK																																																																
2	7440.00	44.74	74.00	-29.26	58.37	35.62	11.77	61.02	0.00	--	--	PEAK																																																																



Mode	4																																																																																																																																																																																																				
	LF																																																																																																																																																																																																				
	2400-2483.5_Bluetooth EDR_8-DPSK_CH0_2402MHz																																																																																																																																																																																																				
ANT	2																																																																																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																																																																																														
QP	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>48.43</td><td>32.81</td><td>-7.19</td><td>40.00</td><td>49.65</td><td>15.39</td><td>0.70</td><td>32.93</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>83.35</td><td>18.28</td><td>-21.72</td><td>40.00</td><td>36.14</td><td>13.80</td><td>1.14</td><td>32.80</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>173.56</td><td>25.11</td><td>-18.39</td><td>43.50</td><td>40.88</td><td>15.29</td><td>1.77</td><td>32.83</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>250.19</td><td>19.50</td><td>-26.50</td><td>46.00</td><td>31.62</td><td>18.52</td><td>2.13</td><td>32.77</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>398.60</td><td>21.49</td><td>-24.51</td><td>46.00</td><td>29.84</td><td>21.78</td><td>2.70</td><td>32.83</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>842.86</td><td>29.39</td><td>-16.61</td><td>46.00</td><td>28.86</td><td>29.05</td><td>3.91</td><td>32.43</td><td>---</td><td>---</td><td>Peak</td></tr></table> <table><tr><th></th><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>48.43</td><td>25.84</td><td>-14.16</td><td>40.00</td><td>42.68</td><td>15.39</td><td>0.70</td><td>32.93</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>85.29</td><td>18.17</td><td>-21.83</td><td>40.00</td><td>35.77</td><td>14.07</td><td>1.16</td><td>32.83</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>175.50</td><td>25.46</td><td>-18.04</td><td>43.50</td><td>41.30</td><td>15.22</td><td>1.78</td><td>32.84</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>250.19</td><td>18.46</td><td>-27.54</td><td>46.00</td><td>30.58</td><td>18.52</td><td>2.13</td><td>32.77</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>325.85</td><td>20.01</td><td>-25.99</td><td>46.00</td><td>30.78</td><td>19.67</td><td>2.43</td><td>32.87</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>490.75</td><td>22.93</td><td>-23.07</td><td>46.00</td><td>29.14</td><td>23.75</td><td>2.99</td><td>32.95</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Freq	Level	Over Limit	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	48.43	32.81	-7.19	40.00	49.65	15.39	0.70	32.93	---	---	Peak	2	83.35	18.28	-21.72	40.00	36.14	13.80	1.14	32.80	---	---	Peak	3	173.56	25.11	-18.39	43.50	40.88	15.29	1.77	32.83	---	---	Peak	4	250.19	19.50	-26.50	46.00	31.62	18.52	2.13	32.77	---	---	Peak	5	398.60	21.49	-24.51	46.00	29.84	21.78	2.70	32.83	---	---	Peak	6	842.86	29.39	-16.61	46.00	28.86	29.05	3.91	32.43	---	---	Peak		Freq	Level	Over Limit	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	48.43	25.84	-14.16	40.00	42.68	15.39	0.70	32.93	---	---	Peak	2	85.29	18.17	-21.83	40.00	35.77	14.07	1.16	32.83	---	---	Peak	3	175.50	25.46	-18.04	43.50	41.30	15.22	1.78	32.84	---	---	Peak	4	250.19	18.46	-27.54	46.00	30.58	18.52	2.13	32.77	---	---	Peak	5	325.85	20.01	-25.99	46.00	30.78	19.67	2.43	32.87	---	---	Peak	6	490.75	22.93	-23.07	46.00	29.14	23.75	2.99	32.95	---	---	Peak
		Freq	Level	Over Limit	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																											
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																											
1	48.43	32.81	-7.19	40.00	49.65	15.39	0.70	32.93	---	---	Peak																																																																																																																																																																																										
2	83.35	18.28	-21.72	40.00	36.14	13.80	1.14	32.80	---	---	Peak																																																																																																																																																																																										
3	173.56	25.11	-18.39	43.50	40.88	15.29	1.77	32.83	---	---	Peak																																																																																																																																																																																										
4	250.19	19.50	-26.50	46.00	31.62	18.52	2.13	32.77	---	---	Peak																																																																																																																																																																																										
5	398.60	21.49	-24.51	46.00	29.84	21.78	2.70	32.83	---	---	Peak																																																																																																																																																																																										
6	842.86	29.39	-16.61	46.00	28.86	29.05	3.91	32.43	---	---	Peak																																																																																																																																																																																										
	Freq	Level	Over Limit	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																												
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																											
1	48.43	25.84	-14.16	40.00	42.68	15.39	0.70	32.93	---	---	Peak																																																																																																																																																																																										
2	85.29	18.17	-21.83	40.00	35.77	14.07	1.16	32.83	---	---	Peak																																																																																																																																																																																										
3	175.50	25.46	-18.04	43.50	41.30	15.22	1.78	32.84	---	---	Peak																																																																																																																																																																																										
4	250.19	18.46	-27.54	46.00	30.58	18.52	2.13	32.77	---	---	Peak																																																																																																																																																																																										
5	325.85	20.01	-25.99	46.00	30.78	19.67	2.43	32.87	---	---	Peak																																																																																																																																																																																										
6	490.75	22.93	-23.07	46.00	29.14	23.75	2.99	32.95	---	---	Peak																																																																																																																																																																																										




Mode	4	
	18G-25G	
	2400-2483.5_Bluetooth EDR_8-DPSK_CH0_2402MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	Horizontal Polarization Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a blue line representing the measured signal, a red line for FCC PART 15C limit, and a red line for FCC PART 15C (AVG) limit. The measured signal is below the limits.	Vertical Polarization Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a blue line representing the measured signal, a red line for FCC PART 15C limit, and a red line for FCC PART 15C (AVG) limit. The measured signal is below the limits.

Note: Only the worst case has assessed 18G ~25GHz to test.


Appendix D. Duty Cycle Plots

For Ant.1:

3DH5 on time (One Pulse) Plot on Channel 00



3DH5 on time (Count Pulses) Plot on Channel 00




Note:


1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.89 / 100 = 5.78 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.76$
3. 3DH5 has the highest duty cycle worst case and is reported.

For Ant.2:

3DH5 on time (One Pulse) Plot on Channel 00



3DH5 on time (Count Pulses) Plot on Channel 00



Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.88 / 100 = 5.76 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.79$
3. 3DH5 has the highest duty cycle worst case and is reported.