













Mode	34																																																																																																																															
	Harmonic																																																																																																																															
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																																															
ANT	CDD 1+2																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																									
Peak Avg																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7980.00</td><td>46.79</td><td>68.20</td><td>-21.41</td><td>58.70</td><td>35.90</td><td>12.40</td><td>60.21</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>45.95</td><td>74.00</td><td>-28.05</td><td>54.19</td><td>38.10</td><td>14.85</td><td>61.19</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7980.00	46.79	68.20	-21.41	58.70	35.90	12.40	60.21	0.00	---	PEAK	2	11400.00	45.95	74.00	-28.05	54.19	38.10	14.85	61.19	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7980.00</td><td>47.41</td><td>68.20</td><td>-20.79</td><td>59.32</td><td>35.90</td><td>12.40</td><td>60.21</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>45.61</td><td>74.00</td><td>-28.39</td><td>53.85</td><td>38.10</td><td>14.85</td><td>61.19</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7980.00	47.41	68.20	-20.79	59.32	35.90	12.40	60.21	0.00	---	PEAK	2	11400.00	45.61	74.00	-28.39	53.85	38.10	14.85	61.19	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	7980.00	46.79	68.20	-21.41	58.70	35.90	12.40	60.21	0.00	---	PEAK																																																																																																																					
2	11400.00	45.95	74.00	-28.05	54.19	38.10	14.85	61.19	0.00	---	PEAK																																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	7980.00	47.41	68.20	-20.79	59.32	35.90	12.40	60.21	0.00	---	PEAK																																																																																																																					
2	11400.00	45.61	74.00	-28.39	53.85	38.10	14.85	61.19	0.00	---	PEAK																																																																																																																					





Mode	35																																																																																																																
	Band Edge																																																																																																																
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Full RU_5500MHz																																																																																																																
ANT	CDD 1+2																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.65</td><td>60.33</td><td>74.00</td><td>-13.67</td><td>47.51</td><td>34.52</td><td>10.03</td><td>31.73</td><td>0.00</td><td>318</td><td>71 PEAK</td></tr><tr><td>2</td><td>5465.20</td><td>63.93</td><td>68.20</td><td>-4.27</td><td>51.09</td><td>34.53</td><td>10.03</td><td>31.72</td><td>0.00</td><td>318</td><td>71 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.65	60.33	74.00	-13.67	47.51	34.52	10.03	31.73	0.00	318	71 PEAK	2	5465.20	63.93	68.20	-4.27	51.09	34.53	10.03	31.72	0.00	318	71 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>116.37</td><td>-----</td><td>-----</td><td>103.38</td><td>34.60</td><td>10.09</td><td>31.70</td><td>0.00</td><td>318</td><td>71 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	116.37	-----	-----	103.38	34.60	10.09	31.70	0.00	318	71 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.65	60.33	74.00	-13.67	47.51	34.52	10.03	31.73	0.00	318	71 PEAK																																																																																																						
2	5465.20	63.93	68.20	-4.27	51.09	34.53	10.03	31.72	0.00	318	71 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	116.37	-----	-----	103.38	34.60	10.09	31.70	0.00	318	71 PEAK																																																																																																						
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.95</td><td>50.13</td><td>54.00</td><td>-3.87</td><td>37.31</td><td>34.52</td><td>10.03</td><td>31.73</td><td>0.00</td><td>318</td><td>71 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.95	50.13	54.00	-3.87	37.31	34.52	10.03	31.73	0.00	318	71 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>106.75</td><td>-----</td><td>-----</td><td>93.76</td><td>34.60</td><td>10.09</td><td>31.70</td><td>0.00</td><td>318</td><td>71 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	106.75	-----	-----	93.76	34.60	10.09	31.70	0.00	318	71 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.95	50.13	54.00	-3.87	37.31	34.52	10.03	31.73	0.00	318	71 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	106.75	-----	-----	93.76	34.60	10.09	31.70	0.00	318	71 AVERAGE																																																																																																						



Mode	35																																																																																																															
	Band Edge																																																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Full RU_5500MHz																																																																																																															
ANT	CDD 1+2																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.95</td><td>56.73</td><td>74.00</td><td>-17.27</td><td>43.91</td><td>34.52</td><td>10.03</td><td>31.73</td><td>0.00</td><td>178</td><td>360 PEAK</td></tr><tr><td>2</td><td>5464.60</td><td>62.76</td><td>68.20</td><td>-5.44</td><td>49.92</td><td>34.53</td><td>10.03</td><td>31.72</td><td>0.00</td><td>178</td><td>360 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.95	56.73	74.00	-17.27	43.91	34.52	10.03	31.73	0.00	178	360 PEAK	2	5464.60	62.76	68.20	-5.44	49.92	34.53	10.03	31.72	0.00	178	360 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>110.45</td><td>-----</td><td>-----</td><td>97.46</td><td>34.59</td><td>10.10</td><td>31.70</td><td>0.00</td><td>178</td><td>360 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	110.45	-----	-----	97.46	34.59	10.10	31.70	0.00	178
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.95	56.73	74.00	-17.27	43.91	34.52	10.03	31.73	0.00	178	360 PEAK																																																																																																					
2	5464.60	62.76	68.20	-5.44	49.92	34.53	10.03	31.72	0.00	178	360 PEAK																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	110.45	-----	-----	97.46	34.59	10.10	31.70	0.00	178	360 PEAK																																																																																																					
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.95</td><td>46.54</td><td>54.00</td><td>-7.46</td><td>33.72</td><td>34.52</td><td>10.03</td><td>31.73</td><td>0.00</td><td>178</td><td>360 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.95	46.54	54.00	-7.46	33.72	34.52	10.03	31.73	0.00	178	360 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>102.25</td><td>-----</td><td>-----</td><td>89.26</td><td>34.60</td><td>10.09</td><td>31.70</td><td>0.00</td><td>178</td><td>360 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	102.25	-----	-----	89.26	34.60	10.09	31.70	0.00	178	360 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.95	46.54	54.00	-7.46	33.72	34.52	10.03	31.73	0.00	178	360 AVERAGE																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	102.25	-----	-----	89.26	34.60	10.09	31.70	0.00	178	360 AVERAGE																																																																																																					







		35																																																																																																																																																														
Mode		Harmonic																																																																																																																																																														
		U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Full RU_5500MHz																																																																																																																																																														
ANT		CDD 1+2																																																																																																																																																														
Pol.		Horizontal										Vertical																																																																																																																																																				
Peak Avg																																																																																																																																																																
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7700.00</td><td>56.38</td><td>74.00</td><td>-17.62</td><td>69.19</td><td>35.90</td><td>12.05</td><td>60.76</td><td>0.00</td><td>306</td><td>37 PEAK</td></tr><tr><td>2</td><td>7700.00</td><td>45.69</td><td>54.00</td><td>-8.31</td><td>58.50</td><td>35.90</td><td>12.05</td><td>60.76</td><td>0.00</td><td>306</td><td>37 AVERAGE</td></tr><tr><td>3</td><td>11000.00</td><td>45.80</td><td>74.00</td><td>-28.20</td><td>54.46</td><td>38.00</td><td>14.56</td><td>61.22</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7700.00	56.38	74.00	-17.62	69.19	35.90	12.05	60.76	0.00	306	37 PEAK	2	7700.00	45.69	54.00	-8.31	58.50	35.90	12.05	60.76	0.00	306	37 AVERAGE	3	11000.00	45.80	74.00	-28.20	54.46	38.00	14.56	61.22	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7700.00</td><td>50.00</td><td>74.00</td><td>-24.00</td><td>62.81</td><td>35.90</td><td>12.05</td><td>60.76</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr><tr><td>2</td><td>7700.00</td><td>39.26</td><td>54.00</td><td>-14.74</td><td>52.07</td><td>35.90</td><td>12.05</td><td>60.76</td><td>0.00</td><td>100</td><td>0 AVERAGE</td></tr><tr><td>3</td><td>11000.00</td><td>46.30</td><td>74.00</td><td>-27.70</td><td>54.96</td><td>38.00</td><td>14.56</td><td>61.22</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7700.00	50.00	74.00	-24.00	62.81	35.90	12.05	60.76	0.00	100	0 PEAK	2	7700.00	39.26	54.00	-14.74	52.07	35.90	12.05	60.76	0.00	100	0 AVERAGE	3	11000.00	46.30	74.00	-27.70	54.96	38.00	14.56	61.22	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																						
1	7700.00	56.38	74.00	-17.62	69.19	35.90	12.05	60.76	0.00	306	37 PEAK																																																																																																																																																					
2	7700.00	45.69	54.00	-8.31	58.50	35.90	12.05	60.76	0.00	306	37 AVERAGE																																																																																																																																																					
3	11000.00	45.80	74.00	-28.20	54.46	38.00	14.56	61.22	0.00	---	---	PEAK																																																																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																						
1	7700.00	50.00	74.00	-24.00	62.81	35.90	12.05	60.76	0.00	100	0 PEAK																																																																																																																																																					
2	7700.00	39.26	54.00	-14.74	52.07	35.90	12.05	60.76	0.00	100	0 AVERAGE																																																																																																																																																					
3	11000.00	46.30	74.00	-27.70	54.96	38.00	14.56	61.22	0.00	---	---	PEAK																																																																																																																																																				







		36																																																									
Mode		Band Edge																																																									
		U-NII-2C_5.47-5.725_802.11be EHT20_CH100_52/37_5500MHz																																																									
ANT		CDD 1+2																																																									
Pol.		Horizontal																																																									
Peak																																																											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5459.05	53.39	74.00	-20.61	40.57	34.52	10.03	31.73	0.00	332	256 PEAK	2	5469.70	54.50	68.20	-13.70	41.64	34.54	10.04	31.72	0.00	332
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5459.05	53.39	74.00	-20.61	40.57	34.52	10.03	31.73	0.00	332	256 PEAK																																																
2	5469.70	54.50	68.20	-13.70	41.64	34.54	10.04	31.72	0.00	332	256 PEAK																																																
Fundamental																																																											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5500.00	115.32	-----	-----	102.36	34.59	10.08	31.71	0.00	332	256 PEAK											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5500.00	115.32	-----	-----	102.36	34.59	10.08	31.71	0.00	332	256 PEAK																																																
Avg																																																											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5459.95	43.00	54.00	-11.00	30.18	34.52	10.03	31.73	0.00	332	256 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5459.95	43.00	54.00	-11.00	30.18	34.52	10.03	31.73	0.00	332	256 AVERAGE																																																
AVERAGE																																																											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5500.00	106.12	-----	-----	93.16	34.59	10.08	31.71	0.00	332	256 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5500.00	106.12	-----	-----	93.16	34.59	10.08	31.71	0.00	332	256 AVERAGE																																																







Mode	36																																																																																																																
	Band Edge																																																																																																																
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_52/37_5500MHz																																																																																																																
ANT	CDD 1+2																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5375.65</td><td>54.21</td><td>74.00</td><td>-19.79</td><td>41.55</td><td>34.50</td><td>9.93</td><td>31.77</td><td>0.00</td><td>376</td><td>74 PEAK</td></tr><tr><td>2</td><td>5466.25</td><td>52.47</td><td>68.20</td><td>-15.73</td><td>39.62</td><td>34.53</td><td>10.04</td><td>31.72</td><td>0.00</td><td>376</td><td>74 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5375.65	54.21	74.00	-19.79	41.55	34.50	9.93	31.77	0.00	376	74 PEAK	2	5466.25	52.47	68.20	-15.73	39.62	34.53	10.04	31.72	0.00	376	74 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>108.47</td><td>-----</td><td>-----</td><td>95.51</td><td>34.59</td><td>10.08</td><td>31.71</td><td>0.00</td><td>376</td><td>74 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	108.47	-----	-----	95.51	34.59	10.08	31.71	0.00	376	74 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5375.65	54.21	74.00	-19.79	41.55	34.50	9.93	31.77	0.00	376	74 PEAK																																																																																																						
2	5466.25	52.47	68.20	-15.73	39.62	34.53	10.04	31.72	0.00	376	74 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	108.47	-----	-----	95.51	34.59	10.08	31.71	0.00	376	74 PEAK																																																																																																						
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.20</td><td>42.24</td><td>54.00</td><td>-11.76</td><td>29.42</td><td>34.52</td><td>10.03</td><td>31.73</td><td>0.00</td><td>376</td><td>74 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.20	42.24	54.00	-11.76	29.42	34.52	10.03	31.73	0.00	376	74 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>100.72</td><td>-----</td><td>-----</td><td>87.76</td><td>34.59</td><td>10.08</td><td>31.71</td><td>0.00</td><td>376</td><td>74 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	100.72	-----	-----	87.76	34.59	10.08	31.71	0.00	376	74 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.20	42.24	54.00	-11.76	29.42	34.52	10.03	31.73	0.00	376	74 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	100.72	-----	-----	87.76	34.59	10.08	31.71	0.00	376	74 AVERAGE																																																																																																						







Mode	37																																																																																																																			
	Band Edge																																																																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_37+2_5500MHz																																																																																																																			
ANT	CDD 1+2																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																													
Peak																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5423.35</td><td>53.91</td><td>74.00</td><td>-20.09</td><td>41.19</td><td>34.50</td><td>9.97</td><td>31.75</td><td>0.00</td><td>298</td><td>252</td><td>PEAK</td></tr><tr><td>2</td><td>5465.50</td><td>54.67</td><td>68.20</td><td>-13.53</td><td>41.83</td><td>34.53</td><td>10.03</td><td>31.72</td><td>0.00</td><td>298</td><td>252</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5423.35	53.91	74.00	-20.09	41.19	34.50	9.97	31.75	0.00	298	252	PEAK	2	5465.50	54.67	68.20	-13.53	41.83	34.53	10.03	31.72	0.00	298	252	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>115.01</td><td>-----</td><td>-----</td><td>102.02</td><td>34.60</td><td>10.09</td><td>31.70</td><td>0.00</td><td>298</td><td>252</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	115.01	-----	-----	102.02	34.60	10.09	31.70	0.00	298	252	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5423.35	53.91	74.00	-20.09	41.19	34.50	9.97	31.75	0.00	298	252	PEAK																																																																																																								
2	5465.50	54.67	68.20	-13.53	41.83	34.53	10.03	31.72	0.00	298	252	PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5500.00	115.01	-----	-----	102.02	34.60	10.09	31.70	0.00	298	252	PEAK																																																																																																								
Avg																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.65</td><td>43.23</td><td>54.00</td><td>-10.77</td><td>30.41</td><td>34.52</td><td>10.03</td><td>31.73</td><td>0.00</td><td>298</td><td>252</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.65	43.23	54.00	-10.77	30.41	34.52	10.03	31.73	0.00	298	252	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>106.01</td><td>-----</td><td>-----</td><td>93.02</td><td>34.60</td><td>10.09</td><td>31.70</td><td>0.00</td><td>298</td><td>252</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	106.01	-----	-----	93.02	34.60	10.09	31.70	0.00	298	252	AVERAGE													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5459.65	43.23	54.00	-10.77	30.41	34.52	10.03	31.73	0.00	298	252	AVERAGE																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5500.00	106.01	-----	-----	93.02	34.60	10.09	31.70	0.00	298	252	AVERAGE																																																																																																								




		37																																																																																																	
Mode		Band Edge																																																																																																	
		U-NII-2C_5.47-5.725_802.11be EHT20_CH100_37+2_5500MHz																																																																																																	
ANT		CDD 1+2																																																																																																	
Pol.		Vertical					Fundamental																																																																																												
Peak																																																																																																			
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5446.15	53.54	74.00	-20.46	40.76	34.50	10.01	31.73	0.00	334 80 PEAK	2	5469.40	52.88	68.20	-15.32	40.02	34.54	10.04	31.72	0.00	334 80 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>109.59</td><td>-----</td><td>-----</td><td>96.60</td><td>34.60</td><td>10.09</td><td>31.70</td><td>0.00</td><td>334 80 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	109.59	-----	-----	96.60	34.60	10.09	31.70	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5446.15	53.54	74.00	-20.46	40.76	34.50	10.01	31.73	0.00	334 80 PEAK																																																																																									
2	5469.40	52.88	68.20	-15.32	40.02	34.54	10.04	31.72	0.00	334 80 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5500.00	109.59	-----	-----	96.60	34.60	10.09	31.70	0.00	334 80 PEAK																																																																																									
Avg																																																																																																			
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.35	42.40	54.00	-11.60	29.58	34.52	10.03	31.73	0.00	334 80 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>101.55</td><td>-----</td><td>-----</td><td>88.56</td><td>34.60</td><td>10.09</td><td>31.70</td><td>0.00</td><td>334 80 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	101.55	-----	-----	88.56	34.60	10.09	31.70	0.00	334 80 AVERAGE										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5459.35	42.40	54.00	-11.60	29.58	34.52	10.03	31.73	0.00	334 80 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5500.00	101.55	-----	-----	88.56	34.60	10.09	31.70	0.00	334 80 AVERAGE																																																																																									







Mode	38																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT20_CH116_Full RU_5580MHz																																																																																																															
ANT	CDD 1+2																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5410.95</td><td>54.34</td><td>74.00</td><td>-19.66</td><td>41.64</td><td>34.50</td><td>9.95</td><td>31.75</td><td>0.00</td><td>300</td><td>65 PEAK</td></tr><tr><td>2</td><td>5462.47</td><td>54.31</td><td>68.20</td><td>-13.89</td><td>41.48</td><td>34.52</td><td>10.03</td><td>31.72</td><td>0.00</td><td>300</td><td>65 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5410.95	54.34	74.00	-19.66	41.64	34.50	9.95	31.75	0.00	300	65 PEAK	2	5462.47	54.31	68.20	-13.89	41.48	34.52	10.03	31.72	0.00	300	65 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5580.00</td><td>117.31</td><td>-----</td><td>-----</td><td>104.26</td><td>34.50</td><td>10.21</td><td>31.66</td><td>0.00</td><td>300</td><td>65 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	117.31	-----	-----	104.26	34.50	10.21	31.66	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5410.95	54.34	74.00	-19.66	41.64	34.50	9.95	31.75	0.00	300	65 PEAK																																																																																																					
2	5462.47	54.31	68.20	-13.89	41.48	34.52	10.03	31.72	0.00	300	65 PEAK																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5580.00	117.31	-----	-----	104.26	34.50	10.21	31.66	0.00	300	65 PEAK																																																																																																					
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.48</td><td>43.16</td><td>54.00</td><td>-10.84</td><td>30.34</td><td>34.52</td><td>10.03</td><td>31.73</td><td>0.00</td><td>300</td><td>65 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.48	43.16	54.00	-10.84	30.34	34.52	10.03	31.73	0.00	300	65 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5580.00</td><td>108.23</td><td>-----</td><td>-----</td><td>95.18</td><td>34.50</td><td>10.21</td><td>31.66</td><td>0.00</td><td>300</td><td>65 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	108.23	-----	-----	95.18	34.50	10.21	31.66	0.00	300	65 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.48	43.16	54.00	-10.84	30.34	34.52	10.03	31.73	0.00	300	65 AVERAGE																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5580.00	108.23	-----	-----	95.18	34.50	10.21	31.66	0.00	300	65 AVERAGE																																																																																																					




Mode	38																																																																	
	Band Edge - R																																																																	
	U-NII-2C_5.47-5.725_802.11be EHT20_CH116_Full RU_5580MHz																																																																	
ANT	CDD 1+2																																																																	
Pol.	Horizontal						Fundamental																																																											
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5740.58</td><td>55.38</td><td>68.20</td><td>-12.82</td><td>42.22</td><td>34.68</td><td>10.36</td><td>31.88</td><td>0.00</td><td>300</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>65 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5740.58	55.38	68.20	-12.82	42.22	34.68	10.36	31.88	0.00	300											65 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5740.58	55.38	68.20	-12.82	42.22	34.68	10.36	31.88	0.00	300																																																								
										65 PEAK																																																								







Mode	38																																																																																																													
	Band Edge - L																																																																																																													
	U-NII-2C_5.47-5.725_802.11be EHT20_CH116_Full RU_5580MHz																																																																																																													
ANT	CDD 1+2																																																																																																													
Pol.	Vertical						Fundamental																																																																																																							
Peak																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5422.68</td><td>53.50</td><td>74.00</td><td>-20.50</td><td>40.78</td><td>34.50</td><td>9.97</td><td>31.75</td><td>0.00</td><td>224 360 PEAK</td></tr><tr><td>2</td><td>5465.23</td><td>53.10</td><td>68.20</td><td>-15.10</td><td>40.26</td><td>34.53</td><td>10.03</td><td>31.72</td><td>0.00</td><td>224 360 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5422.68	53.50	74.00	-20.50	40.78	34.50	9.97	31.75	0.00	224 360 PEAK	2	5465.23	53.10	68.20	-15.10	40.26	34.53	10.03	31.72	0.00	224 360 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5580.00</td><td>113.63</td><td>-----</td><td>-----</td><td>100.58</td><td>34.50</td><td>10.21</td><td>31.66</td><td>0.00</td><td>224 360 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	113.63	-----	-----	100.58	34.50	10.21	31.66	0.00	224 360 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5422.68	53.50	74.00	-20.50	40.78	34.50	9.97	31.75	0.00	224 360 PEAK																																																																																																				
2	5465.23	53.10	68.20	-15.10	40.26	34.53	10.03	31.72	0.00	224 360 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5580.00	113.63	-----	-----	100.58	34.50	10.21	31.66	0.00	224 360 PEAK																																																																																																				
Avg																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.71</td><td>42.66</td><td>54.00</td><td>-11.34</td><td>29.84</td><td>34.52</td><td>10.03</td><td>31.73</td><td>0.00</td><td>224 360 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.71	42.66	54.00	-11.34	29.84	34.52	10.03	31.73	0.00	224 360 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5580.00</td><td>103.67</td><td>-----</td><td>-----</td><td>90.61</td><td>34.50</td><td>10.22</td><td>31.66</td><td>0.00</td><td>224 360 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	103.67	-----	-----	90.61	34.50	10.22	31.66	0.00	224 360 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5459.71	42.66	54.00	-11.34	29.84	34.52	10.03	31.73	0.00	224 360 AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5580.00	103.67	-----	-----	90.61	34.50	10.22	31.66	0.00	224 360 AVERAGE																																																																																																				






Mode	38																																																									
	Band Edge - R																																																									
	U-NII-2C_5.47-5.725_802.11be EHT20_CH116_Full RU_5580MHz																																																									
ANT	CDD 1+2																																																									
Pol.	Vertical						Fundamental																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5732.26</td><td>54.43</td><td>68.20</td><td>-13.77</td><td>41.28</td><td>34.66</td><td>10.35</td><td>31.86</td><td>0.00</td><td>224</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5732.26	54.43	68.20	-13.77	41.28	34.66	10.35	31.86	0.00	224	360	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	5732.26	54.43	68.20	-13.77	41.28	34.66	10.35	31.86	0.00	224	360	PEAK																																														



Mode	38																																																																							
	Harmonic																																																																							
	U-NII-2C_5.47-5.725_802.11be EHT20_CH116_Full RU_5580MHz																																																																							
ANT	CDD 1+2																																																																							
Pol.	Horizontal											Vertical																																																												
Peak Avg																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7812.00</td><td>55.87</td><td>68.20</td><td>-12.33</td><td>68.29</td><td>35.95</td><td>12.17</td><td>60.54</td><td>0.00</td><td>315</td><td>30</td><td>PEAK</td></tr><tr><td>2</td><td>11160.00</td><td>46.39</td><td>74.00</td><td>-27.61</td><td>54.78</td><td>38.14</td><td>14.68</td><td>61.21</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7812.00	55.87	68.20	-12.33	68.29	35.95	12.17	60.54	0.00	315	30	PEAK	2	11160.00	46.39	74.00	-27.61	54.78	38.14	14.68	61.21	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1	7812.00	55.87	68.20	-12.33	68.29	35.95	12.17	60.54	0.00	315	30	PEAK																																																												
2	11160.00	46.39	74.00	-27.61	54.78	38.14	14.68	61.21	0.00	---	---	PEAK																																																												
																																																																								
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7812.00</td><td>55.87</td><td>68.20</td><td>-12.33</td><td>68.29</td><td>35.95</td><td>12.17</td><td>60.54</td><td>0.00</td><td>315</td><td>30</td><td>PEAK</td></tr><tr><td>2</td><td>11160.00</td><td>46.39</td><td>74.00</td><td>-27.61</td><td>54.78</td><td>38.14</td><td>14.68</td><td>61.21</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7812.00	55.87	68.20	-12.33	68.29	35.95	12.17	60.54	0.00	315	30	PEAK	2	11160.00	46.39	74.00	-27.61	54.78	38.14	14.68	61.21	0.00	---	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1	7812.00	55.87	68.20	-12.33	68.29	35.95	12.17	60.54	0.00	315	30	PEAK																																																												
2	11160.00	46.39	74.00	-27.61	54.78	38.14	14.68	61.21	0.00	---	---	PEAK																																																												
																																																																								
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7812.00</td><td>49.54</td><td>68.20</td><td>-18.66</td><td>61.96</td><td>35.95</td><td>12.17</td><td>60.54</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11160.00</td><td>46.86</td><td>74.00</td><td>-27.14</td><td>55.25</td><td>38.14</td><td>14.68</td><td>61.21</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7812.00	49.54	68.20	-18.66	61.96	35.95	12.17	60.54	0.00	---	---	PEAK	2	11160.00	46.86	74.00	-27.14	55.25	38.14	14.68	61.21	0.00	---	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1	7812.00	49.54	68.20	-18.66	61.96	35.95	12.17	60.54	0.00	---	---	PEAK																																																												
2	11160.00	46.86	74.00	-27.14	55.25	38.14	14.68	61.21	0.00	---	---	PEAK																																																												
																																																																								
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7812.00</td><td>49.54</td><td>68.20</td><td>-18.66</td><td>61.96</td><td>35.95</td><td>12.17</td><td>60.54</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11160.00</td><td>46.86</td><td>74.00</td><td>-27.14</td><td>55.25</td><td>38.14</td><td>14.68</td><td>61.21</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7812.00	49.54	68.20	-18.66	61.96	35.95	12.17	60.54	0.00	---	---	PEAK	2	11160.00	46.86	74.00	-27.14	55.25	38.14	14.68	61.21	0.00	---	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1	7812.00	49.54	68.20	-18.66	61.96	35.95	12.17	60.54	0.00	---	---	PEAK																																																												
2	11160.00	46.86	74.00	-27.14	55.25	38.14	14.68	61.21	0.00	---	---	PEAK																																																												





Mode	39																																																																																																	
	Band Edge																																																																																																	
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Full RU_5700MHz																																																																																																	
ANT	CDD 1+2																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5725.42</td><td>64.18</td><td>68.20</td><td>-4.02</td><td>51.03</td><td>34.65</td><td>10.34</td><td>31.64</td><td>0.00</td><td>308</td><td>98 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5725.42	64.18	68.20	-4.02	51.03	34.65	10.34	31.64	0.00	308	98 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5700.00</td><td>115.49</td><td>-----</td><td>-----</td><td>102.34</td><td>34.61</td><td>10.33</td><td>31.79</td><td>0.00</td><td>308</td><td>98 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	115.49	-----	-----	102.34	34.61	10.33	31.79	0.00	308
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5725.42	64.18	68.20	-4.02	51.03	34.65	10.34	31.64	0.00	308	98 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5700.00	115.49	-----	-----	102.34	34.61	10.33	31.79	0.00	308	98 PEAK																																																																																								
Avg	Blank																																																																																																	
							<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5700.00</td><td>104.98</td><td>-----</td><td>-----</td><td>91.83</td><td>34.61</td><td>10.33</td><td>31.79</td><td>0.00</td><td>308</td><td>98 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	104.98	-----	-----	91.83	34.61	10.33	31.79	0.00	308	98 AVERAGE																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5700.00	104.98	-----	-----	91.83	34.61	10.33	31.79	0.00	308	98 AVERAGE																																																																																								






Mode	39																																																																																																							
	Band Edge																																																																																																							
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Full RU_5700MHz																																																																																																							
ANT	CDD 1+2																																																																																																							
Pol.	Vertical						Fundamental																																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.09</td><td>61.47</td><td>68.20</td><td>-6.73</td><td>48.32</td><td>34.65</td><td>10.34</td><td>31.84</td><td>0.00</td><td>186</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.09	61.47	68.20	-6.73	48.32	34.65	10.34	31.84	0.00	186	360	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>109.28</td><td>-----</td><td>-----</td><td>96.13</td><td>34.61</td><td>10.33</td><td>31.79</td><td>0.00</td><td>186</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	109.28	-----	-----	96.13	34.61	10.33	31.79	0.00	186	360	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5725.09	61.47	68.20	-6.73	48.32	34.65	10.34	31.84	0.00	186	360	PEAK																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5700.00	109.28	-----	-----	96.13	34.61	10.33	31.79	0.00	186	360	PEAK																																																																																												
Avg	Blank						<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>99.38</td><td>-----</td><td>-----</td><td>86.23</td><td>34.61</td><td>10.33</td><td>31.79</td><td>0.00</td><td>186</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	99.38	-----	-----	86.23	34.61	10.33	31.79	0.00	186	360	AVERAGE																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5700.00	99.38	-----	-----	86.23	34.61	10.33	31.79	0.00	186	360	AVERAGE																																																																																												






Mode	39																																																																																																																														
	Harmonic																																																																																																																														
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Full RU_5700MHz																																																																																																																														
ANT	CDD 1+2																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																								
Peak Avg																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7980.00</td><td>48.68</td><td>68.20</td><td>-19.52</td><td>60.59</td><td>35.90</td><td>12.40</td><td>60.21</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>45.80</td><td>74.00</td><td>-28.20</td><td>54.04</td><td>38.10</td><td>14.85</td><td>61.19</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7980.00	48.68	68.20	-19.52	60.59	35.90	12.40	60.21	0.00	---	PEAK	2	11400.00	45.80	74.00	-28.20	54.04	38.10	14.85	61.19	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7979.00</td><td>47.62</td><td>68.20</td><td>-20.58</td><td>59.53</td><td>35.90</td><td>12.40</td><td>60.21</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11400.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>53.90</td><td>38.10</td><td>14.85</td><td>61.19</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7979.00	47.62	68.20	-20.58	59.53	35.90	12.40	60.21	0.00	---	Peak	2	11400.00	45.66	74.00	-28.34	53.90	38.10	14.85	61.19	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	7980.00	48.68	68.20	-19.52	60.59	35.90	12.40	60.21	0.00	---	PEAK																																																																																																																				
2	11400.00	45.80	74.00	-28.20	54.04	38.10	14.85	61.19	0.00	---	PEAK																																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	7979.00	47.62	68.20	-20.58	59.53	35.90	12.40	60.21	0.00	---	Peak																																																																																																																				
2	11400.00	45.66	74.00	-28.34	53.90	38.10	14.85	61.19	0.00	---	PEAK																																																																																																																				






Mode	40																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_52/40_5700MHz																																																																																																		
ANT	CDD 1+2																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5733.87</td><td>57.01</td><td>68.20</td><td>-11.19</td><td>43.85</td><td>34.67</td><td>10.35</td><td>31.86</td><td>0.00</td><td>324</td><td>273 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5733.87	57.01	68.20	-11.19	43.85	34.67	10.35	31.86	0.00	324	273 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5700.00</td><td>112.85</td><td>-----</td><td>-----</td><td>99.70</td><td>34.61</td><td>10.33</td><td>31.79</td><td>0.00</td><td>324</td><td>273 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	112.85	-----	-----	99.70	34.61	10.33	31.79	0.00	324	273 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 5733.87	57.01	68.20	-11.19	43.85	34.67	10.35	31.86	0.00	324	273 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 5700.00	112.85	-----	-----	99.70	34.61	10.33	31.79	0.00	324	273 PEAK																																																																																									
Avg	Blank																																																																																																		
							<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5700.00</td><td>104.15</td><td>-----</td><td>-----</td><td>91.00</td><td>34.61</td><td>10.33</td><td>31.79</td><td>0.00</td><td>324</td><td>273 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	104.15	-----	-----	91.00	34.61	10.33	31.79	0.00	324	273 AVERAGE																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 5700.00	104.15	-----	-----	91.00	34.61	10.33	31.79	0.00	324	273 AVERAGE																																																																																									






Mode	40																																																																																																			
	Band Edge																																																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_52/40_5700MHz																																																																																																			
ANT	CDD 1+2																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5746.41</td><td>56.39</td><td>68.20</td><td>-11.81</td><td>43.23</td><td>34.69</td><td>10.36</td><td>31.89</td><td>0.00</td><td>293</td><td>61 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5746.41	56.39	68.20	-11.81	43.23	34.69	10.36	31.89	0.00	293	61 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>106.32</td><td>-----</td><td>-----</td><td>93.17</td><td>34.61</td><td>10.33</td><td>31.79</td><td>0.00</td><td>293</td><td>61 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	106.32	-----	-----	93.17	34.61	10.33	31.79	0.00	293
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5746.41	56.39	68.20	-11.81	43.23	34.69	10.36	31.89	0.00	293	61 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	106.32	-----	-----	93.17	34.61	10.33	31.79	0.00	293	61 PEAK																																																																																									
Avg	Blank																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>97.41</td><td>-----</td><td>-----</td><td>84.26</td><td>34.61</td><td>10.33</td><td>31.79</td><td>0.00</td><td>293</td><td>61 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	97.41	-----	-----	84.26	34.61	10.33	31.79	0.00	293	61 AVERAGE																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	97.41	-----	-----	84.26	34.61	10.33	31.79	0.00	293	61 AVERAGE																																																																																									







Mode	41																																																																																																	
	Band Edge																																																																																																	
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_40+6_5700MHz																																																																																																	
ANT	CDD 1+2																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5731.07</td><td>56.33</td><td>68.20</td><td>-11.87</td><td>43.17</td><td>34.66</td><td>10.35</td><td>31.85</td><td>0.00</td><td>339</td><td>279 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5731.07	56.33	68.20	-11.87	43.17	34.66	10.35	31.85	0.00	339	279 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>111.83</td><td>-----</td><td>-----</td><td>98.68</td><td>34.61</td><td>10.33</td><td>31.79</td><td>0.00</td><td>339</td><td>279 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	111.83	-----	-----	98.68	34.61	10.33	31.79	0.00	339
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5731.07	56.33	68.20	-11.87	43.17	34.66	10.35	31.85	0.00	339	279 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5700.00	111.83	-----	-----	98.68	34.61	10.33	31.79	0.00	339	279 PEAK																																																																																								
Avg	Blank																																																																																																	
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>104.03</td><td>-----</td><td>-----</td><td>90.88</td><td>34.61</td><td>10.33</td><td>31.79</td><td>0.00</td><td>339</td><td>279 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	104.03	-----	-----	90.88	34.61	10.33	31.79	0.00	339	279 AVERAGE																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5700.00	104.03	-----	-----	90.88	34.61	10.33	31.79	0.00	339	279 AVERAGE																																																																																								




Mode	41																																																																																																				
	Band Edge																																																																																																				
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_40+6_5700MHz																																																																																																				
ANT	CDD 1+2																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5727.17</td><td>55.14</td><td>68.20</td><td>-13.06</td><td>41.99</td><td>34.65</td><td>10.35</td><td>31.85</td><td>0.00</td><td>300</td><td>60 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5727.17	55.14	68.20	-13.06	41.99	34.65	10.35	31.85	0.00	300	60 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>104.71</td><td>-----</td><td>-----</td><td>91.56</td><td>34.61</td><td>10.33</td><td>31.79</td><td>0.00</td><td>300</td><td>60 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	104.71	-----	-----	91.56	34.61	10.33	31.79	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5727.17	55.14	68.20	-13.06	41.99	34.65	10.35	31.85	0.00	300	60 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5700.00	104.71	-----	-----	91.56	34.61	10.33	31.79	0.00	300	60 PEAK																																																																																										
Avg	Blank																																																																																																				
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>96.76</td><td>-----</td><td>-----</td><td>83.61</td><td>34.61</td><td>10.33</td><td>31.79</td><td>0.00</td><td>300</td><td>60 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	96.76	-----	-----	83.61	34.61	10.33	31.79	0.00	300	60 AVERAGE																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5700.00	96.76	-----	-----	83.61	34.61	10.33	31.79	0.00	300	60 AVERAGE																																																																																										







	42																																																																	
Mode	Band Edge - L																																																																	
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full RU_5510MHz																																																																	
ANT	CDD 1+2																																																																	
Pol.	Horizontal																																																																	
Peak																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.92</td><td>56.94</td><td>74.00</td><td>-17.06</td><td>44.12</td><td>34.52</td><td>10.03</td><td>31.73</td><td>0.00</td><td>317 72 PEAK</td></tr><tr><td>2</td><td>5469.68</td><td>62.94</td><td>68.20</td><td>-5.26</td><td>50.08</td><td>34.54</td><td>10.04</td><td>31.72</td><td>0.00</td><td>317 72 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	56.94	74.00	-17.06	44.12	34.52	10.03	31.73	0.00	317 72 PEAK	2	5469.68	62.94	68.20	-5.26	50.08	34.54	10.04	31.72	0.00	317 72 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5459.92	56.94	74.00	-17.06	44.12	34.52	10.03	31.73	0.00	317 72 PEAK																																																								
2	5469.68	62.94	68.20	-5.26	50.08	34.54	10.04	31.72	0.00	317 72 PEAK																																																								
Fundamental																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>110.08</td><td>-----</td><td>-----</td><td>97.10</td><td>34.58</td><td>10.10</td><td>31.70</td><td>0.00</td><td>317 72 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	110.08	-----	-----	97.10	34.58	10.10	31.70	0.00	317 72 PEAK											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5510.00	110.08	-----	-----	97.10	34.58	10.10	31.70	0.00	317 72 PEAK																																																								
Avg																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.92</td><td>46.32</td><td>54.00</td><td>-7.68</td><td>33.50</td><td>34.52</td><td>10.03</td><td>31.73</td><td>0.00</td><td>317 72 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	46.32	54.00	-7.68	33.50	34.52	10.03	31.73	0.00	317 72 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5459.92	46.32	54.00	-7.68	33.50	34.52	10.03	31.73	0.00	317 72 AVERAGE																																																								
Fundamental																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>100.55</td><td>-----</td><td>-----</td><td>87.56</td><td>34.59</td><td>10.10</td><td>31.70</td><td>0.00</td><td>317 72 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	100.55	-----	-----	87.56	34.59	10.10	31.70	0.00	317 72 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5510.00	100.55	-----	-----	87.56	34.59	10.10	31.70	0.00	317 72 AVERAGE																																																								




Mode	42																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full RU_5510MHz																																																							
ANT	CDD 1+2																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5768.41</td><td>54.99</td><td>68.20</td><td>-13.21</td><td>41.85</td><td>34.70</td><td>10.37</td><td>31.93</td><td>0.00</td><td>317</td><td>72 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5768.41	54.99	68.20	-13.21	41.85	34.70	10.37	31.93	0.00	317	72 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5768.41	54.99	68.20	-13.21	41.85	34.70	10.37	31.93	0.00	317	72 PEAK																																													





Mode	42																																																																																																																			
	Band Edge - L																																																																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full RU_5510MHz																																																																																																																			
ANT	CDD 1+2																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																													
Peak																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.16</td><td>53.52</td><td>74.00</td><td>-20.48</td><td>40.71</td><td>34.52</td><td>10.02</td><td>31.73</td><td>0.00</td><td>178</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5469.84</td><td>56.47</td><td>68.20</td><td>-11.73</td><td>43.61</td><td>34.54</td><td>10.04</td><td>31.72</td><td>0.00</td><td>178</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.16	53.52	74.00	-20.48	40.71	34.52	10.02	31.73	0.00	178	360	PEAK	2	5469.84	56.47	68.20	-11.73	43.61	34.54	10.04	31.72	0.00	178	360	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>106.14</td><td>-----</td><td>-----</td><td>93.18</td><td>34.59</td><td>10.08</td><td>31.71</td><td>0.00</td><td>178</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	106.14	-----	-----	93.18	34.59	10.08	31.71	0.00	178	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5458.16	53.52	74.00	-20.48	40.71	34.52	10.02	31.73	0.00	178	360	PEAK																																																																																																								
2	5469.84	56.47	68.20	-11.73	43.61	34.54	10.04	31.72	0.00	178	360	PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5510.00	106.14	-----	-----	93.18	34.59	10.08	31.71	0.00	178	360	PEAK																																																																																																								
Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.68</td><td>43.39</td><td>54.00</td><td>-10.61</td><td>30.58</td><td>34.52</td><td>10.02</td><td>31.73</td><td>0.00</td><td>178</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.68	43.39	54.00	-10.61	30.58	34.52	10.02	31.73	0.00	178	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>96.22</td><td>-----</td><td>-----</td><td>83.26</td><td>34.59</td><td>10.08</td><td>31.71</td><td>0.00</td><td>178</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	96.22	-----	-----	83.26	34.59	10.08	31.71	0.00	178	360	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5457.68	43.39	54.00	-10.61	30.58	34.52	10.02	31.73	0.00	178	360	AVERAGE																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5510.00	96.22	-----	-----	83.26	34.59	10.08	31.71	0.00	178	360	AVERAGE																																																																																																								







Mode	42																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full RU_5510MHz																																													
ANT	CDD 1+2																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.57</td><td>54.38</td><td>68.20</td><td>-13.82</td><td>41.23</td><td>34.70</td><td>10.37</td><td>31.92</td><td>0.00</td><td>178 360 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.57	54.38	68.20	-13.82	41.23	34.70	10.37	31.92	0.00	178 360 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5755.57	54.38	68.20	-13.82	41.23	34.70	10.37	31.92	0.00	178 360 PEAK																																				




Mode	42																																																																																																																																														
	Harmonic																																																																																																																																														
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full RU_5510MHz																																																																																																																																														
ANT	CDD 1+2																																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																																								
Peak Avg																																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7714.00</td><td>49.17</td><td>74.00</td><td>-24.83</td><td>61.90</td><td>35.93</td><td>12.07</td><td>60.73</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>7714.00</td><td>39.80</td><td>54.00</td><td>-14.20</td><td>52.53</td><td>35.93</td><td>12.07</td><td>60.73</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr><tr><td>3</td><td>11020.00</td><td>46.13</td><td>74.00</td><td>-27.87</td><td>54.73</td><td>38.04</td><td>14.58</td><td>61.22</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7714.00	49.17	74.00	-24.83	61.90	35.93	12.07	60.73	0.00	300	0	PEAK	2	7714.00	39.80	54.00	-14.20	52.53	35.93	12.07	60.73	0.00	300	0	AVERAGE	3	11020.00	46.13	74.00	-27.87	54.73	38.04	14.58	61.22	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7714.00</td><td>46.79</td><td>74.00</td><td>-27.21</td><td>59.52</td><td>35.93</td><td>12.07</td><td>60.73</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11020.00</td><td>45.68</td><td>74.00</td><td>-28.32</td><td>54.28</td><td>38.04</td><td>14.58</td><td>61.22</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7714.00	46.79	74.00	-27.21	59.52	35.93	12.07	60.73	0.00	---	---	PEAK	2	11020.00	45.68	74.00	-28.32	54.28	38.04	14.58	61.22	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	7714.00	49.17	74.00	-24.83	61.90	35.93	12.07	60.73	0.00	300	0	PEAK																																																																																																																																			
2	7714.00	39.80	54.00	-14.20	52.53	35.93	12.07	60.73	0.00	300	0	AVERAGE																																																																																																																																			
3	11020.00	46.13	74.00	-27.87	54.73	38.04	14.58	61.22	0.00	---	---	PEAK																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	7714.00	46.79	74.00	-27.21	59.52	35.93	12.07	60.73	0.00	---	---	PEAK																																																																																																																																			
2	11020.00	45.68	74.00	-28.32	54.28	38.04	14.58	61.22	0.00	---	---	PEAK																																																																																																																																			







Mode	43																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full RU_5550MHz																																																																																																															
ANT	CDD 1+2																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5455.40</td><td>57.27</td><td>74.00</td><td>-16.73</td><td>44.47</td><td>34.51</td><td>10.02</td><td>31.73</td><td>0.00</td><td>344</td><td>83</td><td>PEAK</td></tr><tr><td>2</td><td>5464.40</td><td>64.61</td><td>68.20</td><td>-3.59</td><td>51.77</td><td>34.53</td><td>10.03</td><td>31.72</td><td>0.00</td><td>344</td><td>83</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.40	57.27	74.00	-16.73	44.47	34.51	10.02	31.73	0.00	344	83	PEAK	2	5464.40	64.61	68.20	-3.59	51.77	34.53	10.03	31.72	0.00	344	83	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>112.65</td><td>-----</td><td>-----</td><td>99.64</td><td>34.50</td><td>10.18</td><td>31.67</td><td>0.00</td><td>344</td><td>83</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	112.65	-----	-----	99.64	34.50	10.18	31.67	0.00	344	83
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5455.40	57.27	74.00	-16.73	44.47	34.51	10.02	31.73	0.00	344	83	PEAK																																																																																																				
2	5464.40	64.61	68.20	-3.59	51.77	34.53	10.03	31.72	0.00	344	83	PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5550.00	112.65	-----	-----	99.64	34.50	10.18	31.67	0.00	344	83	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5460.00</td><td>49.69</td><td>54.00</td><td>-4.31</td><td>36.87</td><td>34.52</td><td>10.03</td><td>31.73</td><td>0.00</td><td>344</td><td>83</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	49.69	54.00	-4.31	36.87	34.52	10.03	31.73	0.00	344	83	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>103.08</td><td>-----</td><td>-----</td><td>90.07</td><td>34.50</td><td>10.18</td><td>31.67</td><td>0.00</td><td>344</td><td>83</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	103.08	-----	-----	90.07	34.50	10.18	31.67	0.00	344	83	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5460.00	49.69	54.00	-4.31	36.87	34.52	10.03	31.73	0.00	344	83	AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5550.00	103.08	-----	-----	90.07	34.50	10.18	31.67	0.00	344	83	AVERAGE																																																																																																				




Mode	43																																																																	
	Band Edge - R																																																																	
	U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full RU_5550MHz																																																																	
ANT	CDD 1+2																																																																	
Pol.	Horizontal						Fundamental																																																											
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5762.64</td><td>55.43</td><td>68.20</td><td>-12.77</td><td>42.29</td><td>34.70</td><td>10.37</td><td>31.93</td><td>0.00</td><td>344</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>83 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5762.64	55.43	68.20	-12.77	42.29	34.70	10.37	31.93	0.00	344											83 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5762.64	55.43	68.20	-12.77	42.29	34.70	10.37	31.93	0.00	344																																																								
										83 PEAK																																																								





Mode	43																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full RU_5550MHz																																																																																																															
ANT	CDD 1+2																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.00</td><td>59.82</td><td>74.00</td><td>-14.18</td><td>47.00</td><td>34.52</td><td>10.03</td><td>31.73</td><td>0.00</td><td>217</td><td>360 PEAK</td></tr><tr><td>2</td><td>5469.60</td><td>57.65</td><td>68.20</td><td>-10.55</td><td>44.79</td><td>34.54</td><td>10.04</td><td>31.72</td><td>0.00</td><td>217</td><td>360 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.00	59.82	74.00	-14.18	47.00	34.52	10.03	31.73	0.00	217	360 PEAK	2	5469.60	57.65	68.20	-10.55	44.79	34.54	10.04	31.72	0.00	217	360 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>106.11</td><td>-----</td><td>-----</td><td>93.13</td><td>34.53</td><td>10.14</td><td>31.69</td><td>0.00</td><td>217</td><td>360 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	106.11	-----	-----	93.13	34.53	10.14	31.69	0.00	217
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.00	59.82	74.00	-14.18	47.00	34.52	10.03	31.73	0.00	217	360 PEAK																																																																																																					
2	5469.60	57.65	68.20	-10.55	44.79	34.54	10.04	31.72	0.00	217	360 PEAK																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5550.00	106.11	-----	-----	93.13	34.53	10.14	31.69	0.00	217	360 PEAK																																																																																																					
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.60</td><td>46.19</td><td>54.00</td><td>-7.81</td><td>33.38</td><td>34.52</td><td>10.02</td><td>31.73</td><td>0.00</td><td>217</td><td>360 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.60	46.19	54.00	-7.81	33.38	34.52	10.02	31.73	0.00	217	360 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>98.04</td><td>-----</td><td>-----</td><td>85.06</td><td>34.54</td><td>10.13</td><td>31.69</td><td>0.00</td><td>217</td><td>360 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	98.04	-----	-----	85.06	34.54	10.13	31.69	0.00	217	360 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5458.60	46.19	54.00	-7.81	33.38	34.52	10.02	31.73	0.00	217	360 AVERAGE																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5550.00	98.04	-----	-----	85.06	34.54	10.13	31.69	0.00	217	360 AVERAGE																																																																																																					







Mode	43																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full RU_5550MHz																																													
ANT	CDD 1+2																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5760.70</td><td>56.08</td><td>68.20</td><td>-12.12</td><td>42.94</td><td>34.70</td><td>10.37</td><td>31.93</td><td>0.00</td><td>217 360 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5760.70	56.08	68.20	-12.12	42.94	34.70	10.37	31.93	0.00	217 360 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5760.70	56.08	68.20	-12.12	42.94	34.70	10.37	31.93	0.00	217 360 PEAK																																				




Mode	43																																																																																																																												
	Harmonic																																																																																																																												
	U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full RU_5550MHz																																																																																																																												
ANT	CDD 1+2																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7770.00</td><td>50.29</td><td>68.20</td><td>-17.91</td><td>62.79</td><td>36.00</td><td>12.12</td><td>60.62</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11100.00</td><td>45.88</td><td>74.00</td><td>-28.12</td><td>54.26</td><td>38.20</td><td>14.63</td><td>61.21</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7770.00	50.29	68.20	-17.91	62.79	36.00	12.12	60.62	0.00	---	PEAK	2	11100.00	45.88	74.00	-28.12	54.26	38.20	14.63	61.21	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7770.00</td><td>47.87</td><td>68.20</td><td>-20.33</td><td>60.37</td><td>36.00</td><td>12.12</td><td>60.62</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11100.00</td><td>46.36</td><td>74.00</td><td>-27.64</td><td>54.74</td><td>38.20</td><td>14.63</td><td>61.21</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7770.00	47.87	68.20	-20.33	60.37	36.00	12.12	60.62	0.00	---	PEAK	2	11100.00	46.36	74.00	-27.64	54.74	38.20	14.63	61.21	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	7770.00	50.29	68.20	-17.91	62.79	36.00	12.12	60.62	0.00	---	PEAK																																																																																																																		
2	11100.00	45.88	74.00	-28.12	54.26	38.20	14.63	61.21	0.00	---	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	7770.00	47.87	68.20	-20.33	60.37	36.00	12.12	60.62	0.00	---	PEAK																																																																																																																		
2	11100.00	46.36	74.00	-27.64	54.74	38.20	14.63	61.21	0.00	---	PEAK																																																																																																																		







		44																																																																																																				
Mode		Band Edge - L																																																																																																				
		U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full RU_5670MHz																																																																																																				
ANT		CDD 1+2																																																																																																				
Pol.		Horizontal					Fundamental																																																																																															
Peak																																																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5422.96	53.42	74.00	-20.58	40.70	34.50	9.97	31.75	0.00	327	83 PEAK	2	5465.84	52.41	68.20	-15.79	39.56	34.53	10.04	31.72	0.00	327	83 PEAK		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	112.34	-----	-----	99.13	34.60	10.29	31.68	0.00	327	83 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5422.96	53.42	74.00	-20.58	40.70	34.50	9.97	31.75	0.00	327	83 PEAK																																																																																											
2	5465.84	52.41	68.20	-15.79	39.56	34.53	10.04	31.72	0.00	327	83 PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5670.00	112.34	-----	-----	99.13	34.60	10.29	31.68	0.00	327	83 PEAK																																																																																											
Avg																																																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.44	42.44	54.00	-11.56	29.62	34.52	10.03	31.73	0.00	327	83 AVERAGE		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	102.00	-----	-----	88.79	34.60	10.29	31.68	0.00	327	83 AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5459.44	42.44	54.00	-11.56	29.62	34.52	10.03	31.73	0.00	327	83 AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5670.00	102.00	-----	-----	88.79	34.60	10.29	31.68	0.00	327	83 AVERAGE																																																																																											




Mode	44																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full RU_5670MHz																																																						
ANT	CDD 1+2																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5741.16</td><td>64.83</td><td>68.20</td><td>-3.37</td><td>51.67</td><td>34.68</td><td>10.36</td><td>31.88</td><td>0.00</td><td>327 83 Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5741.16	64.83	68.20	-3.37	51.67	34.68	10.36	31.88	0.00	327 83 Peak	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5741.16	64.83	68.20	-3.37	51.67	34.68	10.36	31.88	0.00	327 83 Peak																																													





Mode	44																																																																																																																			
	Band Edge - L																																																																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full RU_5670MHz																																																																																																																			
ANT	CDD 1+2																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																													
Peak																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.24</td><td>52.67</td><td>74.00</td><td>-21.33</td><td>40.04</td><td>34.50</td><td>9.91</td><td>31.78</td><td>0.00</td><td>193</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5463.60</td><td>52.14</td><td>68.20</td><td>-16.06</td><td>39.30</td><td>34.53</td><td>10.03</td><td>31.72</td><td>0.00</td><td>193</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.24	52.67	74.00	-21.33	40.04	34.50	9.91	31.78	0.00	193	360	PEAK	2	5463.60	52.14	68.20	-16.06	39.30	34.53	10.03	31.72	0.00	193	360	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>107.43</td><td>-----</td><td>-----</td><td>94.21</td><td>34.60</td><td>10.29</td><td>31.67</td><td>0.00</td><td>193</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	107.43	-----	-----	94.21	34.60	10.29	31.67	0.00	193	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5352.24	52.67	74.00	-21.33	40.04	34.50	9.91	31.78	0.00	193	360	PEAK																																																																																																								
2	5463.60	52.14	68.20	-16.06	39.30	34.53	10.03	31.72	0.00	193	360	PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5670.00	107.43	-----	-----	94.21	34.60	10.29	31.67	0.00	193	360	PEAK																																																																																																								
Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.12</td><td>42.16</td><td>54.00</td><td>-11.84</td><td>29.34</td><td>34.52</td><td>10.03</td><td>31.73</td><td>0.00</td><td>193</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.12	42.16	54.00	-11.84	29.34	34.52	10.03	31.73	0.00	193	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>96.87</td><td>-----</td><td>-----</td><td>83.65</td><td>34.60</td><td>10.29</td><td>31.67</td><td>0.00</td><td>193</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	96.87	-----	-----	83.65	34.60	10.29	31.67	0.00	193	360	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5459.12	42.16	54.00	-11.84	29.34	34.52	10.03	31.73	0.00	193	360	AVERAGE																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5670.00	96.87	-----	-----	83.65	34.60	10.29	31.67	0.00	193	360	AVERAGE																																																																																																								







Mode	44																																																								
	Band Edge - R																																																								
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full RU_5670MHz																																																								
ANT	CDD 1+2																																																								
Pol.	Vertical						Fundamental																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5736.31</td><td>59.35</td><td>68.20</td><td>-8.85</td><td>46.20</td><td>34.67</td><td>10.35</td><td>31.87</td><td>0.00</td><td>193</td><td>360</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5736.31	59.35	68.20	-8.85	46.20	34.67	10.35	31.87	0.00	193	360	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5736.31	59.35	68.20	-8.85	46.20	34.67	10.35	31.87	0.00	193	360																																														




		44																																																																				
Mode		Harmonic																																																																				
		U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full RU_5670MHz																																																																				
ANT		CDD 1+2																																																																				
Pol.		Horizontal																																																																				
Peak Avg																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7938.00</td><td>48.08</td><td>68.20</td><td>-20.12</td><td>60.15</td><td>35.88</td><td>12.34</td><td>60.29</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11340.00</td><td>45.08</td><td>74.00</td><td>-28.92</td><td>53.31</td><td>38.16</td><td>14.80</td><td>61.19</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7938.00	48.08	68.20	-20.12	60.15	35.88	12.34	60.29	0.00	---	PEAK	2	11340.00	45.08	74.00	-28.92	53.31	38.16	14.80	61.19	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	7938.00	48.08	68.20	-20.12	60.15	35.88	12.34	60.29	0.00	---	PEAK																																																											
2	11340.00	45.08	74.00	-28.92	53.31	38.16	14.80	61.19	0.00	---	PEAK																																																											
		Vertical																																																																				
Peak Avg																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7938.00</td><td>46.86</td><td>68.20</td><td>-21.34</td><td>58.93</td><td>35.88</td><td>12.34</td><td>60.29</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11340.00</td><td>45.61</td><td>74.00</td><td>-28.39</td><td>53.84</td><td>38.16</td><td>14.80</td><td>61.19</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7938.00	46.86	68.20	-21.34	58.93	35.88	12.34	60.29	0.00	---	PEAK	2	11340.00	45.61	74.00	-28.39	53.84	38.16	14.80	61.19	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	7938.00	46.86	68.20	-21.34	58.93	35.88	12.34	60.29	0.00	---	PEAK																																																											
2	11340.00	45.61	74.00	-28.39	53.84	38.16	14.80	61.19	0.00	---	PEAK																																																											







		45																																																																																																																										
Mode		Band Edge - L																																																																																																																										
		U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full RU_5530MHz																																																																																																																										
ANT		CDD 1+2																																																																																																																										
Pol.		Horizontal					Fundamental																																																																																																																					
Peak																																																																																																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.64	60.22	74.00	-13.78	47.41	34.52	10.02	31.73	0.00	345	87 PEAK	2	5462.50	58.84	68.20	-9.36	46.00	34.53	10.03	31.72	0.00	345	87 PEAK		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	108.67	-----	-----	95.66	34.50	10.18	31.67	0.00	345	87 PEAK	Avg																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5457.64	60.22	74.00	-13.78	47.41	34.52	10.02	31.73	0.00	345	87 PEAK																																																																																																																	
2	5462.50	58.84	68.20	-9.36	46.00	34.53	10.03	31.72	0.00	345	87 PEAK																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5530.00	108.67	-----	-----	95.66	34.50	10.18	31.67	0.00	345	87 PEAK																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.26	50.45	54.00	-3.55	37.63	34.52	10.03	31.73	0.00	345	87 AVERAGE		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	98.12	-----	-----	85.14	34.53	10.14	31.69	0.00	345	87 AVERAGE																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5459.26	50.45	54.00	-3.55	37.63	34.52	10.03	31.73	0.00	345	87 AVERAGE																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5530.00	98.12	-----	-----	85.14	34.53	10.14	31.69	0.00	345	87 AVERAGE																																																																																																																	




Mode	45																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full RU_5530MHz																																																						
ANT	CDD 1+2																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5748.88</td><td>56.81</td><td>68.20</td><td>-12.19</td><td>42.85</td><td>34.68</td><td>10.36</td><td>31.88</td><td>0.00</td><td>345 87 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5748.88	56.81	68.20	-12.19	42.85	34.68	10.36	31.88	0.00	345 87 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5748.88	56.81	68.20	-12.19	42.85	34.68	10.36	31.88	0.00	345 87 PEAK																																													





Mode	45																																																																																																																			
	Band Edge - L																																																																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full RU_5530MHz																																																																																																																			
ANT	CDD 1+2																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																													
Peak																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.64</td><td>56.99</td><td>74.00</td><td>-17.01</td><td>44.18</td><td>34.52</td><td>10.02</td><td>31.73</td><td>0.00</td><td>202</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5468.98</td><td>61.19</td><td>68.20</td><td>-7.01</td><td>48.33</td><td>34.54</td><td>10.04</td><td>31.72</td><td>0.00</td><td>202</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.64	56.99	74.00	-17.01	44.18	34.52	10.02	31.73	0.00	202	360	PEAK	2	5468.98	61.19	68.20	-7.01	48.33	34.54	10.04	31.72	0.00	202	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>102.77</td><td>-----</td><td>-----</td><td>89.81</td><td>34.59</td><td>10.08</td><td>31.71</td><td>0.00</td><td>202</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	102.77	-----	-----	89.81	34.59	10.08	31.71	0.00	202	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5457.64	56.99	74.00	-17.01	44.18	34.52	10.02	31.73	0.00	202	360	PEAK																																																																																																								
2	5468.98	61.19	68.20	-7.01	48.33	34.54	10.04	31.72	0.00	202	360	PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5530.00	102.77	-----	-----	89.81	34.59	10.08	31.71	0.00	202	360	PEAK																																																																																																								
Avg																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.02</td><td>47.11</td><td>54.00</td><td>-6.89</td><td>34.31</td><td>34.51</td><td>10.02</td><td>31.73</td><td>0.00</td><td>202</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.02	47.11	54.00	-6.89	34.31	34.51	10.02	31.73	0.00	202	360	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>94.00</td><td>-----</td><td>-----</td><td>81.04</td><td>34.59</td><td>10.08</td><td>31.71</td><td>0.00</td><td>202</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	94.00	-----	-----	81.04	34.59	10.08	31.71	0.00	202	360	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5456.02	47.11	54.00	-6.89	34.31	34.51	10.02	31.73	0.00	202	360	AVERAGE																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5530.00	94.00	-----	-----	81.04	34.59	10.08	31.71	0.00	202	360	AVERAGE																																																																																																								







Mode	45																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full RU_5530MHz																																																						
ANT	CDD 1+2																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5747.61</td><td>54.75</td><td>68.20</td><td>-13.45</td><td>41.59</td><td>34.70</td><td>10.36</td><td>31.90</td><td>0.00</td><td>202 360 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5747.61	54.75	68.20	-13.45	41.59	34.70	10.36	31.90	0.00	202 360 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5747.61	54.75	68.20	-13.45	41.59	34.70	10.36	31.90	0.00	202 360 PEAK																																													



Mode	45																																																																														
	Harmonic																																																																														
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full RU_5530MHz																																																																														
ANT	CDD 1+2																																																																														
Pol.	Horizontal																																																																														
Peak Avg																																																																															
	<table><tr><th colspan="2">Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7742.00</td><td>55.12</td><td>74.00</td><td>-18.88</td><td>67.73</td><td>35.98</td><td>12.09</td><td>60.68</td><td>0.00</td><td>300</td><td>41 PEAK</td></tr><tr><td>2</td><td>7742.00</td><td>46.02</td><td>54.00</td><td>-7.98</td><td>58.63</td><td>35.98</td><td>12.09</td><td>60.68</td><td>0.00</td><td>300</td><td>41 AVERAGE</td></tr><tr><td>3</td><td>11060.00</td><td>44.56</td><td>74.00</td><td>-29.44</td><td>53.05</td><td>38.12</td><td>14.61</td><td>61.22</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>											Limit		Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7742.00	55.12	74.00	-18.88	67.73	35.98	12.09	60.68	0.00	300	41 PEAK	2	7742.00	46.02	54.00	-7.98	58.63	35.98	12.09	60.68	0.00	300	41 AVERAGE	3	11060.00	44.56	74.00	-29.44	53.05	38.12	14.61	61.22	0.00	---	---
Limit		Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																					
1	7742.00	55.12	74.00	-18.88	67.73	35.98	12.09	60.68	0.00	300	41 PEAK																																																																				
2	7742.00	46.02	54.00	-7.98	58.63	35.98	12.09	60.68	0.00	300	41 AVERAGE																																																																				
3	11060.00	44.56	74.00	-29.44	53.05	38.12	14.61	61.22	0.00	---	---	PEAK																																																																			
Peak Avg																																																																															
	<table><tr><th colspan="2">Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7742.00</td><td>54.46</td><td>74.00</td><td>-19.54</td><td>67.07</td><td>35.98</td><td>12.09</td><td>60.68</td><td>0.00</td><td>305</td><td>338 PEAK</td></tr><tr><td>2</td><td>7742.00</td><td>46.07</td><td>54.00</td><td>-7.93</td><td>58.68</td><td>35.98</td><td>12.09</td><td>60.68</td><td>0.00</td><td>305</td><td>338 AVERAGE</td></tr><tr><td>3</td><td>11060.00</td><td>44.77</td><td>74.00</td><td>-29.23</td><td>53.26</td><td>38.12</td><td>14.61</td><td>61.22</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>											Limit		Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7742.00	54.46	74.00	-19.54	67.07	35.98	12.09	60.68	0.00	305	338 PEAK	2	7742.00	46.07	54.00	-7.93	58.68	35.98	12.09	60.68	0.00	305	338 AVERAGE	3	11060.00	44.77	74.00	-29.23	53.26	38.12	14.61	61.22	0.00	---	---
Limit		Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																					
1	7742.00	54.46	74.00	-19.54	67.07	35.98	12.09	60.68	0.00	305	338 PEAK																																																																				
2	7742.00	46.07	54.00	-7.93	58.68	35.98	12.09	60.68	0.00	305	338 AVERAGE																																																																				
3	11060.00	44.77	74.00	-29.23	53.26	38.12	14.61	61.22	0.00	---	---	PEAK																																																																			







		46																																																																																																				
Mode	Band Edge - L																																																																																																					
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_PC 20MHz,Loc 4_5530MHz																																																																																																					
ANT	CDD 1+2																																																																																																					
Pol.	Horizontal					Fundamental																																																																																																
Peak																																																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.76	66.90	74.00	-7.10	54.10	34.51	10.02	31.73	0.00	300	101 PEAK	2	5460.88	61.80	68.20	-6.40	48.90	34.52	10.03	31.73	0.00	300	101 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>106.57</td><td>-----</td><td>-----</td><td>93.59</td><td>34.53</td><td>10.14</td><td>31.69</td><td>0.00</td><td>300</td><td>101 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	106.57	-----	-----	93.59	34.53	10.14	31.69	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5454.76	66.90	74.00	-7.10	54.10	34.51	10.02	31.73	0.00	300	101 PEAK																																																																																											
2	5460.88	61.80	68.20	-6.40	48.90	34.52	10.03	31.73	0.00	300	101 PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5530.00	106.57	-----	-----	93.59	34.53	10.14	31.69	0.00	300	101 PEAK																																																																																											
Avg																																																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.10	47.00	54.00	-7.00	34.20	34.51	10.02	31.73	0.00	300	101 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>96.12</td><td>-----</td><td>-----</td><td>83.14</td><td>34.53</td><td>10.14</td><td>31.69</td><td>0.00</td><td>300</td><td>101 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	96.12	-----	-----	83.14	34.53	10.14	31.69	0.00	300	101 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5457.10	47.00	54.00	-7.00	34.20	34.51	10.02	31.73	0.00	300	101 AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5530.00	96.12	-----	-----	83.14	34.53	10.14	31.69	0.00	300	101 AVERAGE																																																																																											




Mode	46																																																								
	Band Edge - R																																																								
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_PC 20MHz,Loc 4_5530MHz																																																								
ANT	CDD 1+2																																																								
Pol.	Horizontal	Fundamental																																																							
Peak	Level (dBuV/m) 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 5530 5577 5624 5671 5718 5765 Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C 1 <table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>5734.45</td><td>54.93</td><td>68.20</td><td>-13.27</td><td>41.77</td><td>34.67</td><td>10.35</td><td>31.86</td><td>0.00</td><td>300</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>101</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5734.45	54.93	68.20	-13.27	41.77	34.67	10.35	31.86	0.00	300											101	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5734.45	54.93	68.20	-13.27	41.77	34.67	10.35	31.86	0.00	300																																															
										101																																															







		46																																																																																																															
Mode	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_PC 20MHz,Loc 4_5530MHz																																																																																																																
ANT	CDD 1+2																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5459.44	62.04	74.00	-11.96	49.22	34.52	10.03	31.73	0.00	395	142 PEAK	2	5467.36	64.21	68.20	-3.99	51.36	34.53	10.04	31.72	0.00	395	142 PEAK		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5530.00	101.34	-----	-----	88.36	34.55	10.12	31.69	0.00	395	142 PEAK					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.44	62.04	74.00	-11.96	49.22	34.52	10.03	31.73	0.00	395	142 PEAK																																																																																																						
2	5467.36	64.21	68.20	-3.99	51.36	34.53	10.04	31.72	0.00	395	142 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5530.00	101.34	-----	-----	88.36	34.55	10.12	31.69	0.00	395	142 PEAK																																																																																																						
Avg																																																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5459.00	45.60	54.00	-8.40	32.78	34.52	10.03	31.73	0.00	395	142 AVERAGE		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5530.00	91.72	-----	-----	78.73	34.59	10.10	31.70	0.00	395	142 AVERAGE																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.00	45.60	54.00	-8.40	32.78	34.52	10.03	31.73	0.00	395	142 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5530.00	91.72	-----	-----	78.73	34.59	10.10	31.70	0.00	395	142 AVERAGE																																																																																																						




Mode	46																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_PC 20MHz,Loc 4_5530MHz																																													
ANT	CDD 1+2																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5757.01</td><td>55.23</td><td>68.20</td><td>-12.97</td><td>42.00</td><td>34.70</td><td>10.37</td><td>31.92</td><td>0.00</td><td>395 142 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5757.01	55.23	68.20	-12.97	42.00	34.70	10.37	31.92	0.00	395 142 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5757.01	55.23	68.20	-12.97	42.00	34.70	10.37	31.92	0.00	395 142 PEAK																																				







		47																																																																																																																												
Mode		Band Edge - L																																																																																																																												
		U-NII-2C_5.47-5.725_802.11be EHT80_CH106_LRU 484+242,Loc 4_5530MHz																																																																																																																												
ANT		CDD 1+2																																																																																																																												
Pol.		Horizontal					Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5451.52</td><td>64.07</td><td>74.00</td><td>-9.93</td><td>51.29</td><td>34.50</td><td>10.01</td><td>31.73</td><td>0.00</td><td>300</td><td>102</td><td>PEAK</td></tr><tr><td>2</td><td>5469.16</td><td>63.01</td><td>68.20</td><td>-5.19</td><td>50.15</td><td>34.54</td><td>10.04</td><td>31.72</td><td>0.00</td><td>300</td><td>102</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.52	64.07	74.00	-9.93	51.29	34.50	10.01	31.73	0.00	300	102	PEAK	2	5469.16	63.01	68.20	-5.19	50.15	34.54	10.04	31.72	0.00	300	102	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>106.72</td><td>-----</td><td>-----</td><td>93.74</td><td>34.53</td><td>10.14</td><td>31.69</td><td>0.00</td><td>300</td><td>102</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	106.72	-----	-----	93.74	34.53	10.14	31.69	0.00	300	102
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5451.52	64.07	74.00	-9.93	51.29	34.50	10.01	31.73	0.00	300	102	PEAK																																																																																																																		
2	5469.16	63.01	68.20	-5.19	50.15	34.54	10.04	31.72	0.00	300	102	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5530.00	106.72	-----	-----	93.74	34.53	10.14	31.69	0.00	300	102	PEAK																																																																																																																		
Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.02</td><td>47.59</td><td>54.00</td><td>-6.41</td><td>34.79</td><td>34.51</td><td>10.02</td><td>31.73</td><td>0.00</td><td>300</td><td>102</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.02	47.59	54.00	-6.41	34.79	34.51	10.02	31.73	0.00	300	102	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>96.20</td><td>-----</td><td>-----</td><td>83.22</td><td>34.53</td><td>10.14</td><td>31.69</td><td>0.00</td><td>300</td><td>102</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	96.20	-----	-----	83.22	34.53	10.14	31.69	0.00	300	102	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5456.02	47.59	54.00	-6.41	34.79	34.51	10.02	31.73	0.00	300	102	AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5530.00	96.20	-----	-----	83.22	34.53	10.14	31.69	0.00	300	102	AVERAGE																																																																																																																		




Mode	47																																																								
	Band Edge - R																																																								
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_LRU 484+242,Loc 4_5530MHz																																																								
ANT	CDD 1+2																																																								
Pol.	Horizontal						Fundamental																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.26</td><td>55.42</td><td>68.20</td><td>-12.78</td><td>42.26</td><td>34.69</td><td>10.36</td><td>31.89</td><td>0.00</td><td>300</td><td>102</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.26	55.42	68.20	-12.78	42.26	34.69	10.36	31.89	0.00	300	102	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5745.26	55.42	68.20	-12.78	42.26	34.69	10.36	31.89	0.00	300	102																																														







		47																																																																																																																								
Mode		Band Edge - L																																																																																																																								
		U-NII-2C_5.47-5.725_802.11be EHT80_CH106_LRU 484+242,Loc 4_5530MHz																																																																																																																								
ANT		CDD 1+2																																																																																																																								
Pol.	Vertical										Fundamental																																																																																																															
Peak																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.90</td><td>62.62</td><td>74.00</td><td>-11.38</td><td>49.81</td><td>34.52</td><td>10.02</td><td>31.73</td><td>0.00</td><td>390</td><td>141 PEAK</td></tr><tr><td>2</td><td>5461.24</td><td>62.12</td><td>68.20</td><td>-6.08</td><td>49.29</td><td>34.52</td><td>10.03</td><td>31.72</td><td>0.00</td><td>390</td><td>141 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.90	62.62	74.00	-11.38	49.81	34.52	10.02	31.73	0.00	390	141 PEAK	2	5461.24	62.12	68.20	-6.08	49.29	34.52	10.03	31.72	0.00	390	141 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>101.57</td><td>-----</td><td>-----</td><td>88.58</td><td>34.52</td><td>10.15</td><td>31.68</td><td>0.00</td><td>390</td><td>141 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	101.57	-----	-----	88.58	34.52	10.15	31.68	0.00	390	141 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	5458.90	62.62	74.00	-11.38	49.81	34.52	10.02	31.73	0.00	390	141 PEAK																																																																																																															
2	5461.24	62.12	68.20	-6.08	49.29	34.52	10.03	31.72	0.00	390	141 PEAK																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	5530.00	101.57	-----	-----	88.58	34.52	10.15	31.68	0.00	390	141 PEAK																																																																																																															
Avg																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.26</td><td>45.99</td><td>54.00</td><td>-8.01</td><td>33.17</td><td>34.52</td><td>10.03</td><td>31.73</td><td>0.00</td><td>390</td><td>141 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.26	45.99	54.00	-8.01	33.17	34.52	10.03	31.73	0.00	390	141 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>92.15</td><td>-----</td><td>-----</td><td>79.16</td><td>34.52</td><td>10.15</td><td>31.68</td><td>0.00</td><td>390</td><td>141 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	92.15	-----	-----	79.16	34.52	10.15	31.68	0.00	390	141 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	5459.26	45.99	54.00	-8.01	33.17	34.52	10.03	31.73	0.00	390	141 AVERAGE																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	5530.00	92.15	-----	-----	79.16	34.52	10.15	31.68	0.00	390	141 AVERAGE																																																																																																															




Mode	47																																																								
	Band Edge - R																																																								
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_LRU 484+242,Loc 4_5530MHz																																																								
ANT	CDD 1+2																																																								
Pol.	Vertical						Fundamental																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5749.26</td><td>55.38</td><td>68.20</td><td>-12.82</td><td>42.22</td><td>34.70</td><td>10.36</td><td>31.90</td><td>0.00</td><td>390</td><td>141</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5749.26	55.38	68.20	-12.82	42.22	34.70	10.36	31.90	0.00	390	141	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5749.26	55.38	68.20	-12.82	42.22	34.70	10.36	31.90	0.00	390	141																																														







	48																																																																																																																
Mode	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full RU_5610MHz																																																																																																																
ANT	CDD 1+2																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.00</td><td>59.42</td><td>74.00</td><td>-14.58</td><td>46.61</td><td>34.52</td><td>10.02</td><td>31.73</td><td>0.00</td><td>318</td><td>72 PEAK</td></tr><tr><td>2</td><td>5468.62</td><td>63.54</td><td>68.20</td><td>-4.66</td><td>50.68</td><td>34.54</td><td>10.04</td><td>31.72</td><td>0.00</td><td>318</td><td>72 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.00	59.42	74.00	-14.58	46.61	34.52	10.02	31.73	0.00	318	72 PEAK	2	5468.62	63.54	68.20	-4.66	50.68	34.54	10.04	31.72	0.00	318	72 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>110.26</td><td>-----</td><td>-----</td><td>97.14</td><td>34.52</td><td>10.25</td><td>31.65</td><td>0.00</td><td>318</td><td>72 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	110.26	-----	-----	97.14	34.52	10.25	31.65	0.00	318	72 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5458.00	59.42	74.00	-14.58	46.61	34.52	10.02	31.73	0.00	318	72 PEAK																																																																																																						
2	5468.62	63.54	68.20	-4.66	50.68	34.54	10.04	31.72	0.00	318	72 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5610.00	110.26	-----	-----	97.14	34.52	10.25	31.65	0.00	318	72 PEAK																																																																																																						
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.98</td><td>49.54</td><td>54.00</td><td>-4.46</td><td>36.72</td><td>34.52</td><td>10.03</td><td>31.73</td><td>0.00</td><td>318</td><td>72 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.98	49.54	54.00	-4.46	36.72	34.52	10.03	31.73	0.00	318	72 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>101.20</td><td>-----</td><td>-----</td><td>87.97</td><td>34.59</td><td>10.28</td><td>31.64</td><td>0.00</td><td>318</td><td>72 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	101.20	-----	-----	87.97	34.59	10.28	31.64	0.00	318	72 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.98	49.54	54.00	-4.46	36.72	34.52	10.03	31.73	0.00	318	72 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5610.00	101.20	-----	-----	87.97	34.59	10.28	31.64	0.00	318	72 AVERAGE																																																																																																						




Mode	48																																																								
	Band Edge - R																																																								
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full RU_5610MHz																																																								
ANT	CDD 1+2																																																								
Pol.	Horizontal	Fundamental																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.52</td><td>64.31</td><td>68.20</td><td>-3.89</td><td>51.15</td><td>34.65</td><td>10.35</td><td>31.84</td><td>0.00</td><td>318</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>72 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.52	64.31	68.20	-3.89	51.15	34.65	10.35	31.84	0.00	318											72 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5725.52	64.31	68.20	-3.89	51.15	34.65	10.35	31.84	0.00	318																																															
										72 PEAK																																															





Mode	48																																																																																																																			
	Band Edge - L																																																																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full RU_5610MHz																																																																																																																			
ANT	CDD 1+2																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																													
Peak																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5451.70</td><td>56.18</td><td>74.00</td><td>-17.82</td><td>43.40</td><td>34.50</td><td>10.01</td><td>31.73</td><td>0.00</td><td>207</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5469.16</td><td>60.99</td><td>68.20</td><td>-7.21</td><td>48.13</td><td>34.54</td><td>10.04</td><td>31.72</td><td>0.00</td><td>207</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.70	56.18	74.00	-17.82	43.40	34.50	10.01	31.73	0.00	207	360	PEAK	2	5469.16	60.99	68.20	-7.21	48.13	34.54	10.04	31.72	0.00	207	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>105.27</td><td>-----</td><td>-----</td><td>92.12</td><td>34.53</td><td>10.26</td><td>31.64</td><td>0.00</td><td>207</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	105.27	-----	-----	92.12	34.53	10.26	31.64	0.00	207	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5451.70	56.18	74.00	-17.82	43.40	34.50	10.01	31.73	0.00	207	360	PEAK																																																																																																								
2	5469.16	60.99	68.20	-7.21	48.13	34.54	10.04	31.72	0.00	207	360	PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5610.00	105.27	-----	-----	92.12	34.53	10.26	31.64	0.00	207	360	PEAK																																																																																																								
Avg																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5450.44</td><td>46.17</td><td>54.00</td><td>-7.83</td><td>33.39</td><td>34.50</td><td>10.01</td><td>31.73</td><td>0.00</td><td>207</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5450.44	46.17	54.00	-7.83	33.39	34.50	10.01	31.73	0.00	207	360	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>94.95</td><td>-----</td><td>-----</td><td>81.00</td><td>34.53</td><td>10.26</td><td>31.64</td><td>0.00</td><td>207</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	94.95	-----	-----	81.00	34.53	10.26	31.64	0.00	207	360	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5450.44	46.17	54.00	-7.83	33.39	34.50	10.01	31.73	0.00	207	360	AVERAGE																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5610.00	94.95	-----	-----	81.00	34.53	10.26	31.64	0.00	207	360	AVERAGE																																																																																																								







Mode	48																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full RU_5610MHz																																													
ANT	CDD 1+2																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5732.34</td><td>59.77</td><td>68.20</td><td>-8.43</td><td>46.62</td><td>34.66</td><td>10.35</td><td>31.86</td><td>0.00</td><td>207 360 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5732.34	59.77	68.20	-8.43	46.62	34.66	10.35	31.86	0.00	207 360 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5732.34	59.77	68.20	-8.43	46.62	34.66	10.35	31.86	0.00	207 360 PEAK																																				




Mode	48																																																																																																																																			
	Harmonic																																																																																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full RU_5610MHz																																																																																																																																			
ANT	CDD 1+2																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																													
Peak Avg																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7854.00</td><td>46.80</td><td>68.20</td><td>-21.40</td><td>59.24</td><td>35.80</td><td>12.22</td><td>60.46</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11228.00</td><td>44.40</td><td>74.00</td><td>-29.60</td><td>52.76</td><td>38.12</td><td>14.72</td><td>61.20</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7854.00	46.80	68.20	-21.40	59.24	35.80	12.22	60.46	0.00	---	---	PEAK	2	11228.00	44.40	74.00	-29.60	52.76	38.12	14.72	61.20	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7854.00</td><td>46.43</td><td>68.20</td><td>-21.77</td><td>58.87</td><td>35.80</td><td>12.22</td><td>60.46</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11228.00</td><td>44.72</td><td>74.00</td><td>-29.28</td><td>53.08</td><td>38.12</td><td>14.72</td><td>61.20</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7854.00	46.43	68.20	-21.77	58.87	35.80	12.22	60.46	0.00	---	---	PEAK	2	11228.00	44.72	74.00	-29.28	53.08	38.12	14.72	61.20	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	7854.00	46.80	68.20	-21.40	59.24	35.80	12.22	60.46	0.00	---	---	PEAK																																																																																																																								
2	11228.00	44.40	74.00	-29.60	52.76	38.12	14.72	61.20	0.00	---	---	PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	7854.00	46.43	68.20	-21.77	58.87	35.80	12.22	60.46	0.00	---	---	PEAK																																																																																																																								
2	11228.00	44.72	74.00	-29.28	53.08	38.12	14.72	61.20	0.00	---	---	PEAK																																																																																																																								







Mode	49																																																																																																																						
	Band Edge - L																																																																																																																						
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_PC 20MHz,Loc 1_5610MHz																																																																																																																						
ANT	CDD 1+2																																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5458.26</td><td>54.24</td><td>74.00</td><td>-19.76</td><td>41.46</td><td>34.50</td><td>10.01</td><td>31.73</td><td>0.00</td><td>232</td><td>114 PEAK</td></tr><tr><td>2</td><td>5468.44</td><td>56.05</td><td>68.20</td><td>-12.15</td><td>43.19</td><td>34.54</td><td>10.04</td><td>31.72</td><td>0.00</td><td>232</td><td>114 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	5458.26	54.24	74.00	-19.76	41.46	34.50	10.01	31.73	0.00	232	114 PEAK	2	5468.44	56.05	68.20	-12.15	43.19	34.54	10.04	31.72	0.00	232	114 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>106.58</td><td>-----</td><td>-----</td><td>93.35</td><td>34.59</td><td>10.28</td><td>31.64</td><td>0.00</td><td>232</td><td>114 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	5610.00	106.58	-----	-----	93.35	34.59	10.28	31.64	0.00	232
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																														
1	5458.26	54.24	74.00	-19.76	41.46	34.50	10.01	31.73	0.00	232	114 PEAK																																																																																																												
2	5468.44	56.05	68.20	-12.15	43.19	34.54	10.04	31.72	0.00	232	114 PEAK																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																														
1	5610.00	106.58	-----	-----	93.35	34.59	10.28	31.64	0.00	232	114 PEAK																																																																																																												
Avg																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5459.00</td><td>42.45</td><td>54.00</td><td>-11.55</td><td>29.63</td><td>34.52</td><td>10.03</td><td>31.73</td><td>0.00</td><td>232</td><td>114 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	5459.00	42.45	54.00	-11.55	29.63	34.52	10.03	31.73	0.00	232	114 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>97.24</td><td>-----</td><td>-----</td><td>84.01</td><td>34.59</td><td>10.28</td><td>31.64</td><td>0.00</td><td>232</td><td>114 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	5610.00	97.24	-----	-----	84.01	34.59	10.28	31.64	0.00	232	114 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																														
1	5459.00	42.45	54.00	-11.55	29.63	34.52	10.03	31.73	0.00	232	114 AVERAGE																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																														
1	5610.00	97.24	-----	-----	84.01	34.59	10.28	31.64	0.00	232	114 AVERAGE																																																																																																												




Mode	49																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_PC 20MHz,Loc 1_5610MHz																																													
ANT	CDD 1+2																																													
Pol.	Horizontal	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5728.58</td><td>64.99</td><td>68.20</td><td>-3.21</td><td>51.83</td><td>34.66</td><td>10.35</td><td>31.85</td><td>0.00</td><td>232 114 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5728.58	64.99	68.20	-3.21	51.83	34.66	10.35	31.85	0.00	232 114 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5728.58	64.99	68.20	-3.21	51.83	34.66	10.35	31.85	0.00	232 114 PEAK																																				







Mode	49																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_PC 20MHz,Loc 1_5610MHz																																																																																																																
ANT	CDD 1+2																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5387.08</td><td>52.75</td><td>74.00</td><td>-21.25</td><td>40.08</td><td>34.50</td><td>9.93</td><td>31.76</td><td>0.00</td><td>393</td><td>127 PEAK</td></tr><tr><td>2</td><td>5463.04</td><td>53.40</td><td>68.20</td><td>-14.80</td><td>40.56</td><td>34.53</td><td>10.03</td><td>31.72</td><td>0.00</td><td>393</td><td>127 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5387.08	52.75	74.00	-21.25	40.08	34.50	9.93	31.76	0.00	393	127 PEAK	2	5463.04	53.40	68.20	-14.80	40.56	34.53	10.03	31.72	0.00	393	127 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>102.26</td><td>-----</td><td>-----</td><td>89.03</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>393</td><td>127 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	102.26	-----	-----	89.03	34.60	10.28	31.65	0.00	393	127 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5387.08	52.75	74.00	-21.25	40.08	34.50	9.93	31.76	0.00	393	127 PEAK																																																																																																						
2	5463.04	53.40	68.20	-14.80	40.56	34.53	10.03	31.72	0.00	393	127 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5610.00	102.26	-----	-----	89.03	34.60	10.28	31.65	0.00	393	127 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.98</td><td>41.98</td><td>54.00</td><td>-12.02</td><td>29.16</td><td>34.52</td><td>10.03</td><td>31.73</td><td>0.00</td><td>393</td><td>127 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.98	41.98	54.00	-12.02	29.16	34.52	10.03	31.73	0.00	393	127 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>93.44</td><td>-----</td><td>-----</td><td>80.21</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>393</td><td>127 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	93.44	-----	-----	80.21	34.60	10.28	31.65	0.00	393	127 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.98	41.98	54.00	-12.02	29.16	34.52	10.03	31.73	0.00	393	127 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5610.00	93.44	-----	-----	80.21	34.60	10.28	31.65	0.00	393	127 AVERAGE																																																																																																						




Mode	49																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_PC 20MHz,Loc 1_5610MHz																																													
ANT	CDD 1+2																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5726.93</td><td>61.54</td><td>68.20</td><td>-6.66</td><td>48.38</td><td>34.65</td><td>10.35</td><td>31.84</td><td>0.00</td><td>393 127 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5726.93	61.54	68.20	-6.66	48.38	34.65	10.35	31.84	0.00	393 127 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5726.93	61.54	68.20	-6.66	48.38	34.65	10.35	31.84	0.00	393 127 PEAK																																				







	50																																																																																																		
Mode	Band Edge - L																																																																																																		
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_LRU 484+242,Loc 1_5610MHz																																																																																																		
ANT	CDD 1+2																																																																																																		
Pol.	Horizontal					Fundamental																																																																																													
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5453.50</td><td>56.46</td><td>74.00</td><td>-17.54</td><td>43.66</td><td>34.51</td><td>10.02</td><td>31.73</td><td>0.00</td><td>300 94 PEAK</td></tr><tr><td>2 5463.76</td><td>54.56</td><td>68.20</td><td>-13.64</td><td>41.72</td><td>34.53</td><td>10.03</td><td>31.72</td><td>0.00</td><td>300 94 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 5453.50	56.46	74.00	-17.54	43.66	34.51	10.02	31.73	0.00	300 94 PEAK	2 5463.76	54.56	68.20	-13.64	41.72	34.53	10.03	31.72	0.00	300 94 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5610.00</td><td>109.41</td><td>-----</td><td>-----</td><td>96.19</td><td>34.58</td><td>10.27</td><td>31.63</td><td>0.00</td><td>300 94 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 5610.00	109.41	-----	-----	96.19	34.58	10.27	31.63	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																										
1 5453.50	56.46	74.00	-17.54	43.66	34.51	10.02	31.73	0.00	300 94 PEAK																																																																																										
2 5463.76	54.56	68.20	-13.64	41.72	34.53	10.03	31.72	0.00	300 94 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																										
1 5610.00	109.41	-----	-----	96.19	34.58	10.27	31.63	0.00	300 94 PEAK																																																																																										
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5458.72</td><td>43.85</td><td>54.00</td><td>-10.15</td><td>31.04</td><td>34.52</td><td>10.02</td><td>31.73</td><td>0.00</td><td>300 94 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 5458.72	43.85	54.00	-10.15	31.04	34.52	10.02	31.73	0.00	300 94 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5610.00</td><td>100.42</td><td>-----</td><td>-----</td><td>87.20</td><td>34.58</td><td>10.27</td><td>31.63</td><td>0.00</td><td>300 94 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 5610.00	100.42	-----	-----	87.20	34.58	10.27	31.63	0.00	300 94 AVERAGE									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																										
1 5458.72	43.85	54.00	-10.15	31.04	34.52	10.02	31.73	0.00	300 94 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																										
1 5610.00	100.42	-----	-----	87.20	34.58	10.27	31.63	0.00	300 94 AVERAGE																																																																																										




Mode	50																																																																	
	Band Edge - R																																																																	
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_LRU 484+242,Loc 1_5610MHz																																																																	
ANT	CDD 1+2																																																																	
Pol.	Horizontal						Fundamental																																																											
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5737.04</td><td>64.79</td><td>68.20</td><td>-3.41</td><td>51.64</td><td>34.67</td><td>10.35</td><td>31.87</td><td>0.00</td><td>300</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>94 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5737.04	64.79	68.20	-3.41	51.64	34.67	10.35	31.87	0.00	300											94 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5737.04	64.79	68.20	-3.41	51.64	34.67	10.35	31.87	0.00	300																																																								
										94 PEAK																																																								







Mode	50																																																																			
	Band Edge - L																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_LRU 484+242,Loc 1_5610MHz																																																																			
ANT	CDD 1+2																																																																			
Pol.	Vertical																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.54</td><td>53.84</td><td>74.00</td><td>-20.16</td><td>41.21</td><td>34.50</td><td>9.91</td><td>31.78</td><td>0.00</td><td>342</td><td>98 PEAK</td></tr><tr><td>2</td><td>5469.34</td><td>52.81</td><td>68.20</td><td>-15.39</td><td>39.95</td><td>34.54</td><td>10.04</td><td>31.72</td><td>0.00</td><td>342</td><td>98 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.54	53.84	74.00	-20.16	41.21	34.50	9.91	31.78	0.00	342	98 PEAK	2	5469.34	52.81	68.20	-15.39	39.95	34.54	10.04	31.72	0.00	342	98 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5350.54	53.84	74.00	-20.16	41.21	34.50	9.91	31.78	0.00	342	98 PEAK																																																									
2	5469.34	52.81	68.20	-15.39	39.95	34.54	10.04	31.72	0.00	342	98 PEAK																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>102.53</td><td>-----</td><td>-----</td><td>89.30</td><td>34.59</td><td>10.28</td><td>31.64</td><td>0.00</td><td>342</td><td>98 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	102.53	-----	-----	89.30	34.59	10.28	31.64	0.00	342	98 PEAK												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5610.00	102.53	-----	-----	89.30	34.59	10.28	31.64	0.00	342	98 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.62</td><td>42.36</td><td>54.00</td><td>-11.64</td><td>29.54</td><td>34.52</td><td>10.03</td><td>31.73</td><td>0.00</td><td>342</td><td>98 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.62	42.36	54.00	-11.64	29.54	34.52	10.03	31.73	0.00	342	98 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5459.62	42.36	54.00	-11.64	29.54	34.52	10.03	31.73	0.00	342	98 AVERAGE																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>94.08</td><td>-----</td><td>-----</td><td>80.85</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>342</td><td>98 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	94.08	-----	-----	80.85	34.60	10.28	31.65	0.00	342	98 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5610.00	94.08	-----	-----	80.85	34.60	10.28	31.65	0.00	342	98 AVERAGE																																																									




Mode	50																																														
	Band Edge - R																																														
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_LRU 484+242,Loc 1_5610MHz																																														
ANT	CDD 1+2																																														
Pol.	Vertical	Fundamental																																													
Peak	Level (dBuV/m)  U-NII-1-U-NII-2A-U-NII-2C <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5741.03</td><td>59.04</td><td>68.20</td><td>-9.16</td><td>45.88</td><td>34.68</td><td>10.36</td><td>31.88</td><td>0.00</td><td>342</td><td>98</td><td>PEAK</td></tr></table> Blank		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5741.03	59.04	68.20	-9.16	45.88	34.68	10.36	31.88	0.00	342	98	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																					
1	5741.03	59.04	68.20	-9.16	45.88	34.68	10.36	31.88	0.00	342	98	PEAK																																			







		51																																																																																																																								
Mode		Band Edge - L																																																																																																																								
		U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full RU_5570MHz																																																																																																																								
ANT		CDD 1+2																																																																																																																								
Pol.	Horizontal										Fundamental																																																																																																															
Peak																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.02</td><td>59.02</td><td>74.00</td><td>-14.98</td><td>46.21</td><td>34.52</td><td>10.02</td><td>31.73</td><td>0.00</td><td>342</td><td>81 PEAK</td></tr><tr><td>2</td><td>5469.02</td><td>62.47</td><td>68.20</td><td>-5.73</td><td>49.61</td><td>34.54</td><td>10.04</td><td>31.72</td><td>0.00</td><td>342</td><td>81 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.02	59.02	74.00	-14.98	46.21	34.52	10.02	31.73	0.00	342	81 PEAK	2	5469.02	62.47	68.20	-5.73	49.61	34.54	10.04	31.72	0.00	342	81 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>105.73</td><td>-----</td><td>-----</td><td>92.72</td><td>34.50</td><td>10.18</td><td>31.67</td><td>0.00</td><td>342</td><td>81 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	105.73	-----	-----	92.72	34.50	10.18	31.67	0.00	342	81 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	5458.02	59.02	74.00	-14.98	46.21	34.52	10.02	31.73	0.00	342	81 PEAK																																																																																																															
2	5469.02	62.47	68.20	-5.73	49.61	34.54	10.04	31.72	0.00	342	81 PEAK																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	5570.00	105.73	-----	-----	92.72	34.50	10.18	31.67	0.00	342	81 PEAK																																																																																																															
Avg																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5460.00</td><td>50.36</td><td>54.00</td><td>-3.64</td><td>37.54</td><td>34.52</td><td>10.03</td><td>31.73</td><td>0.00</td><td>342</td><td>81 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	50.36	54.00	-3.64	37.54	34.52	10.03	31.73	0.00	342	81 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>95.29</td><td>-----</td><td>-----</td><td>82.30</td><td>34.50</td><td>10.17</td><td>31.68</td><td>0.00</td><td>342</td><td>81 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	95.29	-----	-----	82.30	34.50	10.17	31.68	0.00	342	81 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	5460.00	50.36	54.00	-3.64	37.54	34.52	10.03	31.73	0.00	342	81 AVERAGE																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	5570.00	95.29	-----	-----	82.30	34.50	10.17	31.68	0.00	342	81 AVERAGE																																																																																																															




Mode	51																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full RU_5570MHz																																													
ANT	CDD 1+2																																													
Pol.	Horizontal	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5743.36</td><td>64.01</td><td>68.20</td><td>-4.19</td><td>50.85</td><td>34.69</td><td>10.36</td><td>31.89</td><td>0.00</td><td>342 81 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5743.36	64.01	68.20	-4.19	50.85	34.69	10.36	31.89	0.00	342 81 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5743.36	64.01	68.20	-4.19	50.85	34.69	10.36	31.89	0.00	342 81 PEAK																																				





Mode	51																																																																																																																			
	Band Edge - L																																																																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full RU_5570MHz																																																																																																																			
ANT	CDD 1+2																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																													
Peak																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5452.08</td><td>58.72</td><td>74.00</td><td>-15.28</td><td>45.94</td><td>34.50</td><td>10.01</td><td>31.73</td><td>0.00</td><td>208</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5466.16</td><td>58.03</td><td>68.20</td><td>-10.17</td><td>45.18</td><td>34.53</td><td>10.04</td><td>31.72</td><td>0.00</td><td>208</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.08	58.72	74.00	-15.28	45.94	34.50	10.01	31.73	0.00	208	360	PEAK	2	5466.16	58.03	68.20	-10.17	45.18	34.53	10.04	31.72	0.00	208	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>99.51</td><td>-----</td><td>-----</td><td>86.48</td><td>34.50</td><td>10.20</td><td>31.67</td><td>0.00</td><td>208</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	99.51	-----	-----	86.48	34.50	10.20	31.67	0.00	208	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5452.08	58.72	74.00	-15.28	45.94	34.50	10.01	31.73	0.00	208	360	PEAK																																																																																																								
2	5466.16	58.03	68.20	-10.17	45.18	34.53	10.04	31.72	0.00	208	360	PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5570.00	99.51	-----	-----	86.48	34.50	10.20	31.67	0.00	208	360	PEAK																																																																																																								
Avg																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5452.30</td><td>48.06</td><td>54.00</td><td>-5.94</td><td>35.28</td><td>34.50</td><td>10.01</td><td>31.73</td><td>0.00</td><td>208</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.30	48.06	54.00	-5.94	35.28	34.50	10.01	31.73	0.00	208	360	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>90.74</td><td>-----</td><td>-----</td><td>77.71</td><td>34.50</td><td>10.20</td><td>31.67</td><td>0.00</td><td>208</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	90.74	-----	-----	77.71	34.50	10.20	31.67	0.00	208	360	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5452.30	48.06	54.00	-5.94	35.28	34.50	10.01	31.73	0.00	208	360	AVERAGE																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5570.00	90.74	-----	-----	77.71	34.50	10.20	31.67	0.00	208	360	AVERAGE																																																																																																								







Mode	51																																																				
	Band Edge - R																																																				
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full RU_5570MHz																																																				
ANT	CDD 1+2																																																				
Pol.	Vertical						Fundamental																																														
Peak							Blank																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5758.76</td><td>59.00</td><td>68.20</td><td>-9.20</td><td>45.85</td><td>34.70</td><td>10.37</td><td>31.92</td><td>0.00</td><td>208 360 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5758.76	59.00	68.20	-9.20	45.85	34.70	10.37	31.92	0.00	208 360 PEAK
		Limit	Over	Read	Ant	Cable						Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5758.76	59.00	68.20	-9.20	45.85	34.70	10.37	31.92	0.00	208 360 PEAK																																											




		51																																																									
Mode		Harmonic																																																									
		U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full RU_5570MHz																																																									
ANT		CDD 1+2																																																									
Pol.		Horizontal																																																									
Peak Avg																																																											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7798.00	45.49	68.20	-22.71	57.91	36.00	12.15	60.57	0.00	---	PEAK	2	11140.00	45.06	74.00	-28.94	53.45	38.16	14.66	61.21	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	7798.00	45.49	68.20	-22.71	57.91	36.00	12.15	60.57	0.00	---	PEAK																																																
2	11140.00	45.06	74.00	-28.94	53.45	38.16	14.66	61.21	0.00	---	PEAK																																																
		Vertical																																																									
Peak Avg																																																											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7798.00	44.69	68.20	-23.51	57.11	36.00	12.15	60.57	0.00	---	PEAK	2	11140.00	45.19	74.00	-28.81	53.58	38.16	14.66	61.21	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	7798.00	44.69	68.20	-23.51	57.11	36.00	12.15	60.57	0.00	---	PEAK																																																
2	11140.00	45.19	74.00	-28.81	53.58	38.16	14.66	61.21	0.00	---	PEAK																																																







		52																																																																	
Mode		Band Edge - L																																																																	
		U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 40MHz,Loc 1_5570MHz																																																																	
ANT		CDD 1+2																																																																	
Pol.		Horizontal					Fundamental																																																												
Peak																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5454.50</td><td>64.17</td><td>74.00</td><td>-9.83</td><td>51.37</td><td>34.51</td><td>10.02</td><td>31.73</td><td>0.00</td><td>311</td><td>75 PEAK</td></tr><tr><td>2</td><td>5460.44</td><td>64.46</td><td>68.20</td><td>-3.74</td><td>51.64</td><td>34.52</td><td>10.03</td><td>31.73</td><td>0.00</td><td>311</td><td>75 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.50	64.17	74.00	-9.83	51.37	34.51	10.02	31.73	0.00	311	75 PEAK	2	5460.44	64.46	68.20	-3.74	51.64	34.52	10.03	31.73	0.00	311
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5454.50	64.17	74.00	-9.83	51.37	34.51	10.02	31.73	0.00	311	75 PEAK																																																								
2	5460.44	64.46	68.20	-3.74	51.64	34.52	10.03	31.73	0.00	311	75 PEAK																																																								
Avg																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5454.50</td><td>44.84</td><td>54.00</td><td>-9.16</td><td>32.04</td><td>34.51</td><td>10.02</td><td>31.73</td><td>0.00</td><td>311</td><td>75 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.50	44.84	54.00	-9.16	32.04	34.51	10.02	31.73	0.00	311	75 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5454.50	44.84	54.00	-9.16	32.04	34.51	10.02	31.73	0.00	311	75 AVERAGE																																																								
Peak																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>102.58</td><td>-----</td><td>-----</td><td>89.57</td><td>34.50</td><td>10.18</td><td>31.67</td><td>0.00</td><td>311</td><td>75 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	102.58	-----	-----	89.57	34.50	10.18	31.67	0.00	311	75 PEAK											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5570.00	102.58	-----	-----	89.57	34.50	10.18	31.67	0.00	311	75 PEAK																																																								
Avg																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>93.42</td><td>-----</td><td>-----</td><td>80.40</td><td>34.50</td><td>10.19</td><td>31.67</td><td>0.00</td><td>311</td><td>75 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	93.42	-----	-----	80.40	34.50	10.19	31.67	0.00	311	75 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5570.00	93.42	-----	-----	80.40	34.50	10.19	31.67	0.00	311	75 AVERAGE																																																								



Mode	52																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 40MHz,Loc 1_5570MHz																																																							
ANT	CDD 1+2																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5742.58</td><td>64.11</td><td>68.20</td><td>-4.09</td><td>50.94</td><td>34.69</td><td>10.36</td><td>31.88</td><td>0.00</td><td>311</td><td>75 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5742.58	64.11	68.20	-4.09	50.94	34.69	10.36	31.88	0.00	311	75 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5742.58	64.11	68.20	-4.09	50.94	34.69	10.36	31.88	0.00	311	75 PEAK																																													







	52																																																																																																												
Mode	Band Edge - L																																																																																																												
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 40MHz,Loc 1_5570MHz																																																																																																												
ANT	CDD 1+2																																																																																																												
Pol.	Vertical						Fundamental																																																																																																						
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5455.60</td><td>55.66</td><td>74.00</td><td>-18.34</td><td>42.86</td><td>34.51</td><td>10.02</td><td>31.73</td><td>0.00</td><td>334 264 PEAK</td></tr><tr><td>2</td><td>5464.84</td><td>56.56</td><td>68.20</td><td>-11.64</td><td>43.72</td><td>34.53</td><td>10.03</td><td>31.72</td><td>0.00</td><td>334 264 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.60	55.66	74.00	-18.34	42.86	34.51	10.02	31.73	0.00	334 264 PEAK	2	5464.84	56.56	68.20	-11.64	43.72	34.53	10.03	31.72	0.00	334 264 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>98.43</td><td>-----</td><td>-----</td><td>85.41</td><td>34.50</td><td>10.19</td><td>31.67</td><td>0.00</td><td>334 264 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	98.43	-----	-----	85.41	34.50	10.19	31.67	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5455.60	55.66	74.00	-18.34	42.86	34.51	10.02	31.73	0.00	334 264 PEAK																																																																																																			
2	5464.84	56.56	68.20	-11.64	43.72	34.53	10.03	31.72	0.00	334 264 PEAK																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5570.00	98.43	-----	-----	85.41	34.50	10.19	31.67	0.00	334 264 PEAK																																																																																																			
Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5447.46</td><td>42.91</td><td>54.00</td><td>-11.09</td><td>30.13</td><td>34.50</td><td>10.01</td><td>31.73</td><td>0.00</td><td>334 264 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5447.46	42.91	54.00	-11.09	30.13	34.50	10.01	31.73	0.00	334 264 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>88.84</td><td>-----</td><td>-----</td><td>75.82</td><td>34.50</td><td>10.19</td><td>31.67</td><td>0.00</td><td>334 264 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	88.84	-----	-----	75.82	34.50	10.19	31.67	0.00	334 264 AVERAGE										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5447.46	42.91	54.00	-11.09	30.13	34.50	10.01	31.73	0.00	334 264 AVERAGE																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5570.00	88.84	-----	-----	75.82	34.50	10.19	31.67	0.00	334 264 AVERAGE																																																																																																			




Mode	52	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 40MHz,Loc 1_5570MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 5570 5609. 5648. 5687. 5726. 5765 U-NII-1-U-NII-2A-U-NII-2C Limit Over Read Ant Cable Preamp Aux APos TPos Freq Level Line Limit Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5744.72 58.24 68.20 -9.96 45.08 34.69 10.36 31.89 0.00 334 264 PEAK Blank	







		53																																																																																																																									
Mode		Band Edge - L																																																																																																																									
		U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 20MHz,Loc 8_5570MHz																																																																																																																									
ANT		CDD 1+2																																																																																																																									
Pol.		Horizontal					Fundamental																																																																																																																				
Peak																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5445.48</td><td>58.60</td><td>74.00</td><td>-15.40</td><td>45.83</td><td>34.50</td><td>10.00</td><td>31.73</td><td>0.00</td><td>310</td><td>75 PEAK</td></tr><tr><td>2</td><td>5468.36</td><td>60.28</td><td>68.20</td><td>-7.92</td><td>47.42</td><td>34.54</td><td>10.04</td><td>31.72</td><td>0.00</td><td>310</td><td>75 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5445.48	58.60	74.00	-15.40	45.83	34.50	10.00	31.73	0.00	310	75 PEAK	2	5468.36	60.28	68.20	-7.92	47.42	34.54	10.04	31.72	0.00	310	75 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>101.91</td><td>-----</td><td>-----</td><td>88.89</td><td>34.50</td><td>10.19</td><td>31.67</td><td>0.00</td><td>310</td><td>75 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	101.91	-----	-----	88.89	34.50	10.19	31.67	0.00	310
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5445.48	58.60	74.00	-15.40	45.83	34.50	10.00	31.73	0.00	310	75 PEAK																																																																																																																
2	5468.36	60.28	68.20	-7.92	47.42	34.54	10.04	31.72	0.00	310	75 PEAK																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5570.00	101.91	-----	-----	88.89	34.50	10.19	31.67	0.00	310	75 PEAK																																																																																																																
Avg																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5445.04</td><td>45.94</td><td>54.00</td><td>-8.06</td><td>33.17</td><td>34.50</td><td>10.00</td><td>31.73</td><td>0.00</td><td>310</td><td>75 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5445.04	45.94	54.00	-8.06	33.17	34.50	10.00	31.73	0.00	310	75 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>92.83</td><td>-----</td><td>-----</td><td>79.81</td><td>34.50</td><td>10.19</td><td>31.67</td><td>0.00</td><td>310</td><td>75 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	92.83	-----	-----	79.81	34.50	10.19	31.67	0.00	310	75 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5445.04	45.94	54.00	-8.06	33.17	34.50	10.00	31.73	0.00	310	75 AVERAGE																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5570.00	92.83	-----	-----	79.81	34.50	10.19	31.67	0.00	310	75 AVERAGE																																																																																																																




Mode	53																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 20MHz,Loc 8_5570MHz																																																							
ANT	CDD 1+2																																																							
Pol.	Horizontal	Fundamental																																																						
Peak	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5726.34</td><td>61.47</td><td>68.20</td><td>-6.73</td><td>48.31</td><td>34.66</td><td>10.35</td><td>31.85</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>310</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>75</td></tr></table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5726.34	61.47	68.20	-6.73	48.31	34.66	10.35	31.85								0.00	310									75	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																
1	5726.34	61.47	68.20	-6.73	48.31	34.66	10.35	31.85																																																
							0.00	310																																																
								75																																																






		53																																																													
Mode		Band Edge - L																																																													
		U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 20MHz,Loc 8_5570MHz																																																													
ANT		CDD 1+2																																																													
Pol.		Vertical																																																													
Peak																																																															
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB				1	5447.90	54.13	74.00	-19.87	41.35	34.50	10.01	31.73	0.00	340	266	PEAK	2	5465.06	53.35	68.20	-14.85	40.51	34.53	10.03	31.72	0.00	340	266
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																						
1	5447.90	54.13	74.00	-19.87	41.35	34.50	10.01	31.73	0.00	340	266	PEAK																																																			
2	5465.06	53.35	68.20	-14.85	40.51	34.53	10.03	31.72	0.00	340	266	PEAK																																																			
Fundamental																																																															
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB				1	5570.00	96.81	-----	-----	83.79	34.50	10.19	31.67	0.00	340	266	PEAK												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																						
1	5570.00	96.81	-----	-----	83.79	34.50	10.19	31.67	0.00	340	266	PEAK																																																			
Avg																																																															
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB				1	5450.32	43.29	54.00	-10.71	30.51	34.50	10.01	31.73	0.00	340	266	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																						
1	5450.32	43.29	54.00	-10.71	30.51	34.50	10.01	31.73	0.00	340	266	AVERAGE																																																			
Fundamental																																																															
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB				1	5570.00	87.92	-----	-----	74.90	34.50	10.19	31.67	0.00	340	266	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																						
1	5570.00	87.92	-----	-----	74.90	34.50	10.19	31.67	0.00	340	266	AVERAGE																																																			




Mode	53																																																								
	Band Edge - R																																																								
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 20MHz,Loc 8_5570MHz																																																								
ANT	CDD 1+2																																																								
Pol.	Vertical						Fundamental																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5731.46</td><td>55.95</td><td>68.20</td><td>-12.25</td><td>42.80</td><td>34.66</td><td>10.35</td><td>31.86</td><td>0.00</td><td>340</td><td>266</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5731.46	55.95	68.20	-12.25	42.80	34.66	10.35	31.86	0.00	340	266	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5731.46	55.95	68.20	-12.25	42.80	34.66	10.35	31.86	0.00	340	266																																														







	54																																																																																																																
Mode	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_LRU 996+484,Loc 1_5570MHz																																																																																																																
ANT	CDD 1+2																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5449.88</td><td>67.24</td><td>74.00</td><td>-6.76</td><td>54.46</td><td>34.50</td><td>10.01</td><td>31.73</td><td>0.00</td><td>264</td><td>69 PEAK</td></tr><tr><td>2</td><td>5469.68</td><td>58.54</td><td>68.20</td><td>-9.66</td><td>45.68</td><td>34.54</td><td>10.04</td><td>31.72</td><td>0.00</td><td>264</td><td>69 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5449.88	67.24	74.00	-6.76	54.46	34.50	10.01	31.73	0.00	264	69 PEAK	2	5469.68	58.54	68.20	-9.66	45.68	34.54	10.04	31.72	0.00	264	69 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>102.84</td><td>-----</td><td>-----</td><td>89.82</td><td>34.50</td><td>10.19</td><td>31.67</td><td>0.00</td><td>264</td><td>69 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	102.84	-----	-----	89.82	34.50	10.19	31.67	0.00	264	69 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5449.88	67.24	74.00	-6.76	54.46	34.50	10.01	31.73	0.00	264	69 PEAK																																																																																																						
2	5469.68	58.54	68.20	-9.66	45.68	34.54	10.04	31.72	0.00	264	69 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5570.00	102.84	-----	-----	89.82	34.50	10.19	31.67	0.00	264	69 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5454.94</td><td>45.30</td><td>54.00</td><td>-8.70</td><td>32.50</td><td>34.51</td><td>10.02</td><td>31.73</td><td>0.00</td><td>264</td><td>69 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.94	45.30	54.00	-8.70	32.50	34.51	10.02	31.73	0.00	264	69 AVERAGE																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5454.94	45.30	54.00	-8.70	32.50	34.51	10.02	31.73	0.00	264	69 AVERAGE																																																																																																						




Mode	54																																																										
	Band Edge - R																																																										
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_LRU 996+484,Loc 1_5570MHz																																																										
ANT	CDD 1+2																																																										
Pol.	Horizontal						Fundamental																																																				
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5751.35</td><td>63.57</td><td>68.20</td><td>-4.63</td><td>50.40</td><td>34.70</td><td>10.37</td><td>31.90</td><td>0.00</td><td>264</td><td>69</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5751.35	63.57	68.20	-4.63	50.40	34.70	10.37	31.90	0.00	264	69	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5751.35	63.57	68.20	-4.63	50.40	34.70	10.37	31.90	0.00	264	69	PEAK																																															



		54																																																																																																																		
Mode	Band Edge - L																																																																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_LRU 996+484,Loc 1_5570MHz																																																																																																																			
ANT	CDD 1+2																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																													
Peak																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5452.08</td><td>55.53</td><td>74.00</td><td>-18.47</td><td>42.75</td><td>34.50</td><td>10.01</td><td>31.73</td><td>0.00</td><td>333</td><td>265</td><td>PEAK</td></tr><tr><td>2</td><td>5463.08</td><td>55.51</td><td>68.20</td><td>-12.69</td><td>42.67</td><td>34.53</td><td>10.03</td><td>31.72</td><td>0.00</td><td>333</td><td>265</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.08	55.53	74.00	-18.47	42.75	34.50	10.01	31.73	0.00	333	265	PEAK	2	5463.08	55.51	68.20	-12.69	42.67	34.53	10.03	31.72	0.00	333	265	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>97.00</td><td>-----</td><td>83.98</td><td>34.50</td><td>10.19</td><td>31.67</td><td>0.00</td><td>333</td><td>265</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5570.00	97.00	-----	83.98	34.50	10.19	31.67	0.00	333	265
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5452.08	55.53	74.00	-18.47	42.75	34.50	10.01	31.73	0.00	333	265	PEAK																																																																																																								
2	5463.08	55.51	68.20	-12.69	42.67	34.53	10.03	31.72	0.00	333	265	PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	5570.00	97.00	-----	83.98	34.50	10.19	31.67	0.00	333	265	PEAK																																																																																																									
Avg																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5447.24</td><td>43.01</td><td>54.00</td><td>-10.99</td><td>30.23</td><td>34.50</td><td>10.01</td><td>31.73</td><td>0.00</td><td>333</td><td>265</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5447.24	43.01	54.00	-10.99	30.23	34.50	10.01	31.73	0.00	333	265	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>94.00</td><td>-----</td><td>80.97</td><td>34.50</td><td>10.20</td><td>31.67</td><td>0.00</td><td>264</td><td>69</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5570.00	94.00	-----	80.97	34.50	10.20	31.67	0.00	264	69	AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	5447.24	43.01	54.00	-10.99	30.23	34.50	10.01	31.73	0.00	333	265	AVERAGE																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	5570.00	94.00	-----	80.97	34.50	10.20	31.67	0.00	264	69	AVERAGE																																																																																																									



Mode	54																																														
	Band Edge - R																																														
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_LRU 996+484,Loc 1_5570MHz																																														
ANT	CDD 1+2																																														
Pol.	Vertical	Fundamental																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5743.75</td><td>57.54</td><td>68.20</td><td>-10.66</td><td>44.38</td><td>34.69</td><td>10.36</td><td>31.89</td><td>0.00</td><td>333</td><td>265 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5743.75	57.54	68.20	-10.66	44.38	34.69	10.36	31.89	0.00	333	265 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																					
1	5743.75	57.54	68.20	-10.66	44.38	34.69	10.36	31.89	0.00	333	265 PEAK																																				







Mode	55																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_LRU 996+484,Loc 4_5570MHz																																																																																																																
ANT	CDD 1+2																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5452.96</td><td>62.12</td><td>74.00</td><td>-11.88</td><td>49.32</td><td>34.51</td><td>10.02</td><td>31.73</td><td>0.00</td><td>311</td><td>75 PEAK</td></tr><tr><td>2</td><td>5467.70</td><td>62.27</td><td>68.20</td><td>-5.93</td><td>49.41</td><td>34.54</td><td>10.04</td><td>31.72</td><td>0.00</td><td>311</td><td>75 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.96	62.12	74.00	-11.88	49.32	34.51	10.02	31.73	0.00	311	75 PEAK	2	5467.70	62.27	68.20	-5.93	49.41	34.54	10.04	31.72	0.00	311	75 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>103.59</td><td>-----</td><td>-----</td><td>90.57</td><td>34.50</td><td>10.19</td><td>31.67</td><td>0.00</td><td>311</td><td>75 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	103.59	-----	-----	90.57	34.50	10.19	31.67	0.00	311	75 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5452.96	62.12	74.00	-11.88	49.32	34.51	10.02	31.73	0.00	311	75 PEAK																																																																																																						
2	5467.70	62.27	68.20	-5.93	49.41	34.54	10.04	31.72	0.00	311	75 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5570.00	103.59	-----	-----	90.57	34.50	10.19	31.67	0.00	311	75 PEAK																																																																																																						
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5446.14</td><td>46.30</td><td>54.00</td><td>-7.70</td><td>33.52</td><td>34.50</td><td>10.01</td><td>31.73</td><td>0.00</td><td>311</td><td>75 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5446.14	46.30	54.00	-7.70	33.52	34.50	10.01	31.73	0.00	311	75 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>94.56</td><td>-----</td><td>-----</td><td>81.54</td><td>34.50</td><td>10.19</td><td>31.67</td><td>0.00</td><td>311</td><td>75 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	94.56	-----	-----	81.54	34.50	10.19	31.67	0.00	311	75 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5446.14	46.30	54.00	-7.70	33.52	34.50	10.01	31.73	0.00	311	75 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5570.00	94.56	-----	-----	81.54	34.50	10.19	31.67	0.00	311	75 AVERAGE																																																																																																						




Mode	55																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_LRU 996+484,Loc 4_5570MHz																																					
ANT	CDD 1+2																																					
Pol.	Horizontal	Fundamental																																				
Peak	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5739.65</td><td>59.67</td><td>68.20</td><td>-8.53</td><td>46.51</td><td>34.68</td><td>10.36</td><td>31.88</td></tr></table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5739.65	59.67	68.20	-8.53	46.51	34.68	10.36	31.88	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																														
1	5739.65	59.67	68.20	-8.53	46.51	34.68	10.36	31.88																														





Mode	55																																																																	
	Band Edge - L																																																																	
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_LRU 996+484,Loc 4_5570MHz																																																																	
ANT	CDD 1+2																																																																	
Pol.	Vertical																																																																	
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5421.06</td><td>57.24</td><td>74.00</td><td>-16.76</td><td>44.52</td><td>34.50</td><td>9.97</td><td>31.75</td><td>0.00</td><td>336 265 PEAK</td></tr><tr><td>2</td><td>5468.14</td><td>56.37</td><td>68.20</td><td>-11.83</td><td>43.51</td><td>34.54</td><td>10.04</td><td>31.72</td><td>0.00</td><td>336 265 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5421.06	57.24	74.00	-16.76	44.52	34.50	9.97	31.75	0.00	336 265 PEAK	2	5468.14	56.37	68.20	-11.83	43.51	34.54	10.04	31.72	0.00	336 265 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5421.06	57.24	74.00	-16.76	44.52	34.50	9.97	31.75	0.00	336 265 PEAK																																																								
2	5468.14	56.37	68.20	-11.83	43.51	34.54	10.04	31.72	0.00	336 265 PEAK																																																								
Fundamental																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>98.18</td><td>-----</td><td>-----</td><td>85.16</td><td>34.50</td><td>10.19</td><td>31.67</td><td>0.00</td><td>336 265 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	98.18	-----	-----	85.16	34.50	10.19	31.67	0.00	336 265 PEAK											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5570.00	98.18	-----	-----	85.16	34.50	10.19	31.67	0.00	336 265 PEAK																																																								
Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5443.72</td><td>43.42</td><td>54.00</td><td>-10.58</td><td>30.65</td><td>34.50</td><td>10.00</td><td>31.73</td><td>0.00</td><td>336 265 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5443.72	43.42	54.00	-10.58	30.65	34.50	10.00	31.73	0.00	336 265 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5443.72	43.42	54.00	-10.58	30.65	34.50	10.00	31.73	0.00	336 265 AVERAGE																																																								
Fundamental																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>89.56</td><td>-----</td><td>-----</td><td>76.54</td><td>34.50</td><td>10.19</td><td>31.67</td><td>0.00</td><td>336 265 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	89.56	-----	-----	76.54	34.50	10.19	31.67	0.00	336 265 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5570.00	89.56	-----	-----	76.54	34.50	10.19	31.67	0.00	336 265 AVERAGE																																																								



Mode	55																																																								
	Band Edge - R																																																								
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_LRU 996+484,Loc 4_5570MHz																																																								
ANT	CDD 1+2																																																								
Pol.	Vertical						Fundamental																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5764.22</td><td>55.79</td><td>68.20</td><td>-12.41</td><td>42.65</td><td>34.70</td><td>10.38</td><td>31.94</td><td>0.00</td><td>336</td><td>265</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5764.22	55.79	68.20	-12.41	42.65	34.70	10.38	31.94	0.00	336	265	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5764.22	55.79	68.20	-12.41	42.65	34.70	10.38	31.94	0.00	336	265																																														





Mode	23	
	18-40G	
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full RU_5310MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg		


Note:

1. Only the worst case has assessed 18G ~40GHz to test.
2. The higher Signals which are no mark are within frequency band can be ignored.





Mode	23																																																																																																																																																																																										
	LF																																																																																																																																																																																										
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full RU_5310MHz																																																																																																																																																																																										
ANT	CDD 1+2																																																																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																																																																				
Peak Avg																																																																																																																																																																																											
	<table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th></th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>93.05</td><td>18.38</td><td>-25.12</td><td>43.50</td><td>34.82</td><td>15.16</td><td>1.26</td><td>32.86</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>176.47</td><td>26.70</td><td>-16.80</td><td>43.50</td><td>42.57</td><td>15.19</td><td>1.78</td><td>32.84</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>281.23</td><td>24.54</td><td>-21.46</td><td>46.00</td><td>36.14</td><td>18.93</td><td>2.26</td><td>32.79</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>409.27</td><td>22.55</td><td>-23.45</td><td>46.00</td><td>30.50</td><td>22.19</td><td>2.73</td><td>32.87</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>605.21</td><td>25.73</td><td>-20.77</td><td>46.00</td><td>29.28</td><td>25.70</td><td>3.32</td><td>33.07</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>766.23</td><td>28.46</td><td>-17.54</td><td>46.00</td><td>29.33</td><td>28.16</td><td>3.74</td><td>32.77</td><td>---</td><td>Peak</td></tr></table>						Freq	Level	Over Limit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m		dB	dBuV	dB/m	dB	dB	cm	deg		1	93.05	18.38	-25.12	43.50	34.82	15.16	1.26	32.86	---	Peak	2	176.47	26.70	-16.80	43.50	42.57	15.19	1.78	32.84	---	Peak	3	281.23	24.54	-21.46	46.00	36.14	18.93	2.26	32.79	---	Peak	4	409.27	22.55	-23.45	46.00	30.50	22.19	2.73	32.87	---	Peak	5	605.21	25.73	-20.77	46.00	29.28	25.70	3.32	33.07	---	Peak	6	766.23	28.46	-17.54	46.00	29.33	28.16	3.74	32.77	---	Peak	<table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th></th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>48.43</td><td>28.67</td><td>-11.33</td><td>40.00</td><td>45.51</td><td>15.39</td><td>0.70</td><td>32.93</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>174.53</td><td>24.98</td><td>-18.52</td><td>43.50</td><td>40.80</td><td>15.24</td><td>1.77</td><td>32.83</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>316.15</td><td>19.29</td><td>-26.71</td><td>46.00</td><td>30.19</td><td>19.54</td><td>2.40</td><td>32.84</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>445.16</td><td>23.32</td><td>-22.68</td><td>46.00</td><td>30.52</td><td>22.99</td><td>2.85</td><td>33.04</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>541.19</td><td>24.70</td><td>-21.30</td><td>46.00</td><td>30.35</td><td>24.29</td><td>3.14</td><td>33.08</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>944.71</td><td>31.04</td><td>-14.96</td><td>46.00</td><td>27.80</td><td>30.77</td><td>4.14</td><td>31.67</td><td>---</td><td>Peak</td></tr></table>						Freq	Level	Over Limit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m		dB	dBuV	dB/m	dB	dB	cm	deg		1	48.43	28.67	-11.33	40.00	45.51	15.39	0.70	32.93	---	Peak	2	174.53	24.98	-18.52	43.50	40.80	15.24	1.77	32.83	---	Peak	3	316.15	19.29	-26.71	46.00	30.19	19.54	2.40	32.84	---	Peak	4	445.16	23.32	-22.68	46.00	30.52	22.99	2.85	33.04	---	Peak	5	541.19	24.70	-21.30	46.00	30.35	24.29	3.14	33.08	---	Peak	6	944.71	31.04	-14.96	46.00	27.80	30.77	4.14	31.67	---
Freq	Level	Over Limit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																		
MHz	dBuV/m		dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																		
1	93.05	18.38	-25.12	43.50	34.82	15.16	1.26	32.86	---	Peak																																																																																																																																																																																	
2	176.47	26.70	-16.80	43.50	42.57	15.19	1.78	32.84	---	Peak																																																																																																																																																																																	
3	281.23	24.54	-21.46	46.00	36.14	18.93	2.26	32.79	---	Peak																																																																																																																																																																																	
4	409.27	22.55	-23.45	46.00	30.50	22.19	2.73	32.87	---	Peak																																																																																																																																																																																	
5	605.21	25.73	-20.77	46.00	29.28	25.70	3.32	33.07	---	Peak																																																																																																																																																																																	
6	766.23	28.46	-17.54	46.00	29.33	28.16	3.74	32.77	---	Peak																																																																																																																																																																																	
Freq	Level	Over Limit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																		
MHz	dBuV/m		dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																		
1	48.43	28.67	-11.33	40.00	45.51	15.39	0.70	32.93	---	Peak																																																																																																																																																																																	
2	174.53	24.98	-18.52	43.50	40.80	15.24	1.77	32.83	---	Peak																																																																																																																																																																																	
3	316.15	19.29	-26.71	46.00	30.19	19.54	2.40	32.84	---	Peak																																																																																																																																																																																	
4	445.16	23.32	-22.68	46.00	30.52	22.99	2.85	33.04	---	Peak																																																																																																																																																																																	
5	541.19	24.70	-21.30	46.00	30.35	24.29	3.14	33.08	---	Peak																																																																																																																																																																																	
6	944.71	31.04	-14.96	46.00	27.80	30.77	4.14	31.67	---	Peak																																																																																																																																																																																	





		56																																																																												
Mode		Harmonic																																																																												
		U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																																												
ANT		CDD 1+2																																																																												
Pol.		Horizontal						Vertical																																																																						
Peak Avg																																																																														
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8008.00</td><td>46.35</td><td>68.20</td><td>-21.85</td><td>58.22</td><td>35.88</td><td>12.43</td><td>60.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>46.18</td><td>74.00</td><td>-27.82</td><td>54.36</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>																Limit		Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	8008.00	46.35	68.20	-21.85	58.22	35.88	12.43	60.18	0.00	---	---	PEAK	2	11440.00	46.18	74.00	-27.82	54.36	38.14	14.87	61.19	0.00	---	---	PEAK
			Limit		Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																			
1	8008.00	46.35	68.20	-21.85	58.22	35.88	12.43	60.18	0.00	---	---	PEAK																																																																		
2	11440.00	46.18	74.00	-27.82	54.36	38.14	14.87	61.19	0.00	---	---	PEAK																																																																		
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8008.00</td><td>46.65</td><td>68.20</td><td>-21.55</td><td>58.52</td><td>35.88</td><td>12.43</td><td>60.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>45.54</td><td>74.00</td><td>-28.46</td><td>53.72</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>																Limit		Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	8008.00	46.65	68.20	-21.55	58.52	35.88	12.43	60.18	0.00	---	---	PEAK	2	11440.00	45.54	74.00	-28.46	53.72	38.14	14.87	61.19	0.00	---	---	PEAK	
		Limit		Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																			
1	8008.00	46.65	68.20	-21.55	58.52	35.88	12.43	60.18	0.00	---	---	PEAK																																																																		
2	11440.00	45.54	74.00	-28.46	53.72	38.14	14.87	61.19	0.00	---	---	PEAK																																																																		





Mode	57																																																																																																																																									
	Harmonic																																																																																																																																									
	U-NII-2C_5.47-5.85_802.11be EHT20_CH144_Full RU_5720MHz																																																																																																																																									
ANT	CDD 1+2																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																			
Peak Avg																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8008.00</td><td>46.28</td><td>68.20</td><td>-21.92</td><td>58.15</td><td>35.88</td><td>12.43</td><td>60.18</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>45.97</td><td>74.00</td><td>-28.03</td><td>54.15</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	8008.00	46.28	68.20	-21.92	58.15	35.88	12.43	60.18	0.00	---	PEAK	2	11440.00	45.97	74.00	-28.03	54.15	38.14	14.87	61.19	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8008.00</td><td>46.58</td><td>68.20</td><td>-21.62</td><td>58.45</td><td>35.88</td><td>12.43</td><td>60.18</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>47.30</td><td>74.00</td><td>-26.70</td><td>55.48</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	8008.00	46.58	68.20	-21.62	58.45	35.88	12.43	60.18	0.00	---	PEAK	2	11440.00	47.30	74.00	-26.70	55.48	38.14	14.87	61.19	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	8008.00	46.28	68.20	-21.92	58.15	35.88	12.43	60.18	0.00	---	PEAK																																																																																																																															
2	11440.00	45.97	74.00	-28.03	54.15	38.14	14.87	61.19	0.00	---	PEAK																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	8008.00	46.58	68.20	-21.62	58.45	35.88	12.43	60.18	0.00	---	PEAK																																																																																																																															
2	11440.00	47.30	74.00	-26.70	55.48	38.14	14.87	61.19	0.00	---	PEAK																																																																																																																															






Mode	58																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2C_5.47-5.85_802.11be EHT40_CH142_Full RU_5710MHz																																																																																																																																	
ANT	CDD 1+2																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7994.00</td><td>45.75</td><td>68.20</td><td>-22.45</td><td>57.61</td><td>35.90</td><td>12.42</td><td>60.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11420.00</td><td>45.63</td><td>74.00</td><td>-28.37</td><td>53.84</td><td>38.12</td><td>14.86</td><td>61.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7994.00	45.75	68.20	-22.45	57.61	35.90	12.42	60.18	0.00	---	---	PEAK	2	11420.00	45.63	74.00	-28.37	53.84	38.12	14.86	61.19	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7994.00</td><td>45.64</td><td>68.20</td><td>-22.56</td><td>57.50</td><td>35.90</td><td>12.42</td><td>60.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11420.00</td><td>45.41</td><td>74.00</td><td>-28.59</td><td>53.62</td><td>38.12</td><td>14.86</td><td>61.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7994.00	45.64	68.20	-22.56	57.50	35.90	12.42	60.18	0.00	---	---	PEAK	2	11420.00	45.41	74.00	-28.59	53.62	38.12	14.86	61.19	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	7994.00	45.75	68.20	-22.45	57.61	35.90	12.42	60.18	0.00	---	---	PEAK																																																																																																																						
2	11420.00	45.63	74.00	-28.37	53.84	38.12	14.86	61.19	0.00	---	---	PEAK																																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	7994.00	45.64	68.20	-22.56	57.50	35.90	12.42	60.18	0.00	---	---	PEAK																																																																																																																						
2	11420.00	45.41	74.00	-28.59	53.62	38.12	14.86	61.19	0.00	---	---	PEAK																																																																																																																						






Mode	59																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2C_5.47-5.85_802.11be EHT80_CH138_Full RU_5690MHz																																																																																																																																	
ANT	CDD 1+2																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7966.00</td><td>45.23</td><td>68.20</td><td>-22.97</td><td>57.19</td><td>35.90</td><td>12.38</td><td>60.24</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11380.00</td><td>44.51</td><td>74.00</td><td>-29.49</td><td>52.75</td><td>38.12</td><td>14.83</td><td>61.19</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7966.00	45.23	68.20	-22.97	57.19	35.90	12.38	60.24	0.00	---	PEAK	2	11380.00	44.51	74.00	-29.49	52.75	38.12	14.83	61.19	0.00	---	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7966.00</td><td>44.99</td><td>68.20</td><td>-23.21</td><td>56.95</td><td>35.90</td><td>12.38</td><td>60.24</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11380.00</td><td>44.21</td><td>74.00</td><td>-29.79</td><td>52.45</td><td>38.12</td><td>14.83</td><td>61.19</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7966.00	44.99	68.20	-23.21	56.95	35.90	12.38	60.24	0.00	---	PEAK	2	11380.00	44.21	74.00	-29.79	52.45	38.12	14.83	61.19	0.00	---	PEAK
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	7966.00	45.23	68.20	-22.97	57.19	35.90	12.38	60.24	0.00	---	PEAK																																																																																																																							
2	11380.00	44.51	74.00	-29.49	52.75	38.12	14.83	61.19	0.00	---	PEAK																																																																																																																							
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	7966.00	44.99	68.20	-23.21	56.95	35.90	12.38	60.24	0.00	---	PEAK																																																																																																																							
2	11380.00	44.21	74.00	-29.79	52.45	38.12	14.83	61.19	0.00	---	PEAK																																																																																																																							





	60																																																																																																																																							
Mode	Band Edge																																																																																																																																							
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																							
ANT	CDD 1+2																																																																																																																																							
Pol.	Horizontal						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5628.71</td><td>55.27</td><td>68.20</td><td>-12.93</td><td>42.08</td><td>34.56</td><td>10.27</td><td>31.64</td><td>0.00</td><td>305</td><td>92 PEAK</td></tr><tr><td>2</td><td>5651.04</td><td>54.38</td><td>68.98</td><td>-14.60</td><td>41.15</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>305</td><td>92 PEAK</td></tr><tr><td>3</td><td>5714.84</td><td>77.56</td><td>109.46</td><td>-31.90</td><td>64.40</td><td>34.63</td><td>10.34</td><td>31.81</td><td>0.00</td><td>305</td><td>92 PEAK</td></tr><tr><td>4</td><td>5720.21</td><td>77.88</td><td>111.37</td><td>-33.49</td><td>64.73</td><td>34.64</td><td>10.34</td><td>31.83</td><td>0.00</td><td>305</td><td>92 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5628.71	55.27	68.20	-12.93	42.08	34.56	10.27	31.64	0.00	305	92 PEAK	2	5651.04	54.38	68.98	-14.60	41.15	34.60	10.29	31.66	0.00	305	92 PEAK	3	5714.84	77.56	109.46	-31.90	64.40	34.63	10.34	31.81	0.00	305	92 PEAK	4	5720.21	77.88	111.37	-33.49	64.73	34.64	10.34	31.83	0.00	305	92 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>116.88</td><td>-----</td><td>-----</td><td>103.72</td><td>34.68</td><td>10.36</td><td>31.88</td><td>0.00</td><td>305</td><td>92 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	116.88	-----	-----	103.72	34.68	10.36	31.88	0.00	305
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5628.71	55.27	68.20	-12.93	42.08	34.56	10.27	31.64	0.00	305	92 PEAK																																																																																																																													
2	5651.04	54.38	68.98	-14.60	41.15	34.60	10.29	31.66	0.00	305	92 PEAK																																																																																																																													
3	5714.84	77.56	109.46	-31.90	64.40	34.63	10.34	31.81	0.00	305	92 PEAK																																																																																																																													
4	5720.21	77.88	111.37	-33.49	64.73	34.64	10.34	31.83	0.00	305	92 PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5745.00	116.88	-----	-----	103.72	34.68	10.36	31.88	0.00	305	92 PEAK																																																																																																																													
Avg	Blank																																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>108.03</td><td>-----</td><td>-----</td><td>94.87</td><td>34.69</td><td>10.36</td><td>31.89</td><td>0.00</td><td>305</td><td>92 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	108.03	-----	-----	94.87	34.69	10.36	31.89	0.00	305	92 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5745.00	108.03	-----	-----	94.87	34.69	10.36	31.89	0.00	305	92 AVERAGE																																																																																																																													







Mode	60																																																																																																											
	Band Edge																																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																											
ANT	CDD 1+2																																																																																																											
Pol.	Vertical					Fundamental																																																																																																						
Peak																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5618.56</td><td>55.07</td><td>68.20</td><td>-13.13</td><td>41.91</td><td>34.54</td><td>10.26</td><td>31.64</td><td>0.00</td><td>187 360 PEAK</td></tr><tr><td>2</td><td>5650.46</td><td>52.19</td><td>68.54</td><td>-16.35</td><td>38.97</td><td>34.60</td><td>10.28</td><td>31.66</td><td>0.00</td><td>187 360 PEAK</td></tr><tr><td>3</td><td>5715.57</td><td>71.54</td><td>109.66</td><td>-38.12</td><td>58.39</td><td>34.63</td><td>10.34</td><td>31.82</td><td>0.00</td><td>187 360 PEAK</td></tr><tr><td>4</td><td>5720.50</td><td>71.49</td><td>112.03</td><td>-40.54</td><td>58.34</td><td>34.64</td><td>10.34</td><td>31.83</td><td>0.00</td><td>187 360 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5618.56	55.07	68.20	-13.13	41.91	34.54	10.26	31.64	0.00	187 360 PEAK	2	5650.46	52.19	68.54	-16.35	38.97	34.60	10.28	31.66	0.00	187 360 PEAK	3	5715.57	71.54	109.66	-38.12	58.39	34.63	10.34	31.82	0.00	187 360 PEAK	4	5720.50	71.49	112.03	-40.54	58.34	34.64	10.34	31.83	0.00	187 360 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>111.50</td><td>-----</td><td>-----</td><td>98.34</td><td>34.68</td><td>10.36</td><td>31.88</td><td>0.00</td><td>187 360 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	111.50	-----	-----	98.34	34.68	10.36	31.88	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
1	5618.56	55.07	68.20	-13.13	41.91	34.54	10.26	31.64	0.00	187 360 PEAK																																																																																																		
2	5650.46	52.19	68.54	-16.35	38.97	34.60	10.28	31.66	0.00	187 360 PEAK																																																																																																		
3	5715.57	71.54	109.66	-38.12	58.39	34.63	10.34	31.82	0.00	187 360 PEAK																																																																																																		
4	5720.50	71.49	112.03	-40.54	58.34	34.64	10.34	31.83	0.00	187 360 PEAK																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
1	5745.00	111.50	-----	-----	98.34	34.68	10.36	31.88	0.00	187 360 PEAK																																																																																																		
Avg	Blank																																																																																																											
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>102.05</td><td>-----</td><td>-----</td><td>88.89</td><td>34.69</td><td>10.36</td><td>31.89</td><td>0.00</td><td>187 360 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	102.05	-----	-----	88.89	34.69	10.36	31.89	0.00	187 360 AVERAGE																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
1	5745.00	102.05	-----	-----	88.89	34.69	10.36	31.89	0.00	187 360 AVERAGE																																																																																																		






Mode	60																																																																																																		
	Harmonic																																																																																																		
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																		
ANT	CDD 1+2																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11490.00</td><td>47.25</td><td>74.00</td><td>-26.75</td><td>55.33</td><td>38.19</td><td>14.91</td><td>61.18</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11490.00	47.25	74.00	-26.75	55.33	38.19	14.91	61.18	0.00	---	--- PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11490.00</td><td>45.85</td><td>74.00</td><td>-28.15</td><td>53.93</td><td>38.19</td><td>14.91</td><td>61.18</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11490.00	45.85	74.00	-28.15	53.93	38.19	14.91	61.18	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 11490.00	47.25	74.00	-26.75	55.33	38.19	14.91	61.18	0.00	---	--- PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 11490.00	45.85	74.00	-28.15	53.93	38.19	14.91	61.18	0.00	---	--- PEAK																																																																																									






		61																																																										
Mode		Harmonic																																																										
		U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																										
ANT		CDD 1+2																																																										
Pol.		Horizontal																																																										
Peak																																																												
Avg																																																												
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>46.34</td><td>74.00</td><td>-27.66</td><td>54.40</td><td>38.13</td><td>14.97</td><td>61.16</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	46.34	74.00	-27.66	54.40	38.13	14.97	61.16	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11570.00	46.34	74.00	-27.66	54.40	38.13	14.97	61.16	0.00	---	---	PEAK																																																

		Vertical																																																										
Peak																																																												
Avg																																																												
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>46.75</td><td>74.00</td><td>-27.25</td><td>54.81</td><td>38.13</td><td>14.97</td><td>61.16</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	46.75	74.00	-27.25	54.81	38.13	14.97	61.16	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11570.00	46.75	74.00	-27.25	54.81	38.13	14.97	61.16	0.00	---	---	PEAK																																																





Mode	62																																																																																																																																		
	Band Edge																																																																																																																																		
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																		
ANT	CDD 1+2																																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.63</td><td>76.29</td><td>111.75</td><td>-35.46</td><td>63.07</td><td>34.93</td><td>10.45</td><td>32.16</td><td>0.00</td><td>317</td><td>94 PEAK</td></tr><tr><td>2 5855.25</td><td>74.44</td><td>110.83</td><td>-36.39</td><td>61.22</td><td>34.93</td><td>10.45</td><td>32.16</td><td>0.00</td><td>317</td><td>94 PEAK</td></tr><tr><td>3 5923.75</td><td>54.60</td><td>69.12</td><td>-14.52</td><td>41.05</td><td>35.20</td><td>10.51</td><td>32.16</td><td>0.00</td><td>317</td><td>94 PEAK</td></tr><tr><td>4 5925.38</td><td>56.72</td><td>68.20</td><td>-11.48</td><td>43.16</td><td>35.20</td><td>10.52</td><td>32.16</td><td>0.00</td><td>317</td><td>94 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.63	76.29	111.75	-35.46	63.07	34.93	10.45	32.16	0.00	317	94 PEAK	2 5855.25	74.44	110.83	-36.39	61.22	34.93	10.45	32.16	0.00	317	94 PEAK	3 5923.75	54.60	69.12	-14.52	41.05	35.20	10.51	32.16	0.00	317	94 PEAK	4 5925.38	56.72	68.20	-11.48	43.16	35.20	10.52	32.16	0.00	317	94 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>117.10</td><td>-----</td><td>-----</td><td>103.98</td><td>34.77</td><td>10.42</td><td>32.07</td><td>0.00</td><td>317</td><td>94 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	117.10	-----	-----	103.98	34.77	10.42	32.07	0.00	317
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5854.63	76.29	111.75	-35.46	63.07	34.93	10.45	32.16	0.00	317	94 PEAK																																																																																																																									
2 5855.25	74.44	110.83	-36.39	61.22	34.93	10.45	32.16	0.00	317	94 PEAK																																																																																																																									
3 5923.75	54.60	69.12	-14.52	41.05	35.20	10.51	32.16	0.00	317	94 PEAK																																																																																																																									
4 5925.38	56.72	68.20	-11.48	43.16	35.20	10.52	32.16	0.00	317	94 PEAK																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5825.00	117.10	-----	-----	103.98	34.77	10.42	32.07	0.00	317	94 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>107.95</td><td>-----</td><td>-----</td><td>94.80</td><td>34.80</td><td>10.43</td><td>32.08</td><td>0.00</td><td>317</td><td>94 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	107.95	-----	-----	94.80	34.80	10.43	32.08	0.00	317	94 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5825.00	107.95	-----	-----	94.80	34.80	10.43	32.08	0.00	317	94 AVERAGE																																																																																																																									






Mode	62																																																																																											
	Band Edge																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																											
ANT	CDD 1+2																																																																																											
Pol.	Vertical																																																																																											
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.75</td><td>70.25</td><td>113.75</td><td>-43.50</td><td>57.04</td><td>34.92</td><td>10.45</td><td>32.16</td><td>0.00</td><td>356</td><td>252 PEAK</td></tr><tr><td>2</td><td>5858.50</td><td>63.37</td><td>109.92</td><td>-46.55</td><td>50.12</td><td>34.95</td><td>10.46</td><td>32.16</td><td>0.00</td><td>356</td><td>252 PEAK</td></tr><tr><td>3</td><td>5924.88</td><td>54.34</td><td>68.29</td><td>-13.95</td><td>40.78</td><td>35.20</td><td>10.52</td><td>32.16</td><td>0.00</td><td>356</td><td>252 PEAK</td></tr><tr><td>4</td><td>5934.50</td><td>55.18</td><td>68.20</td><td>-13.02</td><td>41.62</td><td>35.20</td><td>10.52</td><td>32.16</td><td>0.00</td><td>356</td><td>252 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.75	70.25	113.75	-43.50	57.04	34.92	10.45	32.16	0.00	356	252 PEAK	2	5858.50	63.37	109.92	-46.55	50.12	34.95	10.46	32.16	0.00	356	252 PEAK	3	5924.88	54.34	68.29	-13.95	40.78	35.20	10.52	32.16	0.00	356	252 PEAK	4	5934.50	55.18	68.20	-13.02	41.62	35.20	10.52	32.16	0.00	356	252 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5853.75	70.25	113.75	-43.50	57.04	34.92	10.45	32.16	0.00	356	252 PEAK																																																																																	
2	5858.50	63.37	109.92	-46.55	50.12	34.95	10.46	32.16	0.00	356	252 PEAK																																																																																	
3	5924.88	54.34	68.29	-13.95	40.78	35.20	10.52	32.16	0.00	356	252 PEAK																																																																																	
4	5934.50	55.18	68.20	-13.02	41.62	35.20	10.52	32.16	0.00	356	252 PEAK																																																																																	
Fundamental																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>109.60</td><td>-----</td><td>-----</td><td>96.45</td><td>34.82</td><td>10.43</td><td>32.10</td><td>0.00</td><td>356</td><td>252 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	109.60	-----	-----	96.45	34.82	10.43	32.10	0.00	356	252 PEAK																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5825.00	109.60	-----	-----	96.45	34.82	10.43	32.10	0.00	356	252 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>101.11</td><td>-----</td><td>-----</td><td>87.96</td><td>34.82</td><td>10.43</td><td>32.10</td><td>0.00</td><td>356</td><td>252 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	101.11	-----	-----	87.96	34.82	10.43	32.10	0.00	356	252 AVERAGE																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5825.00	101.11	-----	-----	87.96	34.82	10.43	32.10	0.00	356	252 AVERAGE																																																																																	






Mode	62																																																																																																								
	Harmonic																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																								
ANT	CDD 1+2																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>47.67</td><td>74.00</td><td>-26.33</td><td>55.53</td><td>38.25</td><td>15.02</td><td>61.13</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	47.67	74.00	-26.33	55.53	38.25	15.02	61.13	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>46.42</td><td>74.00</td><td>-27.58</td><td>54.28</td><td>38.25</td><td>15.02</td><td>61.13</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	46.42	74.00	-27.58	54.28	38.25	15.02	61.13	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11650.00	47.67	74.00	-26.33	55.53	38.25	15.02	61.13	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11650.00	46.42	74.00	-27.58	54.28	38.25	15.02	61.13	0.00	---	---	PEAK																																																																																													





Mode	63																																																																																																																																							
	Band Edge																																																																																																																																							
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full RU_5745MHz																																																																																																																																							
ANT	CDD 1+2																																																																																																																																							
Pol.	Horizontal										Fundamental																																																																																																																													
Peak																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5648.00</td><td>54.78</td><td>68.20</td><td>-13.42</td><td>41.55</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>307</td><td>93 PEAK</td></tr><tr><td>2</td><td>5650.32</td><td>52.63</td><td>68.43</td><td>-15.80</td><td>39.41</td><td>34.60</td><td>10.28</td><td>31.66</td><td>0.00</td><td>307</td><td>93 PEAK</td></tr><tr><td>3</td><td>5719.34</td><td>77.64</td><td>110.71</td><td>-33.07</td><td>64.49</td><td>34.64</td><td>10.34</td><td>31.83</td><td>0.00</td><td>307</td><td>93 PEAK</td></tr><tr><td>4</td><td>5720.06</td><td>77.91</td><td>111.04</td><td>-33.13</td><td>64.76</td><td>34.64</td><td>10.34</td><td>31.83</td><td>0.00</td><td>307</td><td>93 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5648.00	54.78	68.20	-13.42	41.55	34.60	10.28	31.65	0.00	307	93 PEAK	2	5650.32	52.63	68.43	-15.80	39.41	34.60	10.28	31.66	0.00	307	93 PEAK	3	5719.34	77.64	110.71	-33.07	64.49	34.64	10.34	31.83	0.00	307	93 PEAK	4	5720.06	77.91	111.04	-33.13	64.76	34.64	10.34	31.83	0.00	307	93 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>117.32</td><td>-----</td><td>-----</td><td>104.16</td><td>34.69</td><td>10.36</td><td>31.89</td><td>0.00</td><td>307</td><td>93 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	117.32	-----	-----	104.16	34.69	10.36	31.89	0.00	307
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5648.00	54.78	68.20	-13.42	41.55	34.60	10.28	31.65	0.00	307	93 PEAK																																																																																																																													
2	5650.32	52.63	68.43	-15.80	39.41	34.60	10.28	31.66	0.00	307	93 PEAK																																																																																																																													
3	5719.34	77.64	110.71	-33.07	64.49	34.64	10.34	31.83	0.00	307	93 PEAK																																																																																																																													
4	5720.06	77.91	111.04	-33.13	64.76	34.64	10.34	31.83	0.00	307	93 PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5745.00	117.32	-----	-----	104.16	34.69	10.36	31.89	0.00	307	93 PEAK																																																																																																																													
Avg	Blank																																																																																																																																							
											<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>107.88</td><td>-----</td><td>-----</td><td>94.72</td><td>34.69</td><td>10.36</td><td>31.89</td><td>0.00</td><td>307</td><td>93 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	107.88	-----	-----	94.72	34.69	10.36	31.89	0.00	307	93 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5745.00	107.88	-----	-----	94.72	34.69	10.36	31.89	0.00	307	93 AVERAGE																																																																																																																													






Mode	63																																																																																																																							
	Band Edge																																																																																																																							
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full RU_5745MHz																																																																																																																							
ANT	CDD 1+2																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																	
Peak																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5633.93</td><td>54.94</td><td>68.20</td><td>-13.26</td><td>41.73</td><td>34.57</td><td>10.27</td><td>31.63</td><td>0.00</td><td>187</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5652.78</td><td>53.34</td><td>70.27</td><td>-16.93</td><td>40.11</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>187</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5707.01</td><td>65.03</td><td>107.26</td><td>-42.23</td><td>51.89</td><td>34.61</td><td>10.33</td><td>31.80</td><td>0.00</td><td>187</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5720.93</td><td>73.16</td><td>113.02</td><td>-39.86</td><td>60.01</td><td>34.64</td><td>10.34</td><td>31.83</td><td>0.00</td><td>187</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5633.93	54.94	68.20	-13.26	41.73	34.57	10.27	31.63	0.00	187	360	PEAK	2	5652.78	53.34	70.27	-16.93	40.11	34.60	10.29	31.66	0.00	187	360	PEAK	3	5707.01	65.03	107.26	-42.23	51.89	34.61	10.33	31.80	0.00	187	360	PEAK	4	5720.93	73.16	113.02	-39.86	60.01	34.64	10.34	31.83	0.00	187	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>111.81</td><td>-----</td><td>-----</td><td>98.65</td><td>34.70</td><td>10.37</td><td>31.91</td><td>0.00</td><td>187</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	111.81	-----	-----	98.65	34.70	10.37	31.91	0.00	187	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																														
1	5633.93	54.94	68.20	-13.26	41.73	34.57	10.27	31.63	0.00	187	360	PEAK																																																																																																												
2	5652.78	53.34	70.27	-16.93	40.11	34.60	10.29	31.66	0.00	187	360	PEAK																																																																																																												
3	5707.01	65.03	107.26	-42.23	51.89	34.61	10.33	31.80	0.00	187	360	PEAK																																																																																																												
4	5720.93	73.16	113.02	-39.86	60.01	34.64	10.34	31.83	0.00	187	360	PEAK																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																														
1	5745.00	111.81	-----	-----	98.65	34.70	10.37	31.91	0.00	187	360	PEAK																																																																																																												
Avg	Blank																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>101.72</td><td>-----</td><td>-----</td><td>88.56</td><td>34.69</td><td>10.36</td><td>31.89</td><td>0.00</td><td>187</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	101.72	-----	-----	88.56	34.69	10.36	31.89	0.00	187	360	AVERAGE																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																														
1	5745.00	101.72	-----	-----	88.56	34.69	10.36	31.89	0.00	187	360	AVERAGE																																																																																																												





Mode	63																																																																																																									
	Harmonic																																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full RU_5745MHz																																																																																																									
ANT	CDD 1+2																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>47.09</td><td>74.00</td><td>-26.91</td><td>55.17</td><td>38.19</td><td>14.91</td><td>61.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table> <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>46.23</td><td>74.00</td><td>-27.77</td><td>54.31</td><td>38.19</td><td>14.91</td><td>61.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	47.09	74.00	-26.91	55.17	38.19	14.91	61.18	0.00	---	---	PEAK		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	46.23	74.00	-27.77	54.31	38.19	14.91	61.18	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11490.00	47.09	74.00	-26.91	55.17	38.19	14.91	61.18	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11490.00	46.23	74.00	-27.77	54.31	38.19	14.91	61.18	0.00	---	---	PEAK																																																																																														






Mode	64																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_52/37_5745MHz																																																																																																																																			
ANT	CDD 1+2																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5644.66</td><td>55.78</td><td>68.20</td><td>-12.42</td><td>42.55</td><td>34.59</td><td>10.28</td><td>31.64</td><td>0.00</td><td>337</td><td>259 PEAK</td></tr><tr><td>2 5650.17</td><td>54.29</td><td>68.33</td><td>-14.04</td><td>41.07</td><td>34.60</td><td>10.28</td><td>31.66</td><td>0.00</td><td>337</td><td>259 PEAK</td></tr><tr><td>3 5704.26</td><td>56.64</td><td>106.49</td><td>-49.85</td><td>43.49</td><td>34.61</td><td>10.33</td><td>31.79</td><td>0.00</td><td>337</td><td>259 PEAK</td></tr><tr><td>4 5720.06</td><td>55.82</td><td>111.04</td><td>-55.22</td><td>42.67</td><td>34.64</td><td>10.34</td><td>31.83</td><td>0.00</td><td>337</td><td>259 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5644.66	55.78	68.20	-12.42	42.55	34.59	10.28	31.64	0.00	337	259 PEAK	2 5650.17	54.29	68.33	-14.04	41.07	34.60	10.28	31.66	0.00	337	259 PEAK	3 5704.26	56.64	106.49	-49.85	43.49	34.61	10.33	31.79	0.00	337	259 PEAK	4 5720.06	55.82	111.04	-55.22	42.67	34.64	10.34	31.83	0.00	337	259 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>115.38</td><td>-----</td><td>-----</td><td>102.22</td><td>34.68</td><td>10.36</td><td>31.88</td><td>0.00</td><td>337</td><td>259 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	115.38	-----	-----	102.22	34.68	10.36	31.88	0.00	337	259 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5644.66	55.78	68.20	-12.42	42.55	34.59	10.28	31.64	0.00	337	259 PEAK																																																																																																																										
2 5650.17	54.29	68.33	-14.04	41.07	34.60	10.28	31.66	0.00	337	259 PEAK																																																																																																																										
3 5704.26	56.64	106.49	-49.85	43.49	34.61	10.33	31.79	0.00	337	259 PEAK																																																																																																																										
4 5720.06	55.82	111.04	-55.22	42.67	34.64	10.34	31.83	0.00	337	259 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5745.00	115.38	-----	-----	102.22	34.68	10.36	31.88	0.00	337	259 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>107.27</td><td>-----</td><td>-----</td><td>94.11</td><td>34.68</td><td>10.36</td><td>31.88</td><td>0.00</td><td>337</td><td>259 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	107.27	-----	-----	94.11	34.68	10.36	31.88	0.00	337	259 AVERAGE																																																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5745.00	107.27	-----	-----	94.11	34.68	10.36	31.88	0.00	337	259 AVERAGE																																																																																																																										





	64																																																																																						
Mode	Band Edge																																																																																						
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_52/37_5745MHz																																																																																						
ANT	CDD 1+2																																																																																						
Pol.	Vertical																																																																																						
Peak																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5649.16</td><td>54.47</td><td>68.20</td><td>-13.73</td><td>41.24</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>382</td><td>73 PEAK</td></tr><tr><td>2 5650.32</td><td>53.79</td><td>68.43</td><td>-14.64</td><td>40.57</td><td>34.60</td><td>10.28</td><td>31.66</td><td>0.00</td><td>382</td><td>73 PEAK</td></tr><tr><td>3 5702.81</td><td>54.46</td><td>106.09</td><td>-51.63</td><td>41.30</td><td>34.61</td><td>10.33</td><td>31.78</td><td>0.00</td><td>382</td><td>73 PEAK</td></tr><tr><td>4 5720.79</td><td>55.01</td><td>112.69</td><td>-57.68</td><td>41.86</td><td>34.64</td><td>10.34</td><td>31.83</td><td>0.00</td><td>382</td><td>73 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5649.16	54.47	68.20	-13.73	41.24	34.60	10.28	31.65	0.00	382	73 PEAK	2 5650.32	53.79	68.43	-14.64	40.57	34.60	10.28	31.66	0.00	382	73 PEAK	3 5702.81	54.46	106.09	-51.63	41.30	34.61	10.33	31.78	0.00	382	73 PEAK	4 5720.79	55.01	112.69	-57.68	41.86	34.64	10.34	31.83	0.00	382
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 5649.16	54.47	68.20	-13.73	41.24	34.60	10.28	31.65	0.00	382	73 PEAK																																																																													
2 5650.32	53.79	68.43	-14.64	40.57	34.60	10.28	31.66	0.00	382	73 PEAK																																																																													
3 5702.81	54.46	106.09	-51.63	41.30	34.61	10.33	31.78	0.00	382	73 PEAK																																																																													
4 5720.79	55.01	112.69	-57.68	41.86	34.64	10.34	31.83	0.00	382	73 PEAK																																																																													
Avg	Blank																																																																																						
																																																																																							
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5745.00</td><td>100.73</td><td>-----</td><td>-----</td><td>87.57</td><td>34.68</td><td>10.36</td><td>31.88</td><td>0.00</td><td>382</td><td>73 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	100.73	-----	-----	87.57	34.68	10.36	31.88	0.00	382	73 AVERAGE																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 5745.00	100.73	-----	-----	87.57	34.68	10.36	31.88	0.00	382	73 AVERAGE																																																																													





	65																																																																																																																				
Mode	Band Edge																																																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_53+4_5745MHz																																																																																																																				
ANT	CDD 1+2																																																																																																																				
Pol.	Horizontal						Fundamental																																																																																																														
Peak																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5633.06</td><td>54.91</td><td>68.20</td><td>-13.29</td><td>41.70</td><td>34.57</td><td>10.27</td><td>31.63</td><td>0.00</td><td>322</td><td>286 PEAK</td></tr><tr><td>2</td><td>5662.21</td><td>62.39</td><td>77.29</td><td>-14.90</td><td>49.18</td><td>34.60</td><td>10.29</td><td>31.68</td><td>0.00</td><td>322</td><td>286 PEAK</td></tr><tr><td>3</td><td>5719.63</td><td>84.99</td><td>110.80</td><td>-25.81</td><td>71.84</td><td>34.64</td><td>10.34</td><td>31.83</td><td>0.00</td><td>322</td><td>286 PEAK</td></tr><tr><td>4</td><td>5721.66</td><td>88.24</td><td>114.67</td><td>-26.43</td><td>75.09</td><td>34.64</td><td>10.34</td><td>31.83</td><td>0.00</td><td>322</td><td>286 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5633.06	54.91	68.20	-13.29	41.70	34.57	10.27	31.63	0.00	322	286 PEAK	2	5662.21	62.39	77.29	-14.90	49.18	34.60	10.29	31.68	0.00	322	286 PEAK	3	5719.63	84.99	110.80	-25.81	71.84	34.64	10.34	31.83	0.00	322	286 PEAK	4	5721.66	88.24	114.67	-26.43	75.09	34.64	10.34	31.83	0.00	322	286 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>116.66</td><td>-----</td><td>-----</td><td>103.50</td><td>34.69</td><td>10.36</td><td>31.89</td><td>0.00</td><td>322</td><td>286 PEAK</td></tr></tbody></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5745.00	116.66	-----	-----	103.50	34.69	10.36	31.89	0.00	322	286 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																													
1	5633.06	54.91	68.20	-13.29	41.70	34.57	10.27	31.63	0.00	322	286 PEAK																																																																																																										
2	5662.21	62.39	77.29	-14.90	49.18	34.60	10.29	31.68	0.00	322	286 PEAK																																																																																																										
3	5719.63	84.99	110.80	-25.81	71.84	34.64	10.34	31.83	0.00	322	286 PEAK																																																																																																										
4	5721.66	88.24	114.67	-26.43	75.09	34.64	10.34	31.83	0.00	322	286 PEAK																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																													
1	5745.00	116.66	-----	-----	103.50	34.69	10.36	31.89	0.00	322	286 PEAK																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>116.66</td><td>-----</td><td>-----</td><td>103.50</td><td>34.69</td><td>10.36</td><td>31.89</td><td>0.00</td><td>322</td><td>286 PEAK</td></tr></tbody></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5745.00	116.66	-----	-----	103.50	34.69	10.36	31.89	0.00	322	286 PEAK																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																													
1	5745.00	116.66	-----	-----	103.50	34.69	10.36	31.89	0.00	322	286 PEAK																																																																																																										
Avg	Blank																																																																																																																				
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>107.14</td><td>-----</td><td>-----</td><td>93.98</td><td>34.69</td><td>10.36</td><td>31.89</td><td>0.00</td><td>322</td><td>286 AVERAGE</td></tr></tbody></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5745.00	107.14	-----	-----	93.98	34.69	10.36	31.89	0.00	322	286 AVERAGE																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																													
1	5745.00	107.14	-----	-----	93.98	34.69	10.36	31.89	0.00	322	286 AVERAGE																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>107.14</td><td>-----</td><td>-----</td><td>93.98</td><td>34.69</td><td>10.36</td><td>31.89</td><td>0.00</td><td>322</td><td>286 AVERAGE</td></tr></tbody></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5745.00	107.14	-----	-----	93.98	34.69	10.36	31.89	0.00	322	286 AVERAGE																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																													
1	5745.00	107.14	-----	-----	93.98	34.69	10.36	31.89	0.00	322	286 AVERAGE																																																																																																										






		65																																																																															
Mode			Band Edge																																																																														
			U-NII-3_5.725-5.85_802.11be EHT20_CH149_53+4_5745MHz																																																																														
ANT			CDD 1+2																																																																														
Pol.			Vertical					Fundamental																																																																									
Peak																																																																																	
			<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5645.97</td><td>55.68</td><td>68.20</td><td>-12.52</td><td>42.45</td><td>34.59</td><td>10.28</td><td>31.64</td><td>0.00</td><td>380</td><td>72 PEAK</td></tr><tr><td>2</td><td>5651.48</td><td>55.05</td><td>69.30</td><td>-14.25</td><td>41.82</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>380</td><td>72 PEAK</td></tr><tr><td>3</td><td>5719.48</td><td>84.24</td><td>110.75</td><td>-26.51</td><td>71.09</td><td>34.64</td><td>10.34</td><td>31.83</td><td>0.00</td><td>380</td><td>72 PEAK</td></tr><tr><td>4</td><td>5720.64</td><td>84.43</td><td>112.36</td><td>-27.93</td><td>71.28</td><td>34.64</td><td>10.34</td><td>31.83</td><td>0.00</td><td>380</td><td>72 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5645.97	55.68	68.20	-12.52	42.45	34.59	10.28	31.64	0.00	380	72 PEAK	2	5651.48	55.05	69.30	-14.25	41.82	34.60	10.29	31.66	0.00	380	72 PEAK	3	5719.48	84.24	110.75	-26.51	71.09	34.64	10.34	31.83	0.00	380	72 PEAK	4	5720.64	84.43	112.36	-27.93	71.28	34.64	10.34	31.83	0.00	380
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																							
1	5645.97	55.68	68.20	-12.52	42.45	34.59	10.28	31.64	0.00	380	72 PEAK																																																																						
2	5651.48	55.05	69.30	-14.25	41.82	34.60	10.29	31.66	0.00	380	72 PEAK																																																																						
3	5719.48	84.24	110.75	-26.51	71.09	34.64	10.34	31.83	0.00	380	72 PEAK																																																																						
4	5720.64	84.43	112.36	-27.93	71.28	34.64	10.34	31.83	0.00	380	72 PEAK																																																																						
Avg			Blank																																																																														
								<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>100.22</td><td>-----</td><td>-----</td><td>87.06</td><td>34.68</td><td>10.36</td><td>31.88</td><td>0.00</td><td>380</td><td>72 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	100.22	-----	-----	87.06	34.68	10.36	31.88	0.00	380	72 AVERAGE																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																							
1	5745.00	100.22	-----	-----	87.06	34.68	10.36	31.88	0.00	380	72 AVERAGE																																																																						






Mode	66																																																																																																								
	Harmonic																																																																																																								
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full RU_5785MHz																																																																																																								
ANT	CDD 1+2																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11570.00</td><td>46.06</td><td>74.00</td><td>-27.94</td><td>54.12</td><td>38.13</td><td>14.97</td><td>61.16</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11570.00	46.06	74.00	-27.94	54.12	38.13	14.97	61.16	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11570.00</td><td>46.03</td><td>74.00</td><td>-27.97</td><td>54.09</td><td>38.13</td><td>14.97</td><td>61.16</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11570.00	46.03	74.00	-27.97	54.09	38.13	14.97	61.16	0.00	---	---
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 11570.00	46.06	74.00	-27.94	54.12	38.13	14.97	61.16	0.00	---	---	PEAK																																																																																														
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 11570.00	46.03	74.00	-27.97	54.09	38.13	14.97	61.16	0.00	---	---	PEAK																																																																																														





Mode	67																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full RU_5825MHz																																																																																																																																			
ANT	CDD 1+2																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.75</td><td>72.28</td><td>111.47</td><td>-39.19</td><td>59.06</td><td>34.93</td><td>10.45</td><td>32.16</td><td>0.00</td><td>300</td><td>105 PEAK</td></tr><tr><td>2 5858.25</td><td>72.93</td><td>109.99</td><td>-37.06</td><td>59.68</td><td>34.95</td><td>10.46</td><td>32.16</td><td>0.00</td><td>300</td><td>105 PEAK</td></tr><tr><td>3 5919.63</td><td>58.09</td><td>72.17</td><td>-14.08</td><td>44.54</td><td>35.20</td><td>10.51</td><td>32.16</td><td>0.00</td><td>300</td><td>105 PEAK</td></tr><tr><td>4 5939.50</td><td>55.25</td><td>68.20</td><td>-12.95</td><td>41.69</td><td>35.20</td><td>10.53</td><td>32.17</td><td>0.00</td><td>300</td><td>105 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.75	72.28	111.47	-39.19	59.06	34.93	10.45	32.16	0.00	300	105 PEAK	2 5858.25	72.93	109.99	-37.06	59.68	34.95	10.46	32.16	0.00	300	105 PEAK	3 5919.63	58.09	72.17	-14.08	44.54	35.20	10.51	32.16	0.00	300	105 PEAK	4 5939.50	55.25	68.20	-12.95	41.69	35.20	10.53	32.17	0.00	300	105 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>116.73</td><td>-----</td><td>-----</td><td>103.61</td><td>34.77</td><td>10.42</td><td>32.07</td><td>0.00</td><td>300</td><td>105 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	116.73	-----	-----	103.61	34.77	10.42	32.07	0.00	300	105 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5854.75	72.28	111.47	-39.19	59.06	34.93	10.45	32.16	0.00	300	105 PEAK																																																																																																																										
2 5858.25	72.93	109.99	-37.06	59.68	34.95	10.46	32.16	0.00	300	105 PEAK																																																																																																																										
3 5919.63	58.09	72.17	-14.08	44.54	35.20	10.51	32.16	0.00	300	105 PEAK																																																																																																																										
4 5939.50	55.25	68.20	-12.95	41.69	35.20	10.53	32.17	0.00	300	105 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	116.73	-----	-----	103.61	34.77	10.42	32.07	0.00	300	105 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>107.31</td><td>-----</td><td>-----</td><td>94.16</td><td>34.80</td><td>10.43</td><td>32.08</td><td>0.00</td><td>300</td><td>105 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	107.31	-----	-----	94.16	34.80	10.43	32.08	0.00	300	105 AVERAGE																																																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	107.31	-----	-----	94.16	34.80	10.43	32.08	0.00	300	105 AVERAGE																																																																																																																										






	67																																																																																																																																		
Mode	Band Edge																																																																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full RU_5825MHz																																																																																																																																		
ANT	CDD 1+2																																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.63</td><td>69.48</td><td>111.75</td><td>-42.27</td><td>56.26</td><td>34.93</td><td>10.45</td><td>32.16</td><td>0.00</td><td>196</td><td>360 PEAK</td></tr><tr><td>2 5855.00</td><td>65.32</td><td>110.90</td><td>-45.58</td><td>52.10</td><td>34.93</td><td>10.45</td><td>32.16</td><td>0.00</td><td>196</td><td>360 PEAK</td></tr><tr><td>3 5924.25</td><td>53.34</td><td>68.75</td><td>-15.41</td><td>39.79</td><td>35.20</td><td>10.51</td><td>32.16</td><td>0.00</td><td>196</td><td>360 PEAK</td></tr><tr><td>4 5936.00</td><td>55.31</td><td>68.20</td><td>-12.89</td><td>41.74</td><td>35.20</td><td>10.53</td><td>32.16</td><td>0.00</td><td>196</td><td>360 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.63	69.48	111.75	-42.27	56.26	34.93	10.45	32.16	0.00	196	360 PEAK	2 5855.00	65.32	110.90	-45.58	52.10	34.93	10.45	32.16	0.00	196	360 PEAK	3 5924.25	53.34	68.75	-15.41	39.79	35.20	10.51	32.16	0.00	196	360 PEAK	4 5936.00	55.31	68.20	-12.89	41.74	35.20	10.53	32.16	0.00	196	360 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>112.40</td><td>-----</td><td>-----</td><td>99.25</td><td>34.82</td><td>10.43</td><td>32.10</td><td>0.00</td><td>196</td><td>360 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	112.40	-----	-----	99.25	34.82	10.43	32.10	0.00	196
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5854.63	69.48	111.75	-42.27	56.26	34.93	10.45	32.16	0.00	196	360 PEAK																																																																																																																									
2 5855.00	65.32	110.90	-45.58	52.10	34.93	10.45	32.16	0.00	196	360 PEAK																																																																																																																									
3 5924.25	53.34	68.75	-15.41	39.79	35.20	10.51	32.16	0.00	196	360 PEAK																																																																																																																									
4 5936.00	55.31	68.20	-12.89	41.74	35.20	10.53	32.16	0.00	196	360 PEAK																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5825.00	112.40	-----	-----	99.25	34.82	10.43	32.10	0.00	196	360 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>100.91</td><td>-----</td><td>-----</td><td>87.76</td><td>34.82</td><td>10.43</td><td>32.10</td><td>0.00</td><td>196</td><td>360 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	100.91	-----	-----	87.76	34.82	10.43	32.10	0.00	196	360 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5825.00	100.91	-----	-----	87.76	34.82	10.43	32.10	0.00	196	360 AVERAGE																																																																																																																									






		67																															
Mode		Harmonic																															
		U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full RU_5825MHz																															
ANT		CDD 1+2																															
Pol.		Horizontal																															
Peak Avg																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1 11650.00	46.93	74.00	-27.07	54.79	38.25	15.02	61.13	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																							
1 11650.00	46.93	74.00	-27.07	54.79	38.25	15.02	61.13	0.00	---	---	PEAK																						
		Vertical																															
Peak Avg																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1 11650.00	45.97	74.00	-28.03	53.83	38.25	15.02	61.13	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																							
1 11650.00	45.97	74.00	-28.03	53.83	38.25	15.02	61.13	0.00	---	---	PEAK																						






Mode	68																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_26/8_5825MHz																																																																																																																																								
ANT	CDD 1+2																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>55.03</td><td>110.90</td><td>-55.87</td><td>41.81</td><td>34.93</td><td>10.45</td><td>32.16</td><td>0.00</td><td>343</td><td>265 PEAK</td></tr><tr><td>2</td><td>5873.88</td><td>56.25</td><td>105.61</td><td>-49.36</td><td>42.90</td><td>35.04</td><td>10.47</td><td>32.16</td><td>0.00</td><td>343</td><td>265 PEAK</td></tr><tr><td>3</td><td>5923.50</td><td>54.49</td><td>69.31</td><td>-14.82</td><td>40.94</td><td>35.20</td><td>10.51</td><td>32.16</td><td>0.00</td><td>343</td><td>265 PEAK</td></tr><tr><td>4</td><td>5926.38</td><td>55.92</td><td>68.20</td><td>-12.28</td><td>42.36</td><td>35.20</td><td>10.52</td><td>32.16</td><td>0.00</td><td>343</td><td>265 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5855.00	55.03	110.90	-55.87	41.81	34.93	10.45	32.16	0.00	343	265 PEAK	2	5873.88	56.25	105.61	-49.36	42.90	35.04	10.47	32.16	0.00	343	265 PEAK	3	5923.50	54.49	69.31	-14.82	40.94	35.20	10.51	32.16	0.00	343	265 PEAK	4	5926.38	55.92	68.20	-12.28	42.36	35.20	10.52	32.16	0.00	343	265 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>115.48</td><td>-----</td><td>-----</td><td>102.31</td><td>34.84</td><td>10.44</td><td>32.11</td><td>0.00</td><td>343</td><td>265 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	115.48	-----	-----	102.31	34.84	10.44	32.11	0.00	343	265 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5855.00	55.03	110.90	-55.87	41.81	34.93	10.45	32.16	0.00	343	265 PEAK																																																																																																																														
2	5873.88	56.25	105.61	-49.36	42.90	35.04	10.47	32.16	0.00	343	265 PEAK																																																																																																																														
3	5923.50	54.49	69.31	-14.82	40.94	35.20	10.51	32.16	0.00	343	265 PEAK																																																																																																																														
4	5926.38	55.92	68.20	-12.28	42.36	35.20	10.52	32.16	0.00	343	265 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	115.48	-----	-----	102.31	34.84	10.44	32.11	0.00	343	265 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>107.63</td><td>-----</td><td>-----</td><td>94.46</td><td>34.84</td><td>10.44</td><td>32.11</td><td>0.00</td><td>343</td><td>265 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	107.63	-----	-----	94.46	34.84	10.44	32.11	0.00	343	265 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5825.00	107.63	-----	-----	94.46	34.84	10.44	32.11	0.00	343	265 AVERAGE																																																																																																																														






Mode	68																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_26/8_5825MHz																																																																																																																																			
ANT	CDD 1+2																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.63</td><td>54.98</td><td>111.75</td><td>-56.77</td><td>41.76</td><td>34.93</td><td>10.45</td><td>32.16</td><td>0.00</td><td>351</td><td>61 PEAK</td></tr><tr><td>2 5871.38</td><td>54.92</td><td>106.31</td><td>-51.39</td><td>41.58</td><td>35.03</td><td>10.47</td><td>32.16</td><td>0.00</td><td>351</td><td>61 PEAK</td></tr><tr><td>3 5922.75</td><td>54.95</td><td>69.86</td><td>-14.91</td><td>41.40</td><td>35.20</td><td>10.51</td><td>32.16</td><td>0.00</td><td>351</td><td>61 PEAK</td></tr><tr><td>4 5942.13</td><td>54.89</td><td>68.20</td><td>-13.31</td><td>41.33</td><td>35.20</td><td>10.53</td><td>32.17</td><td>0.00</td><td>351</td><td>61 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.63	54.98	111.75	-56.77	41.76	34.93	10.45	32.16	0.00	351	61 PEAK	2 5871.38	54.92	106.31	-51.39	41.58	35.03	10.47	32.16	0.00	351	61 PEAK	3 5922.75	54.95	69.86	-14.91	41.40	35.20	10.51	32.16	0.00	351	61 PEAK	4 5942.13	54.89	68.20	-13.31	41.33	35.20	10.53	32.17	0.00	351	61 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>107.55</td><td>-----</td><td>-----</td><td>94.38</td><td>34.84</td><td>10.44</td><td>32.11</td><td>0.00</td><td>351</td><td>61 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	107.55	-----	-----	94.38	34.84	10.44	32.11	0.00	351	61 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5854.63	54.98	111.75	-56.77	41.76	34.93	10.45	32.16	0.00	351	61 PEAK																																																																																																																										
2 5871.38	54.92	106.31	-51.39	41.58	35.03	10.47	32.16	0.00	351	61 PEAK																																																																																																																										
3 5922.75	54.95	69.86	-14.91	41.40	35.20	10.51	32.16	0.00	351	61 PEAK																																																																																																																										
4 5942.13	54.89	68.20	-13.31	41.33	35.20	10.53	32.17	0.00	351	61 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	107.55	-----	-----	94.38	34.84	10.44	32.11	0.00	351	61 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>100.12</td><td>-----</td><td>-----</td><td>86.95</td><td>34.84</td><td>10.44</td><td>32.11</td><td>0.00</td><td>351</td><td>61 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	100.12	-----	-----	86.95	34.84	10.44	32.11	0.00	351	61 AVERAGE																																																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	100.12	-----	-----	86.95	34.84	10.44	32.11	0.00	351	61 AVERAGE																																																																																																																										





Mode	69																																																																																																																																		
	Band Edge																																																																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_40+6_5825MHz																																																																																																																																		
ANT	CDD 1+2																																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.50</td><td>58.41</td><td>112.04</td><td>-53.63</td><td>45.19</td><td>34.93</td><td>10.45</td><td>32.16</td><td>0.00</td><td>324</td><td>102 PEAK</td></tr><tr><td>2 5874.38</td><td>57.18</td><td>105.47</td><td>-48.29</td><td>43.82</td><td>35.05</td><td>10.47</td><td>32.16</td><td>0.00</td><td>324</td><td>102 PEAK</td></tr><tr><td>3 5924.50</td><td>55.72</td><td>68.57</td><td>-12.85</td><td>42.16</td><td>35.20</td><td>10.52</td><td>32.16</td><td>0.00</td><td>324</td><td>102 PEAK</td></tr><tr><td>4 5932.00</td><td>56.67</td><td>68.20</td><td>-11.53</td><td>43.11</td><td>35.20</td><td>10.52</td><td>32.16</td><td>0.00</td><td>324</td><td>102 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.50	58.41	112.04	-53.63	45.19	34.93	10.45	32.16	0.00	324	102 PEAK	2 5874.38	57.18	105.47	-48.29	43.82	35.05	10.47	32.16	0.00	324	102 PEAK	3 5924.50	55.72	68.57	-12.85	42.16	35.20	10.52	32.16	0.00	324	102 PEAK	4 5932.00	56.67	68.20	-11.53	43.11	35.20	10.52	32.16	0.00	324	102 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>117.04</td><td>-----</td><td>-----</td><td>103.89</td><td>34.82</td><td>10.43</td><td>32.10</td><td>0.00</td><td>324</td><td>102 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	117.04	-----	-----	103.89	34.82	10.43	32.10	0.00	324
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5854.50	58.41	112.04	-53.63	45.19	34.93	10.45	32.16	0.00	324	102 PEAK																																																																																																																									
2 5874.38	57.18	105.47	-48.29	43.82	35.05	10.47	32.16	0.00	324	102 PEAK																																																																																																																									
3 5924.50	55.72	68.57	-12.85	42.16	35.20	10.52	32.16	0.00	324	102 PEAK																																																																																																																									
4 5932.00	56.67	68.20	-11.53	43.11	35.20	10.52	32.16	0.00	324	102 PEAK																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5825.00	117.04	-----	-----	103.89	34.82	10.43	32.10	0.00	324	102 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>109.29</td><td>-----</td><td>-----</td><td>96.14</td><td>34.82</td><td>10.43</td><td>32.10</td><td>0.00</td><td>324</td><td>102 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	109.29	-----	-----	96.14	34.82	10.43	32.10	0.00	324	102 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5825.00	109.29	-----	-----	96.14	34.82	10.43	32.10	0.00	324	102 AVERAGE																																																																																																																									




Mode	69																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_40+6_5825MHz																																																																																																																																			
ANT	CDD 1+2																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.63</td><td>53.76</td><td>111.75</td><td>-57.99</td><td>40.54</td><td>34.93</td><td>10.45</td><td>32.16</td><td>0.00</td><td>191</td><td>360 PEAK</td></tr><tr><td>2 5874.00</td><td>55.15</td><td>105.58</td><td>-50.43</td><td>41.80</td><td>35.04</td><td>10.47</td><td>32.16</td><td>0.00</td><td>191</td><td>360 PEAK</td></tr><tr><td>3 5923.63</td><td>55.31</td><td>69.22</td><td>-13.91</td><td>41.76</td><td>35.20</td><td>10.51</td><td>32.16</td><td>0.00</td><td>191</td><td>360 PEAK</td></tr><tr><td>4 5936.50</td><td>56.27</td><td>68.20</td><td>-11.93</td><td>42.70</td><td>35.20</td><td>10.53</td><td>32.16</td><td>0.00</td><td>191</td><td>360 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.63	53.76	111.75	-57.99	40.54	34.93	10.45	32.16	0.00	191	360 PEAK	2 5874.00	55.15	105.58	-50.43	41.80	35.04	10.47	32.16	0.00	191	360 PEAK	3 5923.63	55.31	69.22	-13.91	41.76	35.20	10.51	32.16	0.00	191	360 PEAK	4 5936.50	56.27	68.20	-11.93	42.70	35.20	10.53	32.16	0.00	191	360 PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>110.61</td><td>-----</td><td>-----</td><td>97.46</td><td>34.82</td><td>10.43</td><td>32.10</td><td>0.00</td><td>191</td><td>360 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	110.61	-----	-----	97.46	34.82	10.43	32.10	0.00	191	360 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5854.63	53.76	111.75	-57.99	40.54	34.93	10.45	32.16	0.00	191	360 PEAK																																																																																																																										
2 5874.00	55.15	105.58	-50.43	41.80	35.04	10.47	32.16	0.00	191	360 PEAK																																																																																																																										
3 5923.63	55.31	69.22	-13.91	41.76	35.20	10.51	32.16	0.00	191	360 PEAK																																																																																																																										
4 5936.50	56.27	68.20	-11.93	42.70	35.20	10.53	32.16	0.00	191	360 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	110.61	-----	-----	97.46	34.82	10.43	32.10	0.00	191	360 PEAK																																																																																																																										
Avg	Blank						 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>101.27</td><td>-----</td><td>-----</td><td>88.12</td><td>34.82</td><td>10.43</td><td>32.10</td><td>0.00</td><td>191</td><td>360 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	101.27	-----	-----	88.12	34.82	10.43	32.10	0.00	191	360 AVERAGE																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	101.27	-----	-----	88.12	34.82	10.43	32.10	0.00	191	360 AVERAGE																																																																																																																										





Mode	70																																																																																							
	Band Edge - L																																																																																							
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full RU_5755MHz																																																																																							
ANT	CDD 1+2																																																																																							
Pol.	Horizontal																																																																																							
Peak																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5640.77</td><td>59.98</td><td>68.20</td><td>-8.22</td><td>46.75</td><td>34.58</td><td>10.28</td><td>31.63</td><td>0.00</td><td>300</td><td>98 PEAK</td></tr><tr><td>2 5650.69</td><td>59.27</td><td>68.71</td><td>-9.44</td><td>46.04</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>300</td><td>98 PEAK</td></tr><tr><td>3 5700.75</td><td>81.01</td><td>105.51</td><td>-24.50</td><td>67.86</td><td>34.60</td><td>10.33</td><td>31.78</td><td>0.00</td><td>300</td><td>98 PEAK</td></tr><tr><td>4 5720.90</td><td>79.99</td><td>112.95</td><td>-32.96</td><td>66.84</td><td>34.64</td><td>10.34</td><td>31.83</td><td>0.00</td><td>300</td><td>98 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5640.77	59.98	68.20	-8.22	46.75	34.58	10.28	31.63	0.00	300	98 PEAK	2 5650.69	59.27	68.71	-9.44	46.04	34.60	10.29	31.66	0.00	300	98 PEAK	3 5700.75	81.01	105.51	-24.50	67.86	34.60	10.33	31.78	0.00	300	98 PEAK	4 5720.90	79.99	112.95	-32.96	66.84	34.64	10.34	31.83	0.00	300	98 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5640.77	59.98	68.20	-8.22	46.75	34.58	10.28	31.63	0.00	300	98 PEAK																																																																														
2 5650.69	59.27	68.71	-9.44	46.04	34.60	10.29	31.66	0.00	300	98 PEAK																																																																														
3 5700.75	81.01	105.51	-24.50	67.86	34.60	10.33	31.78	0.00	300	98 PEAK																																																																														
4 5720.90	79.99	112.95	-32.96	66.84	34.64	10.34	31.83	0.00	300	98 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>103.34</td><td>-----</td><td>-----</td><td>90.18</td><td>34.67</td><td>10.35</td><td>31.86</td><td>0.00</td><td>300</td><td>98 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	103.34	-----	-----	90.18	34.67	10.35	31.86	0.00	300	98 AVERAGE																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5755.00	103.34	-----	-----	90.18	34.67	10.35	31.86	0.00	300	98 AVERAGE																																																																														




Mode	70																																																																																												
	Band Edge - R																																																																																												
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full RU_5755MHz																																																																																												
ANT	CDD 1+2																																																																																												
Pol.	Horizontal						Fundamental																																																																																						
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>62.63</td><td>111.26</td><td>-48.63</td><td>49.41</td><td>34.93</td><td>10.45</td><td>32.16</td><td>0.00</td><td>300</td><td>98 PEAK</td></tr><tr><td>2</td><td>5871.42</td><td>64.42</td><td>106.30</td><td>-41.88</td><td>51.08</td><td>35.03</td><td>10.47</td><td>32.16</td><td>0.00</td><td>300</td><td>98 PEAK</td></tr><tr><td>3</td><td>5924.65</td><td>54.26</td><td>68.46</td><td>-14.20</td><td>40.70</td><td>35.20</td><td>10.52</td><td>32.16</td><td>0.00</td><td>300</td><td>98 PEAK</td></tr><tr><td>4</td><td>5936.35</td><td>55.01</td><td>68.20</td><td>-13.19</td><td>41.44</td><td>35.20</td><td>10.53</td><td>32.16</td><td>0.00</td><td>300</td><td>98 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.84	62.63	111.26	-48.63	49.41	34.93	10.45	32.16	0.00	300	98 PEAK	2	5871.42	64.42	106.30	-41.88	51.08	35.03	10.47	32.16	0.00	300	98 PEAK	3	5924.65	54.26	68.46	-14.20	40.70	35.20	10.52	32.16	0.00	300	98 PEAK	4	5936.35	55.01	68.20	-13.19	41.44	35.20	10.53	32.16	0.00	300	98 PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5854.84	62.63	111.26	-48.63	49.41	34.93	10.45	32.16	0.00	300	98 PEAK																																																																																		
2	5871.42	64.42	106.30	-41.88	51.08	35.03	10.47	32.16	0.00	300	98 PEAK																																																																																		
3	5924.65	54.26	68.46	-14.20	40.70	35.20	10.52	32.16	0.00	300	98 PEAK																																																																																		
4	5936.35	55.01	68.20	-13.19	41.44	35.20	10.53	32.16	0.00	300	98 PEAK																																																																																		





		70																																																																																														
Mode		Band Edge - L																																																																																														
		U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full RU_5755MHz																																																																																														
ANT		CDD 1+2																																																																																														
Pol.		Fundamental																																																																																														
Peak	Vertical	Fundamental																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5631.16</td><td>57.31</td><td>68.20</td><td>-10.89</td><td>44.11</td><td>34.56</td><td>10.27</td><td>31.63</td><td>0.00</td><td>211</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5654.56</td><td>58.12</td><td>71.60</td><td>-13.48</td><td>44.90</td><td>34.60</td><td>10.29</td><td>31.67</td><td>0.00</td><td>211</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5716.25</td><td>78.65</td><td>109.85</td><td>-31.20</td><td>65.50</td><td>34.63</td><td>10.34</td><td>31.82</td><td>0.00</td><td>211</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5728.28</td><td>76.06</td><td>111.54</td><td>-35.48</td><td>62.91</td><td>34.64</td><td>10.34</td><td>31.83</td><td>0.00</td><td>211</td><td>360</td><td>PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5631.16	57.31	68.20	-10.89	44.11	34.56	10.27	31.63	0.00	211	360	PEAK	2	5654.56	58.12	71.60	-13.48	44.90	34.60	10.29	31.67	0.00	211	360	PEAK	3	5716.25	78.65	109.85	-31.20	65.50	34.63	10.34	31.82	0.00	211	360	PEAK	4	5728.28	76.06	111.54	-35.48	62.91	34.64	10.34	31.83	0.00	211	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5631.16	57.31	68.20	-10.89	44.11	34.56	10.27	31.63	0.00	211	360	PEAK																																																																																				
2	5654.56	58.12	71.60	-13.48	44.90	34.60	10.29	31.67	0.00	211	360	PEAK																																																																																				
3	5716.25	78.65	109.85	-31.20	65.50	34.63	10.34	31.82	0.00	211	360	PEAK																																																																																				
4	5728.28	76.06	111.54	-35.48	62.91	34.64	10.34	31.83	0.00	211	360	PEAK																																																																																				
Avg	Blank	Fundamental																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>97.44</td><td>-----</td><td>-----</td><td>84.29</td><td>34.70</td><td>10.37</td><td>31.92</td><td>0.00</td><td>211</td><td>360</td><td>AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	97.44	-----	-----	84.29	34.70	10.37	31.92	0.00	211	360	AVERAGE																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5755.00	97.44	-----	-----	84.29	34.70	10.37	31.92	0.00	211	360	AVERAGE																																																																																				






Mode	70																																																																																																
	Band Edge - R																																																																																																
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full RU_5755MHz																																																																																																
ANT	CDD 1+2																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>54.65</td><td>111.26</td><td>-56.61</td><td>41.43</td><td>34.93</td><td>10.45</td><td>32.16</td><td>0.00</td><td>211</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5874.15</td><td>55.15</td><td>105.54</td><td>-50.39</td><td>41.80</td><td>35.04</td><td>10.47</td><td>32.16</td><td>0.00</td><td>211</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5924.65</td><td>54.44</td><td>68.46</td><td>-14.02</td><td>40.88</td><td>35.20</td><td>10.52</td><td>32.16</td><td>0.00</td><td>211</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5935.57</td><td>54.47</td><td>68.20</td><td>-13.73</td><td>40.91</td><td>35.20</td><td>10.52</td><td>32.16</td><td>0.00</td><td>211</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.84	54.65	111.26	-56.61	41.43	34.93	10.45	32.16	0.00	211	360	PEAK	2	5874.15	55.15	105.54	-50.39	41.80	35.04	10.47	32.16	0.00	211	360	PEAK	3	5924.65	54.44	68.46	-14.02	40.88	35.20	10.52	32.16	0.00	211	360	PEAK	4	5935.57	54.47	68.20	-13.73	40.91	35.20	10.52	32.16	0.00	211	360	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5854.84	54.65	111.26	-56.61	41.43	34.93	10.45	32.16	0.00	211	360	PEAK																																																																																					
2	5874.15	55.15	105.54	-50.39	41.80	35.04	10.47	32.16	0.00	211	360	PEAK																																																																																					
3	5924.65	54.44	68.46	-14.02	40.88	35.20	10.52	32.16	0.00	211	360	PEAK																																																																																					
4	5935.57	54.47	68.20	-13.73	40.91	35.20	10.52	32.16	0.00	211	360	PEAK																																																																																					




Mode	70																																																																																																								
	Harmonic																																																																																																								
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full RU_5755MHz																																																																																																								
ANT	CDD 1+2																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>45.15</td><td>74.00</td><td>-28.85</td><td>53.22</td><td>38.19</td><td>14.92</td><td>61.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	45.15	74.00	-28.85	53.22	38.19	14.92	61.18	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>45.33</td><td>74.00</td><td>-28.67</td><td>53.40</td><td>38.19</td><td>14.92</td><td>61.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	45.33	74.00	-28.67	53.40	38.19	14.92	61.18	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11510.00	45.15	74.00	-28.85	53.22	38.19	14.92	61.18	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11510.00	45.33	74.00	-28.67	53.40	38.19	14.92	61.18	0.00	---	---	PEAK																																																																																													






		71																																																																																																																																					
Mode		Band Edge - L																																																																																																																																					
		U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full RU_5795MHz																																																																																																																																					
ANT		CDD 1+2																																																																																																																																					
Pol.		Horizontal					Fundamental																																																																																																																																
Peak																																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5648.56</td><td>59.60</td><td>68.20</td><td>-8.60</td><td>46.37</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>317</td><td>92 PEAK</td></tr><tr><td>2</td><td>5654.02</td><td>60.94</td><td>71.19</td><td>-10.25</td><td>47.71</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>317</td><td>92 PEAK</td></tr><tr><td>3</td><td>5700.23</td><td>64.69</td><td>105.36</td><td>-40.67</td><td>51.55</td><td>34.60</td><td>10.32</td><td>31.78</td><td>0.00</td><td>317</td><td>92 PEAK</td></tr><tr><td>4</td><td>5720.12</td><td>69.53</td><td>111.17</td><td>-41.64</td><td>56.38</td><td>34.64</td><td>10.34</td><td>31.83</td><td>0.00</td><td>317</td><td>92 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5648.56	59.60	68.20	-8.60	46.37	34.60	10.28	31.65	0.00	317	92 PEAK	2	5654.02	60.94	71.19	-10.25	47.71	34.60	10.29	31.66	0.00	317	92 PEAK	3	5700.23	64.69	105.36	-40.67	51.55	34.60	10.32	31.78	0.00	317	92 PEAK	4	5720.12	69.53	111.17	-41.64	56.38	34.64	10.34	31.83	0.00	317	92 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>115.34</td><td>-----</td><td>-----</td><td>102.25</td><td>34.70</td><td>10.41</td><td>32.02</td><td>0.00</td><td>317</td><td>92 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	115.34	-----	-----	102.25	34.70	10.41	32.02	0.00	317
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																													
1	5648.56	59.60	68.20	-8.60	46.37	34.60	10.28	31.65	0.00	317	92 PEAK																																																																																																																												
2	5654.02	60.94	71.19	-10.25	47.71	34.60	10.29	31.66	0.00	317	92 PEAK																																																																																																																												
3	5700.23	64.69	105.36	-40.67	51.55	34.60	10.32	31.78	0.00	317	92 PEAK																																																																																																																												
4	5720.12	69.53	111.17	-41.64	56.38	34.64	10.34	31.83	0.00	317	92 PEAK																																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																													
1	5795.00	115.34	-----	-----	102.25	34.70	10.41	32.02	0.00	317	92 PEAK																																																																																																																												
Avg	Blank																																																																																																																																						
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>103.81</td><td>-----</td><td>-----</td><td>90.69</td><td>34.70</td><td>10.39</td><td>31.97</td><td>0.00</td><td>317</td><td>92 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	103.81	-----	-----	90.69	34.70	10.39	31.97	0.00	317	92 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																													
1	5795.00	103.81	-----	-----	90.69	34.70	10.39	31.97	0.00	317	92 AVERAGE																																																																																																																												




Mode	71																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full RU_5795MHz																																																																																		
ANT	CDD 1+2																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.68</td><td>67.21</td><td>111.64</td><td>-44.43</td><td>53.99</td><td>34.93</td><td>10.45</td><td>32.16</td><td>0.00</td><td>317</td><td>92 PEAK</td></tr><tr><td>2</td><td>5874.36</td><td>69.72</td><td>105.48</td><td>-35.76</td><td>56.36</td><td>35.05</td><td>10.47</td><td>32.16</td><td>0.00</td><td>317</td><td>92 PEAK</td></tr><tr><td>3</td><td>5923.50</td><td>60.21</td><td>69.31</td><td>-9.10</td><td>46.66</td><td>35.20</td><td>10.51</td><td>32.16</td><td>0.00</td><td>317</td><td>92 PEAK</td></tr><tr><td>4</td><td>5929.23</td><td>61.97</td><td>68.20</td><td>-6.23</td><td>48.41</td><td>35.20</td><td>10.52</td><td>32.16</td><td>0.00</td><td>317</td><td>92 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.68	67.21	111.64	-44.43	53.99	34.93	10.45	32.16	0.00	317	92 PEAK	2	5874.36	69.72	105.48	-35.76	56.36	35.05	10.47	32.16	0.00	317	92 PEAK	3	5923.50	60.21	69.31	-9.10	46.66	35.20	10.51	32.16	0.00	317	92 PEAK	4	5929.23	61.97	68.20	-6.23	48.41	35.20	10.52	32.16	0.00	317	92 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.68	67.21	111.64	-44.43	53.99	34.93	10.45	32.16	0.00	317	92 PEAK																																																																								
2	5874.36	69.72	105.48	-35.76	56.36	35.05	10.47	32.16	0.00	317	92 PEAK																																																																								
3	5923.50	60.21	69.31	-9.10	46.66	35.20	10.51	32.16	0.00	317	92 PEAK																																																																								
4	5929.23	61.97	68.20	-6.23	48.41	35.20	10.52	32.16	0.00	317	92 PEAK																																																																								





Mode	71																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full RU_5795MHz																																																																																																																																								
ANT	CDD 1+2																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5649.34	56.54	68.20	-11.66	43.31	34.60	10.28	31.65	0.00	184	360	PEAK	2	5651.29	56.22	69.16	-12.94	42.99	34.60	10.29	31.66	0.00	184	360	PEAK	3	5701.01	63.02	105.58	-42.56	49.87	34.60	10.33	31.78	0.00	184	360	PEAK	4	5720.12	62.65	111.17	-48.52	49.50	34.64	10.34	31.83	0.00	184	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>107.58</td><td>-----</td><td>-----</td><td>94.49</td><td>34.70</td><td>10.41</td><td>32.02</td><td>0.00</td><td>184</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	107.58	-----	-----	94.49	34.70	10.41	32.02	0.00	184	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5649.34	56.54	68.20	-11.66	43.31	34.60	10.28	31.65	0.00	184	360	PEAK																																																																																																																													
2	5651.29	56.22	69.16	-12.94	42.99	34.60	10.29	31.66	0.00	184	360	PEAK																																																																																																																													
3	5701.01	63.02	105.58	-42.56	49.87	34.60	10.33	31.78	0.00	184	360	PEAK																																																																																																																													
4	5720.12	62.65	111.17	-48.52	49.50	34.64	10.34	31.83	0.00	184	360	PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5795.00	107.58	-----	-----	94.49	34.70	10.41	32.02	0.00	184	360	PEAK																																																																																																																													
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>97.71</td><td>-----</td><td>-----</td><td>84.59</td><td>34.70</td><td>10.39</td><td>31.97</td><td>0.00</td><td>184</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	97.71	-----	-----	84.59	34.70	10.39	31.97	0.00	184	360	AVERAGE																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5795.00	97.71	-----	-----	84.59	34.70	10.39	31.97	0.00	184	360	AVERAGE																																																																																																																													






Mode	71																																																																																						
	Band Edge - R																																																																																						
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full RU_5795MHz																																																																																						
ANT	CDD 1+2																																																																																						
Pol.	Vertical	Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.99</td><td>62.35</td><td>110.93</td><td>-48.58</td><td>49.13</td><td>34.93</td><td>10.45</td><td>32.16</td><td>0.00</td><td>184</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5865.37</td><td>67.88</td><td>107.99</td><td>-40.11</td><td>54.59</td><td>34.99</td><td>10.46</td><td>32.16</td><td>0.00</td><td>184</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5923.50</td><td>59.14</td><td>69.31</td><td>-10.17</td><td>45.59</td><td>35.20</td><td>10.51</td><td>32.16</td><td>0.00</td><td>184</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5932.95</td><td>55.13</td><td>68.20</td><td>-13.07</td><td>41.57</td><td>35.20</td><td>10.52</td><td>32.16</td><td>0.00</td><td>184</td><td>360</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.99	62.35	110.93	-48.58	49.13	34.93	10.45	32.16	0.00	184	360	PEAK	2	5865.37	67.88	107.99	-40.11	54.59	34.99	10.46	32.16	0.00	184	360	PEAK	3	5923.50	59.14	69.31	-10.17	45.59	35.20	10.51	32.16	0.00	184	360	PEAK	4	5932.95	55.13	68.20	-13.07	41.57	35.20	10.52	32.16	0.00	184	360	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5854.99	62.35	110.93	-48.58	49.13	34.93	10.45	32.16	0.00	184	360	PEAK																																																																											
2	5865.37	67.88	107.99	-40.11	54.59	34.99	10.46	32.16	0.00	184	360	PEAK																																																																											
3	5923.50	59.14	69.31	-10.17	45.59	35.20	10.51	32.16	0.00	184	360	PEAK																																																																											
4	5932.95	55.13	68.20	-13.07	41.57	35.20	10.52	32.16	0.00	184	360	PEAK																																																																											




		71																																																										
Mode		Harmonic																																																										
		U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full RU_5795MHz																																																										
ANT		CDD 1+2																																																										
Pol.		Horizontal						Vertical																																																				
Peak Avg																																																												
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11590.00</td><td>46.14</td><td>74.00</td><td>-27.86</td><td>54.20</td><td>38.11</td><td>14.98</td><td>61.15</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11590.00	46.14	74.00	-27.86	54.20	38.11	14.98	61.15	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11590.00	46.14	74.00	-27.86	54.20	38.11	14.98	61.15	0.00	---	---	PEAK																																																
																																																												
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11590.00</td><td>45.33</td><td>74.00</td><td>-28.67</td><td>53.39</td><td>38.11</td><td>14.98</td><td>61.15</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11590.00	45.33	74.00	-28.67	53.39	38.11	14.98	61.15	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11590.00	45.33	74.00	-28.67	53.39	38.11	14.98	61.15	0.00	---	---	PEAK																																																






Mode	72																																																																																																																		
	Band Edge - L																																																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full RU_5775MHz																																																																																																																		
ANT	CDD 1+2																																																																																																																		
Pol.	Horizontal										Fundamental																																																																																																								
Peak	 Level (dBuV/m) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td>1</td><td>5643.23</td><td>63.69</td><td>68.20</td><td>-4.51</td><td>50.46</td><td>34.59</td><td>10.28</td><td>31.64</td><td>0.00</td><td>315</td><td>96 PEAK</td></tr><tr><td>2</td><td>5658.98</td><td>68.50</td><td>74.88</td><td>-6.38</td><td>55.29</td><td>34.60</td><td>10.29</td><td>31.68</td><td>0.00</td><td>315</td><td>96 PEAK</td></tr><tr><td>3</td><td>5702.55</td><td>68.32</td><td>106.01</td><td>-37.69</td><td>55.16</td><td>34.61</td><td>10.33</td><td>31.78</td><td>0.00</td><td>315</td><td>96 PEAK</td></tr><tr><td>4</td><td>5720.23</td><td>70.18</td><td>111.41</td><td>-41.23</td><td>57.03</td><td>34.64</td><td>10.34</td><td>31.83</td><td>0.00</td><td>315</td><td>96 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5643.23	63.69	68.20	-4.51	50.46	34.59	10.28	31.64	0.00	315	96 PEAK	2	5658.98	68.50	74.88	-6.38	55.29	34.60	10.29	31.68	0.00	315	96 PEAK	3	5702.55	68.32	106.01	-37.69	55.16	34.61	10.33	31.78	0.00	315	96 PEAK	4	5720.23	70.18	111.41	-41.23	57.03	34.64	10.34	31.83	0.00	315	96 PEAK	 Level (dBuV/m) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td>1</td><td>5775.00</td><td>109.71</td><td>-----</td><td>-----</td><td>96.56</td><td>34.70</td><td>10.37</td><td>31.92</td><td>0.00</td><td>315</td><td>96 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5775.00	109.71	-----	-----	96.56	34.70	10.37	31.92	0.00	315	96 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5643.23	63.69	68.20	-4.51	50.46	34.59	10.28	31.64	0.00	315	96 PEAK																																																																																																								
2	5658.98	68.50	74.88	-6.38	55.29	34.60	10.29	31.68	0.00	315	96 PEAK																																																																																																								
3	5702.55	68.32	106.01	-37.69	55.16	34.61	10.33	31.78	0.00	315	96 PEAK																																																																																																								
4	5720.23	70.18	111.41	-41.23	57.03	34.64	10.34	31.83	0.00	315	96 PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5775.00	109.71	-----	-----	96.56	34.70	10.37	31.92	0.00	315	96 PEAK																																																																																																								
Avg	Blank										 Level (dBuV/m) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td>1</td><td>5775.00</td><td>99.80</td><td>-----</td><td>-----</td><td>86.68</td><td>34.70</td><td>10.39</td><td>31.97</td><td>0.00</td><td>315</td><td>96 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5775.00	99.80	-----	-----	86.68	34.70	10.39	31.97	0.00	315	96 AVERAGE																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5775.00	99.80	-----	-----	86.68	34.70	10.39	31.97	0.00	315	96 AVERAGE																																																																																																								



Mode	72																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full RU_5775MHz																																																																																											
ANT	CDD 1+2																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.98</td><td>68.21</td><td>110.96</td><td>-42.75</td><td>54.99</td><td>34.93</td><td>10.45</td><td>32.16</td><td>0.00</td><td>315</td><td>96 PEAK</td></tr><tr><td>2</td><td>5874.23</td><td>73.50</td><td>105.52</td><td>-32.02</td><td>60.14</td><td>35.05</td><td>10.47</td><td>32.16</td><td>0.00</td><td>315</td><td>96 PEAK</td></tr><tr><td>3</td><td>5923.93</td><td>60.58</td><td>68.99</td><td>-8.41</td><td>47.03</td><td>35.20</td><td>10.51</td><td>32.16</td><td>0.00</td><td>315</td><td>96 PEAK</td></tr><tr><td>4</td><td>5933.90</td><td>60.98</td><td>68.20</td><td>-7.22</td><td>47.42</td><td>35.20</td><td>10.52</td><td>32.16</td><td>0.00</td><td>315</td><td>96 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.98	68.21	110.96	-42.75	54.99	34.93	10.45	32.16	0.00	315	96 PEAK	2	5874.23	73.50	105.52	-32.02	60.14	35.05	10.47	32.16	0.00	315	96 PEAK	3	5923.93	60.58	68.99	-8.41	47.03	35.20	10.51	32.16	0.00	315	96 PEAK	4	5933.90	60.98	68.20	-7.22	47.42	35.20	10.52	32.16	0.00	315	96 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.98	68.21	110.96	-42.75	54.99	34.93	10.45	32.16	0.00	315	96 PEAK																																																																																	
2	5874.23	73.50	105.52	-32.02	60.14	35.05	10.47	32.16	0.00	315	96 PEAK																																																																																	
3	5923.93	60.58	68.99	-8.41	47.03	35.20	10.51	32.16	0.00	315	96 PEAK																																																																																	
4	5933.90	60.98	68.20	-7.22	47.42	35.20	10.52	32.16	0.00	315	96 PEAK																																																																																	



Mode	72																																																																																																													
	Band Edge - L																																																																																																													
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full RU_5775MHz																																																																																																													
ANT	CDD 1+2																																																																																																													
Pol.	Vertical						Fundamental																																																																																																							
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5640.25</td><td>61.94</td><td>68.20</td><td>-6.26</td><td>48.71</td><td>34.58</td><td>10.28</td><td>31.63</td><td>0.00</td><td>191 360 PEAK</td></tr><tr><td>2</td><td>5658.63</td><td>62.91</td><td>74.62</td><td>-11.71</td><td>49.70</td><td>34.60</td><td>10.29</td><td>31.68</td><td>0.00</td><td>191 360 PEAK</td></tr><tr><td>3</td><td>5701.15</td><td>64.84</td><td>105.62</td><td>-40.78</td><td>51.69</td><td>34.60</td><td>10.33</td><td>31.78</td><td>0.00</td><td>191 360 PEAK</td></tr><tr><td>4</td><td>5720.05</td><td>66.13</td><td>111.01</td><td>-44.88</td><td>52.98</td><td>34.64</td><td>10.34</td><td>31.83</td><td>0.00</td><td>191 360 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5640.25	61.94	68.20	-6.26	48.71	34.58	10.28	31.63	0.00	191 360 PEAK	2	5658.63	62.91	74.62	-11.71	49.70	34.60	10.29	31.68	0.00	191 360 PEAK	3	5701.15	64.84	105.62	-40.78	51.69	34.60	10.33	31.78	0.00	191 360 PEAK	4	5720.05	66.13	111.01	-44.88	52.98	34.64	10.34	31.83	0.00	191 360 PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>103.14</td><td>-----</td><td>-----</td><td>89.98</td><td>34.68</td><td>10.36</td><td>31.88</td><td>0.00</td><td>191 360 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5775.00	103.14	-----	-----	89.98	34.68	10.36	31.88	0.00	191 360 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
1	5640.25	61.94	68.20	-6.26	48.71	34.58	10.28	31.63	0.00	191 360 PEAK																																																																																																				
2	5658.63	62.91	74.62	-11.71	49.70	34.60	10.29	31.68	0.00	191 360 PEAK																																																																																																				
3	5701.15	64.84	105.62	-40.78	51.69	34.60	10.33	31.78	0.00	191 360 PEAK																																																																																																				
4	5720.05	66.13	111.01	-44.88	52.98	34.64	10.34	31.83	0.00	191 360 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
1	5775.00	103.14	-----	-----	89.98	34.68	10.36	31.88	0.00	191 360 PEAK																																																																																																				
Avg	Blank						 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>93.53</td><td>-----</td><td>-----</td><td>80.37</td><td>34.68</td><td>10.36</td><td>31.88</td><td>0.00</td><td>191 360 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5775.00	93.53	-----	-----	80.37	34.68	10.36	31.88	0.00	191 360 AVERAGE																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
1	5775.00	93.53	-----	-----	80.37	34.68	10.36	31.88	0.00	191 360 AVERAGE																																																																																																				