

Appendix RF test data for WIFI5G

1. Duty Cycle

1.1 Test Result


1.1.1 Ant1

Ant1							
Mode	TX Type	Frequency (MHz)	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
802.11a	SISO	5180	2.089	2.137	97.75	0.10	0.10
		5200	2.089	2.137	97.75	0.10	0.07
		5240	2.089	2.137	97.75	0.10	0.10
		5260	2.089	2.138	97.71	0.10	0.10
		5300	2.089	2.138	97.71	0.10	0.13
		5320	2.088	2.136	97.75	0.10	0.07
		5500	2.089	2.137	97.75	0.10	0.07
		5580	2.089	2.137	97.75	0.10	0.14
		5700	2.089	2.137	97.75	0.10	0.17
		5745	2.089	2.136	97.80	0.10	0.10
		5785	2.090	2.138	97.75	0.10	0.10
802.11n (HT20)	SISO	5825	2.089	2.137	97.75	0.10	0.14
		5180	3.980	4.027	98.83	0.05	0.04
		5200	3.981	4.030	98.78	0.05	0.10
		5240	3.980	4.029	98.78	0.05	0.07
		5260	3.980	4.029	98.78	0.05	0.07
		5300	3.980	4.028	98.81	0.05	0.07
		5320	3.981	4.030	98.78	0.05	0.07
		5500	3.981	4.027	98.86	0.05	0.04
		5580	3.980	4.028	98.81	0.05	0.03
		5700	3.981	4.030	98.78	0.05	0.10
		5745	3.980	4.027	98.83	0.05	0.03
802.11n (HT40)	SISO	5785	3.982	4.029	98.83	0.05	0.03
		5825	3.980	4.028	98.81	0.05	0.03
		5190	3.981	4.028	98.83	0.05	0.03
		5230	3.980	4.029	98.78	0.05	0.07
		5270	3.981	4.030	98.78	0.05	0.07
		5310	3.980	4.029	98.78	0.05	0.07
		5510	3.980	4.029	98.78	0.05	0.07
		5550	3.980	4.028	98.81	0.05	0.03
802.11ac (VHT20)	SISO	5670	3.980	4.029	98.78	0.05	0.07
		5755	3.980	4.029	98.78	0.05	0.10
		5795	3.980	4.029	98.78	0.05	0.07
		5180	3.957	4.006	98.78	0.05	0.07
		5200	3.956	4.005	98.78	0.05	0.10
		5240	3.956	4.005	98.78	0.05	0.07
		5260	3.956	4.004	98.80	0.05	0.03
		5300	3.956	4.005	98.78	0.05	0.07
		5320	3.957	4.006	98.78	0.05	0.07
		5500	3.956	4.005	98.78	0.05	0.07
		5580	3.956	4.005	98.78	0.05	0.07
802.11ac (VHT40)	SISO	5700	3.958	4.007	98.78	0.05	0.07
		5745	3.957	4.004	98.83	0.05	0.03
		5785	3.956	4.004	98.80	0.05	0.07
		5825	3.956	4.005	98.78	0.05	0.07
		5190	3.956	4.004	98.80	0.05	0.03
	SISO	5230	3.956	4.005	98.78	0.05	0.07
		5270	3.956	4.004	98.80	0.05	0.07
		5310	3.956	4.004	98.80	0.05	0.03
		5510	3.956	4.005	98.78	0.05	0.10


		5550	3.956	4.004	98.80	0.05	0.07
		5670	3.956	4.005	98.78	0.05	0.10
		5755	3.956	4.004	98.80	0.05	0.07
		5795	3.956	4.004	98.80	0.05	0.03
802.11ac (VHT80)	SISO	5210	3.969	4.017	98.81	0.05	0.07
		5290	3.969	4.017	98.81	0.05	0.03
		5530	3.968	4.017	98.78	0.05	0.07
		5610	3.968	4.015	98.83	0.05	0.03
		5775	3.969	4.016	98.83	0.05	0.07

1.2 Test Graph


1.2.1 Ant1




802.11a_HCH_5240MHz_Ant1_NTNV




802.11a_LCH_5260MHz_Ant1_NTNV




802.11a_MCH_5300MHz_Ant1_NTNV




802.11a_HCH_5320MHz_Ant1_NTNV




802.11a_LCH_5500MHz_Ant1_NTNV




802.11a_MCH_5580MHz_Ant1_NTNV




802.11a_HCH_5700MHz_Ant1_NTNV




802.11a_LCH_5745MHz_Ant1_NTNV




802.11a_MCH_5785MHz_Ant1_NTNV




802.11a_HCH_5825MHz_Ant1_NTNV




802.11n(HT20) LCH 5180MHz Ant1 NTN




802.11n(HT20) MCH 5200MHz Ant1 NTN




802.11n(HT20) HCH 5240MHz Ant1 NTV




802.11n(HT20) LCH 5260MHz Ant1 NTV




802.11n(HT20) MCH 5300MHz Ant1 NTN




802.11n(HT20) HCH 5320MHz Ant1 NTN




802.11n(HT20) LCH 5500MHz Ant1 NTN




802.11n(HT20) MCH 5580MHz Ant1 NTN




802.11n(HT20) HCH 5700MHz Ant1 NTN




802.11n(HT20) LCH 5745MHz Ant1 NTN




802.11n(HT20) MCH 5785MHz Ant1 NTN




802.11n(HT20) HCH 5825MHz Ant1 NTN




802.11n(HT40) LCH 5190MHz Ant1 NTN




802.11n(HT40)_HCH 5230MHz_Ant1 NTN




802.11n(HT40) LCH 5270MHz Ant1 NTV




802.11n(HT40) HCH 5310MHz Ant1 NTV




802.11n(HT40) LCH 5510MHz Ant1 NTV




802.11n(HT40)_MCH_5550MHz_Ant1_NTV




802.11n(HT40) HCH 5670MHz Ant1 NTN




802.11n(HT40) LCH 5755MHz Ant1 NTN




802.11n(HT40) HCH 5795MHz Ant1 NTN




802.11ac(VHT20) LCH 5180MHz Ant1 NTN




802.11ac(VHT20) MCH 5200MHz Ant1 NTN




802.11ac(VHT20) HCH 5240MHz Ant1 NTN




802.11ac(VHT20) LCH 5260MHz Ant1 NTN




802.11ac(VHT20) MCH 5300MHz Ant1 NTN




802.11ac(VHT20) HCH 5320MHz Ant1 NTN




802.11ac(VHT20) LCH 5500MHz Ant1 NTN




802.11ac(VHT20) MCH 5580MHz Ant1 NTN




802.11ac(VHT20) HCH 5700MHz Ant1 NTN




802.11ac(VHT20) LCH 5745MHz Ant1 NTN




802.11ac(VHT20) MCH 5785MHz Ant1 NTN




802.11ac(VHT20) HCH 5825MHz Ant1 NTN




802.11ac(VHT40) LCH 5190MHz Ant1 NTN




802.11ac(VHT40) HCH 5230MHz Ant1 NTN




802.11ac(VHT40) LCH 5270MHz Ant1 NTN




802.11ac(VHT40) HCH 5310MHz Ant1 NTN




802.11ac(VHT40) LCH 5510MHz Ant1 NTN




802.11ac(VHT40) MCH 5550MHz Ant1 NTN




802.11ac(VHT40) HCH 5670MHz Ant1 NTN




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT80) MCH 5210MHz Ant1 NTN




802.11ac(VHT80) MCH 5290MHz Ant1 NTN




802.11ac(VHT80) LCH 5530MHz Ant1 NTN



802.11ac(VHT80) HCH 5610MHz Ant1 NTN



802.11ac(VHT80) MCH 5775MHz Ant1 NTN



2. Bandwidth

2.1 Test Result

2.1.1 OBW

Mode	TX Type	Frequency (MHz)	ANT	99% Occupied Bandwidth (MHz)		Verdict
				Result	Limit	
802.11a	SISO	5180	1	17.353	/	Pass
		5200	1	17.300	/	Pass
		5240	1	17.318	/	Pass
		5260	1	17.359	/	Pass
		5300	1	17.319	/	Pass
		5320	1	17.301	/	Pass
		5500	1	17.257	/	Pass
		5580	1	17.229	/	Pass
		5700	1	17.425	/	Pass
		5745	1	17.353	/	Pass
		5785	1	17.275	/	Pass
		5825	1	17.349	/	Pass
802.11n (HT20)	SISO	5180	1	18.218	/	Pass
		5200	1	18.354	/	Pass
		5240	1	18.244	/	Pass
		5260	1	18.305	/	Pass
		5300	1	18.292	/	Pass
		5320	1	18.368	/	Pass
		5500	1	18.300	/	Pass
		5580	1	18.248	/	Pass
		5700	1	18.350	/	Pass
		5745	1	18.246	/	Pass
		5785	1	18.229	/	Pass
		5825	1	18.362	/	Pass
802.11n (HT40)	SISO	5190	1	36.391	/	Pass
		5230	1	36.352	/	Pass
		5270	1	36.327	/	Pass
		5310	1	36.328	/	Pass
		5510	1	36.265	/	Pass
		5550	1	36.206	/	Pass
		5670	1	36.259	/	Pass
		5755	1	36.323	/	Pass
		5795	1	36.351	/	Pass
802.11ac (VHT20)	SISO	5180	1	18.203	/	Pass
		5200	1	18.314	/	Pass
		5240	1	18.282	/	Pass
		5260	1	18.218	/	Pass
		5300	1	18.283	/	Pass
		5320	1	18.289	/	Pass
		5500	1	18.238	/	Pass
		5580	1	18.262	/	Pass
		5700	1	18.273	/	Pass
		5745	1	18.255	/	Pass
		5785	1	18.280	/	Pass
		5825	1	18.294	/	Pass
802.11ac (VHT40)	SISO	5190	1	36.344	/	Pass
		5230	1	36.340	/	Pass

		5270	1	36.248	/	Pass
		5310	1	36.349	/	Pass
		5510	1	36.237	/	Pass
		5550	1	36.263	/	Pass
		5670	1	36.321	/	Pass
		5755	1	36.358	/	Pass
		5795	1	36.341	/	Pass
802.11ac (VHT80)	SISO	5210	1	75.734	/	Pass
		5290	1	75.579	/	Pass
		5530	1	75.677	/	Pass
		5610	1	75.498	/	Pass
		5775	1	75.562	/	Pass

2.1.2 26dB BW

Mode	TX Type	Frequency (MHz)	ANT	26dB Bandwidth (MHz)		Verdict
				Result	Limit	
802.11a	SISO	5180	1	23.727	/	Pass
		5200	1	24.134	/	Pass
		5240	1	23.566	/	Pass
		5260	1	23.749	/	Pass
		5300	1	24.392	/	Pass
		5320	1	23.736	/	Pass
		5500	1	23.845	/	Pass
		5580	1	23.894	/	Pass
802.11n (HT20)	SISO	5700	1	23.063	/	Pass
		5180	1	24.593	/	Pass
		5200	1	23.700	/	Pass
		5240	1	24.267	/	Pass
		5260	1	24.396	/	Pass
		5300	1	24.039	/	Pass
		5320	1	24.753	/	Pass
		5500	1	24.639	/	Pass
802.11n (HT40)	SISO	5580	1	24.123	/	Pass
		5700	1	24.417	/	Pass
		5190	1	43.484	/	Pass
		5230	1	43.736	/	Pass
		5270	1	42.609	/	Pass
		5310	1	42.891	/	Pass
		5510	1	43.493	/	Pass
802.11ac (VHT20)	SISO	5550	1	42.615	/	Pass
		5670	1	43.197	/	Pass
		5180	1	24.175	/	Pass
		5200	1	24.808	/	Pass
		5240	1	23.906	/	Pass
		5260	1	24.543	/	Pass
		5300	1	24.268	/	Pass
		5320	1	24.473	/	Pass
802.11ac (VHT40)	SISO	5500	1	24.212	/	Pass
		5580	1	24.141	/	Pass
		5700	1	24.295	/	Pass
		5190	1	43.656	/	Pass
		5230	1	43.249	/	Pass
		5270	1	43.342	/	Pass
		5310	1	43.649	/	Pass
		5510	1	43.268	/	Pass
		5550	1	42.903	/	Pass
		5670	1	42.673	/	Pass


802.11ac (VHT80)	SISO	5210	1	84.892	/	Pass
		5290	1	83.864	/	Pass
		5530	1	83.330	/	Pass
		5610	1	84.337	/	Pass

2.1.3 6dB BW


Mode	TX Type	Frequency (MHz)	ANT	6dB Bandwidth (MHz)		Verdict
				Result	Limit	
802.11a	SISO	5745	1	14.549	>=0.5	Pass
		5785	1	13.660	>=0.5	Pass
		5825	1	11.925	>=0.5	Pass
802.11n (HT20)	SISO	5745	1	15.115	>=0.5	Pass
		5785	1	12.948	>=0.5	Pass
		5825	1	15.005	>=0.5	Pass
802.11n (HT40)	SISO	5755	1	32.631	>=0.5	Pass
		5795	1	35.478	>=0.5	Pass
802.11ac (VHT20)	SISO	5745	1	15.024	>=0.5	Pass
		5785	1	13.876	>=0.5	Pass
		5825	1	15.383	>=0.5	Pass
802.11ac (VHT40)	SISO	5755	1	33.833	>=0.5	Pass
		5795	1	33.867	>=0.5	Pass
802.11ac (VHT80)	SISO	5775	1	71.300	>=0.5	Pass

2.2 Test Graph


2.2.1 OBW




802.11a_HCH_5240MHz_Ant1_NTNV




802.11a_LCH_5260MHz_Ant1_NTNV




802.11a_MCH_5300MHz_Ant1_NTNV




802.11a_HCH_5320MHz_Ant1_NTNV




802.11a LCH 5500MHz Ant1 NTNV




802.11a_MCH_5580MHz_Ant1_NTNV




802.11a_HCH_5700MHz_Ant1_NTNV




802.11a_LCH_5745MHz_Ant1_NTNV




802.11a_MCH_5785MHz_Ant1_NTNV




802.11a_HCH_5825MHz_Ant1_NTNV




802.11n(HT20) LCH 5180MHz Ant1 NTN




802.11n(HT20) MCH 5200MHz Ant1 NTN




802.11n(HT20) HCH 5240MHz Ant1 NTN



802.11n(HT20) LCH 5260MHz Ant1 NTN



802.11n(HT20) MCH 5300MHz Ant1 NTN



802.11n(HT20) HCH 5320MHz Ant1 NTN

