











24GHz	Test frequency: 24.075GHz																																																																																																																																																																																																																							
	1-18GHz																																																																																																																																																																																																																							
	Horizontal	Vertical																																																																																																																																																																																																																						
Peak/ Avg.	Level (dBm/Hz) Date: 2026-06-10 Site : 800811-01 Condition: PEAK_74 3m 91280_81628_258915 HORIZONTAL Mode : 1 Setting : 1 <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Factor</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>dBm/Hz</th><th>dBm/Hz</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th></tr><tr><td>1</td><td>2326.00</td><td>46.56</td><td>74.00</td><td>-29.34</td><td>77.11</td><td>27.28</td><td>7.52</td><td>67.17</td><td>Peak</td></tr><tr><td>2</td><td>2788.00</td><td>43.82</td><td>74.00</td><td>-30.18</td><td>74.21</td><td>26.20</td><td>8.23</td><td>66.92</td><td>Peak</td></tr><tr><td>3</td><td>2782.00</td><td>43.46</td><td>74.00</td><td>-30.54</td><td>71.14</td><td>26.62</td><td>9.65</td><td>66.95</td><td>Peak</td></tr><tr><td>4</td><td>8463.00</td><td>46.28</td><td>74.00</td><td>-27.72</td><td>63.34</td><td>37.23</td><td>14.66</td><td>66.95</td><td>Peak</td></tr><tr><td>5</td><td>12475.00</td><td>38.62</td><td>74.00</td><td>-35.38</td><td>95.99</td><td>38.88</td><td>17.97</td><td>66.14</td><td>Peak</td></tr><tr><td>6</td><td>12475.00</td><td>38.16</td><td>54.00</td><td>-15.84</td><td>47.53</td><td>38.88</td><td>17.97</td><td>66.14</td><td>Average</td></tr><tr><td>7</td><td>14481.00</td><td>51.38</td><td>74.00</td><td>-22.62</td><td>57.31</td><td>40.20</td><td>19.95</td><td>66.32</td><td>Peak</td></tr><tr><td>8</td><td>14481.00</td><td>42.38</td><td>54.00</td><td>-11.70</td><td>46.41</td><td>40.20</td><td>19.95</td><td>66.32</td><td>Average</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Factor	Level	Factor	Loss	Factor			dBm/Hz	dBm/Hz	dB	dB	dB	dB	dB	deg	1	2326.00	46.56	74.00	-29.34	77.11	27.28	7.52	67.17	Peak	2	2788.00	43.82	74.00	-30.18	74.21	26.20	8.23	66.92	Peak	3	2782.00	43.46	74.00	-30.54	71.14	26.62	9.65	66.95	Peak	4	8463.00	46.28	74.00	-27.72	63.34	37.23	14.66	66.95	Peak	5	12475.00	38.62	74.00	-35.38	95.99	38.88	17.97	66.14	Peak	6	12475.00	38.16	54.00	-15.84	47.53	38.88	17.97	66.14	Average	7	14481.00	51.38	74.00	-22.62	57.31	40.20	19.95	66.32	Peak	8	14481.00	42.38	54.00	-11.70	46.41	40.20	19.95	66.32	Average	Level (dBm/Hz) Date: 2026-06-10 Site : 800811-01 Condition: PEAK_74 3m 91280_81628_258915 VERTICAL Mode : 1 Setting : 1 <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Factor</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>dBm/Hz</th><th>dBm/Hz</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th></tr><tr><td>1</td><td>2411.00</td><td>46.14</td><td>74.00</td><td>-27.86</td><td>76.24</td><td>27.68</td><td>7.66</td><td>67.16</td><td>Peak</td></tr><tr><td>2</td><td>3567.00</td><td>43.81</td><td>74.00</td><td>-30.99</td><td>78.85</td><td>29.43</td><td>9.55</td><td>66.82</td><td>Peak</td></tr><tr><td>3</td><td>4686.00</td><td>46.27</td><td>74.00</td><td>-27.73</td><td>71.75</td><td>31.62</td><td>14.32</td><td>67.12</td><td>Peak</td></tr><tr><td>4</td><td>8361.00</td><td>46.59</td><td>74.00</td><td>-27.41</td><td>63.85</td><td>36.92</td><td>14.45</td><td>66.83</td><td>Peak</td></tr><tr><td>5</td><td>12628.00</td><td>39.67</td><td>74.00</td><td>-34.33</td><td>95.96</td><td>39.86</td><td>18.18</td><td>66.45</td><td>Peak</td></tr><tr><td>6</td><td>12628.00</td><td>38.14</td><td>54.00</td><td>-15.86</td><td>47.43</td><td>39.86</td><td>18.18</td><td>66.45</td><td>Average</td></tr><tr><td>7</td><td>14413.00</td><td>58.25</td><td>74.00</td><td>-15.75</td><td>64.51</td><td>40.20</td><td>19.95</td><td>66.41</td><td>Peak</td></tr><tr><td>8</td><td>14413.00</td><td>47.48</td><td>54.00</td><td>-6.52</td><td>53.74</td><td>40.20</td><td>19.95</td><td>66.41</td><td>Average</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Factor	Level	Factor	Loss	Factor			dBm/Hz	dBm/Hz	dB	dB	dB	dB	dB	deg	1	2411.00	46.14	74.00	-27.86	76.24	27.68	7.66	67.16	Peak	2	3567.00	43.81	74.00	-30.99	78.85	29.43	9.55	66.82	Peak	3	4686.00	46.27	74.00	-27.73	71.75	31.62	14.32	67.12	Peak	4	8361.00	46.59	74.00	-27.41	63.85	36.92	14.45	66.83	Peak	5	12628.00	39.67	74.00	-34.33	95.96	39.86	18.18	66.45	Peak	6	12628.00	38.14	54.00	-15.86	47.43	39.86	18.18	66.45	Average	7	14413.00	58.25	74.00	-15.75	64.51	40.20	19.95	66.41	Peak	8	14413.00	47.48	54.00	-6.52	53.74	40.20	19.95	66.41	Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																
Freq	Level	Line	Factor	Level	Factor	Loss	Factor																																																																																																																																																																																																																	
	dBm/Hz	dBm/Hz	dB	dB	dB	dB	dB	deg																																																																																																																																																																																																																
1	2326.00	46.56	74.00	-29.34	77.11	27.28	7.52	67.17	Peak																																																																																																																																																																																																															
2	2788.00	43.82	74.00	-30.18	74.21	26.20	8.23	66.92	Peak																																																																																																																																																																																																															
3	2782.00	43.46	74.00	-30.54	71.14	26.62	9.65	66.95	Peak																																																																																																																																																																																																															
4	8463.00	46.28	74.00	-27.72	63.34	37.23	14.66	66.95	Peak																																																																																																																																																																																																															
5	12475.00	38.62	74.00	-35.38	95.99	38.88	17.97	66.14	Peak																																																																																																																																																																																																															
6	12475.00	38.16	54.00	-15.84	47.53	38.88	17.97	66.14	Average																																																																																																																																																																																																															
7	14481.00	51.38	74.00	-22.62	57.31	40.20	19.95	66.32	Peak																																																																																																																																																																																																															
8	14481.00	42.38	54.00	-11.70	46.41	40.20	19.95	66.32	Average																																																																																																																																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																
Freq	Level	Line	Factor	Level	Factor	Loss	Factor																																																																																																																																																																																																																	
	dBm/Hz	dBm/Hz	dB	dB	dB	dB	dB	deg																																																																																																																																																																																																																
1	2411.00	46.14	74.00	-27.86	76.24	27.68	7.66	67.16	Peak																																																																																																																																																																																																															
2	3567.00	43.81	74.00	-30.99	78.85	29.43	9.55	66.82	Peak																																																																																																																																																																																																															
3	4686.00	46.27	74.00	-27.73	71.75	31.62	14.32	67.12	Peak																																																																																																																																																																																																															
4	8361.00	46.59	74.00	-27.41	63.85	36.92	14.45	66.83	Peak																																																																																																																																																																																																															
5	12628.00	39.67	74.00	-34.33	95.96	39.86	18.18	66.45	Peak																																																																																																																																																																																																															
6	12628.00	38.14	54.00	-15.86	47.43	39.86	18.18	66.45	Average																																																																																																																																																																																																															
7	14413.00	58.25	74.00	-15.75	64.51	40.20	19.95	66.41	Peak																																																																																																																																																																																																															
8	14413.00	47.48	54.00	-6.52	53.74	40.20	19.95	66.41	Average																																																																																																																																																																																																															



24GHz

Test frequency: 24.132GHz

1-18GHz

Horizontal

Vertical

Peak/
Avg.

Site : 800811-01
Condition: PEAK_74 3m 91280_81628_258915 HORIZONTAL
Mode : 2
Setting : 2

	Unit	Limit	Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	Thos	Remark
1	dBuV/m	dBuV/m	2326.00	45.28	74.00	-28.08	77.55	27.28	7.52	67.17	0.00	--	Peak
2	dBuV/m	dBuV/m	2734.00	41.94	74.00	-32.06	72.46	25.10	8.18	66.88	0.00	--	Peak
3	dBuV/m	dBuV/m	3783.00	44.22	74.00	-29.78	71.98	25.62	9.65	66.95	0.00	--	Peak
4	dBuV/m	dBuV/m	8327.00	48.48	74.00	-27.08	63.89	36.85	14.45	66.79	0.00	--	Peak
5	dBuV/m	dBuV/m	12492.00	59.71	74.00	-23.29	69.94	38.08	17.99	66.12	0.00	--	Peak
6	dBuV/m	dBuV/m	12492.00	37.81	54.00	-16.19	47.14	38.88	17.99	66.12	0.00	--	Average
7	dBuV/m	dBuV/m	14464.00	51.18	74.00	-22.82	57.35	40.23	19.95	66.35	0.00	--	Peak
8	dBuV/m	dBuV/m	14464.00	48.06	54.00	-13.34	46.83	40.23	19.95	66.35	0.00	--	Average

Site : 800811-01
Condition: PEAK_74 3m 91280_81628_258915 VERTICAL
Mode : 2
Setting : 2

	Unit	Limit	Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	Thos	Remark
1	dBuV/m	dBuV/m	2411.00	43.55	74.00	-30.55	75.75	27.48	7.66	67.16	0.00	--	Peak
2	dBuV/m	dBuV/m	3567.00	41.44	74.00	-32.56	69.28	29.43	9.55	66.82	0.00	--	Peak
3	dBuV/m	dBuV/m	4686.00	44.00	74.00	-30.00	78.38	31.62	10.22	67.32	0.00	--	Peak
4	dBuV/m	dBuV/m	8338.00	45.68	74.00	-28.48	61.18	36.82	14.45	66.77	0.00	--	Peak
5	dBuV/m	dBuV/m	11484.00	59.39	74.00	-22.10	61.47	38.99	17.27	66.83	0.00	--	Peak
6	dBuV/m	dBuV/m	11484.00	36.97	54.00	-17.83	47.54	38.99	17.27	66.83	0.00	--	Average
7	dBuV/m	dBuV/m	14413.00	56.89	74.00	-17.11	63.15	40.28	19.95	66.41	0.00	--	Peak
8	dBuV/m	dBuV/m	14413.00	46.53	54.00	-7.47	52.79	40.28	19.95	66.41	0.00	--	Average



24GHz	Test frequency: 24.19GHz																																																																																																																																																																																																																																																																					
	1-18GHz																																																																																																																																																																																																																																																																					
	Horizontal	Vertical																																																																																																																																																																																																																																																																				
Peak/ Avg.	Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 1000 4400 7800 11200 14600 18000 Frequency (MHz) Date: 2020-06-10 PEAK_74 AVG_54 Site : 800811-MY Condition: PEAK_74 3m 91280_81628_258915 HORIZONTAL Mode : S Setting : S <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Hz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th></tr><tr><td>1</td><td>2326.00</td><td>45.80</td><td>74.00</td><td>-28.58</td><td>77.47</td><td>27.28</td><td>7.52</td><td>67.17</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>2785.00</td><td>43.16</td><td>74.00</td><td>-30.84</td><td>73.58</td><td>26.28</td><td>8.26</td><td>66.08</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>2782.00</td><td>43.81</td><td>74.00</td><td>-30.19</td><td>71.99</td><td>25.62</td><td>9.45</td><td>66.95</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>8429.00</td><td>46.33</td><td>74.00</td><td>-27.67</td><td>63.58</td><td>17.12</td><td>14.54</td><td>66.91</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>12389.00</td><td>51.90</td><td>74.00</td><td>-22.97</td><td>69.75</td><td>16.82</td><td>16.00</td><td>66.14</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>12389.00</td><td>39.21</td><td>54.00</td><td>-14.79</td><td>48.53</td><td>18.82</td><td>18.00</td><td>66.14</td><td>0.00</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>7</td><td>14499.00</td><td>51.61</td><td>74.00</td><td>-22.39</td><td>57.66</td><td>48.38</td><td>15.95</td><td>66.38</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>8</td><td>14499.00</td><td>41.84</td><td>54.00</td><td>-12.16</td><td>47.89</td><td>48.38</td><td>19.95</td><td>66.38</td><td>0.00</td><td>--</td><td>--</td><td>Average</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Hz	dBuV/m	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	dB	dB	deg	1	2326.00	45.80	74.00	-28.58	77.47	27.28	7.52	67.17	0.00	--	--	Peak	2	2785.00	43.16	74.00	-30.84	73.58	26.28	8.26	66.08	0.00	--	--	Peak	3	2782.00	43.81	74.00	-30.19	71.99	25.62	9.45	66.95	0.00	--	--	Peak	4	8429.00	46.33	74.00	-27.67	63.58	17.12	14.54	66.91	0.00	--	--	Peak	5	12389.00	51.90	74.00	-22.97	69.75	16.82	16.00	66.14	0.00	--	--	Peak	6	12389.00	39.21	54.00	-14.79	48.53	18.82	18.00	66.14	0.00	--	--	Average	7	14499.00	51.61	74.00	-22.39	57.66	48.38	15.95	66.38	0.00	--	--	Peak	8	14499.00	41.84	54.00	-12.16	47.89	48.38	19.95	66.38	0.00	--	--	Average	Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 1000 4400 7800 11200 14600 18000 Frequency (MHz) Date: 2020-06-10 PEAK_74 AVG_54 Site : 800811-MY Condition: PEAK_74 3m 91280_81628_258915 VERTICAL Mode : S Setting : S <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Hz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th></tr><tr><td>1</td><td>2080.00</td><td>39.59</td><td>74.00</td><td>-34.41</td><td>72.82</td><td>35.27</td><td>7.11</td><td>67.11</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>2411.00</td><td>43.79</td><td>74.00</td><td>-30.21</td><td>75.89</td><td>27.68</td><td>7.66</td><td>67.16</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>4678.00</td><td>43.45</td><td>74.00</td><td>-30.55</td><td>69.17</td><td>31.54</td><td>18.29</td><td>67.15</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>8278.00</td><td>46.57</td><td>74.00</td><td>-27.43</td><td>61.89</td><td>16.75</td><td>14.46</td><td>66.73</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>12441.00</td><td>59.37</td><td>74.00</td><td>-14.63</td><td>59.98</td><td>18.88</td><td>17.95</td><td>66.16</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>12441.00</td><td>39.12</td><td>54.00</td><td>-14.88</td><td>48.53</td><td>18.88</td><td>17.95</td><td>66.16</td><td>0.00</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>7</td><td>14413.00</td><td>56.91</td><td>74.00</td><td>-17.09</td><td>63.17</td><td>48.28</td><td>19.95</td><td>66.41</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>8</td><td>14413.00</td><td>42.73</td><td>54.00</td><td>-11.27</td><td>48.99</td><td>48.28</td><td>19.95</td><td>66.41</td><td>0.00</td><td>--</td><td>--</td><td>Average</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Hz	dBuV/m	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	dB	dB	deg	1	2080.00	39.59	74.00	-34.41	72.82	35.27	7.11	67.11	0.00	--	--	Peak	2	2411.00	43.79	74.00	-30.21	75.89	27.68	7.66	67.16	0.00	--	--	Peak	3	4678.00	43.45	74.00	-30.55	69.17	31.54	18.29	67.15	0.00	--	--	Peak	4	8278.00	46.57	74.00	-27.43	61.89	16.75	14.46	66.73	0.00	--	--	Peak	5	12441.00	59.37	74.00	-14.63	59.98	18.88	17.95	66.16	0.00	--	--	Peak	6	12441.00	39.12	54.00	-14.88	48.53	18.88	17.95	66.16	0.00	--	--	Average	7	14413.00	56.91	74.00	-17.09	63.17	48.28	19.95	66.41	0.00	--	--	Peak	8	14413.00	42.73	54.00	-11.27	48.99	48.28	19.95	66.41	0.00	--	--	Average
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																										
Hz	dBuV/m	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	dB	dB	deg																																																																																																																																																																																																																																																										
1	2326.00	45.80	74.00	-28.58	77.47	27.28	7.52	67.17	0.00	--	--	Peak																																																																																																																																																																																																																																																										
2	2785.00	43.16	74.00	-30.84	73.58	26.28	8.26	66.08	0.00	--	--	Peak																																																																																																																																																																																																																																																										
3	2782.00	43.81	74.00	-30.19	71.99	25.62	9.45	66.95	0.00	--	--	Peak																																																																																																																																																																																																																																																										
4	8429.00	46.33	74.00	-27.67	63.58	17.12	14.54	66.91	0.00	--	--	Peak																																																																																																																																																																																																																																																										
5	12389.00	51.90	74.00	-22.97	69.75	16.82	16.00	66.14	0.00	--	--	Peak																																																																																																																																																																																																																																																										
6	12389.00	39.21	54.00	-14.79	48.53	18.82	18.00	66.14	0.00	--	--	Average																																																																																																																																																																																																																																																										
7	14499.00	51.61	74.00	-22.39	57.66	48.38	15.95	66.38	0.00	--	--	Peak																																																																																																																																																																																																																																																										
8	14499.00	41.84	54.00	-12.16	47.89	48.38	19.95	66.38	0.00	--	--	Average																																																																																																																																																																																																																																																										
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																										
Hz	dBuV/m	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	dB	dB	deg																																																																																																																																																																																																																																																										
1	2080.00	39.59	74.00	-34.41	72.82	35.27	7.11	67.11	0.00	--	--	Peak																																																																																																																																																																																																																																																										
2	2411.00	43.79	74.00	-30.21	75.89	27.68	7.66	67.16	0.00	--	--	Peak																																																																																																																																																																																																																																																										
3	4678.00	43.45	74.00	-30.55	69.17	31.54	18.29	67.15	0.00	--	--	Peak																																																																																																																																																																																																																																																										
4	8278.00	46.57	74.00	-27.43	61.89	16.75	14.46	66.73	0.00	--	--	Peak																																																																																																																																																																																																																																																										
5	12441.00	59.37	74.00	-14.63	59.98	18.88	17.95	66.16	0.00	--	--	Peak																																																																																																																																																																																																																																																										
6	12441.00	39.12	54.00	-14.88	48.53	18.88	17.95	66.16	0.00	--	--	Average																																																																																																																																																																																																																																																										
7	14413.00	56.91	74.00	-17.09	63.17	48.28	19.95	66.41	0.00	--	--	Peak																																																																																																																																																																																																																																																										
8	14413.00	42.73	54.00	-11.27	48.99	48.28	19.95	66.41	0.00	--	--	Average																																																																																																																																																																																																																																																										



Emission below 1GHz



24GHz

24GHz	24GHz																																																																																																																																																																																																																	
	Test frequency: 24.075GHz_LF																																																																																																																																																																																																																	
	Horizontal	Vertical																																																																																																																																																																																																																
QP / Peak	Level (dBuV/m) Date: 2026-06-10 Site : 80CH11-WY Condition: QP 3e Bilog_66925 & 24086_268412 HORIZONTAL Node : 1 Setting : 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>71.71</td><td>31.91</td><td>40.00</td><td>-6.09</td><td>31.61</td><td>11.00</td><td>1.15</td><td>32.00</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>197.81</td><td>37.20</td><td>43.50</td><td>-6.24</td><td>32.50</td><td>14.79</td><td>1.89</td><td>32.83</td><td>0.03</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>200.86</td><td>32.10</td><td>46.00</td><td>-13.50</td><td>41.99</td><td>20.22</td><td>2.15</td><td>31.93</td><td>0.07</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>426.73</td><td>37.14</td><td>46.00</td><td>-8.86</td><td>43.57</td><td>22.61</td><td>2.88</td><td>31.93</td><td>0.09</td><td>200</td><td>304</td><td>QP</td></tr><tr><td>5</td><td>658.80</td><td>38.14</td><td>46.00</td><td>-7.86</td><td>39.62</td><td>25.42</td><td>3.46</td><td>32.89</td><td>0.53</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>950.53</td><td>39.17</td><td>46.00</td><td>-6.83</td><td>34.55</td><td>30.78</td><td>4.14</td><td>30.78</td><td>0.40</td><td>--</td><td>--</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	dB	dB	dB	dB	dB	1	71.71	31.91	40.00	-6.09	31.61	11.00	1.15	32.00	0.00	--	--	Peak	2	197.81	37.20	43.50	-6.24	32.50	14.79	1.89	32.83	0.03	--	--	Peak	3	200.86	32.10	46.00	-13.50	41.99	20.22	2.15	31.93	0.07	--	--	Peak	4	426.73	37.14	46.00	-8.86	43.57	22.61	2.88	31.93	0.09	200	304	QP	5	658.80	38.14	46.00	-7.86	39.62	25.42	3.46	32.89	0.53	--	--	Peak	6	950.53	39.17	46.00	-6.83	34.55	30.78	4.14	30.78	0.40	--	--	Peak	Level (dBuV/m) Date: 2026-06-10 Site : 80CH11-WY Condition: QP 3e Bilog_66925 & 24086_268412 VERTICAL Node : 1 Setting : 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>71.71</td><td>31.68</td><td>40.00</td><td>-6.31</td><td>31.38</td><td>11.00</td><td>1.13</td><td>32.00</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>153.13</td><td>33.20</td><td>43.50</td><td>-10.30</td><td>46.87</td><td>16.73</td><td>1.64</td><td>32.00</td><td>0.04</td><td>200</td><td>58</td><td>QP</td></tr><tr><td>3</td><td>201.71</td><td>33.32</td><td>46.00</td><td>-12.68</td><td>43.11</td><td>19.90</td><td>2.17</td><td>31.93</td><td>0.07</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>320.76</td><td>39.58</td><td>46.00</td><td>-6.42</td><td>49.33</td><td>19.65</td><td>2.45</td><td>31.93</td><td>0.06</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>650.80</td><td>40.78</td><td>46.00</td><td>-5.22</td><td>42.46</td><td>26.42</td><td>3.46</td><td>32.00</td><td>0.53</td><td>100</td><td>48</td><td>QP</td></tr><tr><td>6</td><td>950.53</td><td>41.83</td><td>46.00</td><td>-4.97</td><td>36.41</td><td>30.78</td><td>4.14</td><td>30.78</td><td>0.40</td><td>--</td><td>--</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	dB	dB	dB	dB	dB	1	71.71	31.68	40.00	-6.31	31.38	11.00	1.13	32.00	0.00	--	--	Peak	2	153.13	33.20	43.50	-10.30	46.87	16.73	1.64	32.00	0.04	200	58	QP	3	201.71	33.32	46.00	-12.68	43.11	19.90	2.17	31.93	0.07	--	--	Peak	4	320.76	39.58	46.00	-6.42	49.33	19.65	2.45	31.93	0.06	--	--	Peak	5	650.80	40.78	46.00	-5.22	42.46	26.42	3.46	32.00	0.53	100	48	QP	6	950.53	41.83	46.00	-4.97	36.41	30.78	4.14	30.78	0.40	--	--	Peak
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	dB	dB	dB	dB	dB																																																																																																																																																																																																						
1	71.71	31.91	40.00	-6.09	31.61	11.00	1.15	32.00	0.00	--	--	Peak																																																																																																																																																																																																						
2	197.81	37.20	43.50	-6.24	32.50	14.79	1.89	32.83	0.03	--	--	Peak																																																																																																																																																																																																						
3	200.86	32.10	46.00	-13.50	41.99	20.22	2.15	31.93	0.07	--	--	Peak																																																																																																																																																																																																						
4	426.73	37.14	46.00	-8.86	43.57	22.61	2.88	31.93	0.09	200	304	QP																																																																																																																																																																																																						
5	658.80	38.14	46.00	-7.86	39.62	25.42	3.46	32.89	0.53	--	--	Peak																																																																																																																																																																																																						
6	950.53	39.17	46.00	-6.83	34.55	30.78	4.14	30.78	0.40	--	--	Peak																																																																																																																																																																																																						
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	dB	dB	dB	dB	dB																																																																																																																																																																																																						
1	71.71	31.68	40.00	-6.31	31.38	11.00	1.13	32.00	0.00	--	--	Peak																																																																																																																																																																																																						
2	153.13	33.20	43.50	-10.30	46.87	16.73	1.64	32.00	0.04	200	58	QP																																																																																																																																																																																																						
3	201.71	33.32	46.00	-12.68	43.11	19.90	2.17	31.93	0.07	--	--	Peak																																																																																																																																																																																																						
4	320.76	39.58	46.00	-6.42	49.33	19.65	2.45	31.93	0.06	--	--	Peak																																																																																																																																																																																																						
5	650.80	40.78	46.00	-5.22	42.46	26.42	3.46	32.00	0.53	100	48	QP																																																																																																																																																																																																						
6	950.53	41.83	46.00	-4.97	36.41	30.78	4.14	30.78	0.40	--	--	Peak																																																																																																																																																																																																						



24GHz	24GHz																																																																																																																																																																																																																	
Test frequency: 24.132GHz_LF																																																																																																																																																																																																																		
	Horizontal	Vertical																																																																																																																																																																																																																
QP / Peak	Level (dBuV/m) Date: 2026-06-10 Site : 80CH11-WY Condition: QP 3w Biling_66925 & 24086_268412 HORIZONTAL Node : 1 Setting : 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>66.86</td><td>26.75</td><td>40.00</td><td>-13.29</td><td>45.82</td><td>11.75</td><td>1.80</td><td>31.98</td><td>0.86</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>159.87</td><td>36.85</td><td>43.58</td><td>-6.65</td><td>52.22</td><td>14.74</td><td>1.89</td><td>32.83</td><td>0.83</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>258.92</td><td>32.45</td><td>46.00</td><td>-13.55</td><td>42.28</td><td>15.00</td><td>2.15</td><td>31.93</td><td>0.87</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>439.61</td><td>37.35</td><td>46.00</td><td>-8.65</td><td>43.85</td><td>22.54</td><td>2.81</td><td>31.84</td><td>0.89</td><td>133</td><td>350</td><td>QP</td></tr><tr><td>5</td><td>628.88</td><td>37.38</td><td>46.00</td><td>-8.62</td><td>35.80</td><td>26.42</td><td>3.46</td><td>32.89</td><td>0.53</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>950.53</td><td>38.88</td><td>46.00</td><td>-9.92</td><td>31.46</td><td>38.78</td><td>4.14</td><td>38.78</td><td>0.48</td><td>--</td><td>--</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	dB	dB	dB	dB	dB	1	66.86	26.75	40.00	-13.29	45.82	11.75	1.80	31.98	0.86	--	--	Peak	2	159.87	36.85	43.58	-6.65	52.22	14.74	1.89	32.83	0.83	--	--	Peak	3	258.92	32.45	46.00	-13.55	42.28	15.00	2.15	31.93	0.87	--	--	Peak	4	439.61	37.35	46.00	-8.65	43.85	22.54	2.81	31.84	0.89	133	350	QP	5	628.88	37.38	46.00	-8.62	35.80	26.42	3.46	32.89	0.53	--	--	Peak	6	950.53	38.88	46.00	-9.92	31.46	38.78	4.14	38.78	0.48	--	--	Peak	Level (dBuV/m) Date: 2026-06-10 Site : 80CH11-WY Condition: QP 3w Biling_66925 & 24086_268412 VERTICAL Node : 1 Setting : 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>59.18</td><td>31.66</td><td>40.00</td><td>-8.54</td><td>52.91</td><td>11.66</td><td>0.88</td><td>31.98</td><td>0.89</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>179.65</td><td>32.47</td><td>43.58</td><td>-11.83</td><td>47.22</td><td>15.46</td><td>1.76</td><td>32.83</td><td>0.86</td><td>200</td><td>66</td><td>QP</td></tr><tr><td>3</td><td>258.92</td><td>32.59</td><td>46.00</td><td>-12.41</td><td>35.48</td><td>19.38</td><td>2.15</td><td>31.93</td><td>0.87</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>480.54</td><td>36.59</td><td>46.00</td><td>-9.41</td><td>43.92</td><td>21.75</td><td>2.71</td><td>31.87</td><td>0.88</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>628.88</td><td>34.81</td><td>46.00</td><td>-11.19</td><td>36.49</td><td>26.42</td><td>3.46</td><td>32.89</td><td>0.53</td><td>180</td><td>23</td><td>QP</td></tr><tr><td>6</td><td>950.53</td><td>40.81</td><td>46.00</td><td>-5.19</td><td>36.19</td><td>38.78</td><td>4.14</td><td>38.78</td><td>0.48</td><td>--</td><td>--</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	dB	dB	dB	dB	dB	1	59.18	31.66	40.00	-8.54	52.91	11.66	0.88	31.98	0.89	--	--	Peak	2	179.65	32.47	43.58	-11.83	47.22	15.46	1.76	32.83	0.86	200	66	QP	3	258.92	32.59	46.00	-12.41	35.48	19.38	2.15	31.93	0.87	--	--	Peak	4	480.54	36.59	46.00	-9.41	43.92	21.75	2.71	31.87	0.88	--	--	Peak	5	628.88	34.81	46.00	-11.19	36.49	26.42	3.46	32.89	0.53	180	23	QP	6	950.53	40.81	46.00	-5.19	36.19	38.78	4.14	38.78	0.48	--	--	Peak
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	dB	dB	dB	dB	dB																																																																																																																																																																																																						
1	66.86	26.75	40.00	-13.29	45.82	11.75	1.80	31.98	0.86	--	--	Peak																																																																																																																																																																																																						
2	159.87	36.85	43.58	-6.65	52.22	14.74	1.89	32.83	0.83	--	--	Peak																																																																																																																																																																																																						
3	258.92	32.45	46.00	-13.55	42.28	15.00	2.15	31.93	0.87	--	--	Peak																																																																																																																																																																																																						
4	439.61	37.35	46.00	-8.65	43.85	22.54	2.81	31.84	0.89	133	350	QP																																																																																																																																																																																																						
5	628.88	37.38	46.00	-8.62	35.80	26.42	3.46	32.89	0.53	--	--	Peak																																																																																																																																																																																																						
6	950.53	38.88	46.00	-9.92	31.46	38.78	4.14	38.78	0.48	--	--	Peak																																																																																																																																																																																																						
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	dB	dB	dB	dB	dB																																																																																																																																																																																																						
1	59.18	31.66	40.00	-8.54	52.91	11.66	0.88	31.98	0.89	--	--	Peak																																																																																																																																																																																																						
2	179.65	32.47	43.58	-11.83	47.22	15.46	1.76	32.83	0.86	200	66	QP																																																																																																																																																																																																						
3	258.92	32.59	46.00	-12.41	35.48	19.38	2.15	31.93	0.87	--	--	Peak																																																																																																																																																																																																						
4	480.54	36.59	46.00	-9.41	43.92	21.75	2.71	31.87	0.88	--	--	Peak																																																																																																																																																																																																						
5	628.88	34.81	46.00	-11.19	36.49	26.42	3.46	32.89	0.53	180	23	QP																																																																																																																																																																																																						
6	950.53	40.81	46.00	-5.19	36.19	38.78	4.14	38.78	0.48	--	--	Peak																																																																																																																																																																																																						



24GHz	24GHz																																																																																																																																																																																																																																	
	Test frequency: 24.19GHz_LF																																																																																																																																																																																																																																	
	Horizontal	Vertical																																																																																																																																																																																																																																
QP / Peak	Level (dBuV/m) Date: 2026-06-10  Site : 80CH11-WY Condition: QP 3w Biling_66925 & 24086_268412 HORIZONTAL Node : 1 Setting : 1 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>61.95</td><td>27.94</td><td>46.00</td><td>-12.06</td><td>47.14</td><td>11.71</td><td>1.81</td><td>31.97</td><td>0.95</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>156.84</td><td>36.81</td><td>43.58</td><td>-6.69</td><td>52.16</td><td>14.76</td><td>1.89</td><td>32.83</td><td>0.83</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>259.85</td><td>32.93</td><td>46.00</td><td>-13.07</td><td>42.56</td><td>28.88</td><td>2.15</td><td>31.93</td><td>0.87</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>489.54</td><td>37.46</td><td>46.00</td><td>-8.54</td><td>44.79</td><td>21.75</td><td>2.71</td><td>31.87</td><td>0.88</td><td>157</td><td>2</td><td>QP</td><td></td></tr><tr><td>5</td><td>626.88</td><td>36.98</td><td>46.00</td><td>-9.10</td><td>36.58</td><td>26.42</td><td>3.46</td><td>32.89</td><td>0.53</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>950.53</td><td>37.33</td><td>46.00</td><td>-8.67</td><td>32.71</td><td>38.78</td><td>4.14</td><td>38.78</td><td>0.48</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	dB	dB	1	61.95	27.94	46.00	-12.06	47.14	11.71	1.81	31.97	0.95	--	--	--	Peak	2	156.84	36.81	43.58	-6.69	52.16	14.76	1.89	32.83	0.83	--	--	--	Peak	3	259.85	32.93	46.00	-13.07	42.56	28.88	2.15	31.93	0.87	--	--	--	Peak	4	489.54	37.46	46.00	-8.54	44.79	21.75	2.71	31.87	0.88	157	2	QP		5	626.88	36.98	46.00	-9.10	36.58	26.42	3.46	32.89	0.53	--	--	--	Peak	6	950.53	37.33	46.00	-8.67	32.71	38.78	4.14	38.78	0.48	--	--	--	Peak	Level (dBuV/m) Date: 2026-06-10  Site : 80CH11-WY Condition: QP 3w Biling_66925 & 24086_268412 VERTICAL Node : 1 Setting : 1 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>59.18</td><td>32.15</td><td>46.00</td><td>-13.85</td><td>51.38</td><td>11.66</td><td>0.98</td><td>31.98</td><td>0.89</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>140.58</td><td>37.31</td><td>43.58</td><td>-6.19</td><td>58.57</td><td>17.22</td><td>1.56</td><td>32.67</td><td>0.83</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>257.95</td><td>23.66</td><td>46.00</td><td>-22.34</td><td>31.67</td><td>19.72</td><td>2.14</td><td>31.93</td><td>0.86</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>489.54</td><td>36.89</td><td>46.00</td><td>-7.91</td><td>45.42</td><td>21.75</td><td>2.71</td><td>31.87</td><td>0.88</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>626.88</td><td>35.59</td><td>46.00</td><td>-10.41</td><td>37.27</td><td>26.42</td><td>3.46</td><td>32.89</td><td>0.53</td><td>180</td><td>23</td><td>QP</td><td></td></tr><tr><td>6</td><td>950.53</td><td>38.34</td><td>46.00</td><td>-7.66</td><td>33.72</td><td>38.78</td><td>4.14</td><td>38.78</td><td>0.48</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	dB	dB	1	59.18	32.15	46.00	-13.85	51.38	11.66	0.98	31.98	0.89	--	--	--	Peak	2	140.58	37.31	43.58	-6.19	58.57	17.22	1.56	32.67	0.83	--	--	--	Peak	3	257.95	23.66	46.00	-22.34	31.67	19.72	2.14	31.93	0.86	--	--	--	Peak	4	489.54	36.89	46.00	-7.91	45.42	21.75	2.71	31.87	0.88	--	--	--	Peak	5	626.88	35.59	46.00	-10.41	37.27	26.42	3.46	32.89	0.53	180	23	QP		6	950.53	38.34	46.00	-7.66	33.72	38.78	4.14	38.78	0.48	--	--	--	Peak
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	dB	dB																																																																																																																																																																																																																					
1	61.95	27.94	46.00	-12.06	47.14	11.71	1.81	31.97	0.95	--	--	--	Peak																																																																																																																																																																																																																					
2	156.84	36.81	43.58	-6.69	52.16	14.76	1.89	32.83	0.83	--	--	--	Peak																																																																																																																																																																																																																					
3	259.85	32.93	46.00	-13.07	42.56	28.88	2.15	31.93	0.87	--	--	--	Peak																																																																																																																																																																																																																					
4	489.54	37.46	46.00	-8.54	44.79	21.75	2.71	31.87	0.88	157	2	QP																																																																																																																																																																																																																						
5	626.88	36.98	46.00	-9.10	36.58	26.42	3.46	32.89	0.53	--	--	--	Peak																																																																																																																																																																																																																					
6	950.53	37.33	46.00	-8.67	32.71	38.78	4.14	38.78	0.48	--	--	--	Peak																																																																																																																																																																																																																					
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	dB	dB																																																																																																																																																																																																																					
1	59.18	32.15	46.00	-13.85	51.38	11.66	0.98	31.98	0.89	--	--	--	Peak																																																																																																																																																																																																																					
2	140.58	37.31	43.58	-6.19	58.57	17.22	1.56	32.67	0.83	--	--	--	Peak																																																																																																																																																																																																																					
3	257.95	23.66	46.00	-22.34	31.67	19.72	2.14	31.93	0.86	--	--	--	Peak																																																																																																																																																																																																																					
4	489.54	36.89	46.00	-7.91	45.42	21.75	2.71	31.87	0.88	--	--	--	Peak																																																																																																																																																																																																																					
5	626.88	35.59	46.00	-10.41	37.27	26.42	3.46	32.89	0.53	180	23	QP																																																																																																																																																																																																																						
6	950.53	38.34	46.00	-7.66	33.72	38.78	4.14	38.78	0.48	--	--	--	Peak																																																																																																																																																																																																																					