

## 8. 802.11n\_40M\_U-NII-1\_H

### 8.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5230                   | 99            |  | 0.39      | Peak     | 0           | 36.176317 |  | N/A     |



## 9. 802.11ac\_20M\_U-NII-1\_L

### 9.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5180                   | 99            |  | 0.2       | Peak     | 0           | 17.62405  |  | N/A     |



## 10. 802.11ac\_20M\_U-NII-1\_M

### 10.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5220                   | 99            |  | 0.2       | Peak     | 0           | 17.627372 |  | N/A     |



## 11. 802.11ac\_20M\_U-NII-1\_H

### 11.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5240                   | 99            |  | 0.2       | Peak     | 0           | 17.606861 |  | N/A     |



## 12. 802.11ac\_40M\_U-NII-1\_L

### 12.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5190                   | 99            |  | 0.39      | Peak     | 0           | 36.086008 |  | N/A     |



### 13. 802.11ac\_40M\_U-NII-1\_H

#### 13.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5230                   | 99            |  | 0.39      | Peak     | 0           | 36.099636 |  | N/A     |



## 14. 802.11ac\_80M\_U-NII-1\_M

### 14.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5210                   | 99            |  | 0.82      | Peak     | 0           | 75.490025 |  | N/A     |



## 15. 802.11a\_20M\_U-NII-2A\_L

### 15.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5260                   | 99            |  | 0.2       | Peak     | 0           | 16.549892 |  | N/A     |



## 16. 802.11a\_20M\_U-NII-2A\_M

### 16.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5300                   | 99            |  | 0.2       | Peak     | 0           | 16.534239 |  | N/A     |



## 17. 802.11a\_20M\_U-NII-2A\_H

### 17.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5320                   | 99            |  | 0.2       | Peak     | 0           | 16.540874 |  | N/A     |



## 18. 802.11n\_20M\_U-NII-2A\_L

### 18.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5260                   | 99            |  | 0.2       | Peak     | 0           | 17.670644 |  | N/A     |



## 19. 802.11n\_20M\_U-NII-2A\_M

### 19.1. A.2.2-99% Bandwidth(NTNV)


| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5300                   | 99            |  | 0.2       | Peak     | 0           | 17.668322 |  | N/A     |



## 20. 802.11n\_20M\_U-NII-2A\_H

### 20.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5320                   | 99            |  | 0.2       | Peak     | 0           | 17.65075  |  | N/A     |



## 21. 802.11n\_40M\_U-NII-2A\_L

### 21.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5270                   | 99            |  | 0.39      | Peak     | 0           | 36.192322 |  | N/A     |



## 22. 802.11n\_40M\_U-NII-2A\_H

### 22.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5310                   | 99            |  | 0.39      | Peak     | 0           | 36.164741 |  | N/A     |



## 23. 802.11ac\_20M\_U-NII-2A\_L

### 23.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5260                   | 99            |  | 0.2       | Peak     | 0           | 17.591593 |  | N/A     |



## 24. 802.11ac\_20M\_U-NII-2A\_M

### 24.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5300                   | 99            |  | 0.2       | Peak     | 0           | 17.605002 |  | N/A     |



## 25. 802.11ac\_20M\_U-NII-2A\_H

### 25.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5320                   | 99            |  | 0.2       | Peak     | 0           | 17.605624 |  | N/A     |



## 26. 802.11ac\_40M\_U-NII-2A\_L

### 26.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5270                   | 99            |  | 0.39      | Peak     | 0           | 36.068501 |  | N/A     |



## 27. 802.11ac\_40M\_U-NII-2A\_H

### 27.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5310                   | 99            |  | 0.39      | Peak     | 0           | 36.080571 |  | N/A     |



## 28. 802.11ac\_80M\_U-NII-2A\_M

### 28.1. A.2.2-99% Bandwidth(NTNV)


| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5290                   | 99            |  | 0.82      | Peak     | 0           | 75.50844  |  | N/A     |



## 29. 802.11a\_20M\_U-NII-2C\_L

### 29.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5500                   | 99            |  | 0.2       | Peak     | 0           | 16.542853 |  | N/A     |



## 30. 802.11a\_20M\_U-NII-2C\_M

### 30.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5580                   | 99            |  | 0.2       | Peak     | 0           | 16.552962 |  | N/A     |



## 31. 802.11a\_20M\_U-NII-2C\_H

### 31.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5700                   | 99            |  | 0.2       | Peak     | 0           | 16.553678 |  | N/A     |



## 32. 802.11n\_20M\_U-NII-2C\_L

### 32.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5500                   | 99            |  | 0.2       | Peak     | 0           | 17.668356 |  | N/A     |



### 33. 802.11n\_20M\_U-NII-2C\_M

#### 33.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5580                   | 99            |  | 0.2       | Peak     | 0           | 17.65631  |  | N/A     |



## 34. 802.11n\_20M\_U-NII-2C\_H

### 34.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5700                   | 99            |  | 0.2       | Peak     | 0           | 17.63928  |  | N/A     |



## 35. 802.11n\_40M\_U-NII-2C\_L

### 35.1. A.2.2-99% Bandwidth(NTNV)


| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5510                   | 99            |  | 0.39      | Peak     | 0           | 36.180168 |  | N/A     |



## 36. 802.11n\_40M\_U-NII-2C\_M

### 36.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5590                   | 99            |  | 0.39      | Peak     | 0           | 36.219237 |  | N/A     |



## 37. 802.11n\_40M\_U-NII-2C\_H

### 37.2. A.2.2-99% Bandwidth(NTNV)


| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5670                   | 99            |  | 0.39      | Peak     | 0           | 36.174025 |  | N/A     |



## 38. 802.11ac\_20M\_U-NII-2C\_L

### 38.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5500                   | 99            |  | 0.2       | Peak     | 0           | 17.610371 |  | N/A     |



## 39. 802.11ac\_20M\_U-NII-2C\_M

### 39.1. A.2.2-99% Bandwidth(NTNV)


| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5580                   | 99            |  | 0.2       | Peak     | 0           | 17.623164 |  | N/A     |



## 40. 802.11ac\_20M\_U-NII-2C\_H

### 40.2. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5700                   | 99            |  | 0.2       | Peak     | 0           | 17.598782 |  | N/A     |



## 41. 802.11ac\_40M\_U-NII-2C\_L

### 41.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5510                   | 99            |  | 0.39      | Peak     | 0           | 36.083579 |  | N/A     |



## 42. 802.11ac\_40M\_U-NII-2C\_M

### 42.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5590                   | 99            |  | 0.39      | Peak     | 0           | 36.095416 |  | N/A     |



## 43. 802.11ac\_40M\_U-NII-2C\_H

### 43.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5670                   | 99            |  | 0.39      | Peak     | 0           | 36.055775 |  | N/A     |



## 44. 802.11ac\_80M\_U-NII-2C\_L

### 44.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5530                   | 99            |  | 0.82      | Peak     | 0           | 75.468227 |  | N/A     |



## 45. 802.11ac\_80M\_U-NII-2C\_M

### 45.1. A.2.2-99% Bandwidth(NTNV)


| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5610                   | 99            |  | 0.82      | Peak     | 0           | 75.506306 |  | N/A     |



## 46. 802.11a\_20M\_U-NII-3\_L

### 46.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5745                   | 99            |  | 0.2       | Peak     | 0           | 16.51011  |  | N/A     |



## 47. 802.11a\_20M\_U-NII-3\_M

### 47.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5785                   | 99            |  | 0.2       | Peak     | 0           | 16.524078 |  | N/A     |



## 48. 802.11a\_20M\_U-NII-3\_H

### 48.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5825                   | 99            |  | 0.2       | Peak     | 0           | 16.534666 |  | N/A     |



## 49. 802.11n\_20M\_U-NII-3\_L

### 49.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5745                   | 99            |  | 0.2       | Peak     | 0           | 17.640565 |  | N/A     |



## 50. 802.11n\_20M\_U-NII-3\_M

### 50.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5785                   | 99            |  | 0.2       | Peak     | 0           | 17.627492 |  | N/A     |



## 51. 802.11n\_20M\_U-NII-3\_H

### 51.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5825                   | 99            |  | 0.2       | Peak     | 0           | 17.643348 |  | N/A     |



## 52. 802.11n\_40M\_U-NII-3\_L

### 52.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5755                   | 99            |  | 0.39      | Peak     | 0           | 36.160906 |  | N/A     |



## 53. 802.11n\_40M\_U-NII-3\_H

### 53.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5795                   | 99            |  | 0.39      | Peak     | 0           | 36.182019 |  | N/A     |



## 54. 802.11ac\_20M\_U-NII-3\_L

### 54.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5745                   | 99            |  | 0.2       | Peak     | 0           | 17.611944 |  | N/A     |



## 55. 802.11ac\_20M\_U-NII-3\_M

### 55.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5785                   | 99            |  | 0.2       | Peak     | 0           | 17.59221  |  | N/A     |



## 56. 802.11ac\_20M\_U-NII-3\_H

### 56.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5825                   | 99            |  | 0.2       | Peak     | 0           | 17.60324  |  | N/A     |



## 57. 802.11ac\_40M\_U-NII-3\_L

### 57.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5755                   | 99            |  | 0.39      | Peak     | 0           | 36.028772 |  | N/A     |



## 58. 802.11ac\_40M\_U-NII-3\_H

### 58.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5795                   | 99            |  | 0.39      | Peak     | 0           | 36.053444 |  | N/A     |



## 59. 802.11ac\_80M\_U-NII-3\_M

### 59.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5775                   | 99            |  | 0.82      | Peak     | 0           | 75.434912 |  | N/A     |



## 1. 802.11a\_20M\_U-NII-2C\_CH144

### 1.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) | Verdict |
|------------------------|---------------|-----------|----------|-------------|-----------|---------|
| 5720                   | 99            | 0.2       | Peak     | 0           | 16.543264 | N/A     |



## 2. 802.11n\_20M\_U-NII-2C\_CH144

### 2.1. A.2.2-99% Bandwidth(NTNV)


| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5720                   | 99            |  | 0.2       | Peak     | 0           | 17.623604 |  | N/A     |



### 3. 802.11n\_40M\_U-NII-2C\_CH142

#### 3.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5710                   | 99            |  | 0.39      | Peak     | 0           | 36.167676 |  | N/A     |



## 4. 802.11ac\_20M\_U-NII-2C\_CH144

### 4.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5720                   | 99            |  | 0.2       | Peak     | 0           | 17.619417 |  | N/A     |



## 5. 802.11ac\_40M\_U-NII-2C\_CH142

### 5.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5710                   | 99            |  | 0.39      | Peak     | 0           | 36.073953 |  | N/A     |



6. 802.11ac\_80M\_U-NII-2C\_CH138

6.1. A.2.2-99% Bandwidth(NTNV)



--BLANK BELOW--