





EXHIBIT 3 - EUT INTERNAL PHOTOGRAPHS

EUT Housing and Board View 1	 A photograph showing the internal components of a mobile device. On the left is a black plastic housing. To its right is the internal assembly, which includes a white display panel, a yellow battery, and various electronic components. A black ruler with white markings is placed vertically to the left of the components, and a horizontal ruler is placed below them. The background is a blue textured surface.
Solder Board-Component View 1	 A photograph of a blue printed circuit board (PCB) component. It features a large silver-colored metal shield, a yellow battery, and various electronic components. A black ruler with white markings is placed vertically to the left of the component, and a horizontal ruler is placed below it. The background is a blue textured surface.

Solder Board-Component View 2	 A photograph of a blue printed circuit board (PCB) component, labeled '2', resting on a blue textured surface. The component is rectangular with various electronic components and gold-plated connectors. A black ruler with white markings is placed vertically to the left of the component, showing measurements from 0 to 80 mm. A horizontal ruler at the bottom shows measurements from 0 to 100 mm.
Solder Board-Component View 3	 A photograph of a blue printed circuit board (PCB) component, labeled '3', resting on a blue textured surface. The component is rectangular and features a large central chip, several smaller components, and a gold-plated connector. A black ruler with white markings is placed vertically to the left of the component, showing measurements from 0 to 80 mm. A horizontal ruler at the bottom shows measurements from 0 to 100 mm.

Solder Board-Component View 4	 A photograph showing the battery component soldered onto a circuit board. The battery is rectangular with a silver top and yellow bottom. It is positioned next to a black ruler with white markings. The ruler shows measurements in millimeters (0 to 100) and centimeters (0 to 10). The battery's specifications are printed on its silver surface: - 6V 403750 3.7V and + 900mAh 3.33Wh 2201. The background is a blue textured surface.
Antenna View	 A photograph showing the internal components of a device, specifically the antenna area. The device is placed on a blue textured surface. Two red boxes highlight the antenna locations: one at the top left labeled "WIFI/BT Ant" and one at the bottom right labeled "GSM/WCDMA Ant.". The device's internal components, including the battery and various connectors, are visible.