







DH5_Ant1_High_2480_AV



DH5_Ant1_High_2480_Peak




DH5_Ant1_Low_Hop_2402_Peak




DH5_Ant1_High_Hop_2480_Peak




2DH5_Ant1_Low_2402_AV




2DH5_Ant1_Low_2402_Peak



2DH5_Ant1_High_2480_AV



2DH5_Ant1_High_2480_Peak




2DH5_Ant1_Low_Hop_2402_Peak




2DH5_Ant1_High_Hop_2480_Peak




3DH5_Ant1_Low_2402_AV




3DH5_Ant1_Low_2402_Peak




3DH5_Ant1_High_2480_AV



3DH5_Ant1_High_2480_Peak



3DH5_Ant1_Low_Hop_2402_Peak



3DH5_Ant1_High_Hop_2480_Peak

Mode:	DH5 2402
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2310.0000	60.68	-19.79	40.89	74.00	33.11	Horizontal	PASS
2	2351.0010	63.5	-19.67	43.83	74.00	30.17	Horizontal	PASS
3	2362.2122	64.59	-19.06	45.53	74.00	28.47	Horizontal	PASS
4	2378.2282	63.95	-18.21	45.74	74.00	28.26	Horizontal	PASS
5	2382.3924	63.66	-17.98	45.68	74.00	28.32	Horizontal	PASS
6	2390.0000	62.14	-17.57	44.57	74.00	29.43	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2310.0000	61.1	-19.79	41.31	74.00	32.69	Vertical	PASS
2	2334.5846	62.24	-19.75	42.49	74.00	31.51	Vertical	PASS
3	2347.3974	63.08	-19.72	43.36	74.00	30.64	Vertical	PASS
4	2362.0521	62.92	-19.07	43.85	74.00	30.15	Vertical	PASS
5	2377.6677	62.69	-18.24	44.45	74.00	29.55	Vertical	PASS
6	2390.0000	61.02	-17.57	43.45	74.00	30.55	Vertical	PASS

Mode:	DH5 2480
-------	----------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.5000	61.8	-18.02	43.78	74.00	30.22	Horizontal	PASS
2	2484.1485	65.83	-18.19	47.64	74.00	26.36	Horizontal	PASS
3	2490.7492	63.06	-18.97	44.09	74.00	29.91	Horizontal	PASS
4	2495.3350	63.15	-18.92	44.23	74.00	29.77	Horizontal	PASS
5	2496.5182	63.79	-18.90	44.89	74.00	29.11	Horizontal	PASS
6	2500.0000	61.36	-18.85	42.51	74.00	31.49	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.500	63.10	45.08	-18.02	74.00	28.92	Vertical	PASS
2	2486.140	66.41	47.87	-18.54	74.00	26.13	Vertical	PASS
3	2488.214	65.84	47.07	-18.77	74.00	26.93	Vertical	PASS
4	2493.125	66.25	47.31	-18.94	74.00	26.69	Vertical	PASS
5	2498.038	65.93	47.05	-18.88	74.00	26.95	Vertical	PASS
6	2500.000	63.92	45.07	-18.85	74.00	28.93	Vertical	PASS

Mode:	2DH5 2402
-------	-----------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2310.000	64.19	44.40	-19.79	74.00	29.60	Horizontal	PASS
2	2334.824	65.28	45.53	-19.75	74.00	28.47	Horizontal	PASS
3	2361.651	67.34	48.25	-19.09	74.00	25.75	Horizontal	PASS
4	2377.507	66.84	48.60	-18.24	74.00	25.40	Horizontal	PASS
5	2383.033	67.05	49.10	-17.95	74.00	24.90	Horizontal	PASS
6	2390.000	64.64	47.07	-17.57	74.00	26.93	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2310.000	63.57	43.78	-19.79	74.00	30.22	Vertical	PASS
2	2343.073	65.43	45.70	-19.73	74.00	28.30	Vertical	PASS
3	2355.405	65.09	45.66	-19.43	74.00	28.34	Vertical	PASS
4	2368.378	65.44	46.71	-18.73	74.00	27.29	Vertical	PASS
5	2379.029	64.73	46.57	-18.16	74.00	27.43	Vertical	PASS
6	2390.000	63.67	46.10	-17.57	74.00	27.90	Vertical	PASS

Mode:	2DH5 2480
-------	-----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.5561	76.39	-18.04	58.35	74.00	15.65	Horizontal	PASS
2	2487.8284	63.47	-18.73	44.74	74.00	29.26	Horizontal	PASS
3	2493.1304	63.2	-18.94	44.26	74.00	29.74	Horizontal	PASS
4	2494.8267	63.76	-18.92	44.84	74.00	29.16	Horizontal	PASS
5	2498.3861	63.42	-18.87	44.55	74.00	29.45	Horizontal	PASS
6	2500.0000	60.56	-18.85	41.71	74.00	32.29	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.5000	61.37	-18.02	43.35	74.00	30.65	Vertical	PASS
2	2485.7211	63.22	-18.49	44.73	74.00	29.27	Vertical	PASS
3	2491.4406	63.5	-18.96	44.54	74.00	29.46	Vertical	PASS
4	2495.3053	63.18	-18.92	44.26	74.00	29.74	Vertical	PASS
5	2497.4323	62.89	-18.89	44.00	74.00	30.00	Vertical	PASS
6	2500.0000	60.63	-18.85	41.78	74.00	32.22	Vertical	PASS

Mode:	3DH5 2402
-------	-----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2310.0000	61.56	-19.79	41.77	74.00	32.23	Horizontal	PASS
2	2327.8579	62.29	-19.76	42.53	74.00	31.47	Horizontal	PASS
3	2361.8118	64.75	-19.09	45.66	74.00	28.34	Horizontal	PASS
4	2377.6677	64.57	-18.24	46.33	74.00	27.67	Horizontal	PASS
5	2382.3924	64.59	-17.98	46.61	74.00	27.39	Horizontal	PASS
6	2390.0000	61.76	-17.57	44.19	74.00	29.81	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2310.0000	61.35	-19.79	41.56	74.00	32.44	Vertical	PASS
2	2335.0651	62.81	-19.75	43.06	74.00	30.94	Vertical	PASS
3	2344.1942	62.01	-19.73	42.28	74.00	31.72	Vertical	PASS
4	2362.2122	63.44	-19.06	44.38	74.00	29.62	Vertical	PASS
5	2379.3493	63.41	-18.15	45.26	74.00	28.74	Vertical	PASS
6	2390.0000	61.07	-17.57	43.50	74.00	30.50	Vertical	PASS

Mode:	3DH5 2480
-------	-----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.5561	73.07	-18.04	55.03	74.00	18.97	Horizontal	PASS
2	2485.4439	63.76	-18.46	45.30	74.00	28.70	Horizontal	PASS
3	2489.0413	63.53	-18.87	44.66	74.00	29.34	Horizontal	PASS
4	2494.1007	62.98	-18.93	44.05	74.00	29.95	Horizontal	PASS
5	2497.1271	63.87	-18.89	44.98	74.00	29.02	Horizontal	PASS
6	2500.0000	62.02	-18.85	43.17	74.00	30.83	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.5000	61.68	-18.02	43.66	74.00	30.34	Vertical	PASS
2	2484.5198	63.04	-18.28	44.76	74.00	29.24	Vertical	PASS
3	2489.1865	64.22	-18.88	45.34	74.00	28.66	Vertical	PASS
4	2492.3779	63.52	-18.95	44.57	74.00	29.43	Vertical	PASS
5	2499.5116	63.55	-18.86	44.69	74.00	29.31	Vertical	PASS
6	2500.0000	60.23	-18.85	41.38	74.00	32.62	Vertical	PASS

Appendix K: Radiated emissions for transmitter

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line per 15.31(o) was not reported.


Above 1GHz, The emission level with margin less than 20db is recorded.

According to C63.10, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement, so AV emission value did not show in below table if the peak value complies with average limit.


30MHz-1GHz

The worst case data was recorded

DH5-2402MHz



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	48.4484	24.13	-15.79	40.00	15.87	100	343	Horizontal
2	55.2452	24.69	-15.94	40.00	15.31	100	343	Horizontal
3	116.416	18.53	-18.55	43.50	24.97	100	61	Horizontal
4	175.645	22.84	-16.94	43.50	20.66	100	77	Horizontal
5	273.713	24.68	-16.09	46.00	21.32	100	92	Horizontal
6	650.450	33.39	-8.41	46.00	12.61	100	284	Horizontal
7	828.138	37.06	-5.81	46.00	8.94	100	343	Horizontal



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	49.4194	29.17	-15.73	40.00	10.83	100	44	Vertical
2	56.2162	30.96	-15.98	40.00	9.04	100	92	Vertical
3	115.445	25.65	-18.65	43.50	17.85	100	44	Vertical
4	134.864	28.61	-16.65	43.50	14.89	100	34	Vertical
5	563.063	31.89	-9.81	46.00	14.11	100	136	Vertical
6	650.450	33.80	-8.41	46.00	12.20	100	19	Vertical

Mode:	DH5 2402
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1394.478	65.86	40.74	-25.12	74.00	33.26	Horizontal	PASS
2	1812.962	64.91	42.83	-22.08	74.00	31.17	Horizontal	PASS
3	3862.586	64.50	46.32	-18.18	74.00	27.68	Horizontal	PASS
4	5211.2211	62.57	47.16	-15.41	74.00	26.84	Horizontal	PASS
5	7483.948	61.52	49.00	-12.52	74.00	25.00	Horizontal	PASS
6	11418.84	59.86	52.85	-7.01	74.00	21.15	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1395.679	65.67	40.55	-25.12	74.00	33.45	Vertical	PASS
2	1936.987	65.95	44.92	-21.03	74.00	29.08	Vertical	PASS
3	3637.563	62.66	44.00	-18.66	74.00	30.00	Vertical	PASS
4	5758.775	62.20	47.19	-15.01	74.00	26.81	Vertical	PASS
5	7411.941	62.63	49.99	-12.64	74.00	24.01	Vertical	PASS
6	12117.911	59.17	54.04	-5.13	74.00	19.96	Vertical	PASS

Mode:	DH5 2441
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1267.653	65.67	40.17	-25.50	74.00	33.83	Horizontal	PASS
2	1832.166	65.62	43.76	-21.86	74.00	30.24	Horizontal	PASS
3	4149.114	62.59	45.62	-16.97	74.00	28.38	Horizontal	PASS
4	6097.809	61.22	47.68	-13.54	74.00	26.32	Horizontal	PASS
5	8841.584	61.11	49.95	-11.16	74.00	24.05	Horizontal	PASS
6	12074.40	60.02	54.86	-5.16	74.00	19.14	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1264.853	66.24	40.73	-25.51	74.00	33.27	Vertical	PASS
2	2009.401	66.99	46.53	-20.46	74.00	27.47	Vertical	PASS
3	4236.123	64.46	47.20	-17.26	74.00	26.80	Vertical	PASS
4	5715.271	61.20	46.33	-14.87	74.00	27.67	Vertical	PASS
5	7038.403	61.94	49.43	-12.51	74.00	24.57	Vertical	PASS
6	10904.29	60.49	52.81	-7.68	74.00	21.19	Vertical	PASS

Mode:	DH5 2480
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1302.860	65.63	40.25	-25.38	74.00	33.75	Horizontal	PASS
2	1878.575	65.76	44.32	-21.44	74.00	29.68	Horizontal	PASS
3	3904.590	62.37	44.45	-17.92	74.00	29.55	Horizontal	PASS
4	6199.820	61.24	47.02	-14.22	74.00	26.98	Horizontal	PASS
5	8364.536	61.72	49.75	-11.97	74.00	24.25	Horizontal	PASS
6	11270.32	60.79	53.60	-7.19	74.00	20.40	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1276.855	65.16	39.69	-25.47	74.00	34.31	Vertical	PASS
2	1762.152	65.17	42.64	-22.53	74.00	31.36	Vertical	PASS
3	4165.616	63.91	46.83	-17.08	74.00	27.17	Vertical	PASS
4	6384.338	62.86	49.12	-13.74	74.00	24.88	Vertical	PASS
5	8264.026	61.28	49.36	-11.92	74.00	24.64	Vertical	PASS
6	12293.42	59.36	54.43	-4.93	74.00	19.57	Vertical	PASS

Mode:	2DH5 2402
-------	-----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1311.262	65.98	40.65	-25.33	74.00	33.35	Horizontal	PASS
2	1857.371	65.15	43.55	-21.60	74.00	30.45	Horizontal	PASS
3	4107.110	63.30	45.90	-17.40	74.00	28.10	Horizontal	PASS
4	6838.883	62.29	49.85	-12.44	74.00	24.15	Horizontal	PASS
5	9750.675	60.43	51.04	-9.39	74.00	22.96	Horizontal	PASS
6	12773.47	59.88	55.36	-4.52	74.00	18.64	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1338.067	66.53	41.38	-25.15	74.00	32.62	Vertical	PASS
2	1935.387	65.10	44.06	-21.04	74.00	29.94	Vertical	PASS
3	4182.118	63.49	46.29	-17.20	74.00	27.71	Vertical	PASS
4	7225.922	61.73	49.00	-12.73	74.00	25.00	Vertical	PASS
5	9942.694	61.01	52.06	-8.95	74.00	21.94	Vertical	PASS
6	12180.91	58.74	53.59	-5.15	74.00	20.41	Vertical	PASS

Mode:	2DH5 2441
-------	-----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1446.089	66.40	41.47	-24.93	74.00	32.53	Horizontal	PASS
2	1760.552	66.30	43.75	-22.55	74.00	30.25	Horizontal	PASS
3	4276.627	63.37	46.17	-17.20	74.00	27.83	Horizontal	PASS
4	5757.275	62.14	47.13	-15.01	74.00	26.87	Horizontal	PASS
5	7900.990	61.74	50.04	-11.70	74.00	23.96	Horizontal	PASS
6	10922.29	60.71	53.04	-7.67	74.00	20.96	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1230.446	65.29	39.67	-25.62	74.00	34.33	Vertical	PASS
2	1527.305	66.36	41.69	-24.67	74.00	32.31	Vertical	PASS
3	4195.619	62.68	45.38	-17.30	74.00	28.62	Vertical	PASS
4	6690.369	61.11	48.30	-12.81	74.00	25.70	Vertical	PASS
5	9336.633	61.09	50.65	-10.44	74.00	23.35	Vertical	PASS
6	13156.01	59.71	55.68	-4.03	74.00	18.32	Vertical	PASS

Mode:	2DH5 2480
-------	-----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1282.856	65.71	40.26	-25.45	74.00	33.74	Horizontal	PASS
2	1942.188	66.09	45.10	-20.99	74.00	28.90	Horizontal	PASS
3	4273.627	64.74	47.54	-17.20	74.00	26.46	Horizontal	PASS
4	6084.308	61.70	48.03	-13.67	74.00	25.97	Horizontal	PASS
5	7951.995	61.40	49.68	-11.72	74.00	24.32	Horizontal	PASS
6	11361.83	60.08	52.94	-7.14	74.00	21.06	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1186.437	65.22	39.46	-25.76	74.00	34.54	Vertical	PASS
2	1684.136	65.85	42.68	-23.17	74.00	31.32	Vertical	PASS
3	3807.080	63.55	45.40	-18.15	74.00	28.60	Vertical	PASS
4	5814.281	62.08	47.16	-14.92	74.00	26.84	Vertical	PASS
5	9042.604	60.90	50.26	-10.64	74.00	23.74	Vertical	PASS
6	12020.40	59.15	53.80	-5.35	74.00	20.20	Vertical	PASS

Mode:	3DH5 2402
-------	-----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1174.835	66.57	40.79	-25.78	74.00	33.21	Horizontal	PASS
2	1890.978	65.40	44.05	-21.35	74.00	29.95	Horizontal	PASS
3	3805.580	64.05	45.91	-18.14	74.00	28.09	Horizontal	PASS
4	6093.309	62.01	48.42	-13.59	74.00	25.58	Horizontal	PASS
5	7902.490	61.71	50.01	-11.70	74.00	23.99	Horizontal	PASS
6	11114.311	60.25	52.92	-7.33	74.00	21.08	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1317.663	66.12	40.84	-25.28	74.00	33.16	Vertical	PASS
2	2093.018	66.33	46.02	-20.31	74.00	27.98	Vertical	PASS
3	3793.579	63.48	45.28	-18.20	74.00	28.72	Vertical	PASS
4	6328.832	62.33	48.65	-13.68	74.00	25.35	Vertical	PASS
5	8883.588	60.88	49.69	-11.19	74.00	24.31	Vertical	PASS
6	11097.80	60.29	52.99	-7.30	74.00	21.01	Vertical	PASS

Mode:	3DH5 2441
-------	-----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1399.279	66.05	40.92	-25.13	74.00	33.08	Horizontal	PASS
2	1753.750	66.34	43.74	-22.60	74.00	30.26	Horizontal	PASS
3	4963.696	63.43	47.13	-16.30	74.00	26.87	Horizontal	PASS
4	6324.332	62.07	48.45	-13.62	74.00	25.55	Horizontal	PASS
5	7942.994	62.19	50.48	-11.71	74.00	23.52	Horizontal	PASS
6	9794.179	61.09	51.73	-9.36	74.00	22.27	Horizontal	PASS


PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1317.663	66.06	40.78	-25.28	74.00	33.22	Vertical	PASS
2	1863.372	65.78	44.23	-21.55	74.00	29.77	Vertical	PASS
3	4195.619	63.19	45.89	-17.30	74.00	28.11	Vertical	PASS
4	6102.310	61.36	47.81	-13.55	74.00	26.19	Vertical	PASS
5	7915.991	61.87	50.17	-11.70	74.00	23.83	Vertical	PASS
6	10607.26	60.36	52.41	-7.95	74.00	21.59	Vertical	PASS

Mode:	3DH5 2480
-------	-----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1200.840	66.69	40.96	-25.73	74.00	33.04	Horizontal	PASS
2	1578.115	66.55	42.41	-24.14	74.00	31.59	Horizontal	PASS
3	4249.625	63.28	46.05	-17.23	74.00	27.95	Horizontal	PASS
4	4944.194	62.80	46.35	-16.45	74.00	27.65	Horizontal	PASS
5	8058.505	61.58	49.63	-11.95	74.00	24.37	Horizontal	PASS
6	12657.96	60.48	56.08	-4.40	74.00	17.92	Horizontal	PASS


PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1244.048	66.41	40.84	-25.57	74.00	33.16	Vertical	PASS
2	1690.938	65.58	42.49	-23.09	74.00	31.51	Vertical	PASS
3	4467.146	63.35	46.54	-16.81	74.00	27.46	Vertical	PASS
4	6903.390	61.44	48.60	-12.84	74.00	25.40	Vertical	PASS
5	9048.604	61.10	50.52	-10.58	74.00	23.48	Vertical	PASS
6	11286.82	60.44	53.28	-7.16	74.00	20.72	Vertical	PASS

Appendix L: Conducted emission AC power port



Final Data List

NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.1901	10.24	36.36	64.03	27.67	26.79	54.03	27.24	L	PASS
2	0.3993	10.24	36.32	57.87	21.55	25.76	47.87	22.11	L	PASS
3	0.5942	10.26	34.19	56.00	21.81	21.86	46.00	24.14	L	PASS
4	0.7153	10.28	32.13	56.00	23.87	20.95	46.00	25.05	L	PASS
5	10.3870	10.54	25.32	60.00	34.68	18.07	50.00	31.93	L	PASS
6	26.2659	10.80	33.71	60.00	26.29	25.81	50.00	24.19	L	PASS



Final Data List

NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.1901	10.24	38.15	64.03	25.88	28.30	54.03	25.73	N	PASS
2	0.3179	10.25	33.01	59.76	26.75	24.23	49.76	25.53	N	PASS
3	0.3946	10.24	35.93	57.97	22.04	26.87	47.97	21.10	N	PASS
4	0.5923	10.26	32.17	56.00	23.83	21.69	46.00	24.31	N	PASS
5	10.3897	10.49	24.78	60.00	35.22	17.61	50.00	32.39	N	PASS
6	14.7810	10.61	24.12	60.00	35.88	16.91	50.00	33.09	N	PASS