


Dwell NVNT 3-DH5 2441MHz One Burst



Dwell NVNT 3-DH5 2441MHz Accumulated




2. Maximum Peak Conducted Output Power


Condition	Mode	Frequency (MHz)	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	-1.21	≤ 20.97	Pass
NVNT	1-DH5	2441	-2.89	≤ 20.97	Pass
NVNT	1-DH5	2480	-4.06	≤ 20.97	Pass
NVNT	2-DH5	2402	-1.4	≤ 20.97	Pass
NVNT	2-DH5	2441	-2.99	≤ 20.97	Pass
NVNT	2-DH5	2480	-4.17	≤ 20.97	Pass
NVNT	3-DH5	2402	-1.37	≤ 20.97	Pass
NVNT	3-DH5	2441	-2.99	≤ 20.97	Pass
NVNT	3-DH5	2480	-4.15	≤ 20.97	Pass

Test Graphs


Peak Power NVNT 1-DH5 2402MHz




Peak Power NVNT 1-DH5 2441MHz




Peak Power NVNT 1-DH5 2480MHz




Peak Power NVNT 2-DH5 2402MHz




Peak Power NVNT 2-DH5 2441MHz




Peak Power NVNT 2-DH5 2480MHz




Peak Power NVNT 3-DH5 2402MHz



Peak Power NVNT 3-DH5 2441MHz






3. -20dB Bandwidth


Condition	Mode	Frequency (MHz)	-20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	0.9227	Pass
NVNT	1-DH5	2441	0.9285	Pass
NVNT	1-DH5	2480	0.9622	Pass
NVNT	2-DH5	2402	1.2924	Pass
NVNT	2-DH5	2441	1.3022	Pass
NVNT	2-DH5	2480	1.2922	Pass
NVNT	3-DH5	2402	1.2938	Pass
NVNT	3-DH5	2441	1.2998	Pass
NVNT	3-DH5	2480	1.2913	Pass



Test Graphs



-20dB Bandwidth NVNT 1-DH5 2402MHz






-20dB Bandwidth NVNT 1-DH5 2441MHz



-20dB Bandwidth NVNT 1-DH5 2480MHz**-20dB Bandwidth NVNT 2-DH5 2402MHz**

-20dB Bandwidth NVNT 2-DH5 2441MHz**-20dB Bandwidth NVNT 2-DH5 2480MHz**

-20dB Bandwidth NVNT 3-DH5 2402MHz**-20dB Bandwidth NVNT 3-DH5 2441MHz**




4. Carrier Frequencies Separation


Condition	Mode	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	2402.032	2403.178	1.146	≥ 0.615	Pass
NVNT	1-DH5	2440.172	2441.016	0.844	≥ 0.619	Pass
NVNT	1-DH5	2479.008	2480.17	1.162	≥ 0.641	Pass
NVNT	2-DH5	2402.14	2403.14	1	≥ 0.862	Pass
NVNT	2-DH5	2441.136	2442.136	1	≥ 0.868	Pass
NVNT	2-DH5	2479.004	2480.132	1.128	≥ 0.861	Pass
NVNT	3-DH5	2402.028	2403.016	0.988	≥ 0.863	Pass
NVNT	3-DH5	2441.006	2442.182	1.176	≥ 0.867	Pass
NVNT	3-DH5	2479.008	2480.178	1.17	≥ 0.861	Pass



Test Graphs


CFS NVNT 1-DH5 2402MHz



CFS NVNT 1-DH5 2441MHz









5. Number of Hopping Channel


Condition	Mode	Hopping Number	Limit	Verdict
NVNT	1-DH5	79	≥ 15	Pass
NVNT	2-DH5	79	≥ 15	Pass
NVNT	3-DH5	79	≥ 15	Pass

Test Graphs



o. NVNT 2-DH5 Hopping






6. Band Edge

Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	No-Hopping	-35.42	<=-20	Pass
NVNT	1-DH5	2480	No-Hopping	-53.77	<=-20	Pass
NVNT	2-DH5	2402	No-Hopping	-35.14	<=-20	Pass
NVNT	2-DH5	2480	No-Hopping	-54.08	<=-20	Pass
NVNT	3-DH5	2402	No-Hopping	-35.16	<=-20	Pass
NVNT	3-DH5	2480	No-Hopping	-52.09	<=-20	Pass

Test Graphs

Band Edge NVNT 1-DH5 2402MHz No-Hopping Ref



Band Edge NVNT 1-DH5 2402MHz No-Hopping Emission

