

## 1. Effective (Isotropic) Radiated Power Output Data

### 1.1 Band5\_ERP

#### 1.1.1 Test Result

| Band: 5 |         |              |                 |                       |            |           |         |         |
|---------|---------|--------------|-----------------|-----------------------|------------|-----------|---------|---------|
| ENV     | Mode    |              | Frequency (MHz) | Conducted Power (dBm) | Gain (dbi) | ERP (dBm) |         | Verdict |
|         | Network | Subset       |                 |                       |            | Result    | Limit   |         |
| NTNV    | RMC     | 12.2kbps RMC | 826.4           | 22.69                 | -2.10      | 18.44     | <=38.45 | Pass    |
|         |         |              | 836.6           | 22.74                 | -2.10      | 18.49     | <=38.45 | Pass    |
|         |         |              | 846.6           | 22.73                 | -2.10      | 18.48     | <=38.45 | Pass    |
|         | HSDPA   | Subtest 1    | 826.4           | 21.76                 | -2.10      | 17.51     | <=38.45 | Pass    |
|         |         | Subtest 2    | 826.4           | 21.82                 | -2.10      | 17.57     | <=38.45 | Pass    |
|         |         | Subtest 3    | 826.4           | 21.83                 | -2.10      | 17.58     | <=38.45 | Pass    |
|         |         | Subtest 4    | 826.4           | 21.79                 | -2.10      | 17.54     | <=38.45 | Pass    |
|         |         | Subtest 1    | 836.6           | 22.15                 | -2.10      | 17.90     | <=38.45 | Pass    |
|         |         | Subtest 2    | 836.6           | 22.19                 | -2.10      | 17.94     | <=38.45 | Pass    |
|         |         | Subtest 3    | 836.6           | 22.22                 | -2.10      | 17.97     | <=38.45 | Pass    |
|         |         | Subtest 4    | 836.6           | 22.17                 | -2.10      | 17.92     | <=38.45 | Pass    |
|         |         | Subtest 1    | 846.6           | 21.92                 | -2.10      | 17.67     | <=38.45 | Pass    |
|         |         | Subtest 2    | 846.6           | 21.94                 | -2.10      | 17.69     | <=38.45 | Pass    |
|         |         | Subtest 3    | 846.6           | 21.92                 | -2.10      | 17.67     | <=38.45 | Pass    |
|         |         | Subtest 4    | 846.6           | 21.91                 | -2.10      | 17.66     | <=38.45 | Pass    |
|         | HSUPA   | Subtest 1    | 826.4           | 19.89                 | -2.10      | 15.64     | <=38.45 | Pass    |
|         |         | Subtest 2    | 826.4           | 19.54                 | -2.10      | 15.29     | <=38.45 | Pass    |
|         |         | Subtest 3    | 826.4           | 20.17                 | -2.10      | 15.92     | <=38.45 | Pass    |
|         |         | Subtest 4    | 826.4           | 19.37                 | -2.10      | 15.12     | <=38.45 | Pass    |
|         |         | Subtest 5    | 826.4           | 19.88                 | -2.10      | 15.63     | <=38.45 | Pass    |
|         |         | Subtest 1    | 836.6           | 20.29                 | -2.10      | 16.04     | <=38.45 | Pass    |
|         |         | Subtest 2    | 836.6           | 20.58                 | -2.10      | 16.33     | <=38.45 | Pass    |
|         |         | Subtest 3    | 836.6           | 19.78                 | -2.10      | 15.53     | <=38.45 | Pass    |
|         |         | Subtest 4    | 836.6           | 19.78                 | -2.10      | 15.53     | <=38.45 | Pass    |
|         |         | Subtest 5    | 836.6           | 20.28                 | -2.10      | 16.03     | <=38.45 | Pass    |
|         |         | Subtest 1    | 846.6           | 19.93                 | -2.10      | 15.68     | <=38.45 | Pass    |
|         |         | Subtest 2    | 846.6           | 20.24                 | -2.10      | 15.99     | <=38.45 | Pass    |
|         |         | Subtest 3    | 846.6           | 19.42                 | -2.10      | 15.17     | <=38.45 | Pass    |
|         |         | Subtest 4    | 846.6           | 19.99                 | -2.10      | 15.74     | <=38.45 | Pass    |
|         |         | Subtest 5    | 846.6           | 19.93                 | -2.10      | 15.68     | <=38.45 | Pass    |

Note1: ERP=Conducted Power+Antenna Gain-2.15

## 2. Frequency Stability

### 2.1 Band5

#### 2.1.1 Test Result

| Band: 5 |                 |            |               |                  |                       |             |         |
|---------|-----------------|------------|---------------|------------------|-----------------------|-------------|---------|
| Network | Frequency (MHz) | Temp. (°C) | Voltage (VDC) | Freq. Error (Hz) | Freq. vs. Rated (ppm) |             | Verdict |
|         |                 |            |               |                  | Result                | Limit       |         |
| RMC     | 826.4           | 20         | 3.23          | 0.994            | 0.0012                | -2.5 to 2.5 | Pass    |
|         |                 |            | 3.8           | -1.373           | -0.0017               | -2.5 to 2.5 | Pass    |
|         |                 |            | 4.37          | -2.732           | -0.0033               | -2.5 to 2.5 | Pass    |
|         |                 | -30        | 3.8           | -0.021           | 0.0000                | -2.5 to 2.5 | Pass    |
|         |                 | -20        | 3.8           | 1.602            | 0.0019                | -2.5 to 2.5 | Pass    |
|         |                 | -10        | 3.8           | 0.572            | 0.0007                | -2.5 to 2.5 | Pass    |
|         |                 | 0          | 3.8           | -0.379           | -0.0005               | -2.5 to 2.5 | Pass    |
|         |                 | 10         | 3.8           | -0.722           | -0.0009               | -2.5 to 2.5 | Pass    |
|         |                 | 30         | 3.8           | 0.644            | 0.0008                | -2.5 to 2.5 | Pass    |
|         |                 | 40         | 3.8           | 0.730            | 0.0009                | -2.5 to 2.5 | Pass    |
|         |                 | 50         | 3.8           | -2.489           | -0.0030               | -2.5 to 2.5 | Pass    |
|         | 836.6           | 20         | 3.23          | 1.695            | 0.0020                | -2.5 to 2.5 | Pass    |
|         |                 |            | 3.8           | 1.101            | 0.0013                | -2.5 to 2.5 | Pass    |
|         |                 |            | 4.37          | 0.701            | 0.0008                | -2.5 to 2.5 | Pass    |
|         |                 | -30        | 3.8           | -0.215           | -0.0003               | -2.5 to 2.5 | Pass    |
|         |                 | -20        | 3.8           | -0.300           | -0.0004               | -2.5 to 2.5 | Pass    |
|         |                 | -10        | 3.8           | -1.767           | -0.0021               | -2.5 to 2.5 | Pass    |
|         |                 | 0          | 3.8           | 0.129            | 0.0002                | -2.5 to 2.5 | Pass    |
|         |                 | 10         | 3.8           | 1.767            | 0.0021                | -2.5 to 2.5 | Pass    |
|         |                 | 30         | 3.8           | 1.810            | 0.0022                | -2.5 to 2.5 | Pass    |
|         |                 | 40         | 3.8           | 1.223            | 0.0015                | -2.5 to 2.5 | Pass    |
|         |                 | 50         | 3.8           | 1.073            | 0.0013                | -2.5 to 2.5 | Pass    |
|         | 846.6           | 20         | 3.23          | -1.967           | -0.0023               | -2.5 to 2.5 | Pass    |
|         |                 |            | 3.8           | -2.146           | -0.0025               | -2.5 to 2.5 | Pass    |
|         |                 |            | 4.37          | -1.087           | -0.0013               | -2.5 to 2.5 | Pass    |
|         |                 | -30        | 3.8           | 0.172            | 0.0002                | -2.5 to 2.5 | Pass    |
|         |                 | -20        | 3.8           | -1.123           | -0.0013               | -2.5 to 2.5 | Pass    |
|         |                 | -10        | 3.8           | -1.230           | -0.0015               | -2.5 to 2.5 | Pass    |
|         |                 | 0          | 3.8           | -1.416           | -0.0017               | -2.5 to 2.5 | Pass    |
|         |                 | 10         | 3.8           | -0.744           | -0.0009               | -2.5 to 2.5 | Pass    |
|         |                 | 30         | 3.8           | -0.973           | -0.0011               | -2.5 to 2.5 | Pass    |
|         |                 | 40         | 3.8           | -0.358           | -0.0004               | -2.5 to 2.5 | Pass    |
|         |                 | 50         | 3.8           | -1.051           | -0.0012               | -2.5 to 2.5 | Pass    |
| HSDPA   | 826.4           | 20         | 3.23          | 3.963            | 0.0048                | -2.5 to 2.5 | Pass    |
|         |                 |            | 3.8           | 3.548            | 0.0043                | -2.5 to 2.5 | Pass    |
|         |                 |            | 4.37          | 3.083            | 0.0037                | -2.5 to 2.5 | Pass    |
|         |                 | -30        | 3.8           | 4.914            | 0.0059                | -2.5 to 2.5 | Pass    |
|         |                 | -20        | 3.8           | 4.549            | 0.0055                | -2.5 to 2.5 | Pass    |
|         |                 | -10        | 3.8           | 4.077            | 0.0049                | -2.5 to 2.5 | Pass    |
|         |                 | 0          | 3.8           | 4.213            | 0.0051                | -2.5 to 2.5 | Pass    |
|         |                 | 10         | 3.8           | 3.984            | 0.0048                | -2.5 to 2.5 | Pass    |
|         |                 | 30         | 3.8           | 4.942            | 0.0060                | -2.5 to 2.5 | Pass    |
|         |                 | 40         | 3.8           | 4.091            | 0.0050                | -2.5 to 2.5 | Pass    |
|         |                 | 50         | 3.8           | 3.333            | 0.0040                | -2.5 to 2.5 | Pass    |
|         | 836.6           | 20         | 3.23          | 3.376            | 0.0040                | -2.5 to 2.5 | Pass    |
|         |                 |            | 3.8           | 1.881            | 0.0022                | -2.5 to 2.5 | Pass    |
|         |                 |            | 4.37          | 2.797            | 0.0033                | -2.5 to 2.5 | Pass    |
|         |                 | -30        | 3.8           | 3.834            | 0.0046                | -2.5 to 2.5 | Pass    |
|         |                 | -20        | 3.8           | 4.592            | 0.0055                | -2.5 to 2.5 | Pass    |

|       |       |     |      |        |         |             |      |
|-------|-------|-----|------|--------|---------|-------------|------|
|       |       | -10 | 3.8  | 4.721  | 0.0056  | -2.5 to 2.5 | Pass |
|       |       | 0   | 3.8  | 4.492  | 0.0054  | -2.5 to 2.5 | Pass |
|       |       | 10  | 3.8  | 4.241  | 0.0051  | -2.5 to 2.5 | Pass |
|       |       | 30  | 3.8  | 6.638  | 0.0079  | -2.5 to 2.5 | Pass |
|       |       | 40  | 3.8  | 4.857  | 0.0058  | -2.5 to 2.5 | Pass |
|       |       | 50  | 3.8  | 3.455  | 0.0041  | -2.5 to 2.5 | Pass |
|       | 846.6 | 20  | 3.23 | 3.319  | 0.0039  | -2.5 to 2.5 | Pass |
|       |       |     | 3.8  | 4.978  | 0.0059  | -2.5 to 2.5 | Pass |
|       |       |     | 4.37 | 2.711  | 0.0032  | -2.5 to 2.5 | Pass |
|       |       | -30 | 3.8  | 5.207  | 0.0062  | -2.5 to 2.5 | Pass |
|       |       | -20 | 3.8  | 6.208  | 0.0073  | -2.5 to 2.5 | Pass |
|       |       | -10 | 3.8  | 4.900  | 0.0058  | -2.5 to 2.5 | Pass |
|       |       | 0   | 3.8  | 3.655  | 0.0043  | -2.5 to 2.5 | Pass |
|       |       | 10  | 3.8  | 5.093  | 0.0060  | -2.5 to 2.5 | Pass |
|       |       | 30  | 3.8  | 4.528  | 0.0053  | -2.5 to 2.5 | Pass |
|       |       | 40  | 3.8  | 3.984  | 0.0047  | -2.5 to 2.5 | Pass |
|       |       | 50  | 3.8  | 5.257  | 0.0062  | -2.5 to 2.5 | Pass |
| HSUPA | 826.4 | 20  | 3.23 | -1.681 | -0.0020 | -2.5 to 2.5 | Pass |
|       |       |     | 3.8  | -3.033 | -0.0037 | -2.5 to 2.5 | Pass |
|       |       |     | 4.37 | -3.984 | -0.0048 | -2.5 to 2.5 | Pass |
|       |       | -30 | 3.8  | -3.240 | -0.0039 | -2.5 to 2.5 | Pass |
|       |       | -20 | 3.8  | -2.732 | -0.0033 | -2.5 to 2.5 | Pass |
|       |       | -10 | 3.8  | -3.490 | -0.0042 | -2.5 to 2.5 | Pass |
|       |       | 0   | 3.8  | -1.559 | -0.0019 | -2.5 to 2.5 | Pass |
|       |       | 10  | 3.8  | -2.103 | -0.0025 | -2.5 to 2.5 | Pass |
|       |       | 30  | 3.8  | -0.594 | -0.0007 | -2.5 to 2.5 | Pass |
|       |       | 40  | 3.8  | -2.210 | -0.0027 | -2.5 to 2.5 | Pass |
|       | 836.6 | 20  | 3.23 | -3.469 | -0.0041 | -2.5 to 2.5 | Pass |
|       |       |     | 3.8  | -3.405 | -0.0041 | -2.5 to 2.5 | Pass |
|       |       |     | 4.37 | -3.576 | -0.0043 | -2.5 to 2.5 | Pass |
|       |       | -30 | 3.8  | -1.888 | -0.0023 | -2.5 to 2.5 | Pass |
|       |       | -20 | 3.8  | -4.070 | -0.0049 | -2.5 to 2.5 | Pass |
|       |       | -10 | 3.8  | -1.831 | -0.0022 | -2.5 to 2.5 | Pass |
|       |       | 0   | 3.8  | -1.695 | -0.0020 | -2.5 to 2.5 | Pass |
|       |       | 10  | 3.8  | -4.184 | -0.0050 | -2.5 to 2.5 | Pass |
|       |       | 30  | 3.8  | -4.714 | -0.0056 | -2.5 to 2.5 | Pass |
|       |       | 40  | 3.8  | -3.040 | -0.0036 | -2.5 to 2.5 | Pass |
|       | 846.6 | 20  | 3.23 | -2.697 | -0.0032 | -2.5 to 2.5 | Pass |
|       |       |     | 3.8  | -2.539 | -0.0030 | -2.5 to 2.5 | Pass |
|       |       |     | 4.37 | -1.352 | -0.0016 | -2.5 to 2.5 | Pass |
|       |       | -30 | 3.8  | -3.018 | -0.0036 | -2.5 to 2.5 | Pass |
|       |       | -20 | 3.8  | -1.266 | -0.0015 | -2.5 to 2.5 | Pass |
|       |       | -10 | 3.8  | -1.259 | -0.0015 | -2.5 to 2.5 | Pass |
|       |       | 0   | 3.8  | -1.502 | -0.0018 | -2.5 to 2.5 | Pass |
|       |       | 10  | 3.8  | -1.566 | -0.0018 | -2.5 to 2.5 | Pass |
|       |       | 30  | 3.8  | -2.160 | -0.0026 | -2.5 to 2.5 | Pass |
|       |       | 40  | 3.8  | -4.156 | -0.0049 | -2.5 to 2.5 | Pass |
|       |       | 50  | 3.8  | -2.446 | -0.0029 | -2.5 to 2.5 | Pass |



3. Modulation Characteristics


3.1 Band5


3.1.1 Test Result

| Band: 5 |         |              |                    |                            |       |         |
|---------|---------|--------------|--------------------|----------------------------|-------|---------|
| ENV     | Mode    |              | Frequency<br>(MHz) | Modulation Characteristics |       | Verdict |
|         | Network | Subset       |                    | Result                     | Limit |         |
| NTNV    | RMC     | 12.2kbps RMC | 836.6              | Refer To Test Graph        |       | Pass    |
|         | HSDPA   | Subtest 1    | 836.6              | Refer To Test Graph        |       | Pass    |
|         | HSUPA   | Subtest 1    | 836.6              | Refer To Test Graph        |       | Pass    |



### 3.1.2 Test Graph






#### 4. 99% & 26dB Bandwidth

##### 4.1 Band5\_OBW


##### 4.1.1 Test Result

| Band: 5 |         |              |                 |                              |         |
|---------|---------|--------------|-----------------|------------------------------|---------|
| ENV     | Mode    |              | Frequency (MHz) | 99% Occupied Bandwidth (MHz) | Verdict |
|         | Network | Subset       |                 | Result                       |         |
| NTNV    | RMC     | 12.2kbps RMC | 826.4           | 4.151                        | Pass    |
|         |         |              | 836.6           | 4.160                        | Pass    |
|         |         |              | 846.6           | 4.155                        | Pass    |
|         | HSDPA   | Subtest 1    | 826.4           | 4.174                        | Pass    |
|         |         |              | 836.6           | 4.169                        | Pass    |
|         |         |              | 846.6           | 4.155                        | Pass    |
|         | HSUPA   | Subtest 1    | 826.4           | 4.163                        | Pass    |
|         |         |              | 836.6           | 4.159                        | Pass    |
|         |         |              | 846.6           | 4.152                        | Pass    |


### 4.1.2 Test Graph




Band5\_RMC\_HCH\_846.6MHz\_12.2kbps\_RMC\_NTNV




Band5\_HSDPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




Band5 HSDPA MCH 836.6MHz Subtest 1 NTN




Band5 HSDPA HCH 846.6MHz Subtest 1 NTN




Band5 HSUPA LCH 826.4MHz Subtest 1 NTN



Band5 HSUPA MCH 836.6MHz Subtest 1 NTN



Band5 HSUPA HCH 846.6MHz Subtest 1 NTN






4.2 Band5\_XDB


4.2.1 Test Result

| Band: 5 |         |              |                 |                      |         |
|---------|---------|--------------|-----------------|----------------------|---------|
| ENV     | Mode    |              | Frequency (MHz) | 26dB Bandwidth (MHz) | Verdict |
|         | Network | Subset       |                 | Result               |         |
| NTNV    | RMC     | 12.2kbps RMC | 826.4           | 4.709                | Pass    |
|         |         |              | 836.6           | 4.684                | Pass    |
|         |         |              | 846.6           | 4.690                | Pass    |
|         | HSDPA   | Subtest 1    | 826.4           | 4.727                | Pass    |
|         |         |              | 836.6           | 4.720                | Pass    |
|         |         |              | 846.6           | 4.719                | Pass    |
|         | HSUPA   | Subtest 1    | 826.4           | 4.719                | Pass    |
|         |         |              | 836.6           | 4.702                | Pass    |
|         |         |              | 846.6           | 4.702                | Pass    |


## 4.2.2 Test Graph




Band5\_RMC\_HCH\_846.6MHz\_12.2kbps\_RMC\_NTNV




Band5\_HSDPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




Band5 HSDPA MCH 836.6MHz Subtest 1 NTNV




Band5 HSDPA HCH 846.6MHz Subtest 1 NTNV




Band5 HSUPA LCH 826.4MHz Subtest 1 NTN



Band5 HSUPA MCH 836.6MHz Subtest 1 NTN



Band5 HSUPA HCH 846.6MHz Subtest 1 NTN




## 5. Peak-Average Ratio

### 5.1 Band5


#### 5.1.1 Test Result

| Band: 5 |         |              |                 |                         |       |         |
|---------|---------|--------------|-----------------|-------------------------|-------|---------|
| ENV     | Mode    |              | Frequency (MHz) | Peak-Average Ratio (dB) |       | Verdict |
|         | Network | Subset       |                 | Result                  | Limit |         |
| NTNV    | RMC     | 12.2kbps RMC | 826.4           | 2.97                    | <=13  | Pass    |
|         |         |              | 836.6           | 2.95                    | <=13  | Pass    |
|         |         |              | 846.6           | 2.99                    | <=13  | Pass    |
|         | HSDPA   | Subtest 1    | 826.4           | 5.56                    | <=13  | Pass    |
|         |         |              | 836.6           | 5.56                    | <=13  | Pass    |
|         |         |              | 846.6           | 5.68                    | <=13  | Pass    |
|         | HSUPA   | Subtest 1    | 826.4           | 5.61                    | <=13  | Pass    |
|         |         |              | 836.6           | 5.54                    | <=13  | Pass    |
|         |         |              | 846.6           | 5.49                    | <=13  | Pass    |


### 5.1.2 Test Graph




Band5\_RMC\_HCH\_846.6MHz\_12.2kbps\_RMC\_NTNV




Band5\_HSDPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




Band5 HSDPA MCH 836.6MHz Subtest 1 NTN




Band5 HSDPA HCH 846.6MHz Subtest 1 NTN




Band5 HSUPA LCH 826.4MHz Subtest 1 NTN



Band5 HSUPA MCH 836.6MHz Subtest 1 NTN



Band5 HSUPA HCH 846.6MHz Subtest 1 NTV




## 6. Spurious Emission

### 6.1 Band5


#### 6.1.1 Test Result

| Band: 5 |         |              |                    |                     |       |         |
|---------|---------|--------------|--------------------|---------------------|-------|---------|
| ENV     | Mode    |              | Frequency<br>(MHz) | Spurious Emission   |       | Verdict |
|         | Network | Subset       |                    | Result              | Limit |         |
| NTNV    | RMC     | 12.2kbps RMC | 826.4              | Refer To Test Graph |       | Pass    |
|         |         |              | 836.6              | Refer To Test Graph |       | Pass    |
|         |         |              | 846.6              | Refer To Test Graph |       | Pass    |
|         | HSDPA   | Subtest 1    | 826.4              | Refer To Test Graph |       | Pass    |
|         |         |              | 836.6              | Refer To Test Graph |       | Pass    |
|         |         |              | 846.6              | Refer To Test Graph |       | Pass    |
|         | HSUPA   | Subtest 1    | 826.4              | Refer To Test Graph |       | Pass    |
|         |         |              | 836.6              | Refer To Test Graph |       | Pass    |
|         |         |              | 846.6              | Refer To Test Graph |       | Pass    |


## 6.1.2 Test Graph




Band5\_RMC\_MCH\_836.6MHz\_12.2kbps\_RMC\_NTNV




Band5\_RMC\_HCH\_846.6MHz\_12.2kbps\_RMC\_NTNV




Band5\_RMC\_HCH\_846.6MHz\_12.2kbps\_RMC\_NTNV




Band5\_HSDPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_MCH\_836.6MHz\_Subtest 1\_NTNV




Band5 HSDPA HCH 846.6MHz Subtest 1 NTN




Band5 HSDPA HCH 846.6MHz Subtest 1 NTN




Band5\_HSUPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




Band5\_HSUPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




Band5 HSUPA MCH 836.6MHz Subtest 1 NTN



Band5 HSUPA HCH 846.6MHz Subtest 1 NTN



Band5 HSUPA HCH 846.6MHz Subtest 1 NTNV



## 7. Form731

### 7.1 Form731\_Power

#### 7.1.1 Test Result

| Band | BW   | Lower Freq | High Freq | MAX Power (W) | Value  | Hz/ppm | Emission Designator | Rule Parts | MAX Power (dBm) |
|------|------|------------|-----------|---------------|--------|--------|---------------------|------------|-----------------|
| 5    | 3.84 | 826.4      | 846.6     | 0.1879        | 0.0079 | ppm    | 4M17F9W             | 24E        | 22.74           |

### 7.2 Form731\_ERP

#### 7.2.1 Test Result

| Band | BW   | Lower Freq | High Freq | MAX Power (W) | Value  | Hz/ppm | Emission Designator | Rule Parts | MAX Power (dBm) |
|------|------|------------|-----------|---------------|--------|--------|---------------------|------------|-----------------|
| 5    | 3.84 | 826.4      | 846.6     | 0.0706        | 0.0079 | ppm    | 4M17F9W             | 24E        | 18.49           |