

Limit and Margin
QP


Frequency (MHz)	QuasiPeak (dBµV/m)	Pol	Corr. (dB/m)	Margin - QPK (dB)	Limit - QPK (dBµV/m)
273.470000	26.5	H	19.9	19.5	46.0
315.422500	27.7	H	20.4	18.3	46.0
408.057500	30.3	H	23.5	15.7	46.0
624.003750	38.6	H	26.9	7.4	46.0
672.018750	37.9	H	26.6	8.1	46.0
720.033750	34.9	H	28.2	11.2	46.0
31.212500	28.4	V	24.8	11.6	40.0
163.132500	23.2	V	16.8	20.3	43.5
419.091250	32.6	V	24.0	13.4	46.0
456.072500	28.8	V	24.2	17.2	46.0
480.080000	34.7	V	24.7	11.3	46.0
575.988750	38.4	V	26.4	7.6	46.0

PK

Frequency (MHz)	MaxPeak (dBµV/m)	Pol	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBµV/m)
1462.818182	39.5	H	-18.6	34.5	74.0
4924.000000	47.9	H	-11.1	26.1	74.0
6336.181818	48.0	H	-8.5	26.0	74.0
7996.875000	46.0	H	-3.3	28.0	74.0
10894.687500	48.0	H	-1.5	26.0	74.0
17989.000000	58.1	H	11.9	15.9	74.0
1763.363636	44.5	V	-18.8	29.5	74.0
3431.363636	44.6	V	-14.8	29.4	74.0
4924.000000	52.9	V	-11.1	21.2	74.0
8013.031250	46.8	V	-3.3	27.2	74.0
11484.562500	48.7	V	-1.6	25.3	74.0
17989.000000	58.3	V	11.9	15.7	74.0

AV

Frequency (MHz)	Average (dBµV/m)	Pol	Corr. (dB/m)	Margin - AVG (dB)	Limit - AVG (dBµV/m)
1462.818182	27.4	H	-18.6	26.6	54.0
4924.000000	46.1	H	-11.1	7.9	54.0
6336.181818	42.7	H	-8.5	11.3	54.0
7996.875000	34.6	H	-3.3	19.4	54.0
10894.687500	34.5	H	-1.5	19.5	54.0
17989.000000	48.7	H	11.9	5.3	54.0
1763.363636	35.3	V	-18.8	18.7	54.0
3431.363636	34.4	V	-14.8	19.6	54.0
4924.000000	50.8	V	-11.1	3.2	54.0
8013.031250	34.7	V	-3.3	19.3	54.0
11484.562500	34.7	V	-1.6	19.3	54.0
17989.000000	48.7	V	11.9	5.3	54.0

Figure 25: Radiated Spurious Emission, 802.11g, 2412MHz


Limit and Margin
QP


Frequency (MHz)	QuasiPeak (dBµV/m)	Pol	Corr. (dB/m)	Margin - QPK (dB)	Limit - QPK (dBµV/m)
274.318750	28.5	H	19.9	17.6	46.0
321.727500	29.1	H	21.2	16.9	46.0
408.057500	31.2	H	23.5	14.8	46.0
575.988750	37.6	H	26.4	8.4	46.0
624.125000	34.7	H	26.9	11.3	46.0
672.018750	38.7	H	26.6	7.4	46.0
30.242500	28.9	V	25.3	11.1	40.0
162.405000	23.1	V	16.8	20.4	43.5
456.072500	28.9	V	24.2	17.1	46.0
555.982500	30.5	V	26.5	15.5	46.0
575.988750	38.4	V	26.4	7.6	46.0
599.996250	36.1	V	26.4	9.9	46.0

PK

Frequency (MHz)	MaxPeak (dBµV/m)	Pol	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBµV/m)
2577.727273	44.1	H	-15.8	29.9	74.0
3599.909091	40.5	H	-14.1	33.5	74.0
4824.454546	54.4	H	-11.2	19.6	74.0
7171.875000	45.9	H	-5.5	28.1	74.0
11057.281250	49.9	H	-2.0	24.1	74.0
17997.250000	59.3	H	12.1	14.7	74.0
2574.000000	49.2	V	-15.8	24.8	74.0
4824.181818	54.2	V	-11.2	19.8	74.0
6335.909091	46.0	V	-8.5	28.0	74.0
7115.500000	46.7	V	-5.0	27.3	74.0
9647.562500	47.7	V	-4.2	26.3	74.0
17982.125000	58.5	V	11.8	15.5	74.0

AV

Frequency (MHz)	Average (dBµV/m)	Pol	Corr. (dB/m)	Margin - AVG (dB)	Limit - AVG (dBµV/m)
2577.727273	35.6	H	-15.8	18.4	54.0
3599.909091	33.6	H	-14.1	20.4	54.0
4824.454546	44.7	H	-11.2	9.3	54.0
7171.875000	34.7	H	-5.5	19.3	54.0
11057.281250	38.0	H	-2.0	16.0	54.0
17997.250000	48.0	H	12.1	6.0	54.0
2574.000000	39.3	V	-15.8	14.7	54.0
4824.181818	43.3	V	-11.2	10.7	54.0
6335.909091	38.9	V	-8.5	15.1	54.0
7115.500000	34.9	V	-5.0	19.1	54.0
9647.562500	42.3	V	-4.2	11.8	54.0
17982.125000	48.7	V	11.8	5.3	54.0

Figure 26: Radiated Spurious Emission, 802.11g, 2437MHz


Limit and Margin
QP


Frequency (MHz)	QuasiPeak (dBµV/m)	Pol	Corr. (dB/m)	Margin - QPK (dB)	Limit - QPK (dBµV/m)
281.593750	25.7	H	19.6	20.3	46.0
407.936250	30.0	H	23.5	16.0	46.0
575.988750	37.6	H	26.4	8.4	46.0
624.125000	34.7	H	26.9	11.3	46.0
648.011250	36.4	H	27.0	9.6	46.0
672.018750	38.7	H	26.6	7.3	46.0
30.970000	28.5	V	24.9	11.5	40.0
165.800000	22.7	V	16.6	20.8	43.5
354.586250	25.4	V	21.9	20.6	46.0
456.072500	32.9	V	24.2	13.2	46.0
480.080000	32.8	V	24.7	13.2	46.0
575.988750	38.4	V	26.4	7.6	46.0

PK

Frequency (MHz)	MaxPeak (dBµV/m)	Pol	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBµV/m)
1798.272727	42.4	H	-18.8	31.6	74.0
4866.454546	53.1	H	-11.1	20.9	74.0
6335.909091	45.4	H	-8.5	28.6	74.0
7307.312500	47.6	H	-6.4	26.4	74.0
9748.000000	46.7	H	-3.9	27.3	74.0
17983.156250	58.9	H	11.8	15.1	74.0
1397.636364	43.6	V	-18.6	30.4	74.0
2590.000000	46.3	V	-15.8	27.7	74.0
4871.636364	52.8	V	-11.1	21.2	74.0
7315.906250	46.8	V	-6.4	27.2	74.0
9747.937500	46.2	V	-3.9	27.8	74.0
17994.843750	58.4	V	12.0	15.6	74.0

AV

Frequency (MHz)	Average (dBµV/m)	Pol	Corr. (dB/m)	Margin - AVG (dB)	Limit - AVG (dBµV/m)
1798.272727	34.1	H	-18.8	19.9	54.0
4866.454546	43.4	H	-11.1	10.6	54.0
6335.909091	37.2	H	-8.5	16.8	54.0
7307.312500	37.2	H	-6.4	16.8	54.0
9748.000000	38.5	H	-3.9	15.5	54.0
17983.156250	48.6	H	11.8	5.4	54.0
1397.636364	35.1	V	-18.6	18.9	54.0
2590.000000	36.3	V	-15.8	17.7	54.0
4871.636364	42.8	V	-11.1	11.2	54.0
7315.906250	37.3	V	-6.4	16.7	54.0
9747.937500	41.4	V	-3.9	12.6	54.0
17994.843750	48.6	V	12.0	5.4	54.0

Figure 27: Radiated Spurious Emission, 802.11g, 2462MHz


Limit and Margin
QP


Frequency (MHz)	QuasiPeak (dBµV/m)	Pol	Corr. (dB/m)	Margin - QPK (dB)	Limit - QPK (dBµV/m)
292.991250	26.9	H	20.2	19.1	46.0
312.027500	27.9	H	20.1	18.2	46.0
407.936250	29.9	H	23.5	16.1	46.0
576.110000	30.6	H	26.5	15.4	46.0
624.003750	38.8	H	26.9	7.2	46.0
672.018750	38.8	H	26.6	7.2	46.0
31.333750	28.3	V	24.7	11.7	40.0
143.247500	22.5	V	17.7	21.0	43.5
163.132500	23.0	V	16.8	20.6	43.5
432.065000	32.4	V	23.8	13.6	46.0
551.981250	35.8	V	26.5	10.2	46.0
575.988750	38.4	V	26.4	7.6	46.0

PK

Frequency (MHz)	MaxPeak (dBµV/m)	Pol	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBµV/m)
2133.454546	41.2	H	-16.4	32.8	74.0
4922.636364	50.9	H	-11.1	23.1	74.0
6335.090909	46.0	H	-8.6	28.0	74.0
7372.281250	44.9	H	-6.1	29.1	74.0
10374.937500	47.9	H	-2.1	26.1	74.0
17988.656250	60.0	H	11.9	14.0	74.0
2156.909091	43.7	V	-16.1	30.3	74.0
2576.636364	45.5	V	-15.8	28.5	74.0
4924.545455	52.4	V	-11.1	21.6	74.0
7350.281250	44.5	V	-6.2	29.5	74.0
9847.968750	45.7	V	-3.8	28.3	74.0
17940.531250	59.3	V	11.1	14.7	74.0

AV

Frequency (MHz)	Average (dBµV/m)	Pol	Corr. (dB/m)	Margin - AVG (dB)	Limit - AVG (dBµV/m)
2133.454546	29.2	H	-16.4	24.8	54.0
4922.636364	41.9	H	-11.1	12.1	54.0
6335.090909	38.9	H	-8.6	15.1	54.0
7372.281250	34.3	H	-6.1	19.7	54.0
10374.937500	37.4	H	-2.1	16.6	54.0
17988.656250	48.4	H	11.9	5.6	54.0
2156.909091	32.5	V	-16.1	21.5	54.0
2576.636364	34.2	V	-15.8	19.8	54.0
4924.545455	42.9	V	-11.1	11.1	54.0
7350.281250	34.3	V	-6.2	19.7	54.0
9847.968750	41.1	V	-3.8	12.9	54.0
17940.531250	48.2	V	11.1	5.8	54.0

Figure 28: Radiated Spurious Emission, 802.11n-HT20, 2412MHz


Limit and Margin
QP


Frequency (MHz)	QuasiPeak (dBµV/m)	Pol	Corr. (dB/m)	Margin - QPK (dB)	Limit - QPK (dBµV/m)
256.495000	26.4	H	20.6	19.6	46.0
288.383750	26.6	H	19.9	19.4	46.0
407.936250	30.0	H	23.5	16.0	46.0
575.988750	37.2	H	26.4	8.8	46.0
624.003750	38.6	H	26.9	7.4	46.0
672.140000	37.1	H	26.6	8.9	46.0
31.576250	28.2	V	24.5	11.8	40.0
111.722500	22.0	V	18.7	21.5	43.5
167.740000	23.7	V	16.4	19.8	43.5
432.065000	30.4	V	23.8	15.6	46.0
456.072500	28.9	V	24.2	17.1	46.0
575.988750	38.4	V	26.4	7.6	46.0

PK

Frequency (MHz)	MaxPeak (dBµV/m)	Pol	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBµV/m)
2194.000000	42.1	H	-15.8	31.9	74.0
2578.272727	44.3	H	-15.8	29.7	74.0
4822.545455	53.2	H	-11.2	20.8	74.0
7233.750000	45.2	H	-6.1	28.8	74.0
10920.125000	49.0	H	-1.4	25.0	74.0
17977.656250	59.6	H	11.7	14.4	74.0
2179.545455	45.9	V	-15.9	28.1	74.0
2568.454546	48.6	V	-15.9	25.4	74.0
4822.272727	52.8	V	-11.2	21.2	74.0
7237.187500	45.9	V	-6.1	28.1	74.0
9647.906250	45.8	V	-4.2	28.2	74.0
17982.468750	59.9	V	11.8	14.1	74.0

AV

Frequency (MHz)	Average (dBµV/m)	Pol	Corr. (dB/m)	Margin - AVG (dB)	Limit - AVG (dBµV/m)
2194.000000	31.5	H	-15.8	22.5	54.0
2578.272727	36.3	H	-15.8	17.7	54.0
4822.545455	44.2	H	-11.2	9.8	54.0
7233.750000	36.8	H	-6.1	17.2	54.0
10920.125000	36.8	H	-1.4	17.2	54.0
17977.656250	48.7	H	11.7	5.3	54.0
2179.545455	37.2	V	-15.9	16.8	54.0
2568.454546	26.2	V	-15.9	27.8	54.0
4822.272727	43.9	V	-11.2	10.1	54.0
7237.187500	37.2	V	-6.1	16.8	54.0
9647.906250	40.7	V	-4.2	13.3	54.0
17982.468750	48.7	V	11.8	5.3	54.0

Figure 29: Radiated Spurious Emission, 802.11n-HT20, 2437MHz


Limit and Margin
QP


Frequency (MHz)	QuasiPeak (dBµV/m)	Pol	Corr. (dB/m)	Margin - QPK (dB)	Limit - QPK (dBµV/m)
273.348750	26.5	H	20.0	19.5	46.0
408.057500	30.3	H	23.5	15.7	46.0
575.988750	37.4	H	26.4	8.6	46.0
624.003750	38.7	H	26.9	7.3	46.0
672.018750	38.4	H	26.6	7.6	46.0
720.155000	34.1	H	28.2	11.9	46.0
102.507500	21.1	V	17.8	22.4	43.5
150.522500	22.6	V	17.0	20.9	43.5
527.973750	33.5	V	25.1	12.6	46.0
575.988750	38.4	V	26.4	7.6	46.0
745.738750	34.8	V	28.9	11.2	46.0
867.231250	34.0	V	29.0	12.0	46.0

PK

Frequency (MHz)	MaxPeak (dBµV/m)	Pol	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBµV/m)
2590.000000	43.3	H	-15.8	30.7	74.0
4875.181818	53.2	H	-11.1	20.8	74.0
6336.454546	45.2	H	-8.5	28.8	74.0
7307.312500	47.1	H	-6.4	26.9	74.0
10245.000000	48.3	H	-2.6	25.7	74.0
17985.906250	58.6	H	11.9	15.4	74.0
1798.545455	42.0	V	-18.8	32.0	74.0
2584.545455	45.4	V	-15.8	28.6	74.0
4875.454546	52.6	V	-11.1	21.4	74.0
7307.656250	46.5	V	-6.4	27.5	74.0
9747.593750	46.3	V	-3.9	27.7	74.0
17985.906250	58.9	V	11.9	15.1	74.0

AV

Frequency (MHz)	Average (dBµV/m)	Pol	Corr. (dB/m)	Margin - AVG (dB)	Limit - AVG (dBµV/m)
2590.000000	34.1	H	-15.8	19.9	54.0
4875.181818	44.8	H	-11.1	9.2	54.0
6336.454546	38.3	H	-8.5	15.7	54.0
7307.312500	37.4	H	-6.4	16.6	54.0
10245.000000	36.7	H	-2.6	17.3	54.0
17985.906250	48.5	H	11.9	5.5	54.0
1798.545455	32.8	V	-18.8	21.2	54.0
2584.545455	36.3	V	-15.8	17.8	54.0
4875.454546	41.8	V	-11.1	12.2	54.0
7307.656250	36.4	V	-6.4	17.6	54.0
9747.593750	41.1	V	-3.9	13.0	54.0
17985.906250	48.6	V	11.9	5.4	54.0

Figure 30: Radiated Spurious Emission, 802.11n-HT20, 2462MHz


Limit and Margin
QP


Frequency (MHz)	QuasiPeak (dBµV/m)	Pol	Corr. (dB/m)	Margin - QPK (dB)	Limit - QPK (dBµV/m)
408.057500	30.3	H	23.5	15.7	46.0
416.908750	30.8	H	24.0	15.2	46.0
575.988750	37.5	H	26.4	8.5	46.0
624.003750	38.7	H	26.9	7.3	46.0
672.018750	38.5	H	26.6	7.5	46.0
866.625000	34.0	H	29.0	12.0	46.0
30.848750	28.7	V	25.0	11.3	40.0
129.546250	22.4	V	18.6	21.2	43.5
432.065000	33.4	V	23.8	12.6	46.0
551.981250	36.9	V	26.5	9.2	46.0
575.988750	38.4	V	26.4	7.7	46.0
624.125000	30.7	V	26.9	15.3	46.0

PK

Frequency (MHz)	MaxPeak (dBµV/m)	Pol	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBµV/m)
1799.909091	41.0	H	-18.8	33.0	74.0
2570.090909	44.0	H	-15.9	30.0	74.0
4924.545455	51.9	H	-11.1	22.1	74.0
7923.656250	47.0	H	-3.6	27.0	74.0
10912.906250	49.2	H	-1.4	24.8	74.0
17983.156250	59.2	H	11.8	14.8	74.0
1461.727273	48.9	V	-18.6	25.1	74.0
2132.909091	48.1	V	-16.4	25.9	74.0
4923.181818	51.3	V	-11.1	22.7	74.0
8447.187500	47.4	V	-5.5	26.6	74.0
10561.250000	50.0	V	-1.4	24.0	74.0
17979.718750	59.7	V	11.8	14.3	74.0

AV

Frequency (MHz)	Average (dBµV/m)	Pol	Corr. (dB/m)	Margin - AVG (dB)	Limit - AVG (dBµV/m)
1799.909091	34.8	H	-18.8	19.2	54.0
2570.090909	32.9	H	-15.9	21.1	54.0
4924.545455	43.4	H	-11.1	10.6	54.0
7923.656250	36.2	H	-3.6	17.8	54.0
10912.906250	37.0	H	-1.4	17.0	54.0
17983.156250	48.6	H	11.8	5.4	54.0
1461.727273	32.8	V	-18.6	21.2	54.0
2132.909091	32.4	V	-16.4	21.6	54.0
4923.181818	43.6	V	-11.1	10.4	54.0
8447.187500	36.3	V	-5.5	17.8	54.0
10561.250000	36.4	V	-1.4	17.7	54.0
17979.718750	48.8	V	11.8	5.2	54.0

Figure 31: Radiated Spurious Emission, 802.11n-HT40, 2422MHz


Limit and Margin
QP


Frequency (MHz)	QuasiPeak (dBµV/m)	Pol	Corr. (dB/m)	Margin - QPK (dB)	Limit - QPK (dBµV/m)
281.351250	26.4	H	19.6	19.6	46.0
312.997500	27.1	H	20.2	18.9	46.0
410.603750	28.9	H	23.7	17.1	46.0
575.988750	37.6	H	26.4	8.5	46.0
624.125000	36.7	H	26.9	9.3	46.0
672.140000	36.2	H	26.6	9.9	46.0
31.212500	28.4	V	24.8	11.6	40.0
167.982500	23.2	V	16.4	20.3	43.5
456.072500	32.9	V	24.2	13.1	46.0
552.102500	32.4	V	26.5	13.6	46.0
575.988750	38.4	V	26.4	7.7	46.0
715.305000	31.8	V	27.8	14.2	46.0

PK

Frequency (MHz)	MaxPeak (dBµV/m)	Pol	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBµV/m)
1799.909091	41.0	H	-18.8	33.0	74.0
2581.818182	44.1	H	-15.8	29.9	74.0
4841.090909	48.8	H	-11.2	25.2	74.0
7990.000000	48.1	H	-3.3	25.9	74.0
10650.968750	49.0	H	-1.4	25.1	74.0
17981.437500	59.3	H	11.8	14.7	74.0
1462.000000	46.3	H	-18.6	27.7	74.0
2570.000000	48.4	H	-15.9	25.6	74.0
4852.000000	49.3	H	-11.2	24.7	74.0
8447.531250	47.4	V	-5.5	26.6	74.0
9698.781250	46.1	V	-3.9	27.9	74.0
17975.937500	59.2	V	11.7	14.8	74.0

AV

Frequency (MHz)	Average (dBµV/m)	Pol	Corr. (dB/m)	Margin - AVG (dB)	Limit - AVG (dBµV/m)
1799.909091	32.5	H	-18.8	19.4	54.0
2581.818182	37.7	H	-15.8	18.8	54.0
4841.090909	39.7	H	-11.2	13.7	54.0
7990.000000	36.6	H	-3.3	17.4	54.0
10650.968750	36.5	H	-1.4	17.5	54.0
17981.437500	48.7	H	11.8	5.3	54.0
1462.000000	32.5	H	-18.6	21.5	54.0
2570.000000	37.7	H	-15.9	16.3	54.0
4852.000000	39.7	H	-11.2	14.3	54.0
8447.531250	39.9	V	-5.5	14.1	54.0
9698.781250	40.4	V	-3.9	13.6	54.0
17975.937500	48.8	V	11.7	5.3	54.0

Figure 32: Radiated Spurious Emission, 802.11n-HT40, 2437MHz


Limit and Margin
QP


Frequency (MHz)	QuasiPeak (dBµV/m)	Pol	Corr. (dB/m)	Margin - QPK (dB)	Limit - QPK (dBµV/m)
282.685000	25.9	H	19.7	20.1	46.0
311.178750	27.0	H	20.1	19.0	46.0
415.090000	28.8	H	23.9	17.3	46.0
575.988750	37.6	H	26.4	8.4	46.0
624.003750	38.7	H	26.9	7.3	46.0
672.018750	38.9	H	26.6	7.1	46.0
30.727500	28.7	V	25.0	11.3	40.0
141.671250	22.4	V	17.9	21.1	43.5
262.557500	27.0	V	21.6	19.0	46.0
419.333750	28.7	V	24.0	17.3	46.0
479.958750	34.5	V	24.7	11.5	46.0
575.988750	38.4	V	26.4	7.6	46.0

PK

Frequency (MHz)	MaxPeak (dBµV/m)	Pol	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBµV/m)
1330.818182	41.0	H	-18.7	33.0	74.0
4873.000000	48.8	H	-11.1	25.2	74.0
6336.727273	47.5	H	-8.5	26.5	74.0
8025.406250	48.4	H	-3.4	25.6	74.0
9748.281250	46.9	H	-3.9	27.1	74.0
17982.468750	58.6	H	11.8	15.4	74.0
2030.363636	42.7	V	-17.5	31.3	74.0
2572.545455	46.1	V	-15.8	27.9	74.0
4875.727273	47.5	V	-11.1	26.5	74.0
7505.312500	45.4	V	-5.6	28.6	74.0
9750.000000	46.9	V	-3.9	27.1	74.0
17979.718750	58.7	V	11.8	15.3	74.0

AV

Frequency (MHz)	Average (dBµV/m)	Pol	Corr. (dB/m)	Margin - AVG (dB)	Limit - AVG (dBµV/m)
1330.818182	28.3	H	-18.7	25.7	54.0
4873.000000	38.9	H	-11.1	15.1	54.0
6336.727273	40.2	H	-8.5	13.8	54.0
8025.406250	36.3	H	-3.4	17.7	54.0
9748.281250	39.4	H	-3.9	14.6	54.0
17982.468750	48.6	H	11.8	5.4	54.0
2030.363636	30.7	V	-17.5	23.3	54.0
2572.545455	34.8	V	-15.8	19.2	54.0
4875.727273	37.6	V	-11.1	16.4	54.0
7505.312500	34.0	V	-5.6	20.0	54.0
9750.000000	39.4	V	-3.9	14.6	54.0
17979.718750	48.8	V	11.8	5.2	54.0

Figure 33: Radiated Spurious Emission, 802.11n-HT40, 2452MHz


Limit and Margin
QP

Frequency (MHz)	QuasiPeak (dBµV/m)	Pol	Corr. (dB/m)	Margin - QPK (dB)	Limit - QPK (dBµV/m)
408.057500	30.2	H	23.5	15.8	46.0
575.988750	37.6	H	26.4	8.5	46.0
624.003750	38.7	H	26.9	7.3	46.0
648.011250	36.5	H	27.0	9.5	46.0
672.018750	38.9	H	26.6	7.1	46.0
723.792500	32.7	H	28.6	13.4	46.0
30.848750	28.6	V	25.0	11.4	40.0
143.975000	22.7	V	17.6	20.8	43.5
165.072500	23.2	V	16.6	20.4	43.5
261.708750	25.0	V	21.7	21.0	46.0
479.958750	32.5	V	24.7	13.5	46.0
575.988750	38.4	V	26.4	7.6	46.0

PK

Frequency (MHz)	MaxPeak (dBµV/m)	Pol	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBµV/m)
2128.272727	42.2	H	-16.5	31.8	74.0
2566.818182	41.9	H	-15.9	32.1	74.0
4902.454546	46.4	H	-11.1	27.6	74.0
7964.906250	47.9	H	-3.4	26.1	74.0
10584.281250	48.5	H	-1.2	25.5	74.0
17975.593750	58.9	H	11.7	15.1	74.0
2573.909091	46.4	V	-15.8	27.6	74.0
4909.000000	45.6	V	-11.1	28.4	74.0
6336.454546	45.6	V	-8.5	28.4	74.0
7167.062500	46.0	V	-5.5	28.0	74.0
10031.000000	48.2	V	-3.7	25.8	74.0
17991.750000	58.8	V	12.0	15.2	74.0

AV

Frequency (MHz)	Average (dBµV/m)	Pol	Corr. (dB/m)	Margin - AVG (dB)	Limit - AVG (dBµV/m)
2128.272727	30.9	H	-16.5	23.1	54.0
2566.818182	32.2	H	-15.9	21.8	54.0
4902.454546	38.1	H	-11.1	15.9	54.0
7964.906250	36.7	H	-3.4	17.3	54.0
10584.281250	37.7	H	-1.2	16.4	54.0
17975.593750	48.7	H	11.7	5.3	54.0
2573.909091	34.3	V	-15.8	19.7	54.0
4909.000000	36.7	V	-11.1	17.3	54.0
6336.454546	37.8	V	-8.5	16.2	54.0
7167.062500	34.8	V	-5.5	19.2	54.0
10031.000000	38.8	V	-3.7	15.2	54.0
17991.750000	48.3	V	12.0	5.7	54.0

6. List of Tables

Table 1: List of Test and Measurement Equipment	6
Table 2: Measurement Uncertainty	7
Table 3: Technical Specification of EUT	8
Table 4: Operation Channel List	9
Table 5: Power parameter value	10
Table 6: Special Accessories	11
Table 7: Auxiliary Equipment	11
Table 8: Antenna Requirement	12
Table 9: Peak Output Power	32
Table 10: Average Output Power	33

7. List of Figures

Figure 1: Reference level	48
Figure 2: Conducted Spurious Emission	50
Figure 3: Conducted Band Edge	52
Figure 4: Spectral Diagrams, Conducted Emission, 150 kHz – 30 MHz, L	54
Figure 5: Spectral Diagrams, Conducted Emission, 150 kHz – 30 MHz, N.	55
Figure 6: Radiated Band-Edge, 802.11b, 2412MHz, H	57
Figure 7: Radiated Band-Edge, 802.11b, 2412MHz, V	57
Figure 8: Radiated Band-Edge, 802.11b, 2462MHz, H	58
Figure 9: Radiated Band-Edge, 802.11b, 2462MHz, V	58
Figure 10: Radiated Band-Edge, 802.11g, 2412MHz, H	59
Figure 11: Radiated Band-Edge, 802.11g, 2412MHz, V	59
Figure 12: Radiated Band-Edge, 802.11g, 2462MHz, H	60
Figure 13: Radiated Band-Edge, 802.11g, 2462MHz, V	60
Figure 14: Radiated Band-Edge, 802.11n-HT20, 2412MHz, H	61
Figure 15: Radiated Band-Edge, n-HT20, 2412MHz, V	61
Figure 16: Radiated Band-Edge, 802.11n-HT20, 2462MHz, H	62
Figure 17: Radiated Band-Edge, n-HT20, 2462MHz, V	62
Figure 18: Radiated Spurious Emission, 802.11b, 2412MHz	66
Figure 19: Radiated Spurious Emission, 802.11b, 2437MHz	68
Figure 20: Radiated Spurious Emission, 802.11b, 2462MHz	70
Figure 21: Radiated Spurious Emission, 802.11g, 2412MHz	72
Figure 22: Radiated Spurious Emission, 802.11g, 2437MHz	74
Figure 23: Radiated Spurious Emission, 802.11g, 2462MHz	76
Figure 24: Radiated Spurious Emission, 802.11n-HT20, 2412MHz	78
Figure 25: Radiated Spurious Emission, 802.11n-HT20, 2437MHz	80
Figure 26: Radiated Spurious Emission, 802.11n-HT20, 2462MHz	82