



Appendix C

RF Test Data for 2.4GWIFI (Conducted Measurement)

Product Name: Mobile phone
Test Model: F175

Environmental Conditions

Temperature:	25.2°C
Relative Humidity:	54.8%
ATM Pressure:	100.0 kPa
Test Engineer:	Jerry Chu
Supervised by:	Can Kun





C.1 -6dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	b	2412	Ant1	8.645	0.5	Pass
NVNT	b	2437	Ant1	9.115	0.5	Pass
NVNT	b	2462	Ant1	9.097	0.5	Pass
NVNT	g	2412	Ant1	16.19	0.5	Pass
NVNT	g	2437	Ant1	16.37	0.5	Pass
NVNT	g	2462	Ant1	16.3	0.5	Pass
NVNT	n20	2412	Ant1	17.3	0.5	Pass
NVNT	n20	2437	Ant1	17.51	0.5	Pass
NVNT	n20	2462	Ant1	17.21	0.5	Pass
NVNT	n40	2422	Ant1	35.27	0.5	Pass
NVNT	n40	2437	Ant1	36.14	0.5	Pass
NVNT	n40	2452	Ant1	36.11	0.5	Pass




-6dB Bandwidth NVNT b 2412MHz Ant1









-6dB Bandwidth NVNT g 2412MHz Ant1




-6dB Bandwidth NVNT g 2437MHz Ant1




-6dB Bandwidth NVNT g 2462MHz Ant1




-6dB Bandwidth NVNT n20 2412MHz Ant1




-6dB Bandwidth NVNT n20 2437MHz Ant1




-6dB Bandwidth NVNT n20 2462MHz Ant1



-6dB Bandwidth NVNT n40 2422MHz Ant1



-6dB Bandwidth NVNT n40 2437MHz Ant1



-6dB Bandwidth NVNT n40 2452MHz Ant1



C.2 Maximum Average Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Conducted Power (dBm)	Limit Conducted(dBm)	Verdict
NVNT	b	2412	Ant1	12.23	0.03	12.26	30	Pass
NVNT	b	2437	Ant1	10.65	0.03	10.68	30	Pass
NVNT	b	2462	Ant1	11.81	0.03	11.84	30	Pass
NVNT	g	2412	Ant1	10.26	0.19	10.45	30	Pass
NVNT	g	2437	Ant1	8.95	0.19	9.14	30	Pass
NVNT	g	2462	Ant1	10.04	0.19	10.23	30	Pass
NVNT	n20	2412	Ant1	10.51	0.23	10.74	30	Pass
NVNT	n20	2437	Ant1	9.22	0.22	9.44	30	Pass
NVNT	n20	2462	Ant1	10.26	0.22	10.48	30	Pass
NVNT	n40	2422	Ant1	10.69	0.44	11.13	30	Pass
NVNT	n40	2437	Ant1	9.42	0.44	9.86	30	Pass
NVNT	n40	2452	Ant1	9.99	0.44	10.43	30	Pass

Note :offset=System attenuation +cabal loss





C.3 Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/30kHz)	Duty Factor (dB)	Total PSD (dBm/30kHz)	Result [dBm/3kHz]	Limit (dBm/3kHz)	Verdict
NVNT	b	2412	Ant1	-9.12	0.03	-9.09	-19.09	8	Pass
NVNT	b	2437	Ant1	-11.28	0.03	-11.25	-21.25	8	Pass
NVNT	b	2462	Ant1	-9.91	0.03	-9.88	-19.88	8	Pass
NVNT	g	2412	Ant1	-13.66	0.19	-13.47	-23.47	8	Pass
NVNT	g	2437	Ant1	-15.36	0.19	-15.17	-25.17	8	Pass
NVNT	g	2462	Ant1	-13.82	0.19	-13.63	-23.63	8	Pass
NVNT	n20	2412	Ant1	-13.92	0.23	-13.69	-23.69	8	Pass
NVNT	n20	2437	Ant1	-15.77	0.22	-15.55	-25.55	8	Pass
NVNT	n20	2462	Ant1	-14.12	0.22	-13.9	-23.90	8	Pass
NVNT	n40	2422	Ant1	-16.42	0.44	-15.98	-25.98	8	Pass
NVNT	n40	2437	Ant1	-17.52	0.44	-17.08	-27.08	8	Pass
NVNT	n40	2452	Ant1	-17.4	0.44	-16.96	-26.96	8	Pass


Note :offset=System attenuation +cable loss

Result[dBm/3kHz]=Result[dBm/30kHz]+10*Log(3/30)










Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com








Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com












C.4 Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-46.22	-30	Pass
NVNT	b	2462	Ant1	-58.3	-30	Pass
NVNT	g	2412	Ant1	-33.34	-30	Pass
NVNT	g	2462	Ant1	-43.98	-30	Pass
NVNT	n20	2412	Ant1	-31.15	-30	Pass
NVNT	n20	2462	Ant1	-39.94	-30	Pass
NVNT	n40	2422	Ant1	-32.34	-30	Pass
NVNT	n40	2452	Ant1	-37.22	-30	Pass






Band Edge NVNT b 2412MHz Ant1 Emission






Band Edge NVNT b 2462MHz Ant1 Emission




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com




Band Edge NVNT g 2412MHz Ant1 Emission






Band Edge NVNT g 2462MHz Ant1 Emission




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com





Band Edge NVNT n20 2412MHz Ant1 Emission







Band Edge NVNT n20 2462MHz Ant1 Emission





Band Edge NVNT n40 2422MHz Ant1 Emission







Band Edge NVNT n40 2452MHz Ant1 Emission




C.5 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-40.57	-30	Pass
NVNT	b	2437	Ant1	-39.71	-30	Pass
NVNT	b	2462	Ant1	-41.08	-30	Pass
NVNT	g	2412	Ant1	-36.43	-30	Pass
NVNT	g	2437	Ant1	-35.07	-30	Pass
NVNT	g	2462	Ant1	-35.43	-30	Pass
NVNT	n20	2412	Ant1	-36.78	-30	Pass
NVNT	n20	2437	Ant1	-35.56	-30	Pass
NVNT	n20	2462	Ant1	-36.59	-30	Pass
NVNT	n40	2422	Ant1	-35.09	-30	Pass
NVNT	n40	2437	Ant1	-33.7	-30	Pass
NVNT	n40	2452	Ant1	-33.12	-30	Pass






Tx. Spurious NVNT b 2412MHz Ant1 Emission




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com





Tx. Spurious NVNT b 2437MHz Ant1 Emission






Tx. Spurious NVNT b 2462MHz Ant1 Emission






Tx. Spurious NVNT g 2412MHz Ant1 Emission




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com





Tx. Spurious NVNT g 2437MHz Ant1 Emission







Tx. Spurious NVNT g 2462MHz Ant1 Emission







Tx. Spurious NVNT n20 2412MHz Ant1 Emission







Tx. Spurious NVNT n20 2437MHz Ant1 Emission







Tx. Spurious NVNT n20 2462MHz Ant1 Emission







Tx. Spurious NVNT n40 2422MHz Ant1 Emission





Tx. Spurious NVNT n40 2437MHz Ant1 Emission







Tx. Spurious NVNT n40 2452MHz Ant1 Emission





C.6 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	b	2412	Ant1	99.36	0.03	0.12
NVNT	b	2437	Ant1	99.3	0.03	0.12
NVNT	b	2462	Ant1	99.3	0.03	0.12
NVNT	g	2412	Ant1	95.62	0.19	0.72
NVNT	g	2437	Ant1	95.62	0.19	0.72
NVNT	g	2462	Ant1	95.75	0.19	0.72
NVNT	n20	2412	Ant1	94.86	0.23	0.85
NVNT	n20	2437	Ant1	95.02	0.22	0.85
NVNT	n20	2462	Ant1	95.02	0.22	0.85
NVNT	n40	2422	Ant1	90.43	0.44	1.71
NVNT	n40	2437	Ant1	90.43	0.44	1.71
NVNT	n40	2452	Ant1	90.43	0.44	1.71












Duty Cycle NVNT g 2412MHz Ant1




Duty Cycle NVNT g 2437MHz Ant1




Duty Cycle NVNT g 2462MHz Ant1




Duty Cycle NVNT n20 2412MHz Ant1




Duty Cycle NVNT n20 2437MHz Ant1




Duty Cycle NVNT n20 2462MHz Ant1



Duty Cycle NVNT n40 2422MHz Ant1



Duty Cycle NVNT n40 2437MHz Ant1





C.7 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	b	2412	Ant1	2310	-50.82	2.15	46.59	Peak	74	Pass
NVNT	b	2412	Ant1	2310	-57.32	2.15	40.09	Average	54	Pass
NVNT	b	2412	Ant1	2388.858	-46.79	2.15	50.62	Peak	74	Pass
NVNT	b	2412	Ant1	2389.911	-56.18	2.15	41.23	Average	54	Pass
NVNT	b	2412	Ant1	2390	-48.72	2.15	48.69	Peak	74	Pass
NVNT	b	2412	Ant1	2390	-56.1	2.15	41.31	Average	54	Pass
NVNT	b	2462	Ant1	2483.5	-47.57	2.15	49.84	Peak	74	Pass
NVNT	b	2462	Ant1	2483.5	-55.12	2.15	42.29	Average	54	Pass
NVNT	b	2462	Ant1	2484.259	-45.01	2.15	52.40	Peak	74	Pass
NVNT	b	2462	Ant1	2483.57	-55.11	2.15	42.30	Average	54	Pass
NVNT	b	2462	Ant1	2500	-49.73	2.15	47.68	Peak	74	Pass
NVNT	b	2462	Ant1	2500	-57.15	2.15	40.26	Average	54	Pass
NVNT	g	2412	Ant1	2310	-48.38	2.15	49.03	Peak	74	Pass
NVNT	g	2412	Ant1	2310	-56.66	2.15	40.75	Average	54	Pass
NVNT	g	2412	Ant1	2388.39	-39.86	2.15	57.55	Peak	74	Pass
NVNT	g	2412	Ant1	2389.911	-51.27	2.15	46.14	Average	54	Pass
NVNT	g	2412	Ant1	2390	-41.31	2.15	56.10	Peak	74	Pass
NVNT	g	2412	Ant1	2390	-51.03	2.15	46.38	Average	54	Pass
NVNT	g	2462	Ant1	2483.5	-34.15	2.15	63.26	Peak	74	Pass
NVNT	g	2462	Ant1	2483.5	-45.45	2.15	51.96	Average	54	Pass
NVNT	g	2462	Ant1	2483.835	-30.49	2.15	66.92	Peak	74	Pass
NVNT	g	2462	Ant1	2483.623	-45.29	2.15	52.12	Average	54	Pass
NVNT	g	2462	Ant1	2500	-48.21	2.15	49.20	Peak	74	Pass
NVNT	g	2462	Ant1	2500	-56.75	2.15	40.66	Average	54	Pass
NVNT	n20	2412	Ant1	2310	-49.62	2.15	47.79	Peak	74	Pass
NVNT	n20	2412	Ant1	2310	-56.88	2.15	40.53	Average	54	Pass
NVNT	n20	2412	Ant1	2389.911	-36.77	2.15	60.64	Peak	74	Pass
NVNT	n20	2412	Ant1	2389.794	-49.05	2.15	48.36	Average	54	Pass
NVNT	n20	2412	Ant1	2390	-37.9	2.15	59.51	Peak	74	Pass
NVNT	n20	2412	Ant1	2390	-48.98	2.15	48.43	Average	54	Pass
NVNT	n20	2462	Ant1	2483.5	-39.66	2.15	57.75	Peak	74	Pass
NVNT	n20	2462	Ant1	2483.5	-47.65	2.15	49.76	Average	54	Pass
NVNT	n20	2462	Ant1	2483.57	-34.62	2.15	62.79	Peak	74	Pass
NVNT	n20	2462	Ant1	2483.517	-47.65	2.15	49.76	Average	54	Pass
NVNT	n20	2462	Ant1	2500	-47.65	2.15	49.76	Peak	74	Pass
NVNT	n20	2462	Ant1	2500	-56.72	2.15	40.69	Average	54	Pass
NVNT	n40	2422	Ant1	2310	-49.89	2.15	47.52	Peak	74	Pass


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com




NVNT	n40	2422	Ant1	2310	-56.52	2.15	40.89	Average	54	Pass
NVNT	n40	2422	Ant1	2389.946	-33.01	2.15	64.40	Peak	74	Pass
NVNT	n40	2422	Ant1	2389.946	-44.33	2.15	53.08	Average	54	Pass
NVNT	n40	2422	Ant1	2390	-31.28	2.15	66.13	Peak	74	Pass
NVNT	n40	2422	Ant1	2390	-44.5	2.15	52.91	Average	54	Pass
NVNT	n40	2452	Ant1	2483.5	-32.61	2.15	64.80	Peak	74	Pass
NVNT	n40	2452	Ant1	2483.5	-49.24	2.15	48.17	Average	54	Pass
NVNT	n40	2452	Ant1	2483.542	-32.61	2.15	64.80	Peak	74	Pass
NVNT	n40	2452	Ant1	2483.542	-49.24	2.15	48.17	Average	54	Pass
NVNT	n40	2452	Ant1	2500	-49.9	2.15	47.51	Peak	74	Pass
NVNT	n40	2452	Ant1	2500	-56.6	2.15	40.81	Average	54	Pass




Restrict Band NVNT b 2412MHz Ant1 Peak




Restrict Band NVNT b 2412MHz Ant1 Average







Restrict Band NVNT b 2462MHz Ant1 Average




Restrict Band NVNT g 2412MHz Ant1 Peak




Restrict Band NVNT g 2412MHz Ant1 Average




Restrict Band NVNT g 2462MHz Ant1 Peak




Restrict Band NVNT g 2462MHz Ant1 Average




Restrict Band NVNT n20 2412MHz Ant1 Peak




Restrict Band NVNT n20 2412MHz Ant1 Average




Restrict Band NVNT n20 2462MHz Ant1 Peak




Restrict Band NVNT n20 2462MHz Ant1 Average




Restrict Band NVNT n40 2422MHz Ant1 Peak



Restrict Band NVNT n40 2422MHz Ant1 Average



Restrict Band NVNT n40 2452MHz Ant1 Peak



Restrict Band NVNT n40 2452MHz Ant1 Average