

深圳市安威无线科技有限公司

ANWEI commnuication Equipment Co.,Ltd

规格书


APPROVAL SHEET

客户 Customer	Ming Yue	规格型号 Specs	F13
安威料号 Part Number		频 段 Frequency Band	2G:B2/3/5/8 3G:WCDMA B1/2/4/5 4G:FDD B1/3/4/5/7/8 12/13/17/20/28A/B/66/71
颜 色 Color	黑油(Black Oil)	版 本 Edition	REV:A
销 售 Salesperson	Mr.Zhang	设 计 Design	LEI YAO BO
结 构 Structure	Qin Yun Lin	确 认 Confirm	
日 期 Date	2025/12/22	签字日期 Signing Date	
客户确认 Customer confirmation:			
携手共进 共创未来 Join hands to create the future			

Address: 2nd Floor, East Block, Building 5, Yifenghua Innovation Industrial Park, Huaning Road, Dalang Street, Longhua District, Shenzhen, China

项目开发环境

Project development environment



安威无线一直都是您值得信赖且优秀的合作伙伴，我们为您提供全方位一站式的产品以及技术服务！


“质量第一，服务至上”是安威一直以来的发展宗旨

Band	Mode	Frequency (MHZ)	Antenna Max Gain (dBi)	
GSM-BAND	Band2	1850-199	1.02	dBi
	Band3	1710-1880	1.10	
	Band5	824-894	-2.33	
	Band8	880-960	-2.91	
WCDMA-BAND	Band1	1920-2170	1.02	dBi
	Band2	1850-1990	1.31	
	Band4	1710-2150	1.10	
	Band5	824-894	-2.33	
FDD-BAND	Band1	1920-2170	1.02	dBi
	Band2	1850-1990	1.31	
	Band3	1710-1880	1.10	
	Band4	1710-2150	1.10	
	Band5	824-894	-2.33	
	Band7	2500-2690	1.56	


	Band8	880-960		
	Band12	704-740	-3.38	
	Band13	746-787	-2.51	
	Band17	704-746	-3.38	
	Band20	791-862	-2.33	
	Band28	703-803	-3.34	
	Band66	1710-2200	-1.10	
	Band71	647-693	-5.1	
WIFI-2.4G	2.4G	2401-2495	1.59	dBi
WIFI-5G	5.1G	5100	1.94	dBi
	5.3G	5300	0.3	dBi
	5.8G	5800	3.01	dBi
BT	2.4G	2401-2495	1.59	dBi
GPS	Gps L1 Band	1575.42	4.68	dBi
无线充		100-205K	-3.89	dBi

主天线苹果图 (Main antenna apple diagram Apple chart)


700MH






820MHZ




900MHZ




1700-2700MHZ






分集天线苹果图 (Diversity Antenna Apple diagram)

B4 2100MHZ




GWB 天线苹果图 (GWB antenna apple diagram)


GPS 1575MHZ




2.4GWIFI/BT 2450MHZ



5GWIFI 5100-5800MHZ





天线外观尺寸图（Antenna external dimensions diagram）

