

承认书

SPECIFICATION FOR APPROVAL

客户名称

CUSTOMER NAME:

产品名称

PRODUCTNAME: 433MHZ天线

客户料号

CUSTOMER P /N:

电子料号

P/N:

REV: A

	MANUFACTURER SIGNATURE	CUSTOMER SIGNATURE
CHECKEDBY:		
AUDITORBY:		
APPROVEDBY:		
DATE:	2026. 04. 20	

Company Name: Shenzhen Xinlisheng Hardware Electronics Co., Ltd.
Address: Bldg B, Room 401, No. 35-13, Shuitian Rd, Tongle Community, Baolong Subdistrict, Longgang District, Shenzhen

Contents

Item Description

一、-----Specification Sheet

二、-----Finished product image


三、-----Test Report

:

一、Specification Sheet

Electrical parameters	
Antenna Frequency	433MHZ Spring-style wire
Antenna broadband	433MHZ
Antenna Gain	0DBi
Voltage Standing Wave Ratio	≤ 1.5
Polarization direction	Vertical polarization
Input impedance	50 Ω
Power capacity	50W
Other parameters	
Product size	26.6*5.0mm
Wire diameter	0.6mm
Material	Brass
Product Selling Points	360-degree omnidirectional coverage, can withstand high-intensity impact, universal for receiving and transmitting, lightweight, easy to install, simple design
Antenna color	Yellow
Interface Type	Welding
Operating temperature	-80° C~+100° C
Storage Temperature	-80° C~+100° C

二、Finished product image



三、Test Report

