

3. Maximum Conducted Output Power

3.1 Test Result


3.1.1 Power



Mode	TX Type	Frequency (MHz)	Maximum Peak Conducted Output Power (dBm)		Verdict
			ANT1	Limit	
1M	SISO	2402	3.05	<=30	Pass
		2440	1.80	<=30	Pass
		2480	2.99	<=30	Pass
2M	SISO	2402	3.43	<=30	Pass
		2440	1.73	<=30	Pass
		2480	2.89	<=30	Pass



Note1: Antenna Gain: Ant1: 3.01 dBi;

3.2 Test Graph

3.2.1 Power







4. Maximum Power Spectral Density

4.1 Test Result

4.1.1 PSD

Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/3kHz)		Verdict
			ANT1	Limit (dBm/3kHz)	
1M	SISO	2402	-12.55dBm/3kHz	<=8	Pass
		2440	-13.73dBm/3kHz	<=8	Pass
		2480	-12.70dBm/3kHz	<=8	Pass
2M	SISO	2402	3.28dBm/100kHz	<=8	Pass
		2440	1.43dBm/100kHz	<=8	Pass
		2480	2.69dBm/100kHz	<=8	Pass
Note1: Antenna Gain: Ant1: 3.01dBi;					

4.2 Test Graph

4.2.1 PSD

