


Radiated Spurious Emission below 1GHz:

During the test, the Radiates Emission from 30MHz to 1GHz was performed in all modes, only the worst case highest channel of GFSK 1M was recorded in the report.

Test Graph

Horizontal:


72.0 dBuV/m



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		137.5166	10.56	10.47	21.03	43.50	-22.47	QP	100	73
2		192.3173	8.13	12.57	20.70	43.50	-22.80	QP	100	73
3		237.1847	7.63	13.98	21.61	46.00	-24.39	QP	100	254
4		297.8500	10.53	16.23	26.76	46.00	-19.24	QP	100	151
5		389.0819	4.79	19.16	23.95	46.00	-22.05	QP	100	228
6	*	948.7609	1.15	27.24	28.39	46.00	-17.61	QP	100	116

Remark:

1. $\text{Margin} = \text{Measurement (Level)} - \text{Limit}$.
2. $\text{Measurement (Level)} = \text{Reading Level} + \text{Correct Factor}$.
3. In the test results, an asterisk (*) indicates Maximum Data, a cross (X) indicates over Limit, an exclamation mark (!) indicates over -6dB margin Limit.



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	30.8481	13.72	12.53	26.25	40.00	-13.75	QP	100	37
2		37.0184	12.44	12.95	25.39	40.00	-14.61	QP	100	82
3		50.7993	10.33	14.55	24.88	40.00	-15.12	QP	100	257
4		71.4176	9.93	10.85	20.78	40.00	-19.22	QP	100	327
5		142.7743	18.90	10.34	29.24	43.50	-14.26	QP	100	29
6		196.6477	15.19	12.59	27.78	43.50	-15.72	QP	100	205

Remark:


1. $\text{Margin} = \text{Measurement(Level)} - \text{Limit}$.
2. $\text{Measurement(Level)} = \text{Reading Level} + \text{Correct Factor}$.
3. In the test results, an asterisk (*) indicates Maximum Data, a cross (X) indicates over Limit, an exclamation mark (!) indicates over -6dB margin Limit.

Radiated Spurious Emission above 1GHz:

During the test, the Radiated Spurious Emission from above 1GHz was performed in all modes, only the worst case BLE 1M was recorded in the report.

Test_Mode	BLE 1M GFSK Transmitting	Test_Frequency	2402MHz
Remark:	\	Test_Date	2026/7/4


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1968.3312	14.63	37.25	51.88	74.00	22.12	PASS	Horizontal	PK
2	2879.992	17.41	36.62	54.03	74.00	19.97	PASS	Horizontal	PK
3	3203.0135	-14.44	65.14	50.70	74.00	23.30	PASS	Horizontal	PK
4	4804.1203	-8.60	66.84	58.24	74.00	15.76	PASS	Horizontal	PK
5	7206.2804	-3.35	56.55	53.20	74.00	20.80	PASS	Horizontal	PK
6	13196.6798	6.35	49.86	56.21	74.00	17.79	PASS	Horizontal	PK
7	2888.6592	17.58	18.09	35.67	54.00	18.33	PASS	Horizontal	AV
8	4805.1203	-8.59	58.46	49.87	54.00	4.13	PASS	Horizontal	AV
9	13199.68	6.35	38.82	45.17	54.00	8.83	PASS	Horizontal	AV

Test_Mode	BLE 1M GFSK Transmitting	Test_Frequency	2402MHz
Remark:	\	Test_Date	2026/7/4


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1796.3198	14.19	36.20	50.39	74.00	23.61	PASS	Vertical	PK
2	2870.3914	17.43	36.62	54.05	74.00	19.95	PASS	Vertical	PK
3	4804.1203	-8.60	60.98	52.38	74.00	21.62	PASS	Vertical	PK
4	7206.2804	-3.35	55.00	51.65	74.00	22.35	PASS	Vertical	PK
5	12608.6406	4.66	51.71	56.37	74.00	17.63	PASS	Vertical	PK
6	16274.885	10.70	50.61	61.31	74.00	12.69	PASS	Vertical	PK
7	2863.7242	17.38	18.40	35.78	54.00	18.22	PASS	Vertical	AV
8	12576.6384	4.51	40.66	45.17	54.00	8.83	PASS	Vertical	AV
9	16345.8897	11.53	37.30	48.83	54.00	5.17	PASS	Vertical	AV

Test_Mode	BLE 1M GFSK Transmitting	Test_Frequency	2402MHz
Remark:	\	Test_Date	2026/7/4


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18343.0737	-26.78	63.43	36.65	74.00	37.35	PASS	Horizontal	PK
2	19518.1607	-25.61	61.59	35.98	74.00	38.02	PASS	Horizontal	PK
3	20735.4094	-25.79	61.35	35.56	74.00	38.44	PASS	Horizontal	PK
4	22417.1167	-25.09	60.15	35.06	74.00	38.94	PASS	Horizontal	PK
5	23914.5366	-22.10	58.06	35.96	74.00	38.04	PASS	Horizontal	PK
6	25251.13	-21.14	57.76	36.62	74.00	37.38	PASS	Horizontal	PK

Test_Mode	BLE 1M GFSK Transmitting	Test_Frequency	2402MHz
Remark:	\	Test_Date	2026/7/4


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	18436.2374	-26.70	63.03	36.33	74.00	37.67	PASS	Vertical	PK
2	19491.6397	-25.60	61.13	35.53	74.00	38.47	PASS	Vertical	PK
3	20665.0266	-25.93	61.30	35.37	74.00	38.63	PASS	Vertical	PK
4	21815.6326	-25.56	60.90	35.34	74.00	38.66	PASS	Vertical	PK
5	23369.4948	-23.67	58.51	34.84	74.00	39.16	PASS	Vertical	PK
6	25245.6898	-21.13	57.71	36.58	74.00	37.42	PASS	Vertical	PK

Test_Mode	BLE 1M GFSK Transmitting	Test_Frequency	2440MHz
Remark:	\	Test_Date	2026/7/4


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1641.9095	14.04	36.18	50.22	74.00	23.78	PASS	Horizontal	PK
2	2793.7196	17.28	36.88	54.16	74.00	19.84	PASS	Horizontal	PK
3	3253.0169	-14.11	62.56	48.45	74.00	25.55	PASS	Horizontal	PK
4	4880.1253	-8.36	63.41	55.05	74.00	18.95	PASS	Horizontal	PK
5	8294.353	-1.01	52.10	51.09	74.00	22.91	PASS	Horizontal	PK
6	12577.6385	4.52	51.37	55.89	74.00	18.11	PASS	Horizontal	PK
7	2787.4525	17.24	18.42	35.66	54.00	18.34	PASS	Horizontal	AV
8	4881.1254	-8.36	56.88	48.52	54.00	5.48	PASS	Horizontal	AV
9	12552.6368	4.31	41.03	45.34	54.00	8.66	PASS	Horizontal	AV

Test_Mode	BLE 1M GFSK Transmitting	Test_Frequency	2440MHz
Remark:	\	Test_Date	2026/7/4


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1732.5822	14.16	36.57	50.73	74.00	23.27	PASS	Vertical	PK
2	2901.0601	17.72	36.96	54.68	74.00	19.32	PASS	Vertical	PK
3	4880.1253	-8.36	59.15	50.79	74.00	23.21	PASS	Vertical	PK
4	8918.3946	-0.09	50.97	50.88	74.00	23.12	PASS	Vertical	PK
5	13654.7103	7.42	50.10	57.52	74.00	16.48	PASS	Vertical	PK
6	16487.8992	11.71	48.55	60.26	74.00	13.74	PASS	Vertical	PK
7	2901.9935	17.73	17.69	35.42	54.00	18.58	PASS	Vertical	AV
8	13716.7144	7.22	38.24	45.46	54.00	8.54	PASS	Vertical	AV
9	16420.8947	10.39	37.53	47.92	54.00	6.08	PASS	Vertical	AV

Test_Mode	BLE 1M GFSK Transmitting	Test_Frequency	2440MHz
Remark:	\	Test_Date	2026/7/4


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18405.2962	-26.70	63.82	37.12	74.00	36.88	PASS	Horizontal	PK
2	19451.8581	-25.61	61.85	36.24	74.00	37.76	PASS	Horizontal	PK
3	20850.334	-25.74	61.76	36.02	74.00	37.98	PASS	Horizontal	PK
4	22423.917	-25.09	60.57	35.48	74.00	38.52	PASS	Horizontal	PK
5	23824.093	-22.28	58.72	36.44	74.00	37.56	PASS	Horizontal	PK
6	25253.1701	-21.15	57.50	36.35	74.00	37.65	PASS	Horizontal	PK

Test_Mode	BLE 1M GFSK Transmitting	Test_Frequency	2440MHz
Remark:	\	Test_Date	2026/7/4


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18443.7177	-26.70	63.40	36.70	74.00	37.30	PASS	Vertical	PK
2	19518.8408	-25.61	61.91	36.30	74.00	37.70	PASS	Vertical	PK
3	21127.1051	-25.84	61.16	35.32	74.00	38.68	PASS	Vertical	PK
4	22747.2699	-25.04	58.95	33.91	74.00	40.09	PASS	Vertical	PK
5	23994.4398	-21.95	58.38	36.43	74.00	37.57	PASS	Vertical	PK
6	25533.3413	-20.95	57.60	36.65	74.00	37.35	PASS	Vertical	PK

Test_Mode	BLE 1M GFSK Transmitting	Test_Frequency	2480MHz
Remark:	\	Test_Date	2026/7/4

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1440.0293	13.20	36.66	49.86	74.00	24.14	PASS	Horizontal	PK
2	2766.7845	16.88	36.56	53.44	74.00	20.56	PASS	Horizontal	PK
3	3307.0205	-14.08	60.94	46.86	74.00	27.14	PASS	Horizontal	PK
4	4960.1307	-8.05	60.71	52.66	74.00	21.34	PASS	Horizontal	PK
5	9142.4095	0.09	50.81	50.90	74.00	23.10	PASS	Horizontal	PK
6	13712.7142	7.24	49.77	57.01	74.00	16.99	PASS	Horizontal	PK
7	13683.7122	7.32	37.91	45.23	54.00	8.77	PASS	Horizontal	AV