


GLOCUSENT MULTI-PURPOSE CLIP ON LIGHT



FCC Statement:

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This

Equipment generates,uses and can radiate radio frequency energy and,if not installed and used in accordance with the instructions,may cause harmful interference to radio communications.However,there is no guarantee that interference will not occur in a Particular installation.If this quipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

—Reorient or relocate the receiving antenna.

—Increase the separation between the equipment and receiver.

—Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

—Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

Catalogue

English ----- 1

Deutsch ----- 9

Français ----- 13

Italiano ----- 17

Español ----- 21

About Glocusent ----- 25

Service Contact ----- End

Scan the QR Code for 36-month upgraded VIP warranty



————— **For Customer Service** —————

www.glocusent.com | service@glocusent.com

Words from The Product Designer

Hi dear friends,

This is Mason from Glocusent. I am always excited to connect with you through our original products and hope you all enjoy it.


After 5 years in the book light industry, we've been collecting your feedback and voices to design this multi-purpose clip on reading light. Many of you are avid readers, artists, architects, or handymen who need a decent lamp to get better concentration or to reduce eye strain. We believe this clamp light will be your perfect lighting aid in your study room or workshop. Here are the considerate designs that will upgrade your experience:

- Stepless brightness levels and multi-color temperatures allow you to customize your favorite settings to relax your eyes and boost your effectiveness;
- 1800K color temperature is 99.9% blue light filtered for best eye care;
- 30-min auto-off timer makes a good reminder for you to rest if you use Pomodoro Technique to work;
- 78-inch cord makes it extra convenient as you can move it around with you;
- It comes with a remote controller for better convenience;
- A stable & sturdy clamp allows you to attach the light to any thick surface.

This elegant & small book light is a subtle add-on to your room. It brings you not only excellent lighting but also strong practicality. We look forward to seeing your updates about your product reviews and don't forget to tag us on social media to show your enjoyable reading time with our book light.


Glocusent is always dedicated to bringing you the finest book lights, and we'd like to hear your voice and suggestion so then we can improve our products and services. Once your advice has been taken into designing our next products, we will put your name on our contributor list in the product manual.

Thank you for your support,
Mason




Instruction


Power



Brightness Level



Color Temperature



Instruction

Scenario Mode



Designed for Relaxing & General Reading
Press Once →



Reading Mode
3200 K / 60 LM

Designed for Your Best Concentration
Press Twice →



Focusing Mode
6000 K / 220 LM


Dim glow of amber light for sweet dreams
Press Three Times →





Sleeping Mode
1800 k / 5 LM

Remote Instruction

Battery Insulating Pull Tab Pull It Before Use



Remote Instruction



- A red indicator light will flash when the signal is sent.

Precautions


- Use 5V/2A output wall plug to make sure the clamp light is working at its full capacity.
- Please do not use a charger exceeding 5V - high voltage may cause damage
- The power indicator light will turn green when the clamp light is connected with power.
- The indicator light will turn green when the mode function or timing function of the light is turned on.
- Please avoid placing this light in an extreme temperature environment (either too hot or too cold).
- Disposal: When you are ready to dispose of the product after wearing it out, please make sure to follow the instructions of your local government for environmental and safety purposes.

Product Specifications

Model	GLCSNTA1901
Brightness	5LM - 220LM
Color Temperature	1800K to 6000K
LED Beads	38
Dimensions	24.6*3*4.4 IN / 62.5*7.5*11.2 CM
Weight	10 OZ / 283 G
Certificates	FCC, PSE, CE, C-TICK
Input	5V $\Rightarrow$ 2A

Include

Glocusent Multi-Purpose Clip-on Light (78inch cord)	x 1
Remote Control	x 1
USB AC Adapter (5V $\Rightarrow$ 2A)	x 1
User Manual	x 1
Bookmark	x 1



Anleitung

Strom



Kurz drücken



Ein- / Ausschalten

Lange drücken, wenn
das Licht an ist




Zeiteinstellung für
0,5 Stunden

Helligkeitsstufen



Kurz drücken



Oder drücken Sie lange, um die Helligkeit
stufenlos einzustellen.

Farbtemperaturen



Kurz drücken



Oder drücken Sie lange, um die Helligkeit
stufenlos einzustellen.

Anleitung

Szenario-Modus



Entwickelt für entspannendes und
allgemeines Lesen
→
Einmal drücken



Lesemodus
3200 K / 60 LM

Entwickelt für Ihre beste Konzentration
→
Zweimal drücken



Fokussiermodus
6000 K / 220 LM


Sanftes und bernsteinfarbenes Licht
für süße Träume
→
Dreimal drücken





Schlafmodus
1800 k / 5 LM



Anleitung zur Fernbedienung

Isolierlasche Für Den Akku Vor Der Verwendung Herausziehen






- Eine rote Kontrollleuchte blinkt, wenn das Signal gesendet wird.




Instructions

Alimentation



Niveaux de luminosité



Températures de couleur



Instruction

Mode Scénario -----



Conçu pour la détente et la lecture
d'une manière générale
→
Appuyez une fois



Mode lecture
3200 K / 60 LM

Conçu pour votre meilleure
concentration
→
Appuyez deux fois



Mode
Concentration
6000 K / 220 LM


Une lumière ambrée à l'éclat tamisé
pour de doux rêves
→
Appuyez trois fois





Mode Sommeil
1800 k / 5 LM

Instructions de la télécommande


Tirette d'Isolation De La Batterie Tirez-la Avant De l'Utiliser



Instructions de la télécommande



- Un témoin lumineux rouge clignote lorsque le signal est envoyé.



Alimentazione



Premere brevemente



Accensione /
Spegnimento

Premere a lungo
quando la luce è accesa




Impostazione della
temporizzazione a
0,5 ore

Livelli di luminosità



Premere
brevemente



Oppure premere a lungo per regolare
la luminosità in modo continuo.

Temperatura di colore



Premere
brevemente



Oppure premere a lungo per regolare
la luminosità in modo continuo.

Istruzioni

Modalità scenario.....



Progettato per rilassarsi e per la lettura
generale

Premere una volta



Modalità
Lettura

3200 K / 60 LM

Progettato per la massima concentrazione

Premere due volte



Modalità di
Concentrazione

6000 K / 220 LM

Luce soffusa ambrata per un Sogno
dolce

Premere tre volte





Modalità di
Sonno

1800 k / 5 LM



Istruzioni di telecomando

Linguetta Isolante della Batteria Rimuoverlo Prima Dell'Uso





- Una spia rosso lampeggerà quando viene inviato il segnale.



Instrucciones

Energía



Pulse brevemente



Encendido/
Apagado

Mantenga pulsado cuando la luz esté encendida




Ajuste de Temporización para 0,5 Horas

Nivel de Brillo



Pulse brevemente



O mantenga pulsado para ajustar el brillo de forma constante.

Temperatura de Color



Premere brevemente



O mantenga pulsado para ajustar la temperatura del color.

Instrucción

Modo de Escenario



Diseñado para Lectura Relajante
& General

Pulse una vez



Modo de
Lectura
3200 K / 60 LM

Diseñado para Su Mejor Concentración

Pulse dos veces



Modo de
Enfoque
6000 K / 220 LM

Brillo tenue de luz ámbar para
dulces sueños


Pulse tres veces





Modo de
Reposo
1800 K / 5 LM

Instrucción Remota

Tire el aislamiento de la batería antes del uso



Instrucciones de control remoto




- Cuando se envíe la señal, la luz indicadora rojo se encenderá como señal.

Ever since we saw our first sunrise illuminate the beautiful Colorado Springs, we've become a lighting product company that believes that light is a critical element to capturing the magic in moments. No progress was ever made in the dark, and we're here to deliver that light to ensure that our users are always progressing. At Glocusent, we refer to three core principles; glory, focus, and moments.

Glory: We're about bringing light to your life, and we believe life is filled with glory, whether that's in your career or with your family. Let us shine a light on that glory.

Focus: Our team at Glocusent is focused on creating innovative lights and lamps that are convenient, smart, and tailored to its user. In the wise words of Roy T. Bennett, "Life is short; focus on what really matters; you should change your priorities over time." With our lights, you can focus on what matters.

Moment: Moments are fleeting. Your lives are filled with beauty, romance, and happiness. Our innovative lights are there to help you capture the moments.



Warning: To avoid danger of suffocation, keep this bag away from children and babies. Do not use this bag in cribs, beds, baby carriages or playpens. This bag is not a toy.



Verification of Compliance

Verification No.: MK24120151P01-C01

Name and address of Applicant: **giocusent co., ltd**
110 16th Street, Suite 1400 #1095 Denver, CO 80202 United States.

Name and address of Manufacturer: **Shenzhen Giocusent Technology Co., Ltd**
Building 8, 2001, Xinyi Lingyu R&D Center, No. 26 Honglang North Second Road, Xingdong Community, Xin'an Street, Bao'an District, Shenzhen

Product name: **Clip on Light A19**
GLCSNTA1901, GLCSNTA1901, GLCSNTA1902, GLCSNTA1903, GLCSNTA1904, GLCSNTA1905, GLCSNTA1906, GLCSNTA1907, GLCSNTA1908, GLCSNTA1909, GLCSNTA1910, GLCSNTA1911, GLCSNTA1912, GLCSNTA1913, GLCSNTA1914.

Product model(s):

Product trademark: **GLCUSENT**

This verification confirms that the product meets the requirements of the following standard.
The conformity was demonstrated based on following standard(s) listed by European Commission as harmonized with Directive RoHS 2.0 Directive (EU) 2015/863 and (EU)2017/2102 amending Annex II to Directive 2011/65/EU

IEC 62321-1-2013	IEC 62321-3-1:2013
IEC 62321-4:2013/AMD1:2017	IEC 62321-5:2013
IEC 62321-6:2015	IEC 62321-7-1:2015
IEC 62321-7-2:2017	IEC 62321-8:2017
IEC 62321-2:2014	

The verification has been carried out in accordance with individual rules and conditions agreed with the applicant. Evaluation has been carried out in accordance with:

Test report(s) No.: MK24120151P01-C01

Test conducted by: TMC Testing Services (Shenzhen) Co., Ltd.

Verification issue date: December 26, 2024

Notes:
This verification refers to the above mentioned product and its conformity in regards of above mentioned standard(s) was proven on test sample.
This verification does not imply meeting all essential requirements, assessment of the series-production or any other restricted Notified Bodies conformity assessment procedure appropriate for the product.
This verification holder shall use this verification in connection to verification of conformity and technical data relevant for the product the verification was issued.

TMC Testing Services (Shenzhen) Co., Ltd.

L86-755-86642861 cert@tmc-lab.com www.tmc-lab.com

1st Floor, Block A1, Zone A, Xinchidai Gongrong Industrial Park, No. 2, Shihuan Road, Shiyao Street, Baoan District, Shenzhen, China



Glocusent Customer Support

Have questions, concerns, or feedback about Glocusent Multi-Purpose Clip On Light(A19)? Email us at service@glocusent.com. Our team will respond to your email in a swift time.

You're currently covered by our 24-month worry-free warranty. But there's more! You can easily bump that up to a 36-month VIP Service warranty. It's all on us – either a replacement, a full refund or a chance to try out our new products. Simply swing by our website and register your purchase to make the upgrade, we've got your back.

www.glocusent.com/pages/warranty

Alternatively, you can scan the QR code below to register your purchase:



————— **For Customer Service** —————

www.glocusent.com | service@glocusent.com