



11ax(HE80)_TX_CH_155_Horizontal_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5648.4	41.46	32.66	-19.46	54.66	68.30	13.64	Horizontal
2	5697.5562	52.73	32.68	-19.47	65.94	103.50	37.56	Horizontal
3	5717.3	53.94	32.69	-19.36	67.27	110.15	42.88	Horizontal
4	5723.5562	51.14	32.69	-19.32	64.51	119.01	54.50	Horizontal
5	5851.2	53.57	32.74	-18.81	67.50	119.56	52.06	Horizontal
6	5871.1062	55.75	32.75	-18.80	69.70	106.39	36.69	Horizontal
7	5921.4812	41.47	32.77	-18.94	55.30	70.89	15.59	Horizontal
8	5927.575	40.36	32.77	-18.98	54.15	68.30	14.15	Horizontal

11ax(HE80)_TX_CH_155_Vetical_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5646.6938	44.30	32.66	-19.46	57.50	68.30	10.80	Vertical
2	5654.3312	44.98	32.66	-19.46	58.18	71.52	13.34	Vertical
3	5704.1375	58.66	32.68	-19.44	71.90	106.46	34.56	Vertical
4	5720.875	58.69	32.69	-19.34	72.04	112.90	40.86	Vertical
5	5851.3625	55.07	32.74	-18.81	69.00	119.19	50.19	Vertical
6	5874.3562	55.87	32.75	-18.80	69.82	105.48	35.66	Vertical
7	5921.3188	39.85	32.77	-18.94	53.68	71.01	17.33	Vertical
8	5927.4125	40.54	32.77	-18.98	54.33	68.30	13.97	Vertical

7.5 Duty Cycle

Test Requirement ANSI C63.10-2020+Cor.1-2023 Section 12.2

Test Method: ANSI C63.10-2020+Cor.1-2023 Section 12.2

7.5.1 E.U.T. Operation

Operating Environment:

Temperature: 25 °C


Humidity: 44 % RH

Atmospheric Pressure: 1001 mbar

7.5.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	00	TX mode (U-NII-1)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80, Only the data of worst case is recorded in the report.
Final test	01	TX mode (U-NII-3) _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80, Only the data of worst case is recorded in the report.

7.5.3 Test Setup Diagram



7.5.4 Measurement Procedure and Data

Please Refer to Appendix for Details

7.6 99% Bandwidth

Test Requirement ANSI C63.10-2020+Cor.1-2023 Section 12.5.3

Test Method: ANSI C63.10-2020+Cor.1-2023 Section 6.9.3

7.6.1 E.U.T. Operation

Operating Environment:

Temperature: 25 °C


Humidity: 44 % RH

Atmospheric Pressure: 1001 mbar

7.6.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	00	TX mode (U-NII-1)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80, Only the data of worst case is recorded in the report.
Final test	01	TX mode (U-NII-3) _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80, Only the data of worst case is recorded in the report.

7.6.3 Test Setup Diagram



7.6.4 Measurement Procedure and Data

Please Refer to Appendix for Details

7.7 26dB Emission Bandwidth

Test Requirement 47 CFR Part 15, Subpart E 15.407 (a)

Test Method: ANSI C63.10-2020+Cor.1-2023 Section 12.5.2

7.7.1 E.U.T. Operation

Operating Environment:

Temperature: 25 °C


Humidity: 44 % RH

Atmospheric Pressure: 1001 mbar

7.7.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	00	TX mode (U-NII-1) Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80, Only the data of worst case is recorded in the report.

7.7.3 Test Setup Diagram



7.7.4 Measurement Procedure and Data

Please Refer to Appendix for Details

7.8 Minimum 6 dB Bandwidth (5.725-5.85 GHz band)

Test Requirement 47 CFR Part 15, Subpart E 15.407 (e)

Test Method: ANSI C63.10-2020+Cor.1-2023 Section 12.5.1

Limit:

Frequency band(MHz)	Limit
5725-5850	≥ 500 kHz

7.8.1 E.U.T. Operation

Operating Environment:

Temperature: 25 °C


Humidity: 44 % RH

Atmospheric Pressure: 1001 mbar

7.8.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	01	TX mode (U-NII-3) _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80, Only the data of worst case is recorded in the report.

7.8.3 Test Setup Diagram



7.8.4 Measurement Procedure and Data

Please Refer to Appendix for Details

7.9 Maximum Conducted Output Power

Test Requirement 47 CFR Part 15, Subpart E 15.407 (a)

Test Method: ANSI C63.10-2020+Cor.1-2023 Section 12.4

Limit:

Frequency band(MHz)	Limit
5150-5250	≤1W(30dBm) for master device
	≤250mW(24dBm) for client device
5250-5350	≤250mW(24dBm) or 11dBm+10logB*
5470-5725	≤250mW(24dBm) or 11dBm+10logB*
5725-5850	≤1W(30dBm)
Remark:	* Where B is the 26dB emission bandwidth in MHz. The maximum conducted output power must be measured over any interval of continuous transmission using instrumentation calibrated in terms of an rms-equivalent voltage.

7.9.1 E.U.T. Operation

Operating Environment:

Temperature: 25 °C


Humidity: 44 % RH

Atmospheric Pressure: 1001 mbar

7.9.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	00	TX mode (U-NII-1) _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80, Only the data of worst case is recorded in the report.
Final test	01	TX mode (U-NII-3) _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80, Only the data of worst case is recorded in the report.

7.9.3 Test Setup Diagram



7.9.4 Measurement Procedure and Data

Note: Since the verify power the same operating range bandwidth and smaller power can be covered by the higher power.

AV Output power Level = Reading level + Cable loss + DCCF

Please Refer to Appendix for Details

7.10 Power Spectral Density

Test Requirement 47 CFR Part 15, Subpart E 15.407 (a)
Test Method: ANSI C63.10-2020+Cor.1-2023 Section 12.6

Limit:

Frequency band(MHz)	Limit
5150-5250	≤17dBm in 1MHz for master device
	≤11dBm in 1MHz for client device
5250-5350	≤11dBm in 1MHz for client device
5470-5725	≤11dBm in 1MHz for client device
5725-5850	≤30dBm in 500 kHz
Remark:	The maximum power spectral density is measured as a conducted emission by direct connection of a calibrated test instrument to the equipment under test.

7.10.1 E.U.T. Operation


Operating Environment:

Temperature: 25 °C Humidity: 44 % RH Atmospheric Pressure: 1001 mbar

7.10.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	00	TX mode (U-NII-1)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80, Only the data of worst case is recorded in the report.
Final test	01	TX mode (U-NII-3) _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80, Only the data of worst case is recorded in the report.

7.10.3 Test Setup Diagram



7.10.4 Measurement Procedure and Data

RBW conversion factor from 300kHz to 500kHz (2.22dB) for UNII Band 3 has been considered.

Please Refer to Appendix for Details

7.11 Frequency Stability

Test Requirement 47 CFR Part 15, Subpart E 15.407 (g)

Test Method: ANSI C63.10-2020+Cor.1-2023 Section 6.8

7.11.1 E.U.T. Operation

Operating Environment:

Temperature: 25 °C


Humidity: 44 % RH

Atmospheric Pressure: 1001 mbar

7.11.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	00	TX mode (U-NII-1)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80, Only the data of worst case is recorded in the report.
Final test	01	TX mode (U-NII-3) _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80, Only the data of worst case is recorded in the report.

7.11.3 Test Setup Diagram



7.11.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Report No.: SUCR260800072902

Page: 102 of 270

8 Test Setup Photo

Refer to Appendix - Test Setup Photo for SUCR2608000729AT



Report No.: SUCR260800072902

Page: 103 of 270

9 EUT Constructional Details (EUT Photos)

Refer to Appendix_Photographs of EUT Constructional Details for SUCR2608000729AT

10 Appendix

1. Duty Cycle

1.1 Test Result

1.1.1 Ant1

Ant1									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
802.11a	MIMO	5180	/	/	0.692	0.744	93.01	0.31	0.04
802.11n (HT20)	MIMO	5180	/	/	0.598	0.650	92.00	0.36	0.04
802.11n (HT40)	MIMO	5190	/	/	0.310	0.362	85.64	0.67	0.07
802.11ac (VHT20)	MIMO	5180	/	/	0.602	0.655	91.91	0.37	0.07
802.11ac (VHT40)	MIMO	5190	/	/	0.314	0.366	85.79	0.67	0.04
802.11ac (VHT80)	MIMO	5210	/	/	1.148	1.184	96.96	0.13	0.03
802.11ax (HEW20)	MIMO	5180	SU	/	0.561	0.613	91.52	0.38	0.03
802.11ax (HEW40)	MIMO	5190	SU	/	0.312	0.364	85.71	0.67	0.04
802.11ax (HEW80)	MIMO	5210	SU	/	1.149	1.184	97.04	0.13	0.00

2. Bandwidth

2.1 Test Result

2.1.1 OBW

Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	99% Occupied Bandwidth (MHz)		Verdict
						Result	Limit	
802.11a	MIMO	5180	/	/	1	16.133	/	Pass
					2	16.098	/	Pass
		5200	/	/	1	16.113	/	Pass
					2	16.079	/	Pass
		5240	/	/	1	16.096	/	Pass
					2	16.106	/	Pass
		5745	/	/	1	16.123	/	Pass
					2	16.121	/	Pass
		5785	/	/	1	16.118	/	Pass
					2	16.121	/	Pass
		5825	/	/	1	16.113	/	Pass
					2	16.086	/	Pass
802.11n (HT20)	MIMO	5180	/	/	1	17.215	/	Pass
					2	17.217	/	Pass
		5200	/	/	1	17.195	/	Pass
					2	17.216	/	Pass
		5240	/	/	1	17.187	/	Pass
					2	17.209	/	Pass
		5745	/	/	1	17.226	/	Pass
					2	17.232	/	Pass
		5785	/	/	1	17.200	/	Pass
					2	17.202	/	Pass
		5825	/	/	1	17.199	/	Pass
					2	17.232	/	Pass
802.11n (HT40)	MIMO	5190	/	/	1	35.584	/	Pass
					2	35.561	/	Pass
		5230	/	/	1	35.545	/	Pass
					2	35.603	/	Pass
		5755	/	/	1	35.626	/	Pass
					2	35.488	/	Pass
		5795	/	/	1	35.614	/	Pass
					2	35.685	/	Pass
802.11ac (VHT20)	MIMO	5180	/	/	1	17.218	/	Pass
					2	17.227	/	Pass
		5200	/	/	1	17.229	/	Pass
					2	17.237	/	Pass
		5240	/	/	1	17.215	/	Pass
					2	17.224	/	Pass
		5745	/	/	1	17.213	/	Pass
					2	17.234	/	Pass

		5785	/	/	1	17.195	/	Pass
					2	17.215	/	Pass
		5825	/	/	1	17.206	/	Pass
					2	17.208	/	Pass
802.11ac (VHT40)	MIMO	5190	/	/	1	35.604	/	Pass
					2	35.604	/	Pass
		5230	/	/	1	35.559	/	Pass
					2	35.649	/	Pass
		5755	/	/	1	35.641	/	Pass
					2	35.566	/	Pass
		5795	/	/	1	35.640	/	Pass
					2	35.713	/	Pass
802.11ac (VHT80)	MIMO	5210	/	/	1	75.559	/	Pass
					2	75.303	/	Pass
		5775	/	/	1	75.512	/	Pass
					2	75.321	/	Pass
802.11ax (HEW20)	MIMO	5180	SU	/	1	18.622	/	Pass
					2	18.527	/	Pass
		5200	SU	/	1	18.450	/	Pass
					2	18.513	/	Pass
		5240	SU	/	1	18.539	/	Pass
					2	18.561	/	Pass
		5745	SU	/	1	18.556	/	Pass
					2	18.593	/	Pass
		5785	SU	/	1	18.522	/	Pass
					2	18.560	/	Pass
		5825	SU	/	1	18.603	/	Pass
					2	18.586	/	Pass
802.11ax (HEW40)	MIMO	5190	SU	/	1	37.263	/	Pass
					2	37.184	/	Pass
		5230	SU	/	1	37.164	/	Pass
					2	37.248	/	Pass
		5755	SU	/	1	37.221	/	Pass
					2	37.182	/	Pass
		5795	SU	/	1	37.227	/	Pass
					2	37.291	/	Pass
802.11ax (HEW80)	MIMO	5210	SU	/	1	76.786	/	Pass
					2	76.594	/	Pass
		5775	SU	/	1	75.548	/	Pass
					2	75.387	/	Pass

2.1.2 26dB BW

Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	26dB Bandwidth (MHz)		Verdict
						Result	Limit	
802.11a	MIMO	5180	/	/	1	17.934	/	Pass
					2	17.764	/	Pass
		5200	/	/	1	17.781	/	Pass
					2	17.979	/	Pass
		5240	/	/	1	17.772	/	Pass

					2	17.824	/	Pass
802.11n (HT20)	MIMO	5180	/	/	1	18.723	/	Pass
					2	18.828	/	Pass
		5200	/	/	1	18.645	/	Pass
					2	18.711	/	Pass
		5240	/	/	1	18.742	/	Pass
					2	18.747	/	Pass
802.11n (HT40)	MIMO	5190	/	/	1	38.934	/	Pass
					2	39.116	/	Pass
		5230	/	/	1	39.044	/	Pass
					2	39.121	/	Pass
802.11ac (VHT20)	MIMO	5180	/	/	1	18.853	/	Pass
					2	18.891	/	Pass
		5200	/	/	1	18.626	/	Pass
					2	18.746	/	Pass
		5240	/	/	1	18.877	/	Pass
					2	18.737	/	Pass
802.11ac (VHT40)	MIMO	5190	/	/	1	39.068	/	Pass
					2	39.121	/	Pass
		5230	/	/	1	39.116	/	Pass
					2	39.238	/	Pass
802.11ac (VHT80)	MIMO	5210	/	/	1	83.774	/	Pass
					2	83.219	/	Pass
802.11ax (HEW20)	MIMO	5180	SU	/	1	19.789	/	Pass
					2	19.737	/	Pass
		5200	SU	/	1	19.743	/	Pass
					2	19.795	/	Pass
		5240	SU	/	1	19.753	/	Pass
					2	19.771	/	Pass
802.11ax (HEW40)	MIMO	5190	SU	/	1	40.042	/	Pass
					2	40.224	/	Pass
		5230	SU	/	1	40.094	/	Pass
					2	40.259	/	Pass
802.11ax (HEW80)	MIMO	5210	SU	/	1	80.558	/	Pass
					2	80.447	/	Pass


2.1.3 6dB BW

Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	6dB Bandwidth (MHz)		Verdict
						Result	Limit	
802.11a	MIMO	5745	/	/	1	12.526	≥ 0.5	Pass
					2	13.834	≥ 0.5	Pass
		5785	/	/	1	15.061	≥ 0.5	Pass
					2	13.877	≥ 0.5	Pass
		5825	/	/	1	13.746	≥ 0.5	Pass
					2	12.595	≥ 0.5	Pass
802.11n (HT20)	MIMO	5745	/	/	1	15.074	≥ 0.5	Pass
					2	13.868	≥ 0.5	Pass
		5785	/	/	1	15.076	≥ 0.5	Pass
					2	15.082	≥ 0.5	Pass


		5825	/	/	1	15.086	≥ 0.5	Pass
					2	11.426	≥ 0.5	Pass
802.11n (HT40)	MIMO	5755	/	/	1	31.333	≥ 0.5	Pass
					2	33.833	≥ 0.5	Pass
		5795	/	/	1	32.554	≥ 0.5	Pass
					2	35.000	≥ 0.5	Pass
802.11ac (VHT20)	MIMO	5745	/	/	1	13.755	≥ 0.5	Pass
					2	12.596	≥ 0.5	Pass
		5785	/	/	1	13.803	≥ 0.5	Pass
					2	15.094	≥ 0.5	Pass
		5825	/	/	1	15.066	≥ 0.5	Pass
					2	15.055	≥ 0.5	Pass
802.11ac (VHT40)	MIMO	5755	/	/	1	32.568	≥ 0.5	Pass
					2	32.579	≥ 0.5	Pass
		5795	/	/	1	35.001	≥ 0.5	Pass
					2	35.065	≥ 0.5	Pass
802.11ac (VHT80)	MIMO	5775	/	/	1	75.111	≥ 0.5	Pass
					2	73.879	≥ 0.5	Pass
802.11ax (HEW20)	MIMO	5745	SU	/	1	15.076	≥ 0.5	Pass
					2	15.112	≥ 0.5	Pass
		5785	SU	/	1	13.845	≥ 0.5	Pass
					2	15.105	≥ 0.5	Pass
		5825	SU	/	1	13.761	≥ 0.5	Pass
					2	15.049	≥ 0.5	Pass
802.11ax (HEW40)	MIMO	5755	SU	/	1	32.533	≥ 0.5	Pass
					2	30.106	≥ 0.5	Pass
		5795	SU	/	1	33.786	≥ 0.5	Pass
					2	35.010	≥ 0.5	Pass
802.11ax (HEW80)	MIMO	5775	SU	/	1	75.131	≥ 0.5	Pass
					2	75.107	≥ 0.5	Pass

2.2 Test Graph


2.2.1 OBW




802.11a_MCH_5200MHz_Ant1_NTNV




802.11a_MCH_5200MHz_Ant2_NTNV




802.11a_HCH_5240MHz_Ant1_NTNV




802.11a_HCH_5240MHz_Ant2_NTNV




802.11a_LCH_5745MHz_Ant1_NTNV




802.11a_LCH_5745MHz_Ant2_NTNV




802.11a_MCH_5785MHz_Ant1_NTNV




802.11a_MCH_5785MHz_Ant2_NTNV




802.11a_HCH_5825MHz_Ant1_NTNV




802.11a_HCH_5825MHz_Ant2_NTNV




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




802.11n(HT20)_LCH_5180MHz_Ant2_NTNV




802.11n(HT20)_MCH_5200MHz_Ant1_NTNV




802.11n(HT20)_MCH_5200MHz_Ant2_NTNV




802.11n(HT20) HCH 5240MHz Ant1 NTN




802.11n(HT20) HCH 5240MHz Ant2 NTN




802.11n(HT20)_LCH_5745MHz_Ant1_NTNV




802.11n(HT20)_LCH_5745MHz_Ant2_NTNV




802.11n(HT20)_MCH_5785MHz_Ant1_NTNV




802.11n(HT20)_MCH_5785MHz_Ant2_NTNV




802.11n(HT20)_HCH_5825MHz_Ant1_NTNV




802.11n(HT20)_HCH_5825MHz_Ant2_NTNV




802.11n(HT40) LCH_5190MHz_Ant1_NTNV




802.11n(HT40) LCH_5190MHz_Ant2_NTNV




802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




802.11n(HT40)_HCH_5230MHz_Ant2_NTNV




802.11n(HT40) LCH_5755MHz_Ant1_NTNV




802.11n(HT40) LCH_5755MHz_Ant2_NTNV




802.11n(HT40)_HCH_5795MHz_Ant1_NTNV




802.11n(HT40)_HCH_5795MHz_Ant2_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant2_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant2_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant2_NTNV




802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5745MHz_Ant2_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant2_NTNV




802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5825MHz_Ant2_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant2_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant2_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant2_NTNV




802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5795MHz_Ant2_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant2_NTNV




802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5775MHz_Ant2_NTNV




802.11ax(HEW20) LCH 5180MHz SU / Ant1 NTN




802.11ax(HEW20) LCH 5180MHz SU / Ant2 NTN




802.11ax(HEW20)_MCH_5200MHz_SU / Ant1 NTN




802.11ax(HEW20)_MCH_5200MHz_SU / Ant2 NTN




802.11ax(HEW20) HCH 5240MHz SU / Ant1 NTN




802.11ax(HEW20) HCH 5240MHz SU / Ant2 NTN




802.11ax(HEW20) LCH 5745MHz SU / Ant1 NTN




802.11ax(HEW20) LCH 5745MHz SU / Ant2 NTN




802.11ax(HEW20)_MCH_5785MHz_SU / Ant1_NTNV




802.11ax(HEW20)_MCH_5785MHz_SU / Ant2_NTNV




802.11ax(HEW20) HCH 5825MHz SU / Ant1 NTN




802.11ax(HEW20) HCH 5825MHz SU / Ant2 NTN




802.11ax(HEW40)_LCH_5190MHz_SU / Ant1_NTNV




802.11ax(HEW40)_LCH_5190MHz_SU / Ant2_NTNV




802.11ax(HEW40) HCH 5230MHz SU / Ant1 NTN




802.11ax(HEW40) HCH 5230MHz SU / Ant2 NTN




802.11ax(HEW40) LCH 5755MHz SU / Ant1 NTN




802.11ax(HEW40) LCH 5755MHz SU / Ant2 NTN




802.11ax(HEW40) HCH 5795MHz SU / Ant1 NTN




802.11ax(HEW40) HCH 5795MHz SU / Ant2 NTN




802.11ax(HEW80)_MCH_5210MHz_SU / Ant1_NTNV




802.11ax(HEW80)_MCH_5210MHz_SU / Ant2_NTNV




802.11ax(HEW80)_MCH_5775MHz_SU / Ant1_NTNV




802.11ax(HEW80)_MCH_5775MHz_SU / Ant2_NTNV




2.2.2 26dB BW




802.11a_MCH_5200MHz_Ant1_NTNV




802.11a_MCH_5200MHz_Ant2_NTNV




802.11a_HCH_5240MHz_Ant1_NTNV




802.11a_HCH_5240MHz_Ant2_NTNV




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




802.11n(HT20)_LCH_5180MHz_Ant2_NTNV




802.11n(HT20)_MCH_5200MHz_Ant1_NTNV




802.11n(HT20)_MCH_5200MHz_Ant2_NTNV




802.11n(HT20)_HCH_5240MHz_Ant1_NTNV




802.11n(HT20)_HCH_5240MHz_Ant2_NTNV




802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




802.11n(HT40)_LCH_5190MHz_Ant2_NTNV




802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




802.11n(HT40)_HCH_5230MHz_Ant2_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant2_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant2_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant2_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant2_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant2_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant2_NTNV




802.11ax(HEW20) LCH 5180MHz SU / Ant1 NTN




802.11ax(HEW20) LCH 5180MHz SU / Ant2 NTN




802.11ax(HEW20)_MCH_5200MHz_SU / Ant1_NTNV




802.11ax(HEW20)_MCH_5200MHz_SU / Ant2_NTNV




802.11ax(HEW20)_HCH_5240MHz_SU / Ant1_NTNV




802.11ax(HEW20)_HCH_5240MHz_SU / Ant2_NTNV




802.11ax(HEW40) LCH 5190MHz SU / Ant1 NTN




802.11ax(HEW40) LCH 5190MHz SU / Ant2 NTN




802.11ax(HEW40)_HCH_5230MHz_SU / Ant1_NTNV




802.11ax(HEW40)_HCH_5230MHz_SU / Ant2_NTNV



802.11ax(HEW80)_MCH_5210MHz_SU / Ant1_NTNV




802.11ax(HEW80)_MCH_5210MHz_SU / Ant2_NTNV




2.2.3 6dB BW


802.11a_LCH_5745MHz_Ant1_NTNV




802.11a_LCH_5745MHz_Ant2_NTNV




802.11a_MCH_5785MHz_Ant1_NTNV




802.11a_MCH_5785MHz_Ant2_NTNV




802.11a_HCH_5825MHz_Ant1_NTNV




802.11a_HCH_5825MHz_Ant2_NTNV




802.11n(HT20)_LCH_5745MHz_Ant1_NTNV




802.11n(HT20)_LCH_5745MHz_Ant2_NTNV




802.11n(HT20)_MCH_5785MHz_Ant1_NTNV




802.11n(HT20)_MCH_5785MHz_Ant2_NTNV




802.11n(HT20)_HCH_5825MHz_Ant1_NTNV




802.11n(HT20)_HCH_5825MHz_Ant2_NTNV




802.11n(HT40)_LCH_5755MHz_Ant1_NTNV




802.11n(HT40)_LCH_5755MHz_Ant2_NTNV




802.11n(HT40)_HCH_5795MHz_Ant1_NTNV




802.11n(HT40)_HCH_5795MHz_Ant2_NTNV




802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5745MHz_Ant2_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant2_NTNV




802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5825MHz_Ant2_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant2_NTNV




802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5795MHz_Ant2_NTNV




802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5775MHz_Ant2_NTNV




802.11ax(HEW20) LCH 5745MHz SU / Ant1 NTN




802.11ax(HEW20) LCH 5745MHz SU / Ant2 NTN




802.11ax(HEW20)_MCH_5785MHz_SU / Ant1_NTNV




802.11ax(HEW20)_MCH_5785MHz_SU / Ant2_NTNV




802.11ax(HEW20) HCH 5825MHz SU / Ant1 NTN




802.11ax(HEW20) HCH 5825MHz SU / Ant2 NTN




802.11ax(HEW40) LCH 5755MHz SU / Ant1 NTN




802.11ax(HEW40) LCH 5755MHz SU / Ant2 NTN




802.11ax(HEW40) HCH 5795MHz SU / Ant1 NTN




802.11ax(HEW40) HCH 5795MHz SU / Ant2 NTN



802.11ax(HEW80)_MCH_5775MHz_SU / Ant1 NTN



802.11ax(HEW80)_MCH_5775MHz_SU / Ant2 NTN



3. Maximum Conducted Output Power

3.1 Test Result

3.1.1 Power

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Average Conducted Output Power (dBm)				Verdict
					ANT1	ANT2	MIMO	Limit	
802.11a	MIMO	5180	/	/	8.01	7.80	10.92	<=23.98	Pass
		5200	/	/	7.96	7.68	10.83	<=23.98	Pass
		5240	/	/	8.03	7.87	10.96	<=23.98	Pass
		5745	/	/	17.58	17.65	20.63	<=30	Pass
		5785	/	/	17.30	17.58	20.45	<=30	Pass
		5825	/	/	16.93	17.50	20.23	<=30	Pass
802.11n (HT20)	MIMO	5180	/	/	8.18	8.08	11.14	<=23.98	Pass
		5200	/	/	8.37	7.97	11.18	<=23.98	Pass
		5240	/	/	8.50	8.18	11.35	<=23.98	Pass
		5745	/	/	17.51	17.75	20.64	<=30	Pass
		5785	/	/	17.01	17.52	20.28	<=30	Pass
		5825	/	/	16.68	17.45	20.09	<=30	Pass
802.11n (HT40)	MIMO	5190	/	/	11.22	10.75	14.00	<=23.98	Pass
		5230	/	/	11.48	10.85	14.19	<=23.98	Pass
		5755	/	/	17.91	18.10	21.02	<=30	Pass
		5795	/	/	17.46	17.76	20.62	<=30	Pass
802.11ac (VHT20)	MIMO	5180	/	/	8.28	8.09	11.20	<=23.98	Pass
		5200	/	/	8.23	7.94	11.10	<=23.98	Pass
		5240	/	/	8.41	8.21	11.32	<=23.98	Pass
		5745	/	/	17.53	17.66	20.61	<=30	Pass
		5785	/	/	17.07	17.51	20.31	<=30	Pass
		5825	/	/	16.79	17.33	20.08	<=30	Pass
802.11ac (VHT40)	MIMO	5190	/	/	11.07	10.71	13.90	<=23.98	Pass
		5230	/	/	11.30	10.84	14.09	<=23.98	Pass
		5755	/	/	18.24	18.63	21.45	<=30	Pass
		5795	/	/	17.68	18.40	21.07	<=30	Pass
802.11ac (VHT80)	MIMO	5210	/	/	14.47	14.24	17.37	<=23.98	Pass
		5775	/	/	18.89	19.46	22.19	<=30	Pass
802.11ax (HEW20)	MIMO	5180	SU	/	8.60	8.43	11.53	<=23.98	Pass
		5200	SU	/	8.58	8.32	11.46	<=23.98	Pass
		5240	SU	/	8.31	8.03	11.18	<=23.98	Pass
		5745	SU	/	16.06	16.22	19.15	<=30	Pass
		5785	SU	/	15.26	15.92	18.61	<=30	Pass
		5825	SU	/	15.30	15.89	18.62	<=30	Pass
802.11ax (HEW40)	MIMO	5190	SU	/	11.58	11.25	14.43	<=23.98	Pass
		5230	SU	/	11.75	11.34	14.56	<=23.98	Pass
		5755	SU	/	18.14	18.60	21.39	<=30	Pass
		5795	SU	/	17.72	18.37	21.07	<=30	Pass
802.11ax (HEW80)	MIMO	5210	SU	/	14.65	14.42	17.55	<=23.98	Pass
		5775	SU	/	18.80	19.33	22.08	<=30	Pass



Report No.: SUCR260800072902

Page: 190 of 270

Note 1: Antenna Gain:

Band: 1 Ant1: 5.26dBi; Ant2: 5.26dBi

Band: 3 Ant1: 5.26dBi; Ant2: 5.26dBi

4. Maximum Power Spectral Density

4.1 Test Result

4.1.1 PSD

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)				Verdict
					ANT1	ANT2	MIMO	Limit	
802.11a	MIMO	5180	/	/	-1.71	-1.90	1.16	<=11	Pass
		5200	/	/	-1.72	-2.03	1.08	<=11	Pass
		5240	/	/	-1.55	-1.74	1.27	<=11	Pass
802.11n (HT20)	MIMO	5180	/	/	-1.66	-1.63	1.25	<=11	Pass
		5200	/	/	-1.45	-1.86	1.31	<=11	Pass
		5240	/	/	-1.25	-1.67	1.39	<=11	Pass
802.11n (HT40)	MIMO	5190	/	/	-1.34	-1.89	1.31	<=11	Pass
		5230	/	/	-1.08	-1.83	1.42	<=11	Pass
802.11ac (VHT20)	MIMO	5180	/	/	-1.76	-1.73	1.15	<=11	Pass
		5200	/	/	-1.60	-1.96	1.09	<=11	Pass
		5240	/	/	-1.41	-1.68	1.47	<=11	Pass
802.11ac (VHT40)	MIMO	5190	/	/	-1.65	-2.00	1.10	<=11	Pass
		5230	/	/	-1.38	-2.09	1.19	<=11	Pass
802.11ac (VHT80)	MIMO	5210	/	/	-2.23	-1.87	0.96	<=11	Pass
802.11ax (HEW20)	MIMO	5180	SU	/	-1.27	-1.37	1.58	<=11	Pass
		5200	SU	/	-1.22	-1.48	1.64	<=11	Pass
		5240	SU	/	-1.62	-1.74	1.23	<=11	Pass
802.11ax (HEW40)	MIMO	5190	SU	/	-1.04	-1.70	1.65	<=11	Pass
		5230	SU	/	-1.09	-1.71	1.53	<=11	Pass
802.11ax (HEW80)	MIMO	5210	SU	/	-2.05	-2.12	0.78	<=11	Pass
Note 1: Antenna Gain: Band: 1 Ant1: 5.26dBi; Ant2: 5.26dBi; Directional Gain: 5.26dBi									

4.1.2 PSD-Band3

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/500kHz)				Verdict
					ANT1	ANT2	MIMO	Limit	
802.11a	MIMO	5745	/	/	5.29	5.13	8.10	<=30	Pass
		5785	/	/	5.01	5.13	7.93	<=30	Pass
		5825	/	/	4.67	5.08	7.83	<=30	Pass
802.11n (HT20)	MIMO	5745	/	/	5.08	5.04	8.02	<=30	Pass
		5785	/	/	4.58	4.91	7.76	<=30	Pass
		5825	/	/	4.42	4.75	7.53	<=30	Pass
802.11n (HT40)	MIMO	5755	/	/	2.72	2.79	5.65	<=30	Pass
		5795	/	/	1.92	2.12	4.97	<=30	Pass
802.11ac (VHT20)	MIMO	5745	/	/	4.85	5.24	7.93	<=30	Pass
		5785	/	/	4.54	4.77	7.63	<=30	Pass
		5825	/	/	4.19	4.81	7.41	<=30	Pass




Report No.: SUCR260800072902

Page: 192 of 270


802.11ac (VHT40)	MIMO	5755	/	/	3.05	3.47	6.28	<=30	Pass
		5795	/	/	2.42	3.08	5.77	<=30	Pass
802.11ac (VHT80)	MIMO	5775	/	/	0.34	1.03	3.65	<=30	Pass
802.11ax (HEW20)	MIMO	5745	SU	/	3.86	3.95	6.69	<=30	Pass
		5785	SU	/	2.84	3.61	6.17	<=30	Pass
		5825	SU	/	2.86	3.20	6.05	<=30	Pass
802.11ax (HEW40)	MIMO	5755	SU	/	2.25	3.04	5.54	<=30	Pass
		5795	SU	/	2.15	2.79	5.32	<=30	Pass
802.11ax (HEW80)	MIMO	5775	SU	/	0.08	0.72	3.40	<=30	Pass
Note 1: Antenna Gain: Band: 3 Ant1: 5.26dBi; Ant2: 5.26dBi; Directional Gain: 5.26dBi									

4.2 Test Graph


4.2.1 PSD




802.11a_LCH_5180MHz_MIMO_NTNV




802.11a_MCH_5200MHz_Ant1_NTNV




802.11a_MCH_5200MHz_Ant2_NTNV




802.11a_MCH_5200MHz_MIMO_NTNV




802.11a_HCH_5240MHz_Ant1_NTNV




802.11a_HCH_5240MHz_Ant2_NTNV




802.11a_HCH_5240MHz_MIMO_NTNV




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




802.11n(HT20) LCH 5180MHz Ant2 NTN




802.11n(HT20) LCH 5180MHz MIMO NTN




802.11n(HT20)_MCH_5200MHz_Ant1_NTNV




802.11n(HT20)_MCH_5200MHz_Ant2_NTNV




802.11n(HT20) MCH_5200MHz_MIMO_NTNV




802.11n(HT20) HCH_5240MHz_Ant1_NTNV




802.11n(HT20)_HCH_5240MHz_Ant2_NTNV




802.11n(HT20)_HCH_5240MHz_MIMO_NTNV




802.11n(HT40) LCH 5190MHz Ant1 NTN




802.11n(HT40) LCH 5190MHz Ant2 NTN




802.11n(HT40)_LCH_5190MHz_MIMO_NTNV




802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




802.11n(HT40)_HCH_5230MHz_Ant2_NTNV




802.11n(HT40)_HCH_5230MHz_MIMO_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant2_NTNV




802.11ac(VHT20)_LCH_5180MHz_MIMO_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant2_NTNV




802.11ac(VHT20)_MCH_5200MHz_MIMO_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant2_NTNV




802.11ac(VHT20) HCH_5240MHz_MIMO_NTNV



802.11ac(VHT40) LCH_5190MHz_Ant1_NTNV



802.11ac(VHT40)_LCH_5190MHz_Ant2_NTNV



802.11ac(VHT40)_LCH_5190MHz_MIMO_NTNV

