

SPECIFICATION FOR APPROVAL

CUS PART NO: WS-NV792X-1

PART NAME: Sex massage machine


Contents

1. Performance parameter	3
2. Appearance	4
3. EUT setup photo of free space OTA testing	4
4. VSWR parameters	6
5. Passive test data:	6
6. Radiation pattern	7


1. Performance parameter

Name	Sex massage machine
Model Type	PCB Antenna
Frenquency Range	2400-2500 MHz
SIZE	/
Impedance	50 Ω
VSWR	< 6.77
Max Gain	-1.76dBi
Manufacture	ENVY Health Technology (Dongguan) Co., Ltd.
Address	RM303, Bldg 2, 2 Dingwu Zhenxing Yi Lu, Dongkeng Town, Dongguan, Guangdong, China 523446


2. Appearance



3.EUT setup photo of free space OTA testing



4. VSWRparameters




Frequency (MHz)	2400	2450	2500
VSWR	6.77	5.16	3.43

5. Passive test data:


Frequency(MHz)	2400	2410	2420	2430	2440	2450	2460	2470	2480	2490	2500
Gain(dBi)	-3.88	-3.25	-3.31	-4.28	-3.55	-3.32	-3.61	-3.34	-3.05	-3.31	-1.76
Efficiency(%)	13.13	13.72	13.04	13.82	13.86	13.16	13.57	14.71	16.06	15.72	17.39

6. Radiation pattern


2500.0MHz Total(E1-XZ), Max= -4.39dBi




2500.0MHz Total(E2-YZ), Max= -3.16dBi




Total(H-XY), Max= -4.24dBi, CirD=7.66



2500.0MHz H+V, Eff: 17.4%



Back View



-----End-----