

Appendix B: Test Results of Radiated Spurious Emissions_ANT & Nordic Original


Band Edges, 2.31GHz ~ 2.9GHz

ANT

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2367.70	52.96	15.59	37.46	74.00	-21.04	277	177 Peak	Horizontal		
2 *	2402.00	98.08	60.45	37.63	74.00	24.08	277	177 Peak	Horizontal		
3	2560.40	54.69	16.77	37.92	74.00	-19.31	277	177 Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2331.95	53.61	16.39	37.31	74.00	-20.39	339	162 Peak	Vertical		
2 *	2402.00	96.67	59.04	37.63	74.00	22.67	339	162 Peak	Vertical		
3	2882.54	55.81	17.48	38.33	74.00	-18.19	339	162 Peak	Vertical		

ANT

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	Line	Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg						
1	2382.81	49.05	2.51	37.54	54.00	-13.95	277	177	Average	Horizontal			
2 *	2482.00	97.64	68.01	37.63	54.00	43.64	277	177	Average	Horizontal			
3	2831.56	41.50	3.32	38.18	54.00	-12.50	277	177	Average	Horizontal			

Low Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	Line	Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg						
1	2337.97	49.09	2.75	37.34	54.00	-13.91	339	162	Average	Vertical			
2 *	2482.00	96.23	58.60	37.63	54.00	42.23	339	162	Average	Vertical			
3	2637.92	41.47	3.46	38.01	54.00	-12.53	339	162	Average	Vertical			

ANT

Middle Channel (Horizontal) Peak



Middle Channel (Vertical) Peak




ANT

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	Line	Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg						
1	2376.91	40.95	3.44	37.51	54.00	-13.05	107	176	Average	Horizontal			
2 *	2441.00	97.28	59.60	37.68	54.00	43.28	107	176	Average	Horizontal			
3	2831.21	41.29	3.11	38.18	54.00	-12.71	107	176	Average	Horizontal			

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	Line	Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg						
1	2376.91	40.38	2.87	37.51	54.00	-13.62	326	163	Average	Vertical			
2 *	2441.00	96.46	58.78	37.68	54.00	42.46	326	163	Average	Vertical			
3	2638.39	41.36	3.35	38.01	54.00	-12.64	326	163	Average	Vertical			

ANT

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2316.84	53.45	16.19	37.26	74.00	-20.55	255	215	Peak	Horizontal		
2 *	2480.00	95.44	57.65	37.79	74.00	21.44	255	215	Peak	Horizontal		
3	2755.92	55.29	17.14	38.15	74.00	-18.71	255	215	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2353.42	54.15	16.76	37.39	74.00	-19.85	100	192	Peak	Vertical		
2 *	2480.00	94.85	57.06	37.79	74.00	20.85	100	192	Peak	Vertical		
3	2609.37	55.16	17.18	37.98	74.00	-18.84	100	192	Peak	Vertical		

ANT

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2387.41	40.15	2.58	37.57	54.00	-13.85	255	215	Average	Horizontal		
2 *	2480.00	94.97	57.18	37.79	54.00	40.97	255	215	Average	Horizontal		
3	2831.68	41.39	3.21	38.18	54.00	-12.61	255	215	Average	Horizontal		

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2388.23	40.07	2.50	37.57	54.00	-13.93	100	192	Average	Vertical		
2 *	2480.00	94.41	56.62	37.79	54.00	40.41	100	192	Average	Vertical		
3	2838.17	41.45	3.28	38.17	54.00	-12.55	100	192	Average	Vertical		


Nordic Original

Low Channel (Horizontal) Peak

Low Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2359.21	53.37	15.95	37.42	74.00	-20.63		121	174	Peak	Horizontal	
2 *	2402.00	97.95	68.32	37.63	74.00	23.95		121	174	Peak	Horizontal	
3	2826.49	54.89	16.70	38.19	74.00	-19.11		121	174	Peak	Horizontal	




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2315.66	52.97	15.71	37.26	74.00	-21.03		340	163	Peak	Vertical	
2 *	2402.00	96.98	59.55	37.43	74.00	22.98		340	163	Peak	Vertical	
3	2893.51	54.72	16.34	38.38	74.00	-19.28		340	163	Peak	Vertical	

Nordic Original

Low Channel (Horizontal) Average




Low Channel (Vertical) Average




Nordic Original

Middle Channel (Horizontal) Peak




Middle Channel (Vertical) Peak




Nordic Original

Middle Channel (Horizontal) Average



Middle Channel (Vertical) Average




Nordic Original

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2345.05	53.25	15.89	37.36	74.00	-20.75	100	175	Peak	Horizontal		
2 *	2480.00	96.16	58.37	37.79	74.00	22.16	100	175	Peak	Horizontal		
3	2483.93	54.76	16.96	37.80	74.00	-19.24	100	175	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2369.83	53.24	15.76	37.48	74.00	-20.76	100	159	Peak	Vertical		
2 *	2480.00	94.28	56.49	37.79	74.00	20.28	100	159	Peak	Vertical		
3	2861.53	54.61	16.38	38.23	74.00	-19.39	100	159	Peak	Vertical		

Nordic Original

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	2346.46	39.96	2.60	37.36	54.00	-14.04		100	175	Average	Horizontal	
2 *	2480.00	94.70	56.91	37.79	54.00	40.70		100	175	Average	Horizontal	
3	2483.46	41.40	3.60	37.80	54.00	-12.60		100	175	Average	Horizontal	

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	2378.09	39.85	2.33	37.52	54.00	-14.15		100	159	Average	Vertical	
2 *	2480.00	92.76	54.97	37.79	54.00	38.76		100	159	Average	Vertical	
3	2483.46	41.38	3.58	37.80	54.00	-12.62		100	159	Average	Vertical	


Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

ANT

Middle Channel (Open) 9kHz~150kHz



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.03	56.43	37.47	18.96	119.08	-62.65	100	95 Peak	Open
2	0.03	43.53	24.34	19.19	116.76	-73.23	100	235 Peak	Open
3	0.06	40.46	21.61	18.85	111.82	-71.36	100	321 Peak	Open
4	0.07	39.46	20.81	18.65	110.74	-71.28	100	148 Peak	Open
5	0.10	32.61	14.66	17.95	107.22	-74.61	100	105 Peak	Open
6	0.14	33.81	15.72	18.09	104.72	-70.91	100	59 Peak	Open

Middle Channel (Open) 150kHz~30MHz



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.30	36.64	17.90	18.74	98.88	-61.44	100	91 Peak	Open
2	0.66	34.71	15.79	18.92	71.25	-36.54	100	134 Peak	Open
3	3.31	31.88	12.27	19.61	69.50	-37.62	100	361 Peak	Open
4	9.37	35.34	14.04	21.30	69.50	-34.16	100	33 Peak	Open
5	19.49	36.18	13.97	22.21	69.50	-33.32	100	2 Peak	Open
6	23.55	36.50	14.23	22.27	69.50	-33.00	100	256 Peak	Open


Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

ANT

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	56.19	22.19	29.38	-7.19	40.00	-17.81	200	221 Peak	Horizontal	
2	143.49	35.39	43.11	-7.72	43.50	-8.11	200	254 Peak	Horizontal	
3	288.02	29.51	36.35	-6.84	46.00	-16.49	100	266 Peak	Horizontal	
4	477.17	26.13	29.01	-2.88	46.00	-19.87	100	85 Peak	Horizontal	
5	646.92	29.84	29.52	0.32	46.00	-16.16	200	161 Peak	Horizontal	
6	846.74	33.84	30.14	3.70	46.00	-12.16	100	192 Peak	Horizontal	

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	50.37	24.58	31.48	-6.90	40.00	-15.42	117	360 Peak	Vertical	
2	163.86	21.28	28.23	-6.95	43.50	-22.22	299	32 Peak	Vertical	
3	353.98	23.45	28.91	-5.46	46.00	-22.55	166	360 Peak	Vertical	
4	551.86	28.81	29.97	-1.16	46.00	-17.19	100	59 Peak	Vertical	
5	709.97	31.45	29.75	1.70	46.00	-14.55	200	272 Peak	Vertical	
6	885.54	32.97	26.71	4.26	46.00	-13.03	300	153 Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


ANT

Low Channel (Horizontal)


Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




ANT


Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




ANT

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4960.00	47.32	57.54	-10.22	54.00	-6.68	100	306	Average	Horizontal		
2	4960.00	51.21	61.43	-10.22	74.00	-22.79	100	306	Peak	Horizontal		
3	7440.00	45.41	53.73	-8.32	54.00	-8.59	100	132	Average	Horizontal		
4	7440.00	51.92	60.24	-8.32	74.00	-22.08	100	132	Peak	Horizontal		

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4960.00	47.42	57.64	-10.22	54.00	-6.58	100	257	Average	Vertical		
2	4960.00	51.10	61.32	-10.22	74.00	-22.90	100	257	Peak	Vertical		
3	7440.00	46.23	54.55	-8.32	54.00	-7.77	100	101	Average	Vertical		
4	7440.00	52.41	60.73	-8.32	74.00	-21.59	100	101	Peak	Vertical		


Nordic Original

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4894.00	49.92	50.42	-10.40	54.00	-13.98		370	148	Average	Horizontal	
2	4894.00	48.64	59.04	-10.40	74.00	-25.36		370	148	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4894.00	43.54	53.94	-10.40	54.00	-10.46		361	269	Average	Vertical	
2	4894.00	50.76	61.16	-10.40	74.00	-23.24		361	269	Peak	Vertical	

Nordic Original

Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4882.00	42.14	52.48	-10.34	54.00	-11.86	100	312	Average	Horizontal		
2	4882.00	49.53	59.87	-10.34	74.00	-24.47	100	312	Peak	Horizontal		
3	7323.00	43.38	51.89	-8.51	54.00	-10.62	100	26	Average	Horizontal		
4	7323.00	53.66	62.17	-8.51	74.00	-20.34	100	26	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4882.00	42.78	53.12	-10.34	54.00	-11.22	370	268	Average	Vertical		
2	4882.00	50.34	60.68	-10.34	74.00	-23.66	370	268	Peak	Vertical		
3	7323.00	42.07	50.58	-8.51	54.00	-11.93	100	100	Average	Vertical		
4	7323.00	52.08	60.59	-8.51	74.00	-21.92	100	100	Peak	Vertical		


Nordic Original

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4968.00	41.30	51.52	-10.22	54.00	-12.70	100	57	Average	Horizontal		
2	4968.00	50.27	60.49	-10.22	74.00	-23.73	100	57	Peak	Horizontal		
3	7440.00	45.70	54.02	-8.32	54.00	-8.30	141	310	Average	Horizontal		
4	7440.00	52.60	60.92	-8.32	74.00	-21.40	141	310	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4968.00	42.58	52.80	-10.22	54.00	-11.42	100	232	Average	Vertical		
2	4968.00	49.90	60.12	-10.22	74.00	-24.10	100	232	Peak	Vertical		
3	7440.00	38.60	46.92	-8.32	54.00	-15.40	100	243	Average	Vertical		
4	7440.00	49.67	57.99	-8.32	74.00	-24.33	100	243	Peak	Vertical		