


Appendix D: Test Results of Radiated Spurious Emissions & Mains Conducted Emission Test_ANT & Nordic Original Band Edges, 2.31GHz ~ 2.9GHz

ANT

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2335.96	52.41	15.88	37.33	74.00	-21.59	151	61	Peak	Horizontal		
2 *	2402.00	96.66	59.83	37.63	74.00	22.66	151	61	Peak	Horizontal		
3	2796.75	53.90	15.70	38.20	74.00	-20.10	151	61	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2370.18	52.22	14.74	37.48	74.00	-21.78	378	69	Peak	Vertical		
2 *	2402.00	93.67	56.04	37.63	74.00	19.67	378	69	Peak	Vertical		
3	2787.90	55.17	16.98	38.19	74.00	-18.83	378	69	Peak	Vertical		

ANT

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2383.16	39.94	2.48	37.54	54.00	-14.06		151	61	Average	Horizontal	
2 *	2402.00	95.69	56.06	37.63	54.00	41.69		151	61	Average	Horizontal	
3	2833.92	41.18	3.01	38.17	54.00	-12.82		151	61	Average	Horizontal	

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2376.67	39.83	2.32	37.51	54.00	-14.17		378	69	Average	Vertical	
2 *	2402.00	92.73	55.10	37.63	54.00	38.73		378	69	Average	Vertical	
3	2626.24	41.38	3.38	38.00	54.00	-12.62		378	69	Average	Vertical	

ANT

Middle Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2333.68	52.86	15.54	37.32	74.00	-21.14	152	62	Peak	Horizontal	
2 *	2441.00	95.52	57.84	37.68	74.00	21.52	152	62	Peak	Horizontal	
3	2564.29	54.34	16.41	37.93	74.00	-19.66	152	62	Peak	Horizontal	

Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.06	53.71	16.13	37.58	74.00	-20.29	318	73	Peak	Vertical	
2 *	2441.00	94.89	56.41	37.68	74.00	20.89	318	73	Peak	Vertical	
3	2846.31	54.83	16.66	38.17	74.00	-19.17	318	73	Peak	Vertical	

ANT

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2369.15	39.91	2.49	37.42	54.00	-14.09	152	62	Average	Horizontal		
2 *	2441.00	94.58	56.98	37.68	54.00	40.58	152	62	Average	Horizontal		
3	2641.59	41.23	3.06	38.17	54.00	-12.77	152	62	Average	Horizontal		

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2367.88	39.82	2.25	37.57	54.00	-14.18	318	73	Average	Vertical		
2 *	2441.00	93.89	55.41	37.68	54.00	39.89	318	73	Average	Vertical		
3	2627.42	41.16	3.16	38.00	54.00	-12.84	318	73	Average	Vertical		

ANT

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2387.29	52.20	14.63	37.57	74.00	-21.80	147	64	Peak	Horizontal		
2 *	2489.00	94.84	57.85	37.79	74.00	20.84	147	64	Peak	Horizontal		
3	2849.26	54.11	15.95	38.16	74.00	-19.89	147	64	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2336.55	53.65	16.32	37.33	74.00	-20.35	392	71	Peak	Vertical		
2 *	2489.00	93.62	55.83	37.79	74.00	19.62	392	71	Peak	Vertical		
3	2897.05	55.20	16.79	38.41	74.00	-18.80	392	71	Peak	Vertical		

ANT

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2359.56	39.89	2.38	37.42	54.00	-14.20	147	64	Average	Horizontal		
2 *	2480.00	95.88	56.89	37.79	54.00	39.88	147	64	Average	Horizontal		
3	2844.54	41.36	3.19	38.17	54.00	-12.64	147	64	Average	Horizontal		

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2390.24	39.87	2.29	37.58	54.00	-14.13	392	71	Average	Vertical		
2 *	2480.00	92.65	54.86	37.79	54.00	38.65	392	71	Average	Vertical		
3	2828.02	41.29	3.11	38.18	54.00	-12.71	392	71	Average	Vertical		

Nordic Original

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2316.02	53.01	15.75	37.26	74.00	-20.99	149	60	Peak	Horizontal		
2 *	2402.00	95.40	57.77	37.63	74.00	21.40	149	60	Peak	Horizontal		
3	2636.74	54.92	16.91	38.01	74.00	-19.08	149	60	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2309.06	53.70	16.12	37.58	74.00	-20.30	376	84	Peak	Vertical		
2 *	2402.00	93.54	55.91	37.63	74.00	19.54	376	84	Peak	Vertical		
3	2641.34	55.50	17.48	38.02	74.00	-18.50	376	84	Peak	Vertical		

Nordic Original

Low Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.53	49.01	2.43	37.58	54.00	-13.99	149	60	Average	Horizontal		
2 *	2402.00	94.06	56.43	37.63	54.00	40.06	149	60	Average	Horizontal		
3	2824.36	41.61	3.43	38.18	54.00	-12.39	149	60	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2390.00	40.15	2.57	37.58	54.00	-13.85	376	84	Average	Vertical		
2 *	2402.00	92.19	54.56	37.63	54.00	38.19	376	84	Average	Vertical		
3	2840.17	41.49	3.32	38.17	54.00	-12.51	376	84	Average	Vertical		

Nordic Original

Middle Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2384.34	53.36	15.81	37.55	74.00	-20.64	168	61	Peak	Horizontal	
2 *	2441.00	94.58	56.98	37.60	74.00	20.58	168	61	Peak	Horizontal	
3	2828.14	54.55	16.37	38.18	74.00	-19.45	168	61	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2327.58	53.30	15.99	37.31	74.00	-20.70	364	69	Peak	Vertical	
2 *	2441.00	93.65	55.98	37.68	74.00	19.66	364	69	Peak	Vertical	
3	2868.97	54.52	16.25	38.27	74.00	-19.48	364	69	Peak	Vertical	

Nordic Original

Middle Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2388.12	40.00	2.43	37.57	54.00	-14.00	168	61	Average	Horizontal		
2 *	2441.00	92.22	55.54	37.68	54.00	39.22	168	61	Average	Horizontal		
3	2845.37	41.44	3.27	38.17	54.00	-12.56	168	61	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2383.16	40.00	2.54	37.54	54.00	-13.92	364	69	Average	Vertical		
2 *	2441.00	92.29	54.61	37.68	54.00	38.29	364	69	Average	Vertical		
3	2837.22	41.51	3.33	38.18	54.00	-12.49	364	69	Average	Vertical		

Nordic Original

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2369.27	52.77	15.34	37.43	74.00	-21.23	144	63	Peak	Horizontal	
2 *	2489.00	94.59	56.89	37.79	74.00	20.59	144	63	Peak	Horizontal	
3	2637.45	54.78	16.77	38.01	74.00	-19.22	144	63	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2381.15	53.03	15.50	37.53	74.00	-20.97	389	87	Peak	Vertical	
2 *	2489.00	93.91	56.12	37.79	74.00	19.91	389	87	Peak	Vertical	
3	2804.54	54.98	16.78	38.20	74.00	-19.02	389	87	Peak	Vertical	

Nordic Original

High Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2377.61	49.07	2.55	37.52	54.00	-13.93	144	63	Average	Horizontal		
2 *	2480.00	94.14	56.35	37.79	54.00	40.14	144	63	Average	Horizontal		
3	2641.47	41.38	3.21	38.17	54.00	-12.62	144	63	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2388.47	49.23	2.66	37.57	54.00	-13.77	389	87	Average	Vertical		
2 *	2480.00	93.47	55.68	37.79	54.00	39.47	389	87	Average	Vertical		
3	2634.75	41.38	3.20	38.18	54.00	-12.62	389	87	Average	Vertical		


Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

ANT

Low Channel (Open) 9kHz~150kHz



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	0.01	51.87	32.93	18.14	128.37	-77.30	100	198	Peak	Open		
2	0.03	58.75	39.79	18.96	119.08	-68.33	100	78	Peak	Open		
3	0.05	52.04	32.90	19.14	114.24	-62.20	100	187	Peak	Open		
4	0.05	46.42	27.30	19.12	113.66	-67.24	100	261	Peak	Open		
5	0.06	48.88	30.01	18.07	111.94	-63.06	100	210	Peak	Open		
6	0.07	48.89	30.23	18.66	110.77	-61.88	100	156	Peak	Open		

Low Channel (Open) 150kHz~30MHz



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	0.18	43.61	25.36	18.25	102.50	-58.89	100	168	Peak	Open		
2	0.54	52.56	33.69	18.87	72.99	-20.43	100	186	Peak	Open		
3	1.11	45.72	26.62	19.10	66.74	-21.62	100	186	Peak	Open		
4	1.67	38.47	19.20	19.27	63.14	-24.67	100	186	Peak	Open		
5	2.24	36.12	16.70	19.42	69.50	-33.38	100	167	Peak	Open		
6	22.30	36.48	14.22	22.26	69.50	-33.02	100	164	Peak	Open		


Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

ANT

Low Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	49.48	21.58	28.46	-6.88	40.00	-18.42	293 Peak	Horizontal	
2	147.37	21.73	29.26	-7.53	43.50	-21.77	137 Peak	Horizontal	
3	555.74	28.54	29.50	-0.96	46.00	-17.46	312 Peak	Horizontal	
4	764.29	32.43	29.78	2.65	46.00	-13.57	216 Peak	Horizontal	
5	844.80	34.04	30.32	3.72	46.00	-11.96	81 Peak	Horizontal	
6	966.05	34.98	29.61	5.37	54.00	-19.02	54 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	57.16	22.99	30.22	-7.23	40.00	-17.01	81 Peak	Vertical	
2	100.81	23.10	35.04	-11.94	43.50	-20.40	237 Peak	Vertical	
3	633.34	30.80	30.40	0.40	46.00	-15.20	75 Peak	Vertical	
4	651.77	31.23	30.89	0.34	46.00	-14.77	186 Peak	Vertical	
5	847.71	34.44	30.76	3.68	46.00	-11.56	242 Peak	Vertical	
6	976.72	35.11	29.78	5.33	54.00	-18.89	16 Peak	Vertical	


Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz

ANT

Low Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322




ANT

Middle Channel (Horizontal)

Middle Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4882.00	39.11	38.95	-10.34	54.00	-25.39	396	360	Average	Horizontal		
2	4882.00	39.11	49.45	-10.34	74.00	-34.89	396	360	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4882.00	39.48	40.82	-10.34	54.00	-23.52	400	121	Average	Vertical		
2	4882.00	39.48	49.82	-10.34	74.00	-34.52	400	121	Peak	Vertical		

ANT

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4960.00	29.21	39.43	-10.22	54.00	-24.79	300	38	Average	Horizontal		
2	4960.00	38.64	48.86	-10.22	74.00	-35.36	300	38	Peak	Horizontal		

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4960.00	29.55	39.77	-10.22	54.00	-24.45	300	284	Average	Vertical		
2	4960.00	38.63	48.85	-10.22	74.00	-35.37	300	284	Peak	Vertical		

Nordic Original

Low Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12010.00	42.70	44.38	-1.68	54.00	-11.30	100	116	Average	Horizontal		
2	12010.00	50.81	52.49	-1.68	74.00	-23.19	100	116	Peak	Horizontal		

Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12010.00	42.37	44.05	-1.68	54.00	-11.63	100	75	Average	Vertical		
2	12010.00	50.39	52.07	-1.68	74.00	-23.61	100	75	Peak	Vertical		

Nordic Original

Middle Channel (Horizontal)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4882.00	28.68	39.82	-10.34	54.00	-25.32		480	59	Average	Horizontal	
2	4882.00	39.95	50.29	-10.34	74.00	-34.05		480	59	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4882.00	30.90	41.24	-10.34	54.00	-23.10		280	343	Average	Vertical	
2	4882.00	39.02	49.36	-10.34	74.00	-34.98		280	343	Peak	Vertical	

Nordic Original

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4960.00	28.01	38.23	-10.22	54.00	-25.99	300			0 Average	Horizontal	
2	4960.00	41.63	51.85	-10.22	74.00	-32.37	300			0 Peak	Horizontal	

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4960.00	28.29	38.51	-10.22	54.00	-25.71	300			189 Average	Vertical	
2	4960.00	41.90	52.12	-10.22	74.00	-32.10	300			189 Peak	Vertical	

Mains Conducted Emission, 150kHz ~ 30MHz


ANT

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-212-1000 Fax: +886-212-1322




Trace: 1

	Freq	Level	Read	Limit	Over			
	MHz	dBuV	Level Factor	Line	Limit	Remark	Pol/Phase	Note
			dB	dB	dB			
1	0.59	5.59	-4.04	9.63	46.00	-40.41 Average	line1	
2	0.59	8.81	-0.82	9.63	56.00	-47.19 QP	line1	
3	1.76	5.77	-3.69	9.66	46.00	-40.23 Average	line1	
4	1.76	11.88	2.22	9.66	56.00	-44.12 QP	line1	
5	2.51	5.36	-4.30	9.66	46.00	-40.64 Average	line1	
6	2.51	18.51	8.85	9.66	56.00	-37.49 QP	line1	
7	3.68	5.88	-3.80	9.68	46.00	-40.12 Average	line1	
8	3.68	20.38	10.70	9.68	56.00	-35.62 QP	line1	
9	5.11	5.41	-4.29	9.70	50.00	-44.59 Average	line1	
10	5.11	15.64	5.94	9.70	60.00	-44.36 QP	line1	
11	18.04	8.56	-1.20	9.76	50.00	-41.44 Average	line1	
12	18.04	13.93	4.17	9.76	60.00	-46.07 QP	line1	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-212-1000 Fax: +886-212-1322



Trace: 1

	Freq	Level	Read	Limit	Over			
	MHz	dBuV	Level Factor	Line	Limit	Remark	Pol/Phase	Note
			dB	dB	dB			
1	0.44	5.67	-3.96	9.63	47.10	-41.43 Average	neutral	
2	0.44	8.64	-0.99	9.63	57.10	-48.46 QP	neutral	
3	0.70	5.54	-4.09	9.63	46.00	-40.46 Average	neutral	
4	0.70	8.89	-0.74	9.63	56.00	-47.11 QP	neutral	
5	1.11	5.53	-4.11	9.64	46.00	-40.47 Average	neutral	
6	1.11	8.65	-0.99	9.64	56.00	-47.35 QP	neutral	
7	2.58	5.41	-4.26	9.67	46.00	-40.59 Average	neutral	
8	2.58	19.19	9.52	9.67	56.00	-36.81 QP	neutral	
9	3.95	5.92	-3.77	9.69	46.00	-40.08 Average	neutral	
10	3.95	20.33	10.64	9.69	56.00	-35.67 QP	neutral	
11	24.58	12.18	2.31	9.87	50.00	-37.82 Average	neutral	
12	24.58	17.59	7.72	9.87	60.00	-42.41 QP	neutral	