

Appendix C: Test Results of Radiated Spurious Emissions & Mains

Conducted Emission for Dipole Antenna of Molex

ANT No.: 2, Full RU

Band Edges, 2.31GHz ~ 2.9GHz


802.11b

Low Channel (Horizontal) Peak

Low Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2388.858	56.59	19.46	37.13	74.00	-17.41	388	345	Peak	Horizontal	
2 *	2412.000	109.19	71.90	37.29	74.00	35.19	388	345	Peak	Horizontal	
3	2485.655	55.22	17.71	37.51	74.00	-18.78	388	345	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2378.488	54.11	17.07	37.04	74.00	-19.89	298	79	Peak	Vertical	
2 *	2412.000	104.46	67.17	37.29	74.00	30.46	298	79	Peak	Vertical	
3	2488.173	54.62	17.11	37.51	74.00	-19.38	298	79	Peak	Vertical	

802.11b

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.238	46.97	9.84	37.13	54.00	-7.03	388	345	Average	Horizontal		
2	* 2412.000	106.62	69.33	37.29	54.00	52.62	388	345	Average	Horizontal		
3	2499.335	41.34	3.82	37.52	54.00	-12.66	388	345	Average	Horizontal		

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.278	41.87	4.74	37.13	54.00	-12.13	298	79	Average	Vertical		
2	* 2412.000	101.89	64.60	37.29	54.00	47.89	298	79	Average	Vertical		
3	2496.200	41.21	3.69	37.52	54.00	-12.79	298	79	Average	Vertical		

802.11b

Middle Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2387.188	54.55	17.43	37.12	74.00	-19.45	299	348	Peak	Horizontal		
2 *	2437.000	108.15	70.73	37.42	74.00	34.15	299	348	Peak	Horizontal		
3	2487.468	55.09	17.58	37.51	74.00	-18.91	299	348	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2376.215	54.05	17.03	37.02	74.00	-19.95	336	268	Peak	Vertical		
2 *	2437.000	103.19	65.77	37.42	74.00	29.19	336	268	Peak	Vertical		
3	2495.155	54.45	16.93	37.52	74.00	-19.55	336	268	Peak	Vertical		

802.11b

Middle Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11b


High Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11b

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2344.722	40.52	3.75	36.77	54.00	-13.48	293	346	Average	Horizontal		
2 *	2462.000	105.55	66.06	37.49	54.00	51.55	293	346	Average	Horizontal		
3 !	2487.792	49.29	11.78	37.51	54.00	-4.71	293	346	Average	Horizontal		

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.942	40.46	3.32	37.14	54.00	-13.54	287	77	Average	Vertical		
2 *	2462.000	99.06	61.57	37.49	54.00	45.06	287	77	Average	Vertical		
3	2487.698	42.77	5.26	37.51	54.00	-11.23	287	77	Average	Vertical		

802.11g

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.998	63.02	25.88	37.14	74.00	-10.98	344	346	Peak	Horizontal	
2	2412.000	107.58	70.09	37.29	74.00	33.58	344	346	Peak	Horizontal	
3	2496.438	55.05	17.53	37.52	74.00	-18.95	344	346	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.895	57.70	20.56	37.14	74.00	-16.30	298	80	Peak	Vertical	
2	2412.000	101.45	64.16	37.29	74.00	27.45	298	80	Peak	Vertical	
3	2489.692	55.09	17.57	37.52	74.00	-18.91	298	80	Peak	Vertical	

802.11g

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.998	45.03	7.89	37.14	54.00	-8.97	344	346	Average	Horizontal		
2	2412.000	96.78	59.41	37.29	54.00	42.78	344	346	Average	Horizontal		
3	2493.587	41.58	4.06	37.52	54.00	-12.42	344	346	Average	Horizontal		

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.998	41.55	4.41	37.14	54.00	-12.45	298	80	Average	Vertical		
2	2412.000	90.73	53.44	37.29	54.00	36.73	298	80	Average	Vertical		
3	2499.192	41.61	4.09	37.52	54.00	-12.39	298	80	Average	Vertical		

802.11g

Middle Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2381.772	54.62	17.56	37.06	74.00	-19.38	299	340	Peak	Horizontal		
2	2437.000	107.69	70.27	37.42	74.00	33.69	299	340	Peak	Horizontal		
3	2487.317	54.92	17.41	37.51	74.00	-19.08	299	340	Peak	Horizontal		

Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2387.853	54.12	17.00	37.12	74.00	-19.88	295	280	Peak	Vertical		
2	2437.000	103.46	66.04	37.42	74.00	29.46	295	280	Peak	Vertical		
3	2495.440	55.97	18.45	37.52	74.00	-18.03	295	280	Peak	Vertical		

802.11g

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.800	40.44	3.30	37.14	54.00	-13.56	299	340	Average	Horizontal		
2	2437.000	96.93	59.51	37.42	54.00	42.93	299	340	Average	Horizontal		
3	2485.655	41.74	4.23	37.51	54.00	-12.26	299	340	Average	Horizontal		

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2388.327	40.43	3.30	37.13	54.00	-13.57	295	280	Average	Vertical		
2	2437.000	92.89	55.47	37.42	54.00	38.89	295	280	Average	Vertical		
3	2495.677	41.58	4.06	37.52	54.00	-12.42	295	280	Average	Vertical		

802.11g


High Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11g

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2360.445	40.59	3.72	36.87	54.00	-13.41	294	339	Average	Horizontal	
2	2462.000	96.69	59.20	37.49	54.00	42.69	294	339	Average	Horizontal	
3	2483.500	47.53	10.02	37.51	54.00	-6.47	294	339	Average	Horizontal	

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2382.105	40.38	3.31	37.07	54.00	-13.62	322	73	Average	Vertical	
2	2462.000	91.63	54.14	37.49	54.00	37.63	322	73	Average	Vertical	
3	2483.500	45.00	7.49	37.51	54.00	-9.00	322	73	Average	Vertical	

802.11ax HE20

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2386.285	63.14	26.03	37.11	74.00	-10.86	342	357	Peak	Horizontal		
2	* 2412.000	107.92	70.63	37.29	74.00	33.92	342	357	Peak	Horizontal		
3	2499.383	56.03	18.51	37.52	74.00	-17.97	342	357	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.895	57.39	20.25	37.14	74.00	-16.61	298	69	Peak	Vertical		
2	* 2412.000	104.43	67.14	37.29	74.00	30.43	298	69	Peak	Vertical		
3	2485.893	55.20	17.69	37.51	74.00	-18.80	298	69	Peak	Vertical		

802.11ax HE20

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.895	44.88	7.66	37.14	54.00	-9.20	342	357	Average	Horizontal		
2	2412.000	95.05	57.76	37.29	54.00	41.05	342	357	Average	Horizontal		
3	2486.898	41.46	3.95	37.51	54.00	-12.54	342	357	Average	Horizontal		

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.752	41.78	4.64	37.14	54.00	-12.22	298	69	Average	Vertical		
2	2412.000	91.48	54.11	37.29	54.00	37.48	298	69	Average	Vertical		
3	2499.667	41.43	3.91	37.52	54.00	-12.57	298	69	Average	Vertical		

802.11ax HE20

Middle Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2350.565	54.25	17.47	36.78	74.00	-19.75	299	340	Peak	Horizontal		
2	* 2437.000	109.07	71.65	37.42	74.00	35.07	299	340	Peak	Horizontal		
3	2492.542	54.43	16.91	37.52	74.00	-19.57	299	340	Peak	Horizontal		

Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2377.212	54.82	17.79	37.03	74.00	-19.18	337	92	Peak	Vertical		
2	* 2437.000	104.89	67.47	37.42	74.00	30.89	337	92	Peak	Vertical		
3	2499.952	55.10	17.58	37.52	74.00	-18.90	337	92	Peak	Vertical		

802.11ax HE20

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2385.620	40.55	3.45	37.10	54.00	-13.45	299	340	Average	Horizontal		
2	* 2437.000	95.42	50.00	37.42	54.00	41.42	299	340	Average	Horizontal		
3	2488.030	41.55	4.04	37.51	54.00	-12.45	299	340	Average	Horizontal		

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2322.635	40.46	3.75	36.71	54.00	-13.54	337	92	Average	Vertical		
2	* 2437.000	92.04	54.62	37.42	54.00	38.04	337	92	Average	Vertical		
3	2491.830	41.61	4.09	37.52	54.00	-12.39	337	92	Average	Vertical		

802.11ax HE20

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2362.187	54.18	17.29	36.89	74.00	-19.82	292	339	Peak	Horizontal		
2 *	2462.000	108.38	70.69	37.49	74.00	34.38	292	339	Peak	Horizontal		
3	2486.700	66.66	29.15	37.51	74.00	-7.34	292	339	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2388.565	54.03	16.00	37.13	74.00	-19.97	321	78	Peak	Vertical		
2 *	2462.000	103.06	65.57	37.49	74.00	29.06	321	78	Peak	Vertical		
3	2483.518	62.97	25.46	37.51	74.00	-11.03	321	78	Peak	Vertical		

802.11ax HE20

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2381.638	40.72	3.66	37.06	54.00	-13.28	292	339	Average	Horizontal		
2 *	2462.000	95.55	58.06	37.49	54.00	41.55	292	339	Average	Horizontal		
3 !	2483.500	49.23	11.72	37.51	54.00	-4.77	292	339	Average	Horizontal		

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2387.045	40.48	3.36	37.12	54.00	-13.52	321	78	Average	Vertical		
2 *	2462.000	89.67	52.18	37.49	54.00	35.67	321	78	Average	Vertical		
3	2483.660	45.65	8.14	37.51	54.00	-8.35	321	78	Average	Vertical		

802.11ax HE40

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2383.728	56.41	19.33	37.08	74.00	-17.59	303	341	Peak	Horizontal		
2 *	2422.000	103.84	66.50	37.34	74.00	29.84	303	341	Peak	Horizontal		
3	2491.877	55.40	17.88	37.52	74.00	-18.60	303	341	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.942	54.73	17.59	37.14	74.00	-19.27	333	79	Peak	Vertical		
2 *	2422.000	98.36	61.02	37.34	74.00	24.36	333	79	Peak	Vertical		
3	2491.925	55.08	17.56	37.52	74.00	-18.92	333	79	Peak	Vertical		

802.11ax HE40

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.238	43.75	6.62	37.13	54.00	-10.25	303	341	Average	Horizontal		
2	2422.000	90.48	53.14	37.34	54.00	36.48	303	341	Average	Horizontal		
3	2488.410	41.84	4.33	37.51	54.00	-12.16	303	341	Average	Horizontal		

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2388.099	42.20	5.08	37.12	54.00	-11.80	333	79	Average	Vertical		
2	2422.000	85.74	48.40	37.34	54.00	31.74	333	79	Average	Vertical		
3	2498.955	41.85	4.33	37.52	54.00	-12.15	333	79	Average	Vertical		

802.11ax HE40

Middle Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2315.695	53.95	17.27	36.68	74.00	-20.05	300	340	Peak	Horizontal		
2	2437.000	103.65	66.23	37.42	74.00	29.65	300	340	Peak	Horizontal		
3	2485.560	57.83	20.32	37.51	74.00	-16.17	300	340	Peak	Horizontal		

Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2381.012	54.48	17.42	37.06	74.00	-19.52	328	79	Peak	Vertical		
2	2437.000	97.78	60.36	37.42	74.00	23.78	328	79	Peak	Vertical		
3	2483.500	54.93	17.42	37.51	74.00	-19.07	328	79	Peak	Vertical		

802.11ax HE40

Middle Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.942	41.36	4.22	37.14	54.00	-12.64	300	340	Average	Horizontal		
2	2437.000	91.00	53.58	37.42	54.00	37.00	300	340	Average	Horizontal		
3	2483.500	43.62	6.11	37.51	54.00	-10.38	300	340	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.895	41.28	4.14	37.14	54.00	-12.72	328	79	Average	Vertical		
2	2437.000	85.69	48.27	37.42	54.00	31.69	328	79	Average	Vertical		
3	2483.992	42.15	4.64	37.51	54.00	-11.85	328	79	Average	Vertical		

802.11ax HE40

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2384.147	54.62	17.54	37.08	74.00	-19.38	293	339	Peak	Horizontal		
2	2452.000	103.37	65.89	37.48	74.00	29.37	293	339	Peak	Horizontal		
3	2486.130	65.39	27.88	37.51	74.00	-8.61	293	339	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2354.792	53.84	17.01	36.83	74.00	-20.16	328	76	Peak	Vertical		
2	2452.000	99.49	62.01	37.48	74.00	25.49	328	76	Peak	Vertical		
3	2491.545	55.32	17.80	37.52	74.00	-18.68	328	76	Peak	Vertical		

802.11ax HE40

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2343.155	41.08	4.31	36.77	54.00	-12.92	293	339	Average	Horizontal		
2 *	2452.000	90.99	53.51	37.48	54.00	36.99	293	339	Average	Horizontal		
3 !	2486.890	48.95	11.44	37.51	54.00	-5.05	293	339	Average	Horizontal		

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2388.945	41.04	3.01	37.13	54.00	-12.96	328	76	Average	Vertical		
2 *	2452.000	85.64	48.16	37.48	54.00	31.64	328	76	Average	Vertical		
3	2495.202	42.18	4.66	37.52	54.00	-11.82	328	76	Average	Vertical		


Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

802.11g

Middle Channel (Open) 9kHz~150kHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.018	63.15	45.03	18.12	127.60	-64.45	100	359 Peak	Open	
2	0.030	50.01	29.99	20.02	118.05	-68.04	100	234 Peak	Open	
3	0.063	39.88	21.76	18.12	111.57	-71.69	100	330 Peak	Open	
4	0.076	40.07	21.71	18.36	110.01	-69.94	100	0 Peak	Open	
5	0.114	38.39	20.28	18.11	106.49	-68.10	100	0 Peak	Open	
6	0.124	29.11	10.93	18.18	105.70	-76.59	100	321 Peak	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.150	44.26	25.02	18.34	104.00	-59.82	100	306 Peak	Open	
2	5.971	33.94	13.21	20.73	69.50	-35.56	100	80 Peak	Open	
3	10.448	35.21	13.77	21.44	69.50	-34.29	100	199 Peak	Open	
4	17.254	35.50	13.88	22.42	69.50	-34.00	100	32 Peak	Open	
5	22.269	36.63	14.31	22.32	69.50	-32.87	100	194 Peak	Open	
6	25.284	37.76	14.57	23.19	69.50	-31.74	100	219 Peak	Open	


Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

802.11g

Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	56.198	23.62	29.39	-5.77	40.00	-16.38	300	20 Peak	Horizontal	
2	148.340	22.99	28.97	-5.98	43.50	-20.51	200	53 Peak	Horizontal	
3	501.428	29.30	30.16	-0.86	46.00	-16.70	205	360 Peak	Horizontal	
4	692.518	32.02	29.00	3.02	46.00	-13.98	200	196 Peak	Horizontal	
5	845.770	36.10	31.01	5.09	46.00	-9.90	200	360 Peak	Horizontal	
6	986.428	36.68	29.43	7.25	54.00	-17.32	300	178 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	33.880	28.03	35.45	-7.42	40.00	-11.97	100	220 Peak	Vertical	
2	152.220	23.21	29.07	-5.86	43.50	-20.29	100	193 Peak	Vertical	
3	450.980	28.04	29.40	-1.36	46.00	-17.96	200	100 Peak	Vertical	
4	678.930	32.33	29.52	2.81	46.00	-13.67	200	68 Peak	Vertical	
5	845.770	36.39	31.30	5.09	46.00	-9.61	100	221 Peak	Vertical	
6	998.060	37.10	29.67	7.43	54.00	-16.90	200	44 Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


802.11b

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4824.000	42.57	53.30	-10.73	54.00	-11.43	102	345	Average	Horizontal	
2	4824.000	46.58	57.31	-10.73	74.00	-27.42	102	345	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4824.000	42.68	53.41	-10.73	54.00	-11.32	113	92	Average	Vertical	
2	4824.000	47.87	58.60	-10.73	74.00	-26.13	113	92	Peak	Vertical	

802.11b

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4874.000	42.86	53.45	-10.59	54.00	-11.14	180	319	Average	Horizontal		
2	4874.000	47.07	57.66	-10.59	74.00	-26.93	180	319	Peak	Horizontal		

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4874.000	46.30	56.89	-10.59	54.00	-7.70	184	91	Average	Vertical		
2	4874.000	49.41	60.00	-10.59	74.00	-24.59	184	91	Peak	Vertical		

802.11b

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4924.000	44.28	54.67	-10.39	54.00	-9.72	100	343	Average	Horizontal		
2	4924.000	47.99	58.38	-10.39	74.00	-26.01	100	343	Peak	Horizontal		

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4924.000	48.39	58.78	-10.39	54.00	-5.61	100	92	Average	Vertical		
2	4924.000	51.12	61.51	-10.39	74.00	-22.88	100	92	Peak	Vertical		


802.11g

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4824.000	27.97	38.70	-10.73	54.00	-26.03	300	303	Average	Horizontal		
2	4824.000	37.53	48.26	-10.73	74.00	-36.47	300	303	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4824.000	28.11	38.84	-10.73	54.00	-25.89	400	255	Average	Vertical		
2	4824.000	38.06	48.79	-10.73	74.00	-35.94	400	255	Peak	Vertical		

802.11g

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4874.000	28.31	38.90	-10.59	54.00	-25.69		200	110	Average	Horizontal	
2	4874.000	36.99	49.58	-10.59	74.00	-35.01		200	110	Peak	Horizontal	

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4874.000	28.99	39.58	-10.59	54.00	-25.01		400	231	Average	Vertical	
2	4874.000	39.00	49.59	-10.59	74.00	-35.00		400	231	Peak	Vertical	


802.11g

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.000	28.01	39.20	-10.39	54.00	-25.19	251	0	Average	Horizontal		
2	4924.000	39.04	49.43	-10.39	74.00	-34.96	251	0	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.000	30.22	40.61	-10.39	54.00	-23.78	300	162	Average	Vertical		
2	4924.000	39.76	50.15	-10.39	74.00	-34.24	300	162	Peak	Vertical		


802.11ax HE20

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4824.000	27.71	38.44	-10.73	54.00	-26.29	169	360	Average	Horizontal		
2	4824.000	39.31	50.04	-10.73	74.00	-34.69	169	360	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4824.000	27.62	38.35	-10.73	54.00	-26.38	300	149	Average	Vertical		
2	4824.000	39.17	49.90	-10.73	74.00	-34.63	300	149	Peak	Vertical		

802.11ax HE20

Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4874.000	27.97	38.56	-10.59	54.00	-26.03	393	360	Average	Horizontal		
2	4874.000	37.65	48.24	-10.59	74.00	-36.35	393	360	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4874.000	28.46	39.05	-10.59	54.00	-25.54	180	359	Average	Vertical		
2	4874.000	38.18	48.77	-10.59	74.00	-35.82	180	359	Peak	Vertical		


802.11ax HE20

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.000	28.15	38.54	-10.39	54.00	-25.85	188	360	Average	Horizontal		
2	4924.000	38.19	48.58	-10.39	74.00	-35.81	188	360	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.000	29.39	39.78	-10.39	54.00	-24.61	300	47	Average	Vertical		
2	4924.000	40.93	51.32	-10.39	74.00	-33.07	300	47	Peak	Vertical		


802.11ax HE40

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4844.000	27.61	38.33	-10.72	54.00	-26.39	290	0	Average	Horizontal		
2	4844.000	38.50	49.22	-10.72	74.00	-35.50	290	0	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4844.000	27.79	38.51	-10.72	54.00	-26.21	300	83	Average	Vertical		
2	4844.000	37.51	48.23	-10.72	74.00	-36.49	300	83	Peak	Vertical		

802.11ax HE40

Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4874.000	27.72	38.31	-10.59	54.00	-26.28	480	323	Average	Horizontal		
2	4874.000	37.90	48.49	-10.59	74.00	-36.10	480	323	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4874.000	28.24	38.83	-10.59	54.00	-25.76	180	12	Average	Vertical		
2	4874.000	37.61	48.20	-10.59	74.00	-36.39	180	12	Peak	Vertical		


802.11ax HE40

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4904.000	27.51	37.96	-10.45	54.00	-26.49	200	121	Average	Horizontal		
2	4904.000	38.43	48.88	-10.45	74.00	-35.57	200	121	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4904.000	27.92	38.37	-10.45	54.00	-26.08	300	306	Average	Vertical		
2	4904.000	37.44	47.89	-10.45	74.00	-36.56	300	306	Peak	Vertical		