

Mains Conducted Emission, Tx Mode, 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

	Freq	Level	Read	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	Factor	Line	Limit			
	MHz	dBuV	dB	dBuV	dB			
1	0.178	7.41	-2.22	9.63	54.59	-47.18 Average	line1	
2	0.178	10.74	1.11	9.63	64.59	-53.85 QP	line1	
3	0.793	5.88	-3.76	9.64	46.00	-40.12 Average	line1	
4	0.793	10.55	0.91	9.64	56.00	-45.45 QP	line1	
5	1.859	6.22	-3.44	9.66	46.00	-39.78 Average	line1	
6	1.859	17.53	7.87	9.66	56.00	-38.47 QP	line1	
7	2.570	5.74	-3.92	9.66	46.00	-40.26 Average	line1	
8	2.570	20.55	10.89	9.66	56.00	-35.45 QP	line1	
9	3.906	5.78	-3.90	9.68	46.00	-40.22 Average	line1	
10	3.906	16.31	6.63	9.68	56.00	-39.69 QP	line1	
11	22.245	30.01	20.29	9.72	50.00	-19.99 Average	line1	
12	22.245	35.41	25.69	9.72	60.00	-24.59 QP	line1	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

	Freq	Level	Read	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	Factor	Line	Limit			
	MHz	dBuV	dB	dBuV	dB			
1	0.182	7.41	-2.22	9.63	54.39	-46.98 Average	neutral	
2	0.182	10.87	1.24	9.63	64.39	-53.52 QP	neutral	
3	0.603	5.92	-3.71	9.63	46.00	-40.08 Average	neutral	
4	0.603	10.34	0.71	9.63	56.00	-45.66 QP	neutral	
5	1.666	6.16	-3.50	9.66	46.00	-39.84 Average	neutral	
6	1.666	16.28	6.62	9.66	56.00	-39.72 QP	neutral	
7	2.622	5.63	-4.04	9.67	46.00	-40.37 Average	neutral	
8	2.622	18.06	8.39	9.67	56.00	-37.94 QP	neutral	
9	4.491	6.07	-3.64	9.71	46.00	-39.93 Average	neutral	
10	4.491	17.28	7.57	9.71	56.00	-38.72 QP	neutral	
11	23.499	33.43	23.59	9.84	50.00	-16.57 Average	neutral	
12	23.499	38.68	28.84	9.84	60.00	-21.32 QP	neutral	

ANT No.: 2, Partial RU
Band Edges, 2.31GHz ~ 2.9GHz


802.11ax HE20 (26-tone)

High Channel (Horizontal) Peak

High Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2340.218	53.97	17.22	36.75	74.00	-20.03	323	244	Peak	Vertical	
2 *	2462.000	89.27	51.78	37.49	74.00	15.27	323	244	Peak	Vertical	
3	2491.212	54.76	17.24	37.52	74.00	-19.24	323	244	Peak	Vertical	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.990	54.86	17.72	37.14	74.00	-19.14	298	340	Peak	Horizontal	
2 *	2462.000	96.29	58.80	37.49	74.00	22.29	298	340	Peak	Horizontal	
3	2485.133	54.66	17.15	37.51	74.00	-19.34	298	340	Peak	Horizontal	

802.11ax HE20 (26-tone)

High Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2388.992	40.37	3.24	37.13	54.00	-13.63	298	340	Average	Horizontal		
2	2462.000	83.88	46.39	37.49	54.00	29.88	298	340	Average	Horizontal		
3	2492.305	41.40	3.88	37.52	54.00	-12.60	298	340	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2388.992	40.42	3.29	37.13	54.00	-13.58	323	244	Average	Vertical		
2	2462.000	77.00	39.51	37.49	54.00	23.00	323	244	Average	Vertical		
3	2489.313	41.45	3.94	37.51	54.00	-12.55	323	244	Average	Vertical		

802.11ax HE20 (52-tone)

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2380.110	53.92	16.87	37.05	74.00	-20.08	298	340	Peak	Horizontal		
2 *	2462.000	96.71	59.22	37.49	74.00	22.71	298	340	Peak	Horizontal		
3	2499.145	55.90	18.38	37.52	74.00	-18.10	298	340	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2367.903	53.78	16.84	36.94	74.00	-20.22	321	243	Peak	Vertical		
2 *	2462.000	89.88	52.39	37.49	74.00	15.88	321	243	Peak	Vertical		
3	2493.160	54.89	17.37	37.52	74.00	-19.11	321	243	Peak	Vertical		

802.11ax HE20 (52-tone)

High Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 2379.635	40.36	3.31	37.05	54.00	-13.64	298	340	Average	Horizontal		
2 * 2462.000	83.79	46.30	37.49	54.00	29.79	298	340	Average	Horizontal		
3 2490.927	41.48	3.96	37.52	54.00	-12.52	298	340	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 2387.005	40.50	3.38	37.12	54.00	-13.50	321	243	Average	Vertical		
2 * 2462.000	76.82	39.33	37.49	54.00	22.82	321	243	Average	Vertical		
3 2500.000	41.63	4.11	37.52	54.00	-12.37	321	243	Average	Vertical		

802.11ax HE20 (106-tone)

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2340.788	54.15	17.40	36.75	74.00	-19.85	298	311	Peak	Horizontal		
2 *	2462.000	94.28	56.79	37.49	74.00	20.28	298	311	Peak	Horizontal		
3	2485.750	54.30	16.79	37.51	74.00	-19.70	298	311	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2353.177	53.28	16.46	36.82	74.00	-20.72	325	227	Peak	Vertical		
2 *	2462.000	94.46	48.97	37.49	74.00	12.46	325	227	Peak	Vertical		
3	2486.843	54.20	16.69	37.51	74.00	-19.80	325	227	Peak	Vertical		

802.11ax HE20 (106-tone)

High Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2341.358	40.22	3.47	36.75	54.00	-13.78	298	311 Average	Horizontal	
2 *	2462.000	81.11	43.62	37.49	54.00	27.11	298	311 Average	Horizontal	
3	2487.365	41.35	3.84	37.51	54.00	-12.65	298	311 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2377.782	40.42	3.39	37.03	54.00	-13.58	325	227 Average	Vertical	
2 *	2462.000	74.68	37.19	37.49	54.00	20.68	325	227 Average	Vertical	
3	2493.350	41.37	3.85	37.52	54.00	-12.63	325	227 Average	Vertical	

802.11ax HE40 (242-tone)

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2319.548	53.71	17.02	36.69	74.00	-20.29	306	342	Peak	Horizontal		
2 *	2452.000	96.99	59.51	37.48	74.00	22.99	306	342	Peak	Horizontal		
3	2494.118	54.43	16.91	37.52	74.00	-19.57	306	342	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2333.893	53.11	16.37	36.74	74.00	-20.89	295	299	Peak	Vertical		
2 *	2452.000	89.65	52.17	37.48	74.00	15.65	295	299	Peak	Vertical		
3	2499.240	54.06	16.54	37.52	74.00	-19.94	295	299	Peak	Vertical		

802.11ax HE40 (242-tone)

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2379.350	40.68	3.64	37.04	54.00	-13.32	306	342	Average	Horizontal		
2 *	2452.000	83.22	45.74	37.48	54.00	29.22	306	342	Average	Horizontal		
3	2491.450	42.01	4.49	37.52	54.00	-11.99	306	342	Average	Horizontal		

High Channel (Vertical) Average

W



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2374.600	40.75	3.74	37.01	54.00	-13.25	295	299	Average	Vertical		
2 *	2452.000	76.42	38.94	37.48	54.00	22.42	295	299	Average	Vertical		
3	2488.505	41.78	4.27	37.51	54.00	-12.22	295	299	Average	Vertical		

802.11ax HE20 (26-tone)

High Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.000	28.93	39.32	-10.39	54.00	-25.07	196	360	Average	Horizontal		
2	4924.000	38.81	49.20	-10.39	74.00	-35.19	196	360	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.000	28.07	38.46	-10.39	54.00	-25.93	400	310	Average	Vertical		
2	4924.000	38.26	48.65	-10.39	74.00	-35.74	400	310	Peak	Vertical		

802.11ax HE20 (52-tone)

High Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.000	27.06	37.45	-10.39	54.00	-26.94	200	0	Average	Horizontal		
2	4924.000	37.77	48.16	-10.39	74.00	-36.23	200	0	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.000	27.16	37.55	-10.39	54.00	-26.84	400	290	Average	Vertical		
2	4924.000	38.76	49.15	-10.39	74.00	-35.24	400	290	Peak	Vertical		

802.11ax HE20 (106-tone)

High Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.000	27.36	37.75	-10.39	54.00	-26.64	280	262	Average	Horizontal		
2	4924.000	37.92	48.31	-10.39	74.00	-36.08	280	262	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.000	27.18	37.57	-10.39	54.00	-26.82	300	123	Average	Vertical		
2	4924.000	38.23	48.62	-10.39	74.00	-35.77	300	123	Peak	Vertical		


802.11ax HE40 (242-tone)

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4904.000	27.44	37.89	-10.45	54.00	-26.56	180	25	Average	Horizontal		
2	4904.000	38.19	48.64	-10.45	74.00	-35.81	180	25	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4904.000	27.51	37.96	-10.45	54.00	-26.49	180	328	Average	Vertical		
2	4904.000	37.10	47.55	-10.45	74.00	-36.90	180	328	Peak	Vertical		