


802.11ax HE40 (242-tone)

CH 46 (Horizontal)

CH 46 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	15690.000	35.94	34.04	1.90	54.00	-18.06	200	167	Average	Horizontal		
2	15690.000	45.37	43.47	1.90	74.00	-28.63	200	167	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	15690.000	36.18	34.28	1.90	54.00	-17.90	200	324	Average	Vertical		
2	15690.000	45.46	43.56	1.90	74.00	-28.54	200	324	Peak	Vertical		


802.11ax HE80 (484-tone)

CH 42 (Horizontal)

CH 42 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	Limit	cm	deg			
1	15630.000	37.06	35.55	1.51	54.00	-16.94	100	333	Average	Horizontal		
2	15630.000	45.71	44.20	1.51	74.00	-28.29	100	333	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	Limit	cm	deg			
1	15630.000	37.19	35.68	1.51	54.00	-16.81	300	359	Average	Vertical		
2	15630.000	45.47	43.96	1.51	74.00	-28.53	300	359	Peak	Vertical		

U-NII-2A


802.11ax HE20 (26-tone)

CH 60 (Horizontal)

CH 60 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10600.000	31.70	36.77	-5.07	54.00	-22.30	110	360	Average	Horizontal		
2	10600.000	42.21	47.28	-5.07	74.00	-31.79	110	360	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10600.000	31.57	36.64	-5.07	54.00	-22.43	200	159	Average	Vertical		
2	10600.000	41.94	47.01	-5.07	74.00	-32.06	200	159	Peak	Vertical		


802.11ax HE20 (52-tone)

CH 60 (Horizontal)

CH 60 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10600.000	31.61	36.68	-5.07	54.00	-22.39	155	360	Average	Horizontal		
2	10600.000	41.95	47.02	-5.07	74.00	-32.05	155	360	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10600.000	31.54	36.61	-5.07	54.00	-22.46	300	46	Average	Vertical		
2	10600.000	42.96	48.03	-5.07	74.00	-31.04	300	46	Peak	Vertical		


802.11ax HE20 (106-tone)

CH 60 (Horizontal)

CH 60 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10600.000	31.67	36.74	-5.07	54.00	-22.33	200	81	Average	Horizontal		
2	10600.000	42.47	47.54	-5.07	74.00	-31.53	200	81	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10600.000	31.59	36.66	-5.07	54.00	-22.41	200	121	Average	Vertical		
2	10600.000	41.34	46.41	-5.07	74.00	-32.66	200	121	Peak	Vertical		


802.11ax HE40 (242-tone)

CH 62 (Horizontal)

CH 62 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10620.000	32.13	37.17	-5.04	54.00	-21.87	200	178	Average	Horizontal		
2	10620.000	41.80	46.84	-5.04	74.00	-32.20	200	178	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10620.000	32.40	37.44	-5.04	54.00	-21.60	100	152	Average	Vertical		
2	10620.000	42.10	47.14	-5.04	74.00	-31.90	100	152	Peak	Vertical		


802.11ax HE80 (484-tone)

CH 58 (Horizontal)

CH 58 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	15870.000	36.44	34.31	2.13	54.00	-17.56	200	112	Average	Horizontal		
2	15870.000	44.69	42.56	2.13	74.00	-29.31	200	112	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	15870.000	36.63	34.50	2.13	54.00	-17.37	300	278	Average	Vertical		
2	15870.000	45.18	43.05	2.13	74.00	-28.82	300	278	Peak	Vertical		

U-NII-2C


802.11ax HE80 (484-tone)

CH 122 (Horizontal)

CH 122 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11220.000	30.84	34.62	-3.78	54.00	-23.16	100	273	Average	Horizontal		
2	11220.000	41.51	45.29	-3.78	74.00	-32.49	100	273	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11220.000	30.76	34.54	-3.78	54.00	-23.24	200	318	Average	Vertical		
2	11220.000	41.75	45.53	-3.78	74.00	-32.25	200	318	Peak	Vertical		


802.11ax HE20 (26-tone)

CH 144 (Horizontal)

CH 144 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11440.000	31.72	35.08	-3.36	54.00	-22.28	200	280	Average	Horizontal		
2	11440.000	42.42	45.78	-3.36	74.00	-31.58	200	280	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11440.000	31.60	34.96	-3.36	54.00	-22.40	300	0	Average	Vertical		
2	11440.000	41.13	44.49	-3.36	74.00	-32.87	300	0	Peak	Vertical		

802.11ax HE20 (52-tone)

CH 144 (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11440.000	31.54	34.90	-3.36	54.00	-22.46	100	48	Average	Horizontal		
2	11440.000	41.98	45.34	-3.36	74.00	-32.02	100	48	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11440.000	31.64	35.00	-3.36	54.00	-22.36	121	237	Average	Vertical		
2	11440.000	42.61	45.97	-3.36	74.00	-31.39	121	237	Peak	Vertical		


802.11ax HE20 (106-tone)

CH 144 (Horizontal)

CH 144 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11440.000	31.70	35.06	-3.36	54.00	-22.30	300	35	Average	Horizontal		
2	11440.000	42.06	45.42	-3.36	74.00	-31.94	300	35	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11440.000	31.55	34.91	-3.36	54.00	-22.45	107	360	Average	Vertical		
2	11440.000	41.81	45.17	-3.36	74.00	-32.19	107	360	Peak	Vertical		


802.11ax HE40 (242-tone)

CH 142 (Horizontal)

CH 142 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11420.000	32.72	36.10	-3.38	54.00	-21.28	100	360	Average	Horizontal		
2	11420.000	42.14	45.52	-3.38	74.00	-31.86	100	360	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11420.000	32.47	35.85	-3.38	54.00	-21.53	100	137	Average	Vertical		
2	11420.000	42.39	45.77	-3.38	74.00	-31.61	100	137	Peak	Vertical		

U-NII-3


802.11ax HE20 (26-tone)

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 11650.000	32.83	35.89	-3.06	54.00	-21.17	206	360	Average	Horizontal		
2 11650.000	43.62	46.68	-3.06	74.00	-30.38	206	360	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 11650.000	32.74	35.80	-3.06	54.00	-21.26	171	360	Average	Vertical		
2 11650.000	43.50	46.56	-3.06	74.00	-30.50	171	360	Peak	Vertical		


802.11ax HE20 (52-tone)

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11650.000	32.67	35.73	-3.06	54.00	-21.33	100	311	Average	Horizontal		
2	11650.000	43.46	46.52	-3.06	74.00	-30.54	100	311	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11650.000	32.60	35.66	-3.06	54.00	-21.40	0	0	Average	Vertical		
2	11650.000	44.10	47.16	-3.06	74.00	-29.90	0	0	Peak	Vertical		


802.11ax HE20 (106-tone)

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11650.000	32.95	36.01	-3.06	54.00	-21.05	135	360	Average	Horizontal		
2	11650.000	43.33	46.39	-3.06	74.00	-30.67	135	360	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11650.000	32.80	35.86	-3.06	54.00	-21.20	300	80	Average	Vertical		
2	11650.000	42.59	45.65	-3.06	74.00	-31.41	300	80	Peak	Vertical		


802.11ax HE40 (242-tone)

CH 159 (Horizontal)

CH 159 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11590.000	32.59	35.80	-3.21	54.00	-21.41	100	313	Average	Horizontal		
2	11590.000	43.50	46.71	-3.21	74.00	-30.50	100	313	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11590.000	32.58	35.79	-3.21	54.00	-21.42	254	0	Average	Vertical		
2	11590.000	42.85	46.06	-3.21	74.00	-31.15	254	0	Peak	Vertical		


802.11ax HE80 (484-tone)

CH 155 (Horizontal)

CH 155 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11550.000	33.48	36.72	-3.24	54.00	-20.52	100	73	Average	Horizontal		
2	11550.000	42.11	45.35	-3.24	74.00	-31.89	100	73	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11550.000	33.59	36.83	-3.24	54.00	-20.41	200	52	Average	Vertical		
2	11550.000	41.77	45.01	-3.24	74.00	-32.23	200	52	Peak	Vertical		