


802.11ax HE20 (26-tone)

CH 144 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5391.500	43.18	0.72	42.46	54.00	-10.82	356	210	Average	Horizontal		
2 *	5720.000	78.71	36.17	42.54	54.00	24.71	356	210	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5404.500	43.24	0.69	42.55	54.00	-10.76	353	297	Average	Vertical		
2 *	5720.000	76.73	34.19	42.54	54.00	22.73	353	297	Average	Vertical		


802.11ax HE20 (52-tone)

CH 144 (Horizontal) Peak

CH 144 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5380.000	55.52	13.23	42.29	74.00	-18.48	309	171	Peak	Horizontal		
2	5462.000	55.71	13.34	42.37	68.20	-12.49	309	171	Peak	Horizontal		
3	5720.000	93.35	50.81	42.54	122.20	-28.85	309	171	Peak	Horizontal		
4	6875.000	59.72	15.78	43.94	68.20	-8.48	309	171	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5422.000	56.13	13.66	42.47	74.00	-17.87	281	197	Peak	Vertical		
2	5468.500	55.67	13.27	42.40	68.20	-12.53	281	197	Peak	Vertical		
3	5720.000	86.79	44.25	42.54	122.20	-35.41	281	197	Peak	Vertical		
4	6896.000	60.34	16.34	44.00	68.20	-7.86	281	197	Peak	Vertical		

802.11ax HE20 (52-tone)

CH 144 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5413.500	43.33	0.82	42.51	54.00	-10.67	309	171	Average	Horizontal		
2 *	5720.000	81.94	39.40	42.54	54.00	27.94	309	171	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5399.500	43.47	0.90	42.57	54.00	-10.53	281	197	Average	Vertical		
2 *	5720.000	75.09	32.55	42.54	54.00	21.09	281	197	Average	Vertical		


802.11ax HE20 (106-tone)

CH 144 (Horizontal) Peak

CH 144 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5411.500	55.79	13.27	42.52	74.00	-18.21	340	183	Peak	Horizontal		
2	5460.000	54.48	12.12	42.36	68.20	-13.72	340	183	Peak	Horizontal		
3	5720.000	93.40	50.86	42.54	122.20	-28.80	340	183	Peak	Horizontal		
4	6764.000	59.33	15.47	43.86	68.20	-8.87	340	183	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5449.000	56.36	14.04	42.32	74.00	-17.64	375	230	Peak	Vertical		
2	5469.000	55.18	12.77	42.41	68.20	-13.02	375	230	Peak	Vertical		
3	5720.000	88.48	45.94	42.54	122.20	-33.72	375	230	Peak	Vertical		
4	6775.500	59.72	15.84	43.88	68.20	-8.48	375	230	Peak	Vertical		

802.11ax HE20 (106-tone)

CH 144 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5405.000	43.00	0.44	42.56	54.00	-11.00	340	183	Average	Horizontal		
2 *	5720.000	81.85	39.31	42.54	54.00	27.85	340	183	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5397.000	43.13	0.59	42.54	54.00	-10.87	375	230	Average	Vertical		
2 *	5720.000	75.29	32.75	42.54	54.00	21.29	375	230	Average	Vertical		


802.11ax HE40 (242-tone)

CH 142 (Horizontal) Peak

CH 142 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5368.000	55.53	13.42	42.11	74.00	-18.47	343	183	Peak	Horizontal		
2	5465.000	55.48	13.10	42.38	68.20	-12.72	343	183	Peak	Horizontal		
3	5710.000	93.14	50.68	42.46	122.20	-29.06	343	183	Peak	Horizontal		
4	6943.000	59.60	15.56	44.04	68.20	-8.60	343	183	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5368.000	55.60	13.49	42.11	74.00	-18.40	348	291	Peak	Vertical		
2	5469.000	54.60	12.19	42.41	68.20	-13.60	348	291	Peak	Vertical		
3	5710.000	89.07	46.61	42.46	122.20	-33.13	348	291	Peak	Vertical		
4	6764.500	59.49	15.63	43.86	68.20	-8.71	348	291	Peak	Vertical		


802.11ax HE40 (242-tone)

CH 142 (Horizontal) Average

CH 142 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5380.500	43.40	1.10	42.30	54.00	-10.60	343	183	Average	Horizontal		
2 *	5710.000	80.56	38.10	42.46	54.00	26.56	343	183	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5382.500	43.55	1.22	42.33	54.00	-10.45	348	291	Average	Vertical		
2 *	5710.000	76.69	34.23	42.46	54.00	22.69	348	291	Average	Vertical		

Mask, 4.5GHz ~ 7GHz
U-NII-3


802.11ax HE20 (26-tone)

CH 165 (Horizontal) Peak

CH 165 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5641.500	56.77	14.44	42.33	68.20	-11.43	357	211 Peak	Horizontal	
2	5659.000	55.62	13.27	42.35	74.88	-19.26	357	211 Peak	Horizontal	
3	5706.500	56.30	13.87	42.43	107.02	-50.72	357	211 Peak	Horizontal	
4	5720.000	55.43	12.89	42.54	110.80	-55.37	357	211 Peak	Horizontal	
5	5825.000	90.75	40.00	42.75	135.00	-44.25	357	211 Peak	Horizontal	
6	5851.500	55.51	12.74	42.77	127.74	-72.23	357	211 Peak	Horizontal	
7	5855.500	57.66	14.88	42.78	110.66	-53.00	357	211 Peak	Horizontal	
8	5905.500	57.54	14.64	42.90	82.59	-25.05	357	211 Peak	Horizontal	
9	5997.000	57.24	14.00	43.24	68.20	-10.96	357	211 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5645.500	56.86	14.52	42.34	68.20	-11.34	397	236 Peak	Vertical	
2	5654.000	56.02	13.68	42.34	71.17	-15.15	397	236 Peak	Vertical	
3	5720.000	55.87	13.33	42.54	110.80	-54.93	397	236 Peak	Vertical	
4	5720.000	55.87	13.33	42.54	110.80	-54.93	397	236 Peak	Vertical	
5	5825.000	90.11	47.36	42.75	135.00	-44.89	397	236 Peak	Vertical	
6	5850.000	56.06	13.29	42.77	135.00	-78.94	397	236 Peak	Vertical	
7	5875.000	56.35	13.52	42.83	105.20	-48.85	397	236 Peak	Vertical	
8	5922.000	56.92	14.01	42.91	70.41	-13.49	397	236 Peak	Vertical	
9	5967.000	57.51	14.47	43.04	68.20	-10.69	397	236 Peak	Vertical	


802.11ax HE20 (52-tone)

CH 165 (Horizontal) Peak

CH 165 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5481.500	56.00	13.54	42.46	68.20	-12.20	326	184	Peak	Horizontal		
2	5681.500	56.29	13.93	42.36	91.55	-35.26	326	184	Peak	Horizontal		
3	5719.000	55.27	12.74	42.53	110.52	-55.25	326	184	Peak	Horizontal		
4	5723.000	55.43	12.86	42.57	125.32	-69.89	326	184	Peak	Horizontal		
5	5825.000	93.82	51.07	42.75	135.00	-41.18	326	184	Peak	Horizontal		
6	5851.500	56.46	13.69	42.77	127.74	-71.28	326	184	Peak	Horizontal		
7	5868.000	56.87	14.05	42.82	107.16	-50.29	326	184	Peak	Horizontal		
8	5913.500	57.73	14.82	42.91	76.68	-18.95	326	184	Peak	Horizontal		
9	5958.000	57.65	14.67	42.98	68.20	-10.55	326	184	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5640.500	56.38	14.05	42.33	68.20	-11.82	326	260	Peak	Vertical		
2	5663.000	56.08	13.73	42.35	77.85	-21.77	326	260	Peak	Vertical		
3	5700.500	55.65	13.28	42.37	105.34	-49.69	326	260	Peak	Vertical		
4	5721.000	55.37	12.82	42.55	115.64	-60.27	326	260	Peak	Vertical		
5	5825.000	86.97	44.22	42.75	135.00	-48.03	326	260	Peak	Vertical		
6	5854.500	55.53	12.75	42.70	113.22	-57.69	326	260	Peak	Vertical		
7	5858.500	57.35	14.56	42.79	109.82	-52.47	326	260	Peak	Vertical		
8	5904.000	57.12	14.22	42.90	83.70	-26.58	326	260	Peak	Vertical		
9	5995.000	57.74	14.51	43.23	68.20	-10.46	326	260	Peak	Vertical		

802.11ax HE20 (106-tone)

CH 165 (Horizontal) Peak



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist, New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5530.000	56.18	13.74	42.44	68.20	-12.02	376	143 Peak	Horizontal	
2	5671.500	55.76	13.41	42.35	84.15	-28.39	376	143 Peak	Horizontal	
3	5706.500	56.52	14.09	42.43	107.02	-50.50	376	143 Peak	Horizontal	
4	5720.000	54.76	12.22	42.54	110.80	-56.04	376	143 Peak	Horizontal	
5	5825.000	92.03	49.28	42.75	135.00	-42.97	376	143 Peak	Horizontal	
6	5852.000	55.79	13.02	42.77	125.32	-69.53	376	143 Peak	Horizontal	
7	5858.000	56.19	13.40	42.79	109.56	-53.77	376	143 Peak	Horizontal	
8	5890.500	56.31	13.44	42.87	93.70	-37.39	376	143 Peak	Horizontal	
9	5985.000	56.95	13.79	43.16	68.20	-11.25	376	143 Peak	Horizontal	

CH 165 (Vertical) Peak



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist, New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5486.000	56.29	13.81	42.48	68.20	-11.91	397	236 Peak	Vertical	
2	5665.500	55.35	13.00	42.35	79.70	-24.35	397	236 Peak	Vertical	
3	5715.500	55.76	13.26	42.50	109.54	-53.78	397	236 Peak	Vertical	
4	5724.000	54.23	11.65	42.58	130.16	-75.93	397	236 Peak	Vertical	
5	5825.000	90.82	48.07	42.75	135.00	-44.18	397	236 Peak	Vertical	
6	5852.500	55.05	13.08	42.77	122.90	-67.05	397	236 Peak	Vertical	
7	5863.500	56.46	13.66	42.80	100.42	-51.96	397	236 Peak	Vertical	
8	5919.500	56.53	13.62	42.91	72.25	-15.72	397	236 Peak	Vertical	
9	5980.000	56.94	13.81	43.13	68.20	-11.26	397	236 Peak	Vertical	


802.11ax HE40 (242-tone)

CH 159 (Horizontal) Peak

CH 159 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5586.000	56.60	14.27	42.33	68.20	-11.60	346	184	Peak	Horizontal		
2	5675.000	55.55	13.19	42.36	86.74	-31.19	346	184	Peak	Horizontal		
3	5716.000	55.69	13.18	42.51	109.68	-53.99	346	184	Peak	Horizontal		
4	5720.000	54.06	11.52	42.54	110.80	-56.74	346	184	Peak	Horizontal		
5	5795.000	92.38	49.64	42.74	135.00	-42.62	346	184	Peak	Horizontal		
6	5852.500	55.52	12.75	42.77	122.90	-67.38	346	184	Peak	Horizontal		
7	5873.000	56.32	13.49	42.83	105.76	-49.44	346	184	Peak	Horizontal		
8	5895.500	57.25	14.37	42.88	89.99	-32.74	346	184	Peak	Horizontal		
9	5944.500	56.27	13.34	42.93	68.20	-11.93	346	184	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5587.000	56.37	13.85	42.52	68.20	-11.83	342	97	Peak	Vertical		
2	5678.500	55.25	12.89	42.36	89.33	-34.08	342	97	Peak	Vertical		
3	5710.000	55.21	12.75	42.46	108.00	-52.79	342	97	Peak	Vertical		
4	5721.500	54.75	12.20	42.55	118.06	-63.31	342	97	Peak	Vertical		
5	5795.000	88.83	46.09	42.74	135.00	-46.17	342	97	Peak	Vertical		
6	5851.500	57.43	14.66	42.77	127.74	-70.31	342	97	Peak	Vertical		
7	5873.000	57.10	14.27	42.83	105.76	-48.66	342	97	Peak	Vertical		
8	5906.000	56.31	13.41	42.90	82.22	-25.91	342	97	Peak	Vertical		
9	5975.500	57.22	14.13	43.09	68.20	-10.98	342	97	Peak	Vertical		

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz

U-NII-1


802.11ax HE20 (26-tone)

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 15720.000	35.56	33.58	1.98	54.00	-18.44	300	163	Average	Horizontal		
2 15720.000	47.00	45.02	1.98	74.00	-27.00	300	163	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 15720.000	35.75	33.77	1.98	54.00	-18.25	200	58	Average	Vertical		
2 15720.000	47.51	45.53	1.98	74.00	-26.49	200	58	Peak	Vertical		


802.11ax HE20 (52-tone)

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 15720.000	35.62	33.64	1.98	54.00	-18.38	300	161	Average	Horizontal		
2 15720.000	47.51	45.53	1.98	74.00	-26.49	300	161	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 15720.000	35.75	33.77	1.98	54.00	-18.25	200	58	Average	Vertical		
2 15720.000	47.51	45.53	1.98	74.00	-26.49	200	58	Peak	Vertical		


802.11ax HE20 (106-tone)

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 15720.000	35.55	33.57	1.98	54.00	-18.45	300	160	Average	Horizontal		
2 15720.000	47.60	45.62	1.98	74.00	-26.40	300	160	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 15720.000	35.63	33.65	1.98	54.00	-18.37	200	54	Average	Vertical		
2 15720.000	47.85	45.87	1.98	74.00	-26.15	200	54	Peak	Vertical		


802.11ax HE40 (242-tone)

CH 46 (Horizontal)

CH 46 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	15690.000	35.99	34.09	1.90	54.00	-18.01	300	157 Average	Horizontal	
2	15690.000	45.39	43.49	1.90	74.00	-28.61	300	157 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	15690.000	36.01	34.11	1.90	54.00	-17.99	200	66 Average	Vertical	
2	15690.000	45.49	43.59	1.90	74.00	-28.51	200	66 Peak	Vertical	


802.11ax HE80 (484-tone)

CH 42 (Horizontal)

CH 42 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	15630.000	37.06	35.55	1.51	54.00	-16.94	300	148	Average	Horizontal		
2	15630.000	45.78	44.27	1.51	74.00	-28.22	300	148	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	15630.000	37.19	35.68	1.51	54.00	-16.81	200	58	Average	Vertical		
2	15630.000	45.47	43.96	1.51	74.00	-28.53	200	58	Peak	Vertical		

U-NII-2A


802.11ax HE20 (26-tone)

CH 60 (Horizontal)

CH 60 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10600.000	31.74	36.81	-5.07	54.00	-22.26	300	185	Average	Horizontal		
2	10600.000	42.23	47.30	-5.07	74.00	-31.77	300	185	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10600.000	31.69	36.67	-5.07	54.00	-22.40	200	97	Average	Vertical		
2	10600.000	42.09	47.16	-5.07	74.00	-31.91	200	97	Peak	Vertical		


802.11ax HE20 (52-tone)

CH 60 (Horizontal)

CH 60 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10600.000	31.66	36.73	-5.07	54.00	-22.34	300	189	Average	Horizontal		
2	10600.000	42.01	47.08	-5.07	74.00	-31.99	300	189	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10600.000	31.64	36.71	-5.07	54.00	-22.36	200	94	Average	Vertical		
2	10600.000	42.99	48.06	-5.07	74.00	-31.01	200	94	Peak	Vertical		


802.11ax HE20 (106-tone)

CH 60 (Horizontal)

CH 60 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10600.000	31.71	36.78	-5.07	54.00	-22.29	300	187	Average	Horizontal	
2	10600.000	42.48	47.55	-5.07	74.00	-31.52	300	187	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10600.000	31.63	36.70	-5.07	54.00	-22.37	200	98	Average	Vertical	
2	10600.000	41.37	46.44	-5.07	74.00	-32.63	200	98	Peak	Vertical	


802.11ax HE40 (242-tone)

CH 62 (Horizontal)

CH 62 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10620.000	32.23	37.27	-5.04	54.00	-21.77	300	193	Average	Horizontal		
2	10620.000	41.75	46.79	-5.04	74.00	-32.25	300	193	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10620.000	32.40	37.44	-5.04	54.00	-21.60	200	105	Average	Vertical		
2	10620.000	42.11	47.15	-5.04	74.00	-31.89	200	105	Peak	Vertical		


802.11ax HE80 (484-tone)

CH 58 (Horizontal)

CH 58 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 15870.000	36.56	34.43	2.13	54.00	-17.44	300	202 Average		Horizontal		
2 15870.000	44.79	42.66	2.13	74.00	-29.21	300	202 Peak		Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 15870.000	36.63	34.50	2.13	54.00	-17.37	200	88 Average		Vertical		
2 15870.000	45.29	43.16	2.13	74.00	-28.71	200	88 Peak		Vertical		

U-NII-2C


802.11ax HE80 (484-tone)

CH 122 (Horizontal)

CH 122 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 11220.000	30.91	34.69	-3.78	54.00	-23.09	200	181	Average	Horizontal		
2 11220.000	41.56	45.34	-3.78	74.00	-32.44	200	181	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 11220.000	30.80	34.58	-3.78	54.00	-23.20	200	79	Average	Vertical		
2 11220.000	41.91	45.69	-3.78	74.00	-32.09	200	79	Peak	Vertical		


802.11ax HE20 (26-tone)

CH 144 (Horizontal)

CH 144 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11440.000	31.75	35.11	-3.36	54.00	-22.25	200	175	Average	Horizontal		
2	11440.000	42.29	45.65	-3.36	74.00	-31.71	200	175	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11440.000	31.66	35.02	-3.36	54.00	-22.34	100	41	Average	Vertical		
2	11440.000	41.22	44.58	-3.36	74.00	-32.78	100	41	Peak	Vertical		


802.11ax HE20 (52-tone)

CH 144 (Horizontal)

CH 144 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11440.000	31.62	34.98	-3.36	54.00	-22.38	200	172	Average	Horizontal		
2	11440.000	42.01	45.37	-3.36	74.00	-31.99	200	172	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11440.000	31.72	35.08	-3.36	54.00	-22.28	100	36	Average	Vertical		
2	11440.000	42.60	45.96	-3.36	74.00	-31.40	100	36	Peak	Vertical		


802.11ax HE20 (106-tone)

CH 144 (Horizontal)

CH 144 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11440.000	32.67	36.03	-3.36	54.00	-21.33	200	188	Average	Horizontal		
2	11440.000	42.89	46.25	-3.36	74.00	-31.11	200	188	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11440.000	32.89	36.25	-3.36	54.00	-21.11	100	47	Average	Vertical		
2	11440.000	45.10	48.46	-3.36	74.00	-28.90	100	47	Peak	Vertical		


802.11ax HE40 (242-tone)

CH 142 (Horizontal)

CH 142 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11420.000	33.24	36.62	-3.38	54.00	-20.76	200	194	Average	Horizontal		
2	11420.000	43.93	47.31	-3.38	74.00	-30.07	200	194	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11420.000	32.93	36.31	-3.38	54.00	-21.07	100	43	Average	Vertical		
2	11420.000	43.40	46.78	-3.38	74.00	-30.60	100	43	Peak	Vertical		

U-NII-3


802.11ax HE20 (26-tone)

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11650.000	32.76	35.82	-3.06	54.00	-21.24	300	226	Average	Horizontal		
2	11650.000	43.67	46.73	-3.06	74.00	-30.33	300	226	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11650.000	32.69	35.75	-3.06	54.00	-21.31	200	62	Average	Vertical		
2	11650.000	43.36	46.42	-3.06	74.00	-30.64	200	62	Peak	Vertical		


802.11ax HE20 (52-tone)

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11650.000	32.78	35.84	-3.06	54.00	-21.22	300	221	Average	Horizontal		
2	11650.000	43.60	46.66	-3.06	74.00	-30.40	300	221	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11650.000	32.62	35.68	-3.06	54.00	-21.38	200	52	Average	Vertical		
2	11650.000	44.09	47.15	-3.06	74.00	-29.91	200	52	Peak	Vertical		


802.11ax HE20 (106-tone)

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11650.000	33.05	36.11	-3.06	54.00	-20.95	300	225	Average	Horizontal		
2	11650.000	43.36	46.42	-3.06	74.00	-30.64	300	225	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11650.000	32.81	35.87	-3.06	54.00	-21.19	200	59	Average	Vertical		
2	11650.000	42.57	45.63	-3.06	74.00	-31.43	200	59	Peak	Vertical		


802.11ax HE40 (242-tone)

CH 159 (Horizontal)

CH 159 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 11590.000	32.63	35.84	-3.21	54.00	-21.37		300	214	Average	Horizontal	
2 11590.000	43.48	46.69	-3.21	74.00	-30.52		300	214	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 11590.000	32.61	35.82	-3.21	54.00	-21.39		200	47	Average	Vertical	
2 11590.000	42.97	46.18	-3.21	74.00	-31.03		200	47	Peak	Vertical	


802.11ax HE80 (484-tone)

CH 155 (Horizontal)

CH 155 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11550.000	33.52	36.76	-3.24	54.00	-20.48	300	173	Average	Horizontal		
2	11550.000	42.14	45.38	-3.24	74.00	-31.86	300	173	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11550.000	33.59	36.83	-3.24	54.00	-20.41	200	65	Average	Vertical		
2	11550.000	41.92	45.16	-3.24	74.00	-32.08	200	65	Peak	Vertical		