


U-NII-1




802.11a

CH 36 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.000	45.00	3.38	41.62	54.00	-9.00	100	59	Average	Horizontal	
2	* 5180.000	97.94	55.52	41.62	54.00	43.94	100	59	Average	Horizontal	
3	5406.500	43.30	0.75	42.55	54.00	-10.70	100	59	Average	Horizontal	

CH 36 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.000	43.06	1.44	41.62	54.00	-10.94	102	59	Average	Vertical	
2	* 5180.000	90.28	48.46	41.82	54.00	36.28	102	59	Average	Vertical	
3	5392.000	43.32	0.85	42.47	54.00	-10.68	102	59	Average	Vertical	

802.11a

CH 40 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5131.000	55.98	14.37	41.61	74.00	-18.02	100			60 Peak	Horizontal	
2	5200.000	107.54	65.58	41.96	68.28	39.34	100			60 Peak	Horizontal	
3	5421.500	56.00	13.53	42.47	74.00	-18.00	100			60 Peak	Horizontal	

CH 40 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5143.000	55.79	14.17	41.62	74.00	-18.21	103			59 Peak	Vertical	
2	5200.000	100.02	58.06	41.96	68.28	31.62	103			59 Peak	Vertical	
3	5385.000	56.12	13.76	42.36	74.00	-17.88	103			59 Peak	Vertical	

802.11a

CH 40 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5146.000	43.42	1.80	41.62	54.00	-10.58	100	60	Average	Horizontal		
2	* 5200.000	97.48	55.52	41.96	54.00	43.48	100	60	Average	Horizontal		
3	5400.000	43.32	0.74	42.58	54.00	-10.68	100	60	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5131.500	42.94	1.33	41.61	54.00	-11.06	103	59	Average	Vertical		
2	* 5200.000	99.89	47.93	41.96	54.00	35.89	103	59	Average	Vertical		
3	5412.500	43.39	0.88	42.51	54.00	-10.61	103	59	Average	Vertical		


	Freq	Level	Read Level	Factor	Limit	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dB	dB	cm	deg			
1	4937.000	55.86	14.31	41.55	74.00	-18.14	369	60	Peak	Vertical	
2	* 5248.000	99.81	58.07	41.74	68.20	31.61	369	60	Peak	Vertical	
3	5458.000	56.14	13.79	42.35	74.00	-17.86	369	60	Peak	Vertical	

802.11a

CH 48 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5144.500	42.99	1.37	41.62	54.00	-11.01	100	60	Average	Horizontal		
2	5240.000	97.51	55.77	41.74	54.00	43.51	100	60	Average	Horizontal		
3	5412.000	43.33	0.81	42.52	54.00	-10.67	100	60	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5126.500	42.79	1.18	41.61	54.00	-11.21	369	60	Average	Vertical		
2	5240.000	90.14	48.40	41.74	54.00	36.14	369	60	Average	Vertical		
3	5402.500	43.59	1.02	42.57	54.00	-10.41	369	60	Average	Vertical		

802.11ax HE20

CH 36 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5147.500	56.39	14.77	41.62	74.00	-17.61	101	60	Peak	Horizontal	
2	* 5180.000	106.00	64.18	41.82	68.20	37.80	101	60	Peak	Horizontal	
3	5409.000	55.80	13.26	42.54	74.00	-18.20	101	60	Peak	Horizontal	

CH 36 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4925.500	55.87	14.34	41.53	74.00	-18.13	102	254	Peak	Vertical	
2	* 5180.000	98.31	56.49	41.82	68.20	30.11	102	254	Peak	Vertical	
3	5411.000	56.25	13.73	42.52	74.00	-17.75	102	254	Peak	Vertical	

802.11ax HE20

CH 36 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.000	43.24	1.62	41.62	54.00	-10.76	101	60	Average	Horizontal	
2	5180.000	93.81	51.99	41.82	54.00	39.81	101	60	Average	Horizontal	
3	5410.000	42.89	0.36	42.53	54.00	-11.11	101	60	Average	Horizontal	

CH 36 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5134.000	42.39	0.78	41.61	54.00	-11.61	102	254	Average	Vertical	
2	5180.000	86.22	44.40	41.82	54.00	32.22	102	254	Average	Vertical	
3	5407.500	42.76	0.21	42.55	54.00	-11.24	102	254	Average	Vertical	


802.11ax HE20

CH 40 (Horizontal) Peak

CH 40 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5096.500	55.31	13.71	41.60	74.00	-18.69		271	59	Peak	Horizontal	
2	5290.000	106.20	64.24	41.96	65.20	38.00		271	59	Peak	Horizontal	
3	5430.500	56.54	14.12	42.42	74.00	-17.46		271	59	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4948.500	56.04	14.45	41.59	74.00	-17.96		104	254	Peak	Vertical	
2	5290.000	97.07	55.91	41.96	65.20	29.67		104	254	Peak	Vertical	
3	5399.500	55.59	13.02	42.57	74.00	-18.41		104	254	Peak	Vertical	

802.11ax HE20

CH 40 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5140.500	42.42	0.80	41.62	54.00	-11.58	271	59	Average	Horizontal	
2	5200.000	93.76	51.00	41.96	54.00	39.76	271	59	Average	Horizontal	
3	5403.500	42.84	0.28	42.56	54.00	-11.16	271	59	Average	Horizontal	

CH 40 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5116.500	42.36	0.76	41.60	54.00	-11.64	104	254	Average	Vertical	
2	5200.000	95.70	43.02	41.96	54.00	31.70	104	254	Average	Vertical	
3	5401.000	42.81	0.24	42.57	54.00	-11.19	104	254	Average	Vertical	


802.11ax HE20

CH 48 (Horizontal) Peak

CH 48 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4893.500	54.85	13.62	41.23	74.00	-19.15		325	60	Peak	Horizontal	
2	5240.000	106.47	64.73	41.74	65.20	38.27		325	60	Peak	Horizontal	
3	5419.000	55.12	12.64	42.48	74.00	-18.88		325	60	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4962.000	55.79	14.29	41.50	74.00	-18.21		334	313	Peak	Vertical	
2	5240.000	103.06	61.32	41.74	65.20	34.06		334	313	Peak	Vertical	
3	5428.500	56.02	13.59	42.43	74.00	-17.98		334	313	Peak	Vertical	

802.11ax HE20

CH 48 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5138.000	42.45	0.83	41.62	54.00	-11.55		325	60	Average	Horizontal	
2	5240.000	94.29	52.55	41.74	54.00	40.29		325	60	Average	Horizontal	
3	5412.000	42.84	0.32	42.52	54.00	-11.16		325	60	Average	Horizontal	

CH 48 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5119.500	42.42	0.81	41.61	54.00	-11.58		334	313	Average	Vertical	
2	5240.000	90.84	49.10	41.74	54.00	36.84		334	313	Average	Vertical	
3	5403.000	42.88	0.32	42.56	54.00	-11.12		334	313	Average	Vertical	


802.11ax HE40

CH 38 (Horizontal) Peak

CH 38 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5146.500	56.67	15.05	41.62	74.00	-17.33		270	59	Peak	Horizontal	
2	5190.000	102.62	60.73	41.89	65.20	34.42		270	59	Peak	Horizontal	
3	5377.500	55.72	13.46	42.26	74.00	-18.28		270	59	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5150.000	55.94	14.32	41.62	74.00	-18.06		230	192	Peak	Vertical	
2	5190.000	102.47	60.58	41.89	65.20	34.27		230	192	Peak	Vertical	
3	5376.500	55.52	13.28	42.24	74.00	-18.48		230	192	Peak	Vertical	

802.11ax HE40

CH 38 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5150.000	43.72	2.10	41.62	54.00	-10.28		270	59	Average	Horizontal	
2	* 5190.000	89.61	47.72	41.89	54.00	35.61		270	59	Average	Horizontal	
3	5410.000	42.94	0.41	42.53	54.00	-11.06		270	59	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5149.500	43.78	2.16	41.62	54.00	-10.22		230	192	Average	Vertical	
2	* 5190.000	89.01	46.12	41.89	54.00	34.01		230	192	Average	Vertical	
3	5407.000	43.00	0.45	42.55	54.00	-11.00		230	192	Average	Vertical	


802.11ax HE40

CH 46 (Horizontal) Peak

CH 46 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5103.000	55.78	14.19	41.59	74.00	-18.22	345	57	Peak	Horizontal		
2	5230.000	102.06	60.27	41.79	65.20	33.86	345	57	Peak	Horizontal		
3	5408.000	56.65	14.11	42.54	74.00	-17.35	345	57	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4864.000	55.45	14.16	41.29	74.00	-18.55	288	39	Peak	Vertical		
2	5230.000	101.05	59.26	41.79	65.20	32.05	288	39	Peak	Vertical		
3	5399.000	55.69	13.12	42.57	74.00	-18.31	288	39	Peak	Vertical		

802.11ax HE40

CH 46 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	5127.500	42.69	1.08	41.61	54.00	-11.31		345	57	Average	Horizontal	
2	5230.000	89.82	46.03	41.79	54.00	35.82		345	57	Average	Horizontal	
3	5392.000	43.09	0.62	42.47	54.00	-10.91		345	57	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	5120.500	42.68	1.07	41.61	54.00	-11.32		288	39	Average	Vertical	
2	5230.000	87.06	46.07	41.79	54.00	33.06		288	39	Average	Vertical	
3	5403.000	42.97	0.41	42.56	54.00	-11.03		288	39	Average	Vertical	


802.11ax HE80

CH 42 (Horizontal) Peak

CH 42 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5144.500	60.47	18.85	41.62	74.00	-13.53		206	51	Peak	Horizontal	
2	* 5210.000	97.95	56.05	41.90	65.20	29.75		206	51	Peak	Horizontal	
3	5388.500	56.15	13.74	42.41	74.00	-17.85		206	51	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5050.000	55.33	13.67	41.66	74.00	-18.67		339	26	Peak	Vertical	
2	* 5210.000	94.62	52.72	41.90	65.20	26.42		339	26	Peak	Vertical	
3	5442.500	54.86	12.51	42.35	74.00	-19.14		339	26	Peak	Vertical	

802.11ax HE80

CH 42 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5147.500	46.25	4.63	41.62	54.00	-7.75	206	51	Average	Horizontal		
2	* 5210.000	84.19	42.29	41.90	54.00	30.19	206	51	Average	Horizontal		
3	5409.000	42.72	0.18	42.54	54.00	-11.28	206	51	Average	Horizontal		

CH 42 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5114.000	42.71	1.11	41.60	54.00	-11.29	339	26	Average	Vertical		
2	* 5210.000	82.58	40.68	41.90	54.00	28.58	339	26	Average	Vertical		
3	5400.000	42.80	0.22	42.58	54.00	-11.20	339	26	Average	Vertical		

Band Edges, 4.5GHz ~ 7GHz
U-NII-2A


802.11a

CH 52 (Horizontal) Peak

CH 52 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5095.000	55.83	14.23	41.60	74.00	-18.17	100	62	Peak	Horizontal	
2 *	5260.000	107.68	65.67	41.61	65.20	39.48	100	62	Peak	Horizontal	
3	5374.500	56.51	14.30	42.21	74.00	-17.49	100	62	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5107.500	55.83	13.43	41.60	74.00	-18.97	325	62	Peak	Vertical	
2 *	5260.000	99.75	57.94	41.61	65.20	31.55	325	62	Peak	Vertical	
3	5438.000	56.14	13.76	42.38	74.00	-17.86	325	62	Peak	Vertical	

802.11a

CH 52 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5135.500	42.97	1.35	41.62	54.00	-11.03		100	62	Average	Horizontal	
2	5250.000	97.18	55.37	41.81	54.00	43.18		100	62	Average	Horizontal	
3	5386.000	43.32	0.95	42.37	54.00	-10.68		100	62	Average	Horizontal	

CH 52 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5139.000	42.34	0.72	41.62	54.00	-11.66		325	62	Average	Vertical	
2	5250.000	89.99	48.18	41.81	54.00	35.99		325	62	Average	Vertical	
3	5402.500	42.77	0.20	42.57	54.00	-11.23		325	62	Average	Vertical	


802.11a

CH 60 (Horizontal) Peak

CH 60 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5111.000	55.41	13.81	41.60	74.00	-18.59		334	62	Peak	Horizontal	
2	5300.000	106.69	64.37	42.32	65.20	38.49		334	62	Peak	Horizontal	
3	5436.500	55.88	13.50	42.38	74.00	-18.12		334	62	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5140.500	55.36	13.74	41.62	74.00	-18.64		100	254	Peak	Vertical	
2	5300.000	96.42	54.10	42.32	65.20	28.22		100	254	Peak	Vertical	
3	5433.000	55.75	13.35	42.40	74.00	-18.25		100	254	Peak	Vertical	

802.11a

CH 60 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5136.500	42.44	0.82	41.62	54.00	-11.56		334	62	Average	Horizontal	
2	5300.000	96.41	54.09	42.32	54.00	42.41		334	62	Average	Horizontal	
3	5399.500	42.91	0.34	42.57	54.00	-11.09		334	62	Average	Horizontal	

CH 60 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5127.500	42.39	0.78	41.61	54.00	-11.61		100	254	Average	Vertical	
2	5300.000	96.69	44.37	42.32	54.00	32.69		100	254	Average	Vertical	
3	5405.000	42.85	0.29	42.56	54.00	-11.15		100	254	Average	Vertical	

802.11a

CH 64 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5071.500	55.56	13.92	41.64	74.00	-18.44		314	63	Peak	Horizontal	
2	5320.000	105.67	63.54	42.13	66.20	37.47		314	63	Peak	Horizontal	
3	5403.500	55.60	13.04	42.56	74.00	-18.40		314	63	Peak	Horizontal	

CH 64 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5135.500	55.40	13.78	41.62	74.00	-18.60		100	254	Peak	Vertical	
2	5320.000	94.92	52.79	42.13	66.20	26.72		100	254	Peak	Vertical	
3	5419.500	55.64	13.17	42.47	74.00	-18.36		100	254	Peak	Vertical	

802.11a

CH 64 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5141.000	42.34	0.72	41.62	54.00	-11.66		314	63	Average	Horizontal	
2	5320.000	95.81	53.68	42.13	54.00	-11.81		314	63	Average	Horizontal	
3	5406.000	42.95	0.48	42.55	54.00	-11.05		314	63	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5126.000	42.53	0.92	41.61	54.00	-11.47		100	254	Average	Vertical	
2	5320.000	95.34	43.21	42.13	54.00	-11.34		100	254	Average	Vertical	
3	5401.500	42.89	0.32	42.57	54.00	-11.11		100	254	Average	Vertical	


802.11ax HE20

CH 52 (Horizontal) Peak

CH 52 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5079.000	56.55	14.93	41.62	74.00	-17.45		340		60 Peak	Horizontal	
2	5260.000	105.95	64.14	41.81	65.20	37.75		340		60 Peak	Horizontal	
3	5404.500	56.54	13.99	42.55	74.00	-17.46		340		60 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5116.500	56.19	14.59	41.60	74.00	-17.81		100		253 Peak	Vertical	
2	5260.000	90.52	55.71	41.81	65.20	30.32		100		253 Peak	Vertical	
3	5451.000	55.50	13.19	42.31	74.00	-18.50		100		253 Peak	Vertical	

802.11ax HE20

CH 52 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5106.500	42.45	0.85	41.60	54.00	-11.55		340	60	Average	Horizontal	
2	5200.000	93.91	52.10	41.01	54.00	39.91		340	60	Average	Horizontal	
3	5397.500	42.93	0.38	42.55	54.00	-11.07		340	60	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5134.500	42.36	0.75	41.61	54.00	-11.64		100	253	Average	Vertical	
2	5200.000	85.15	43.34	41.01	54.00	31.15		100	253	Average	Vertical	
3	5400.000	42.74	0.16	42.58	54.00	-11.26		100	253	Average	Vertical	


802.11ax HE20

CH 60 (Horizontal) Peak

CH 60 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5138.500	55.15	13.53	41.62	74.00	-18.85		352	66	Peak	Horizontal	
2	5386.000	105.21	62.89	42.32	66.20	37.01		352	66	Peak	Horizontal	
3	5402.000	56.86	14.29	42.57	74.00	-17.14		352	66	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5132.500	56.69	15.08	41.61	74.00	-17.31		352	62	Peak	Vertical	
2	5386.000	99.04	57.52	42.32	66.20	31.64		352	62	Peak	Vertical	
3	5386.500	55.97	13.59	42.38	74.00	-18.03		352	62	Peak	Vertical	


802.11ax HE20

CH 64 (Horizontal) Peak

CH 64 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5132.500	56.09	14.48	41.61	74.00	-17.91		349		64 Peak	Horizontal	
2	* 5320.000	105.52	63.39	42.13	68.20	37.32		349		64 Peak	Horizontal	
3	5358.000	55.43	13.46	41.97	74.00	-18.57		349		64 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5100.500	56.69	15.10	41.59	74.00	-17.31		340		313 Peak	Vertical	
2	* 5320.000	101.11	58.06	42.13	68.20	32.91		340		313 Peak	Vertical	
3	5393.500	56.73	14.24	42.49	74.00	-17.27		340		313 Peak	Vertical	

802.11ax HE20

CH 64 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5143.000	42.38	0.66	41.62	54.00	-11.72	349		64 Average	Horizontal	
2 *	5320.000	93.36	51.23	42.13	54.00	39.36	349		64 Average	Horizontal	
3	5406.500	42.80	0.25	42.55	54.00	-11.20	349		64 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5127.000	42.27	0.66	41.61	54.00	-11.73	340		313 Average	Vertical	
2 *	5320.000	67.47	45.34	42.13	54.00	33.47	340		313 Average	Vertical	
3	5412.500	42.84	0.33	42.51	54.00	-11.16	340		313 Average	Vertical	


802.11ax HE40

CH 54 (Horizontal) Peak

CH 54 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5129.000	55.85	14.24	41.61	74.00	-18.15	338	62	Peak	Horizontal		
2	5270.000	101.76	59.82	41.94	68.20	33.56	338	62	Peak	Horizontal		
3	5392.500	55.88	13.40	42.48	74.00	-18.12	338	62	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4893.000	55.42	14.00	41.42	74.00	-18.58	332	314	Peak	Vertical		
2	5270.000	96.96	55.82	41.94	68.20	28.76	332	314	Peak	Vertical		
3	5444.500	56.14	13.80	42.34	74.00	-17.86	332	314	Peak	Vertical		

802.11ax HE40

CH 54 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5133.000	42.50	0.89	41.61	54.00	-11.50	338	62	Average	Horizontal		
2	5270.000	89.54	47.60	41.94	54.00	35.54	338	62	Average	Horizontal		
3	5404.000	43.04	0.48	42.56	54.00	-10.96	338	62	Average	Horizontal		

CH 54 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5127.500	42.59	0.98	41.61	54.00	-11.41	332	314	Average	Vertical		
2	5270.000	84.10	42.24	41.94	54.00	30.18	332	314	Average	Vertical		
3	5406.000	43.14	0.59	42.55	54.00	-10.86	332	314	Average	Vertical		

Band Edges, 4.5GHz ~ 7GHz
U-NII-2C


802.11a

CH 100 (Horizontal) Peak

CH 100 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5419.500	55.65	13.18	42.47	74.00	-18.35	259	60	Peak	Horizontal	
2	5470.000	55.94	13.53	42.41	68.20	-12.26	259	60	Peak	Horizontal	
3	5500.000	103.57	61.02	42.55	68.20	35.37	259	60	Peak	Horizontal	
4	5845.000	57.37	14.61	42.76	68.20	-10.83	259	60	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5416.500	56.61	14.12	42.49	74.00	-17.39	299	173	Peak	Vertical	
2	5470.000	55.13	12.72	42.41	68.20	-13.07	299	173	Peak	Vertical	
3	5500.000	102.62	60.07	42.55	68.20	34.42	299	173	Peak	Vertical	
4	5836.500	57.18	14.42	42.76	68.20	-11.02	299	173	Peak	Vertical	

802.11a

CH 100 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 5454.500	42.97	0.63	42.34	54.00	-11.03	259	60	Average	Horizontal		
2 * 5500.000	93.96	51.41	42.55	54.00	39.96	259	60	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 5399.000	42.95	0.38	42.57	54.00	-11.05	299	173	Average	Vertical		
2 * 5500.000	92.97	50.42	42.55	54.00	38.97	299	173	Average	Vertical		


802.11a

CH 116 (Horizontal) Peak

CH 116 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5456.500	55.93	13.58	42.35	74.00	-18.07	391	62	Peak	Horizontal		
2	5468.000	54.55	12.16	42.39	68.20	-13.65	391	62	Peak	Horizontal		
3	5580.000	106.48	64.14	42.34	68.20	38.28	391	62	Peak	Horizontal		
4	5776.500	57.14	14.37	42.77	68.20	-11.06	391	62	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5426.500	55.45	13.61	42.44	74.00	-18.55	306	176	Peak	Vertical		
2	5466.000	54.54	12.16	42.38	68.20	-13.66	306	176	Peak	Vertical		
3	5580.000	104.10	61.76	42.34	68.20	35.90	306	176	Peak	Vertical		
4	5813.500	56.92	14.18	42.74	68.20	-11.28	306	176	Peak	Vertical		

802.11a

CH 116 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5407.500	42.94	0.39	42.55	54.00	-11.06	391	62	Average	Horizontal	
2	* 5500.000	96.74	54.40	42.34	54.00	42.74	391	62	Average	Horizontal	

CH 116 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5401.500	42.89	0.32	42.57	54.00	-11.11	386	176	Average	Vertical	
2	* 5500.000	94.48	52.14	42.34	54.00	40.48	386	176	Average	Vertical	

802.11a

CH 140 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5378.000	55.93	13.67	42.26	74.00	-18.07	333	62	Peak	Horizontal		
2	5466.500	54.99	12.60	42.39	68.20	-13.21	333	62	Peak	Horizontal		
3	5700.000	106.37	64.00	42.37	68.20	38.17	333	62	Peak	Horizontal		
4	5805.000	56.57	13.83	42.74	68.20	-11.63	333	62	Peak	Horizontal		

CH 140 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5452.000	56.75	14.43	42.32	74.00	-17.25	308	176	Peak	Vertical		
2	5469.500	54.87	12.46	42.41	68.20	-13.33	308	176	Peak	Vertical		
3	5700.000	105.07	62.70	42.37	68.20	36.87	308	176	Peak	Vertical		
4	5775.000	56.90	14.13	42.77	68.20	-11.30	308	176	Peak	Vertical		

802.11a

CH 140 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5392.000	42.87	0.40	42.47	54.00	-11.13		333	62	Average	Horizontal	
2 * 5700.000	96.22	53.65	42.37	54.00	42.22		333	62	Average	Horizontal	

CH 140 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5404.000	42.76	0.20	42.56	54.00	-11.24		308	176	Average	Vertical	
2 * 5700.000	94.75	52.38	42.37	54.00	40.75		308	176	Average	Vertical	