


802.11a

CH 144 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5380.500	56.83	14.53	42.30	74.00	-17.17	349	61 Peak	Horizontal	
2	5468.000	54.80	12.41	42.39	68.20	-13.40	349	61 Peak	Horizontal	
3	5720.000	105.67	63.13	42.54	122.20	-16.53	349	61 Peak	Horizontal	
4	6969.500	60.26	16.17	44.09	68.20	-7.94	349	61 Peak	Horizontal	

CH 144 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5453.500	57.13	14.80	42.33	74.00	-16.87	292	166 Peak	Vertical	
2	5465.500	56.22	13.84	42.38	68.20	-11.98	292	166 Peak	Vertical	
3	5720.000	105.37	62.83	42.54	122.20	-16.83	292	166 Peak	Vertical	
4	6927.500	60.18	16.15	44.03	68.20	-8.02	292	166 Peak	Vertical	

802.11a

CH 144 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5393.500	42.85	0.36	42.49	54.00	-11.15		349	61	Average	Horizontal	
2 *	5728.000	96.18	53.64	42.54	54.00	42.18		349	61	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5398.500	42.90	0.34	42.56	54.00	-11.10		292	166	Average	Vertical	
2 *	5727.000	94.99	52.38	42.61	54.00	40.99		292	166	Average	Vertical	


802.11ax HE20

CH 100 (Horizontal) Peak

CH 100 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5445.000	56.79	14.36	42.34	74.00	-17.30	259	60	Peak	Horizontal		
2	5467.000	57.03	14.64	42.39	68.20	-11.17	259	60	Peak	Horizontal		
3	5500.000	104.73	62.18	42.55	68.20	36.53	259	60	Peak	Horizontal		
4	5844.000	57.84	15.08	42.76	68.20	-10.36	259	60	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5366.000	55.19	13.11	42.08	74.00	-18.81	331	162	Peak	Vertical		
2	5462.000	54.85	12.46	42.37	68.20	-13.35	331	162	Peak	Vertical		
3	5500.000	100.83	58.28	42.55	68.20	32.63	331	162	Peak	Vertical		
4	5792.500	56.94	14.20	42.74	68.20	-11.26	331	162	Peak	Vertical		

802.11ax HE20


CH 100 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE20

CH 116 (Horizontal) Peak

CH 116 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5368.000	55.67	13.67	42.00	74.00	-18.33	265	61	Peak	Horizontal	
2	5461.500	55.78	13.41	42.37	68.20	-12.42	265	61	Peak	Horizontal	
3	* 5580.000	105.37	63.03	42.34	68.20	37.17	265	61	Peak	Horizontal	
4	5810.000	57.06	14.32	42.74	68.20	-11.14	265	61	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5382.500	55.79	13.46	42.33	74.00	-18.21	307	174	Peak	Vertical	
2	5469.500	55.30	12.89	42.41	68.20	-12.90	307	174	Peak	Vertical	
3	* 5580.000	103.70	61.36	42.34	68.20	35.50	307	174	Peak	Vertical	
4	5794.000	57.01	14.27	42.74	68.20	-11.19	307	174	Peak	Vertical	

802.11ax HE20

CH 116 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit					
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5400.500	42.79	0.21	42.58	54.00	-11.21	265	61 Average	Horizontal	
2 *	5500.000	93.60	51.26	42.34	54.00	39.60	265	61 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit					
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5409.500	42.95	0.42	42.53	54.00	-11.05	307	174 Average	Vertical	
2 *	5500.000	92.28	49.94	42.34	54.00	38.28	307	174 Average	Vertical	


802.11ax HE20

CH 140 (Horizontal) Peak

CH 140 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5388.000	55.50	13.10	42.40	74.00	-18.50	333	62	Peak	Horizontal		
2	5461.000	54.50	12.44	42.36	68.20	-13.40	333	62	Peak	Horizontal		
3	5700.000	105.96	63.59	42.37	68.20	37.76	333	62	Peak	Horizontal		
4	5808.500	56.35	13.61	42.74	68.20	-11.85	333	62	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5397.000	56.33	13.79	42.54	74.00	-17.67	309	186	Peak	Vertical		
2	5469.000	55.09	12.68	42.41	68.20	-13.11	309	186	Peak	Vertical		
3	5700.000	105.04	62.67	42.37	68.20	36.84	309	186	Peak	Vertical		
4	5841.000	57.51	14.75	42.76	68.20	-10.69	309	186	Peak	Vertical		

802.11ax HE20

CH 144 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5395.000	42.87	0.36	42.51	54.00	-11.13		333	62	Average	Horizontal	
2 * 5700.000	93.58	51.21	42.37	54.00	39.58		333	62	Average	Horizontal	

CH 144 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5400.500	43.01	0.43	42.58	54.00	-10.99		309	186	Average	Vertical	
2 * 5700.000	92.96	50.59	42.37	54.00	38.96		309	186	Average	Vertical	


802.11ax HE20

CH 144 (Horizontal) Peak

CH 144 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5351.500	55.49	13.62	41.87	74.00	-18.51	352	60 Peak	Horizontal	
2	5463.500	54.43	12.06	42.37	68.20	-13.77	352	60 Peak	Horizontal	
3	5720.000	104.73	62.19	42.54	122.20	-17.47	352	60 Peak	Horizontal	
4	6939.500	60.86	16.83	44.03	68.20	-7.34	352	60 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5400.000	56.68	14.10	42.58	74.00	-17.32	306	171 Peak	Vertical	
2	5460.500	55.98	13.54	42.36	68.20	-12.30	306	171 Peak	Vertical	
3	5720.000	105.67	63.13	42.54	122.20	-16.53	306	171 Peak	Vertical	
4	6809.500	60.65	16.67	43.98	68.20	-7.55	306	171 Peak	Vertical	

802.11ax HE20

CH 144 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5397.000	42.92	0.38	42.54	54.00	-11.08		352	60	Average	Horizontal	
2 * 5720.000	93.22	50.68	42.54	54.00	39.25		352	60	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5403.000	42.80	0.24	42.56	54.00	-11.20		306	171	Average	Vertical	
2 * 5720.000	91.01	49.27	42.54	54.00	37.01		306	171	Average	Vertical	


802.11ax HE40

CH 102 (Horizontal) Peak

CH 102 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5468.000	56.19	13.83	42.36	74.00	-17.81	198	79	Peak	Horizontal		
2	5468.000	56.98	14.59	42.39	68.20	-11.22	198	79	Peak	Horizontal		
3	5510.000	101.29	58.78	42.51	68.20	33.07	198	79	Peak	Horizontal		
4	5784.000	57.06	14.31	42.75	68.20	-11.14	198	79	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5377.000	55.38	13.13	42.25	74.00	-18.62	236	93	Peak	Vertical		
2	5469.500	55.94	13.53	42.41	68.20	-12.26	236	93	Peak	Vertical		
3	5510.000	99.46	56.95	42.51	68.20	31.26	236	93	Peak	Vertical		
4	5826.000	56.97	14.22	42.75	68.20	-11.23	236	93	Peak	Vertical		

802.11ax HE40


CH 102 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE40

CH 110 (Horizontal) Peak

CH 110 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5451.500	56.13	13.81	42.32	74.00	-17.87		225	60	Peak	Horizontal	
2	5470.000	54.59	12.18	42.41	68.20	-13.61		225	60	Peak	Horizontal	
3	* 5550.000	100.73	58.35	42.38	68.20	32.53		225	60	Peak	Horizontal	
4	5835.000	56.42	13.66	42.76	68.20	-11.78		225	60	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5454.500	56.48	14.14	42.34	74.00	-17.52		100	92	Peak	Vertical	
2	5464.000	55.57	13.19	42.38	68.20	-12.63		100	92	Peak	Vertical	
3	* 5550.000	96.12	53.74	42.38	68.20	27.92		100	92	Peak	Vertical	
4	5831.000	56.40	13.65	42.75	68.20	-11.80		100	92	Peak	Vertical	

802.11ax HE40

CH 110 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit					
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5394.500	42.63	0.13	42.50	54.00	-11.37	225	60 Average	Horizontal	
2 *	5550.000	88.66	46.28	42.38	54.00	34.66	225	60 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit					
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5398.500	42.67	0.11	42.56	54.00	-11.33	100	92 Average	Vertical	
2 *	5550.000	84.46	42.06	42.38	54.00	30.46	100	92 Average	Vertical	


802.11ax HE40

CH 134 (Horizontal) Peak

CH 134 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5352.000	55.28	13.40	41.88	74.00	-18.72		218	60	Peak	Horizontal	
2	5460.500	54.72	12.36	42.36	68.20	-13.48		218	60	Peak	Horizontal	
3	5670.000	103.21	60.86	42.35	68.20	35.01		218	60	Peak	Horizontal	
4	5822.500	56.75	14.00	42.75	68.20	-11.45		218	60	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5431.000	55.03	12.62	42.41	74.00	-18.97		298	191	Peak	Vertical	
2	5460.500	54.66	12.30	42.36	68.20	-13.54		298	191	Peak	Vertical	
3	5670.000	100.84	58.49	42.35	68.20	32.64		298	191	Peak	Vertical	
4	5831.000	56.70	13.95	42.75	68.20	-11.50		298	191	Peak	Vertical	

802.11ax HE40

CH 134 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5398.500	42.74	0.18	42.56	54.00	-11.26	218	60	Average	Horizontal
2 *	5670.000	90.34	47.99	42.35	54.00	36.34	218	60	Average	Horizontal

CH 134 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5399.500	42.69	0.12	42.57	54.00	-11.31	298	191	Average	Vertical
2 *	5670.000	68.25	45.90	42.35	54.00	34.25	298	191	Average	Vertical


802.11ax HE40

CH 142 (Horizontal) Peak

CH 142 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5405.500	55.74	13.18	42.56	74.00	-18.26	216	59 Peak	Horizontal	
2	5462.500	54.94	12.57	42.37	68.20	-13.26	216	59 Peak	Horizontal	
3	5710.000	103.06	60.60	42.46	122.20	-19.14	216	59 Peak	Horizontal	
4	6975.000	60.13	16.03	44.10	68.20	-8.07	216	59 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5376.000	55.72	13.49	42.23	74.00	-18.28	295	166 Peak	Vertical	
2	5468.500	54.95	12.55	42.40	68.20	-13.25	295	166 Peak	Vertical	
3	5710.000	99.63	57.17	42.46	122.20	-22.57	295	166 Peak	Vertical	
4	6909.000	59.10	14.96	44.14	68.20	-9.10	295	166 Peak	Vertical	

802.11ax HE40

CH 142 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5403.000	42.71	0.15	42.56	54.00	-11.29		216	59	Average	Horizontal	
2 * 5710.000	90.33	47.67	42.46	54.00	36.33		216	59	Average	Horizontal	

CH 142 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5409.500	42.74	0.21	42.53	54.00	-11.26		295	166	Average	Vertical	
2 * 5710.000	87.62	45.16	42.46	54.00	33.62		295	166	Average	Vertical	


802.11ax HE80

CH 106 (Horizontal) Peak

CH 106 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5435.000	58.46	16.07	42.39	74.00	-15.54		215	59	Peak	Horizontal	
2	5460.000	57.77	15.41	42.36	74.00	-16.23		215	59	Peak	Horizontal	
3	* 5530.000	96.89	54.45	42.44	68.20	28.69		215	59	Peak	Horizontal	
4	5780.500	56.49	13.73	42.76	68.20	-11.71		215	59	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5432.000	57.15	14.74	42.41	74.00	-16.85		313	10	Peak	Vertical	
2	5460.000	55.89	13.50	42.39	68.20	-12.31		313	10	Peak	Vertical	
3	* 5530.000	96.17	53.73	42.44	68.20	27.97		313	10	Peak	Vertical	
4	5783.000	57.43	14.68	42.75	68.20	-10.77		313	10	Peak	Vertical	

802.11ax HE80

CH 106 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5435.000	44.96	2.62	42.34	54.00	-9.04	215	59	Average	Horizontal		
2 *	5530.000	84.07	41.63	42.44	54.00	30.07	215	59	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5437.500	43.58	1.19	42.39	54.00	-10.42	313	10	Average	Vertical		
2 *	5530.000	82.65	40.21	42.44	54.00	28.65	313	10	Average	Vertical		

802.11ax HE80

CH 122 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5446.500	55.02	12.69	42.33	74.00	-18.98	104	95	Peak	Horizontal	
2	5462.000	55.35	12.98	42.37	68.20	-12.85	104	95	Peak	Horizontal	
3	5610.000	95.63	53.32	42.31	68.20	27.43	104	95	Peak	Horizontal	
4	5842.000	57.24	14.48	42.76	68.20	-10.96	104	95	Peak	Horizontal	

CH 122 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5422.000	55.50	13.03	42.47	74.00	-18.50	103	113	Peak	Vertical	
2	5468.000	54.45	12.06	42.39	68.20	-13.75	103	113	Peak	Vertical	
3	5610.000	87.55	45.24	42.31	68.20	19.35	103	113	Peak	Vertical	
4	5848.000	57.44	14.68	42.76	68.20	-10.76	103	113	Peak	Vertical	

802.11ax HE80

CH 122 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5404.500	42.94	0.39	42.55	54.00	-11.06		104	95	Average	Horizontal	
2 *	5610.000	82.34	40.03	42.31	54.00	28.34		104	95	Average	Horizontal	

CH 122 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5402.500	42.86	0.29	42.57	54.00	-11.14		103	113	Average	Vertical	
2 *	5610.000	75.28	32.97	42.31	54.00	21.28		103	113	Average	Vertical	


802.11ax HE80

CH 138 (Horizontal) Peak

CH 138 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5434.500	56.14	13.75	42.39	74.00	-17.86	102	61 Peak	Horizontal	
2	5461.500	55.51	13.14	42.37	68.20	-12.69	102	61 Peak	Horizontal	
3	5690.000	98.20	55.84	42.36	122.20	-24.00	102	61 Peak	Horizontal	
4	6911.000	60.10	16.08	44.02	68.20	-8.10	102	61 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5396.000	56.34	13.82	42.52	74.00	-17.66	298	166 Peak	Vertical	
2	5470.000	55.92	13.51	42.41	68.20	-12.28	298	166 Peak	Vertical	
3	5690.000	94.53	52.17	42.36	122.20	-27.67	298	166 Peak	Vertical	
4	6942.000	59.92	15.89	44.03	68.20	-8.28	298	166 Peak	Vertical	

802.11ax HE80


CH 138 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Mask, 4.5GHz ~ 7GHz
U-NII-3


802.11a

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5599.500	56.49	14.09	42.31	68.20	-11.80	203	58 Peak	Horizontal	
2	5699.500	55.95	13.58	42.37	104.83	-48.88	203	58 Peak	Horizontal	
3	5720.000	58.24	15.70	42.54	110.80	-52.56	203	58 Peak	Horizontal	
4	5722.500	58.65	16.08	42.57	122.90	-64.25	203	58 Peak	Horizontal	
5	5745.000	105.46	62.70	42.76	135.00	-29.54	203	58 Peak	Horizontal	
6	5855.000	56.59	13.01	42.78	110.00	-54.21	203	58 Peak	Horizontal	
7	5856.000	56.73	13.95	42.78	110.52	-53.79	203	58 Peak	Horizontal	
8	5883.000	56.11	13.25	42.86	99.26	-43.15	203	58 Peak	Horizontal	
9	5944.500	56.67	13.74	42.93	68.20	-11.53	203	58 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5636.000	56.27	13.94	42.33	68.20	-11.93	320	174 Peak	Vertical	
2	5681.500	55.63	13.27	42.36	91.55	-35.92	320	174 Peak	Vertical	
3	5719.500	56.88	14.34	42.54	110.66	-53.78	320	174 Peak	Vertical	
4	5725.000	61.27	18.68	42.59	135.00	-73.73	320	174 Peak	Vertical	
5	5745.000	105.98	63.22	42.76	135.00	-29.02	320	174 Peak	Vertical	
6	5853.000	55.29	12.42	42.78	120.40	-65.28	320	174 Peak	Vertical	
7	5860.500	56.44	13.65	42.79	109.26	-52.82	320	174 Peak	Vertical	
8	5903.000	56.62	13.72	42.90	84.44	-27.82	320	174 Peak	Vertical	
9	5980.000	57.30	14.17	43.13	68.20	-10.90	320	174 Peak	Vertical	

802.11a

CH 157 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5587.500	55.93	13.60	42.33	68.20	-12.27	341	62 Peak	Horizontal	
2	5678.000	56.40	14.04	42.36	88.96	-32.56	341	62 Peak	Horizontal	
3	5710.000	55.61	13.15	42.46	108.00	-52.39	341	62 Peak	Horizontal	
4	5721.000	54.45	11.90	42.55	115.64	-61.19	341	62 Peak	Horizontal	
5	5785.000	106.26	63.51	42.75	135.00	-28.74	341	62 Peak	Horizontal	
6	5854.500	56.08	13.30	42.78	113.22	-57.14	341	62 Peak	Horizontal	
7	5855.500	56.44	13.66	42.78	118.66	-54.22	341	62 Peak	Horizontal	
8	5911.000	56.68	13.78	42.90	78.53	-21.85	341	62 Peak	Horizontal	
9	5941.500	57.21	14.29	42.92	68.20	-10.99	341	62 Peak	Horizontal	

CH 157 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5584.000	56.39	14.06	42.33	68.20	-11.81	300	167 Peak	Vertical	
2	5656.500	56.37	14.03	42.34	73.03	-16.66	300	167 Peak	Vertical	
3	5712.000	55.64	13.16	42.48	108.56	-52.92	300	167 Peak	Vertical	
4	5723.000	54.79	12.22	42.57	125.32	-70.53	300	167 Peak	Vertical	
5	5785.000	105.77	63.02	42.75	135.00	-29.23	300	167 Peak	Vertical	
6	5851.000	56.23	13.46	42.77	130.16	-73.93	300	167 Peak	Vertical	
7	5872.000	57.02	14.20	42.82	106.04	-49.02	300	167 Peak	Vertical	
8	5921.000	57.07	14.16	42.91	71.15	-14.08	300	167 Peak	Vertical	
9	5993.000	57.06	13.84	43.22	68.20	-11.14	300	167 Peak	Vertical	


	Freq	Level	Read Level	Factor	Limit	Over Limit	Apos	Tpos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5648.500	56.56	14.22	42.34	68.20	-11.64	296	167	Peak	Vertical	
2	5654.500	55.96	13.62	42.34	71.54	-15.58	296	167	Peak	Vertical	
3	5700.000	55.88	13.51	42.37	105.20	-49.32	296	167	Peak	Vertical	
4	5721.000	55.32	12.77	42.55	115.46	-60.32	296	167	Peak	Vertical	
5	5825.000	106.25	63.50	42.75	135.00	-28.75	296	167	Peak	Vertical	
6	5850.500	58.33	15.56	42.77	132.50	-74.25	296	167	Peak	Vertical	
7	5856.000	57.23	14.45	42.78	110.52	-53.29	296	167	Peak	Vertical	
8	5900.500	57.68	14.78	42.90	86.29	-28.61	296	167	Peak	Vertical	
9	5977.500	57.93	14.81	43.12	68.20	-10.27	296	167	Peak	Vertical	

802.11ax HE20

CH 149 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5491.500	55.84	13.33	42.51	68.20	-12.36	100	60 Peak	Horizontal	
2	5664.000	56.60	14.25	42.35	78.59	-21.99	100	60 Peak	Horizontal	
3	5718.500	62.76	20.23	42.53	110.38	-47.62	100	60 Peak	Horizontal	
4	5723.000	62.49	19.92	42.57	125.32	-62.83	100	60 Peak	Horizontal	
5	5745.000	106.27	63.51	42.76	135.00	-28.73	100	60 Peak	Horizontal	
6	5854.000	55.82	13.04	42.78	115.64	-59.82	100	60 Peak	Horizontal	
7	5869.500	56.23	13.41	42.82	106.74	-50.51	100	60 Peak	Horizontal	
8	5879.500	56.52	13.68	42.84	101.86	-45.34	100	60 Peak	Horizontal	
9	5931.000	58.54	15.62	42.92	68.20	-9.66	100	60 Peak	Horizontal	

CH 149 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5578.000	57.90	15.57	42.33	68.20	-10.30	304	169 Peak	Vertical	
2	5654.500	56.73	14.39	42.34	71.54	-14.81	304	169 Peak	Vertical	
3	5720.000	57.91	15.37	42.54	110.80	-52.89	304	169 Peak	Vertical	
4	5724.500	59.77	17.18	42.59	132.58	-72.81	304	169 Peak	Vertical	
5	5745.000	104.13	61.37	42.76	135.00	-30.87	304	169 Peak	Vertical	
6	5850.500	57.25	14.48	42.77	132.58	-75.33	304	169 Peak	Vertical	
7	5859.500	55.96	13.17	42.79	109.54	-53.58	304	169 Peak	Vertical	
8	5905.500	57.05	14.15	42.90	82.59	-25.54	304	169 Peak	Vertical	
9	5984.500	58.44	15.28	43.16	68.20	-9.76	304	169 Peak	Vertical	

802.11ax HE20

CH 157 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5612.500	57.42	15.10	42.32	68.20	-10.78	325	64	Peak	Horizontal	
2	5658.000	56.49	14.15	42.34	74.14	-17.65	325	64	Peak	Horizontal	
3	5712.000	55.43	12.95	42.48	108.56	-53.13	325	64	Peak	Horizontal	
4	5724.000	55.53	12.95	42.58	130.16	-74.63	325	64	Peak	Horizontal	
5	5785.000	106.86	64.11	42.75	135.00	-28.14	325	64	Peak	Horizontal	
6	5850.000	55.42	12.65	42.77	135.00	-79.50	325	64	Peak	Horizontal	
7	5871.000	56.35	13.53	42.82	106.32	-49.97	325	64	Peak	Horizontal	
8	5899.000	57.43	14.53	42.90	87.40	-29.97	325	64	Peak	Horizontal	
9	5984.500	56.95	13.79	43.16	68.20	-11.25	325	64	Peak	Horizontal	

CH 157 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	2
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	---

	Freq	Level	Read Level	Factor	Limit	Over	Apos	Tpos	Remark	Pol/Phase	Note
	MHz	dBu/m	dBu	dB/m	dBuV/m	dB	cm	deg			
1	5513.500	57.25	14.75	42.50	68.20	-19.95	115	112	Peak	Vertical	
2	5670.000	56.46	14.11	42.35	83.04	-26.58	115	112	Peak	Vertical	
3	5719.500	55.65	13.11	42.54	110.66	-55.01	115	112	Peak	Vertical	
4	5720.000	55.43	12.89	42.54	110.80	-55.37	115	112	Peak	Vertical	
5	5825.000	98.06	95.51	42.75	135.00	-36.94	115	112	Peak	Vertical	
6	5855.000	56.70	13.92	42.70	110.80	-54.10	115	112	Peak	Vertical	
7	5780.570	52.73	14.41	42.82	106.46	-49.23	115	112	Peak	Vertical	
8	5907.500	56.55	13.65	42.90	81.11	-24.56	115	112	Peak	Vertical	
9	5993.000	58.10	14.88	43.22	68.20	-10.10	115	112	Peak	Vertical	


802.11ax HE40

CH 151 (Horizontal) Peak

CH 151 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5556.500	56.42	14.05	42.37	68.20	-11.78	214	60 Peak	Horizontal	
2	5671.500	55.90	13.55	42.35	84.15	-28.25	214	60 Peak	Horizontal	
3	5713.000	61.80	19.32	42.48	108.84	-47.04	214	60 Peak	Horizontal	
4	5721.500	60.03	17.48	42.55	118.06	-58.03	214	60 Peak	Horizontal	
5	5755.000	104.06	61.26	42.80	135.00	-30.94	214	60 Peak	Horizontal	
6	5854.000	56.16	13.30	42.78	115.64	-59.48	214	60 Peak	Horizontal	
7	5874.500	57.47	14.64	42.83	105.34	-47.87	214	60 Peak	Horizontal	
8	5914.500	58.36	15.45	42.91	75.94	-17.58	214	60 Peak	Horizontal	
9	5984.500	56.77	13.61	43.16	68.20	-11.43	214	60 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5583.000	56.53	13.99	42.54	68.20	-11.67	375	5 Peak	Vertical	
2	5675.500	55.95	13.59	42.36	87.11	-31.16	375	5 Peak	Vertical	
3	5709.500	55.86	13.40	42.46	107.86	-52.00	375	5 Peak	Vertical	
4	5724.500	55.92	13.33	42.59	132.58	-76.66	375	5 Peak	Vertical	
5	5755.000	101.39	58.59	42.80	135.00	-33.61	375	5 Peak	Vertical	
6	5854.500	55.84	13.66	42.78	113.22	-57.38	375	5 Peak	Vertical	
7	5870.500	56.78	13.96	42.82	106.46	-49.68	375	5 Peak	Vertical	
8	5878.000	57.61	14.77	42.84	102.97	-45.36	375	5 Peak	Vertical	
9	5983.500	57.15	14.00	43.15	68.20	-11.05	375	5 Peak	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~30MHz
U-NII-1


802.11a

CH 48(Open) (9kHz ~ 150kHz)

CH 48(Open) (150kHz ~ 30MHz)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.010	62.78	44.66	18.12	127.60	-64.82	100	43	Peak	Open		
2	0.030	49.59	29.57	20.02	118.05	-68.46	100	299	Peak	Open		
3	0.063	39.85	21.73	18.12	111.57	-71.72	100	221	Peak	Open		
4	0.076	39.65	21.30	18.35	110.00	-70.35	100	310	Peak	Open		
5	0.114	36.10	17.99	18.11	106.49	-70.39	100	56	Peak	Open		
6	0.124	29.12	10.94	18.18	105.71	-76.59	100	42	Peak	Open		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.150	45.10	26.76	18.34	104.80	-50.98	100	247	Peak	Open		
2	7.374	33.76	12.97	20.79	69.50	-35.74	100	137	Peak	Open		
3	11.433	36.16	14.51	21.65	69.50	-33.34	100	82	Peak	Open		
4	19.045	35.58	12.81	22.77	69.50	-33.92	100	176	Peak	Open		
5	21.164	36.30	13.66	22.64	69.50	-33.20	100	280	Peak	Open		
6	25.612	37.43	14.40	23.03	69.50	-32.07	100	315	Peak	Open		

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

U-NII-1


802.11a

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	57.168	22.76	28.63	-5.87	48.00	-17.24	100	78 Peak	Horizontal	
2	166.770	22.37	28.11	-5.74	43.50	-21.13	100	122 Peak	Horizontal	
3	382.110	25.95	28.78	-2.83	46.00	-20.05	100	344 Peak	Horizontal	
4	660.500	31.39	29.03	2.36	46.00	-14.61	100	223 Peak	Horizontal	
5	830.250	34.89	29.87	5.02	46.00	-11.11	100	34 Peak	Horizontal	
6	926.200	36.85	30.61	6.24	46.00	-9.15	100	31 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	33.880	26.50	33.92	-7.42	40.00	-13.50	100	231 Peak	Vertical	
2	159.980	22.93	28.49	-5.56	43.50	-20.57	100	339 Peak	Vertical	
3	437.400	26.90	28.62	-1.72	46.00	-19.10	100	182 Peak	Vertical	
4	669.230	30.75	28.37	2.38	46.00	-15.25	100	46 Peak	Vertical	
5	881.660	34.71	29.03	5.68	46.00	-11.29	100	127 Peak	Vertical	
6	994.100	36.97	29.56	7.41	54.00	-17.03	100	190 Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz
U-NII-1


802.11a

CH 36 (Horizontal)

CH 36 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 15540.000	35.04	33.69	1.35	54.00	-18.96	221	0	Average	Horizontal	
2 15540.000	46.40	45.05	1.35	74.00	-27.60	221	0	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 15540.000	35.14	33.79	1.35	54.00	-18.86	400	120	Average	Vertical	
2 15540.000	46.71	45.36	1.35	74.00	-27.29	400	120	Peak	Vertical	

Mains Conducted Emission, Tx Mode, 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

	Freq	Level	Read	Limit	Over		
	MHz	dBuV	Level Factor	Line	Limit	Remark	Pol/Phase Note
	MHz	dBuV	dB	dB	dB	dB	
1	0.156	7.49	-2.14	9.63	55.67	-48.18 Average	line1
2	0.156	10.93	1.30	9.63	65.67	-54.74 QP	line1
3	0.527	16.29	6.66	9.63	46.00	-29.71 Average	line1
4	0.527	18.08	8.45	9.63	56.00	-37.92 QP	line1
5	2.116	5.35	-4.31	9.66	46.00	-40.65 Average	line1
6	2.116	17.79	8.13	9.66	56.00	-38.21 QP	line1
7	2.825	5.60	-4.07	9.67	46.00	-40.40 Average	line1
8	2.825	19.52	9.05	9.67	56.00	-36.48 QP	line1
9	4.168	5.83	-3.85	9.68	46.00	-40.17 Average	line1
10	4.168	16.09	6.41	9.68	56.00	-39.91 QP	line1
11	23.035	33.10	23.38	9.72	50.00	-16.90 Average	line1
12	23.035	38.44	28.72	9.72	60.00	-21.56 QP	line1



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

	Freq	Level	Read	Limit	Over		
	MHz	dBuV	Level Factor	Line	Limit	Remark	Pol/Phase Note
	MHz	dBuV	dB	dB	dB	dB	
1	0.179	7.30	-2.33	9.63	54.51	-47.21 Average	neutral
2	0.179	10.81	1.18	9.63	64.51	-53.70 QP	neutral
3	0.693	5.79	-3.84	9.63	46.00	-40.21 Average	neutral
4	0.693	10.21	0.58	9.63	56.00	-45.79 QP	neutral
5	2.433	5.42	-4.25	9.67	46.00	-40.58 Average	neutral
6	2.433	17.73	8.06	9.67	56.00	-38.27 QP	neutral
7	2.783	5.36	-4.32	9.68	46.00	-40.64 Average	neutral
8	2.783	16.48	6.80	9.68	56.00	-39.52 QP	neutral
9	4.106	5.85	-3.84	9.69	46.00	-40.15 Average	neutral
10	4.106	16.90	7.21	9.69	56.00	-39.10 QP	neutral
11	23.035	33.36	23.51	9.85	50.00	-16.64 Average	neutral
12	23.035	38.67	28.82	9.85	60.00	-21.33 QP	neutral