

Ant No.: 3, Partail RU
Band Edges, 4.5GHz ~ 7GHz
U-NII-1


802.11ax HE20 (26-tone)

CH 48 (Horizontal) Peak

CH 48 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5145.000	56.00	14.38	41.62	74.00	-18.00	322	61	Peak	Horizontal	
2 *	5240.000	90.24	40.50	41.74	68.20	22.04	322	61	Peak	Horizontal	
3	5407.500	55.91	13.36	42.55	74.00	-18.09	322	61	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5071.500	55.02	13.38	41.64	74.00	-18.98	393	316	Peak	Vertical	
2 *	5240.000	83.05	41.31	41.74	68.20	14.85	393	316	Peak	Vertical	
3	5438.000	55.51	13.13	42.38	74.00	-18.49	393	316	Peak	Vertical	

802.11ax HE20 (26-tone)


CH 48 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE20 (52-tone)

CH 48 (Horizontal) Peak

CH 48 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5104.000	55.59	13.90	41.69	74.00	-18.50	322	62	Peak	Horizontal		
2	5240.000	91.98	49.34	41.74	68.20	22.88	322	62	Peak	Horizontal		
3	5388.500	55.68	13.27	42.41	74.00	-18.32	322	62	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4851.500	55.05	13.82	41.23	74.00	-18.95	395	9	Peak	Vertical		
2	5240.000	87.98	46.24	41.74	68.20	19.78	395	9	Peak	Vertical		
3	5392.000	55.82	13.35	42.47	74.00	-18.18	395	9	Peak	Vertical		

802.11ax HE20 (52-tone)

CH 48 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5138.000	42.74	1.12	41.62	54.00	-11.26		322	62	Average	Horizontal	
2	* 5240.000	80.19	38.45	41.74	54.00	26.19		322	62	Average	Horizontal	
3	5401.000	43.27	0.70	42.57	54.00	-10.73		322	62	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5126.500	42.80	1.19	41.61	54.00	-11.20		395	9	Average	Vertical	
2	* 5240.000	76.79	34.96	41.74	54.00	22.79		395	9	Average	Vertical	
3	5393.500	43.25	0.76	42.49	54.00	-10.75		395	9	Average	Vertical	

802.11ax HE20 (106-tone)

CH 48 (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5128.000	56.97	14.46	41.61	74.00	-17.93	323	62	Peak	Horizontal	
2	5240.000	90.57	48.83	41.74	68.20	22.37	323	62	Peak	Horizontal	
3	5410.500	57.56	15.03	42.53	74.00	-16.44	323	62	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5128.000	55.66	14.05	41.61	74.00	-18.34	343	61	Peak	Vertical	
2	5240.000	85.78	44.04	41.74	68.20	17.58	343	61	Peak	Vertical	
3	5405.500	55.42	12.86	42.56	74.00	-18.58	343	61	Peak	Vertical	

Band Edges, 4.5GHz ~ 7GHz
U-NII-2A


802.11ax HE20 (26-tone)

CH 60 (Horizontal) Peak

CH 60 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5126.000	55.22	13.61	41.61	74.00	-18.78	321	46	Peak	Horizontal	
2	5380.000	88.41	46.09	42.32	68.20	20.21	321	46	Peak	Horizontal	
3	5420.500	55.91	13.44	42.47	74.00	-18.09	321	46	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5090.000	56.30	14.69	41.61	74.00	-17.70	335	300	Peak	Vertical	
2	5390.000	84.24	41.92	42.32	68.20	16.04	335	300	Peak	Vertical	
3	5445.000	55.64	13.30	42.34	74.00	-18.36	335	300	Peak	Vertical	

802.11ax HE20 (26-tone)

CH 60 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5122.500	42.75	1.14	41.61	54.00	-11.25	321	46	Average	Horizontal		
2	5380.000	78.28	35.96	42.32	54.00	24.28	321	46	Average	Horizontal		
3	5406.000	43.06	0.51	42.55	54.00	-10.94	321	46	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5133.000	42.75	1.14	41.61	54.00	-11.25	335	300	Average	Vertical		
2	5380.000	73.38	31.66	42.32	54.00	19.38	335	300	Average	Vertical		
3	5412.000	43.23	0.71	42.52	54.00	-10.77	335	300	Average	Vertical		


802.11ax HE20 (52-tone)

CH 60 (Horizontal) Peak

CH 60 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5116.000	55.38	13.78	41.60	74.00	-18.62	359	47	Peak	Horizontal		
2	5380.000	91.00	40.68	42.32	68.20	-22.00	359	47	Peak	Horizontal		
3	5420.000	55.39	12.92	42.47	74.00	-18.61	359	47	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5075.500	55.32	13.69	41.63	74.00	-18.68	382	22	Peak	Vertical		
2	5380.000	84.40	42.16	42.32	68.20	-16.20	382	22	Peak	Vertical		
3	5449.500	55.59	13.28	42.31	74.00	-18.41	382	22	Peak	Vertical		

802.11ax HE20 (106-tone)


CH 60 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE40 (242-tone)

CH 62 (Horizontal) Peak

CH 62 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5037.500	54.87	13.32	41.55	74.00	-19.13	333			57 Peak	Horizontal	
2	5310.000	90.02	47.79	42.23	68.20	21.82	333			57 Peak	Horizontal	
3	5426.500	55.46	13.02	42.44	74.00	-18.54	333			57 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4918.500	55.28	13.77	41.51	74.00	-18.72	357			3 Peak	Vertical	
2	5310.000	86.48	44.25	42.23	68.20	18.28	357			3 Peak	Vertical	
3	5419.500	55.37	12.90	42.47	74.00	-18.63	357			3 Peak	Vertical	

802.11ax HE40 (242-tone)

CH 62 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5125.500	43.34	1.73	41.61	54.00	-10.66	333	57	Average	Horizontal		
2	5310.000	77.68	35.45	42.23	54.00	23.68	333	57	Average	Horizontal		
3	5390.000	43.89	1.45	42.44	54.00	-10.11	333	57	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5068.500	43.40	1.77	41.63	54.00	-10.60	357	3	Average	Vertical		
2	5310.000	75.11	32.88	42.23	54.00	21.11	357	3	Average	Vertical		
3	5397.500	43.83	1.28	42.55	54.00	-10.17	357	3	Average	Vertical		

802.11ax HE80 (484-tone)

CH 58 (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5135.000	55.74	14.12	41.62	74.00	-18.26	353	57	Peak	Horizontal		
2 * 5290.000	91.56	49.37	42.19	68.20	23.36	353	57	Peak	Horizontal		
3 5440.000	56.10	13.73	42.37	74.00	-17.90	353	57	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5125.500	56.18	14.57	41.61	74.00	-17.82	372	116	Peak	Vertical		
2 * 5290.000	85.48	43.29	42.19	68.20	17.28	372	116	Peak	Vertical		
3 5387.500	56.07	13.67	42.40	74.00	-17.93	372	116	Peak	Vertical		

Band Edges, 4.5GHz ~ 7GHz
U-NII-2C


802.11ax HE80 (484-tone)

CH 122 (Horizontal) Peak

CH 122 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5397.000	55.79	13.16	42.54	74.00	-18.30	357	108	Peak	Horizontal	
2	5464.500	55.74	13.36	42.38	68.20	-12.46	357	108	Peak	Horizontal	
3	* 5610.000	91.17	48.86	42.31	68.20	22.97	357	108	Peak	Horizontal	
4	5778.000	57.55	14.79	42.76	68.20	-10.65	357	108	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5422.500	55.11	12.64	42.47	74.00	-18.89	395	338	Peak	Vertical	
2	5463.500	54.79	12.42	42.37	68.20	-13.41	395	338	Peak	Vertical	
3	* 5610.000	90.51	48.20	42.31	68.20	22.31	395	338	Peak	Vertical	
4	5829.000	56.74	13.99	42.75	68.20	-11.46	395	338	Peak	Vertical	


802.11ax HE80 (484-tone)

CH 122 (Horizontal) Average

CH 122 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5392.000	44.72	2.25	42.47	54.00	-9.28	357	108	Average	Horizontal		
2 * 5610.000	81.25	38.94	42.31	54.00	27.25	357	108	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5416.000	44.66	2.17	42.49	54.00	-9.34	395	338	Average	Vertical		
2 * 5610.000	78.61	36.30	42.31	54.00	24.61	395	338	Average	Vertical		


802.11ax HE20 (26-tone)

CH 144 (Horizontal) Peak

CH 144 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5400.000	56.26	13.68	42.58	74.00	-17.74	321	50 Peak	Horizontal	
2	5465.500	55.42	13.04	42.38	68.20	-12.78	321	50 Peak	Horizontal	
3	5720.000	90.66	48.12	42.54	122.20	-31.54	321	50 Peak	Horizontal	
4	6912.500	59.20	15.18	44.02	68.20	-9.00	321	50 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5426.500	55.33	12.89	42.44	74.00	-18.67	393	170 Peak	Vertical	
2	5462.000	55.65	13.28	42.37	68.20	-12.55	393	170 Peak	Vertical	
3	5720.000	88.45	45.91	42.54	122.20	-33.75	393	170 Peak	Vertical	
4	6928.000	60.67	16.64	44.03	68.20	-7.53	393	170 Peak	Vertical	

802.11ax HE20 (26-tone)


CH 144 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE20 (52-tone)

CH 144 (Horizontal) Peak

CH 144 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5430.000	55.58	13.16	42.42	74.00	-18.42	266	99	Peak	Horizontal		
2	5462.500	54.42	12.05	42.37	68.20	-13.78	266	99	Peak	Horizontal		
3	5720.000	91.45	48.91	42.54	122.20	-30.75	266	99	Peak	Horizontal		
4	6919.000	59.97	15.95	44.02	68.20	-8.23	266	99	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5362.500	55.94	13.91	42.03	74.00	-18.06	372	40	Peak	Vertical		
2	5466.500	54.96	12.57	42.39	68.20	-13.24	372	40	Peak	Vertical		
3	5720.000	86.36	43.82	42.54	122.20	-35.84	372	40	Peak	Vertical		
4	6893.500	59.71	15.71	44.00	68.20	-8.49	372	40	Peak	Vertical		

802.11ax HE20 (52-tone)


CH 144 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE20 (106-tone)

CH 144 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5454.500	56.10	13.76	42.34	74.00	-17.90	205	92	Peak	Horizontal		
2	5460.000	54.46	12.10	42.36	68.20	-13.74	205	92	Peak	Horizontal		
3	5720.000	93.24	50.70	42.54	122.20	-28.96	205	92	Peak	Horizontal		
4	6928.000	60.04	16.01	44.03	68.20	-8.16	205	92	Peak	Horizontal		

CH 144 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5385.500	55.59	13.22	42.37	74.00	-18.41	280	193	Peak	Vertical		
2	5465.500	55.35	12.97	42.38	68.20	-12.85	280	193	Peak	Vertical		
3	5720.000	91.68	49.14	42.54	122.20	-30.52	280	193	Peak	Vertical		
4	6959.000	59.57	15.51	44.06	68.20	-8.63	280	193	Peak	Vertical		

802.11ax HE20 (106-tone)

CH 144 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5408.000	43.08	0.54	42.54	54.00	-10.92	205	92	Average	Horizontal	
2 *	5720.000	81.77	39.23	42.54	54.00	27.77	205	92	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5386.500	43.16	0.78	42.38	54.00	-10.84	280	193	Average	Vertical	
2 *	5720.000	79.85	37.31	42.54	54.00	25.85	280	193	Average	Vertical	


802.11ax HE40 (242-tone)

CH 142 (Horizontal) Peak

CH 142 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5413.500	56.27	13.76	42.51	74.00	-17.73	224	54	Peak	Horizontal	
2	5463.500	54.54	12.17	42.37	68.20	-13.66	224	54	Peak	Horizontal	
3	5710.000	91.44	48.98	42.46	122.20	-30.76	224	54	Peak	Horizontal	
4	6991.500	59.79	15.65	44.14	68.20	-8.41	224	54	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5410.000	55.30	12.77	42.53	74.00	-18.70	280	193	Peak	Vertical	
2	5468.000	55.84	13.45	42.39	68.20	-12.35	280	193	Peak	Vertical	
3	5710.000	90.54	48.08	42.46	122.20	-31.66	280	193	Peak	Vertical	
4	6941.000	59.63	15.60	44.03	68.20	-8.57	280	193	Peak	Vertical	


802.11ax HE40 (242-tone)

CH 142 (Horizontal) Average


CH 142 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Mask, 4.5GHz ~ 7GHz

U-NII-3


802.11ax HE20 (26-tone)

CH 165 (Horizontal) Peak

CH 165 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	5577.500	56.67	14.33	42.34	68.20	-11.53		324	50	Peak	Horizontal	
2	5684.500	55.91	13.55	42.36	93.76	-37.85		324	50	Peak	Horizontal	
3	5706.500	55.52	13.09	42.43	107.02	-51.50		324	50	Peak	Horizontal	
4	5724.000	55.05	13.27	42.58	130.16	-74.31		324	50	Peak	Horizontal	
5	5825.000	90.94	48.19	42.75	135.00	-44.06		324	50	Peak	Horizontal	
6	5854.000	55.81	13.03	42.78	115.64	-59.83		324	50	Peak	Horizontal	
7	5856.000	56.12	13.34	42.78	110.52	-54.40		324	50	Peak	Horizontal	
8	5918.000	56.60	13.69	42.91	73.36	-16.76		324	50	Peak	Horizontal	
9	5991.000	56.95	13.75	43.20	68.20	-11.25		324	50	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	--


802.11ax HE20 (52-tone)

CH 165 (Horizontal) Peak

CH 165 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5569.500	56.00	13.65	42.35	68.20	-12.20	324	50 Peak	Horizontal	
2	5696.000	57.25	14.88	42.37	102.25	-45.00	324	50 Peak	Horizontal	
3	5713.000	54.90	12.42	42.48	108.84	-53.94	324	50 Peak	Horizontal	
4	5720.000	55.68	13.14	42.54	110.80	-55.12	324	50 Peak	Horizontal	
5	5825.000	92.62	49.87	42.75	135.00	-42.38	324	50 Peak	Horizontal	
6	5851.000	55.37	12.60	42.77	130.16	-74.79	324	50 Peak	Horizontal	
7	5874.000	56.94	14.11	42.83	105.48	-48.54	324	50 Peak	Horizontal	
8	5910.500	56.91	14.01	42.90	78.90	-21.99	324	50 Peak	Horizontal	
9	6000.000	56.82	13.56	43.26	68.20	-11.38	324	50 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5584.000	56.80	14.47	42.33	68.20	-11.40	323	170 Peak	Vertical	
2	5674.500	55.46	13.11	42.35	86.37	-30.91	323	170 Peak	Vertical	
3	5715.500	55.28	12.78	42.50	109.54	-54.26	323	170 Peak	Vertical	
4	5722.500	56.11	13.54	42.57	122.90	-66.79	323	170 Peak	Vertical	
5	5825.000	91.53	48.78	42.75	135.00	-43.47	323	170 Peak	Vertical	
6	5850.500	55.69	12.92	42.77	132.50	-76.80	323	170 Peak	Vertical	
7	5873.500	56.01	13.18	42.83	105.62	-49.61	323	170 Peak	Vertical	
8	5898.000	57.19	14.29	42.90	88.14	-30.95	323	170 Peak	Vertical	
9	5966.500	56.41	13.37	43.04	68.20	-11.79	323	170 Peak	Vertical	


802.11ax HE20 (106-tone)

CH 165 (Horizontal) Peak

CH 165 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5577.500	56.20	13.86	42.34	68.20	-12.00	258	54 Peak	Horizontal	
2	5655.500	55.85	13.51	42.34	72.29	-16.44	258	54 Peak	Horizontal	
3	5703.500	55.91	13.51	42.40	106.18	-50.27	258	54 Peak	Horizontal	
4	5721.000	54.75	12.20	42.55	115.64	-60.89	258	54 Peak	Horizontal	
5	5825.000	92.46	49.71	42.75	135.00	-42.54	258	54 Peak	Horizontal	
6	5855.000	55.57	12.79	42.78	110.00	-55.23	258	54 Peak	Horizontal	
7	5872.500	57.08	14.25	42.83	105.90	-48.82	258	54 Peak	Horizontal	
8	5876.000	56.63	13.80	42.83	104.46	-47.83	258	54 Peak	Horizontal	
9	5930.000	56.62	13.70	42.92	68.20	-11.58	258	54 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5585.500	56.23	13.70	42.53	68.20	-11.97	272	196 Peak	Vertical	
2	5672.000	56.03	13.68	42.35	84.52	-28.49	272	196 Peak	Vertical	
3	5704.000	55.56	13.16	42.40	106.32	-50.76	272	196 Peak	Vertical	
4	5722.000	55.73	13.17	42.56	120.48	-64.75	272	196 Peak	Vertical	
5	5825.000	93.20	50.45	42.75	135.00	-41.00	272	196 Peak	Vertical	
6	5851.000	55.33	12.56	42.77	130.16	-74.83	272	196 Peak	Vertical	
7	5862.000	55.84	13.05	42.79	106.84	-53.00	272	196 Peak	Vertical	
8	5911.500	56.87	13.97	42.90	78.16	-21.29	272	196 Peak	Vertical	
9	5998.000	57.00	13.75	43.25	68.20	-11.20	272	196 Peak	Vertical	


802.11ax HE40 (242-tone)

CH 159 (Horizontal) Peak

CH 159 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9
Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	Note
5550.000	56.65	14.27	42.38	68.20	-11.55	306	70 Peak	Horizontal
5677.000	56.79	14.43	42.36	88.22	-31.43	306	70 Peak	Horizontal
5716.500	55.56	13.05	42.51	109.82	-54.26	306	70 Peak	Horizontal
5721.500	55.48	12.93	42.55	118.06	-62.58	306	70 Peak	Horizontal
5795.000	90.63	47.89	42.74	135.00	-44.37	306	70 Peak	Horizontal
5852.000	55.34	12.57	42.77	125.32	-69.98	306	70 Peak	Horizontal
5872.500	56.29	13.46	42.83	105.00	-49.61	306	70 Peak	Horizontal
5924.500	56.89	13.98	42.91	68.57	-11.68	306	70 Peak	Horizontal
5994.000	57.74	14.52	43.22	68.20	-10.46	306	70 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9
Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	Note
5524.500	56.19	13.73	42.46	68.20	-12.01	308	295 Peak	Vertical
5676.000	55.85	13.49	42.36	87.48	-31.63	308	295 Peak	Vertical
5708.500	56.43	13.98	42.45	107.58	-51.15	308	295 Peak	Vertical
5720.500	55.50	12.96	42.54	113.22	-57.72	308	295 Peak	Vertical
5795.000	87.48	44.74	42.74	135.00	-47.52	308	295 Peak	Vertical
5853.000	55.69	12.91	42.78	120.48	-64.79	308	295 Peak	Vertical
5860.500	57.00	14.21	42.79	109.26	-52.26	308	295 Peak	Vertical
5920.500	57.06	14.15	42.91	71.52	-14.46	308	295 Peak	Vertical
5958.500	57.51	14.53	42.98	68.20	-10.69	308	295 Peak	Vertical

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz
U-NII-1


802.11ax HE20 (26-tone)

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	15720.000	35.67	33.69	1.98	54.00	-18.33	300	293	Average	Horizontal	
2	15720.000	47.11	45.13	1.98	74.00	-26.89	300	293	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	15720.000	35.82	33.84	1.98	54.00	-18.18	100	86	Average	Vertical	
2	15720.000	47.63	45.65	1.98	74.00	-26.37	100	86	Peak	Vertical	


802.11ax HE20 (52-tone)

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	15720.000	35.71	33.73	1.98	54.00	-18.29	300	245	Average	Horizontal		
2	15720.000	47.60	45.62	1.98	74.00	-26.40	300	245	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	15720.000	35.82	33.84	1.98	54.00	-18.18	100	78	Average	Vertical		
2	15720.000	48.01	46.03	1.98	74.00	-25.99	100	78	Peak	Vertical		


802.11ax HE20 (106-tone)

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 15720.000	35.62	33.64	1.98	54.00	-18.38	300	233	Average	Horizontal		
2 15720.000	47.75	45.77	1.98	74.00	-26.25	300	233	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 15720.000	35.69	33.71	1.98	54.00	-18.31	100	86	Average	Vertical		
2 15720.000	47.94	45.96	1.98	74.00	-26.06	100	86	Peak	Vertical		


802.11ax HE40 (242-tone)

CH 46 (Horizontal)

CH 46 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	15690.000	36.06	34.16	1.90	54.00	-17.94	200	157	Average	Horizontal		
2	15690.000	45.46	43.56	1.90	74.00	-28.54	200	157	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	15690.000	36.15	34.25	1.90	54.00	-17.85	200	331	Average	Vertical		
2	15690.000	45.60	43.70	1.90	74.00	-28.40	200	331	Peak	Vertical		


802.11ax HE80 (484-tone)

CH 42 (Horizontal)

CH 42 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	15630.000	37.18	35.67	1.51	54.00	-16.82	100	317	Average	Horizontal		
2	15630.000	45.85	44.34	1.51	74.00	-28.15	100	317	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	15630.000	37.29	35.78	1.51	54.00	-16.71	300	354	Average	Vertical		
2	15630.000	45.60	44.09	1.51	74.00	-28.40	300	354	Peak	Vertical		

U-NII-2A


802.11ax HE20 (26-tone)

CH 60 (Horizontal)

CH 60 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 10600.000	31.82	36.89	-5.07	54.00	-22.18	100	344	Average	Horizontal		
2 10600.000	42.34	47.41	-5.07	74.00	-31.66	100	344	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 10600.000	31.70	36.77	-5.07	54.00	-22.30	200	168	Average	Vertical		
2 10600.000	42.18	47.25	-5.07	74.00	-31.82	200	168	Peak	Vertical		


802.11ax HE20 (52-tone)

CH 60 (Horizontal)

CH 60 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10600.000	31.77	36.84	-5.07	54.00	-22.23	100	357	Average	Horizontal		
2	10600.000	42.15	47.22	-5.07	74.00	-31.85	100	357	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10600.000	31.75	36.82	-5.07	54.00	-22.25	300	54	Average	Vertical		
2	10600.000	43.10	48.17	-5.07	74.00	-30.90	300	54	Peak	Vertical		


802.11ax HE20 (106-tone)

CH 60 (Horizontal)

CH 60 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10600.000	31.82	36.89	-5.07	54.00	-22.18	200	94	Average	Horizontal		
2	10600.000	42.68	47.67	-5.07	74.00	-31.40	200	94	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10600.000	31.76	36.83	-5.07	54.00	-22.24	200	138	Average	Vertical		
2	10600.000	41.52	46.59	-5.07	74.00	-32.48	200	138	Peak	Vertical		


802.11ax HE40 (242-tone)

CH 62 (Horizontal)

CH 62 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10620.000	32.38	37.42	-5.04	54.00	-21.62	200	189	Average	Horizontal		
2	10620.000	41.90	46.94	-5.04	74.00	-32.10	200	189	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10620.000	32.55	37.59	-5.04	54.00	-21.45	100	144	Average	Vertical		
2	10620.000	42.24	47.28	-5.04	74.00	-31.76	100	144	Peak	Vertical		


802.11ax HE80 (484-tone)

CH 58 (Horizontal)

CH 58 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 15870.000	36.64	34.51	2.13	54.00	-17.36	200	123	Average	Horizontal		
2 15870.000	44.91	42.78	2.13	74.00	-29.09	200	123	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 15870.000	36.78	34.65	2.13	54.00	-17.22	300	289	Average	Vertical		
2 15870.000	45.39	43.26	2.13	74.00	-28.61	300	289	Peak	Vertical		

U-NII-2C


802.11ax HE80 (484-tone)

CH 122 (Horizontal)

CH 122 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11220.000	30.98	34.76	-3.78	54.00	-23.02	100	268 Average	Horizontal	
2	11220.000	41.69	45.47	-3.78	74.00	-32.31	100	268 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11220.000	30.87	34.65	-3.78	54.00	-23.13	200	322 Average	Vertical	
2	11220.000	42.01	45.79	-3.78	74.00	-31.99	200	322 Peak	Vertical	