


	Freq	Level	Read Line	Factor	Limit Over	Limit	APos	TPos	Remark	Pol/Phase	Note
	Hz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2362.202	53.82	16.93	36.89	74.00	-20.18	284	61 Peak		Vertical	
2	* 2480.000	106.05	68.54	37.51	74.00	32.05	284	61 Peak		Vertical	
3	2487.745	55.33	17.82	37.51	74.00	-18.67	284	61 Peak		Vertical	

GFSK

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2386.522	40.17	3.06	37.11	54.00	-13.83	231	67	Average	Horizontal	
2	2480.000	112.61	75.19	37.51	54.00	58.61	231	67	Average	Horizontal	
3	2483.518	45.02	7.51	37.51	54.00	-8.98	231	67	Average	Horizontal	

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2361.538	40.11	3.23	36.88	54.00	-13.89	284	61	Average	Vertical	
2	2480.000	105.59	68.08	37.51	54.00	51.59	284	61	Average	Vertical	
3	2483.518	42.15	4.64	37.51	54.00	-11.85	284	61	Average	Vertical	

8DPSK

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2367.888	53.89	16.95	36.94	74.00	-20.11	234	291 Peak	Horizontal		
2	2480.000	106.42	68.91	37.51	74.00	32.42	234	291 Peak	Horizontal		
3	2483.500	59.15	21.64	37.51	74.00	-14.85	234	291 Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2322.825	53.83	17.12	36.71	74.00	-20.17	317	61 Peak	Vertical		
2	2480.000	100.14	62.63	37.51	74.00	26.14	317	61 Peak	Vertical		
3	2484.515	54.47	16.96	37.51	74.00	-19.53	317	61 Peak	Vertical		

8DPSK

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.515	40.12	2.98	37.14	54.00	-13.88	234	291	Average	Horizontal		
2 *	2480.000	102.41	64.90	37.51	54.00	48.41	234	291	Average	Horizontal		
3	2483.565	42.80	5.29	37.51	54.00	-11.20	234	291	Average	Horizontal		

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2383.435	40.01	2.93	37.08	54.00	-13.99	317	61	Average	Vertical		
2 *	2480.000	96.13	58.62	37.51	54.00	42.13	317	61	Average	Vertical		
3	2483.500	41.42	3.91	37.51	54.00	-12.58	317	61	Average	Vertical		


Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

GFSK

High Channel (Open) 9kHz~150kHz




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.010	63.08	44.96	18.12	127.60	-64.52	100	272	Peak	Open	
2	0.030	50.44	30.42	20.02	118.05	-67.61	100	272	Peak	Open	
3	0.063	40.26	22.14	18.12	111.57	-71.31	100	234	Peak	Open	
4	0.076	39.53	21.17	18.36	110.01	-70.48	100	339	Peak	Open	
5	0.114	36.78	18.67	18.11	106.49	-69.71	100	0	Peak	Open	
6	0.124	27.52	9.34	18.18	105.70	-76.18	100	0	Peak	Open	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.150	44.05	25.71	18.34	104.00	-68.03	100	0	Peak	Open	
2	7.016	33.89	13.11	20.78	69.50	-35.61	100	340	Peak	Open	
3	11.075	35.85	14.27	21.58	69.50	-33.65	100	31	Peak	Open	
4	18.627	36.49	13.77	22.72	69.50	-33.01	100	251	Peak	Open	
5	24.717	36.97	13.92	23.05	69.50	-32.53	100	344	Peak	Open	
6	28.508	36.74	13.57	23.17	69.50	-32.76	100	245	Peak	Open	


Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

GFSK

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	53.288	22.29	27.94	-5.65	40.00	-17.71	100	228 Peak	Horizontal	
2	165.808	23.12	28.75	-5.63	43.50	-20.38	100	168 Peak	Horizontal	
3	344.288	26.61	30.23	-3.62	46.00	-19.39	100	287 Peak	Horizontal	
4	572.238	29.78	28.85	0.93	46.00	-16.22	100	352 Peak	Horizontal	
5	768.178	34.03	29.44	4.59	46.00	-11.97	100	0 Peak	Horizontal	
6	918.528	35.84	29.61	6.23	46.00	-10.16	100	313 Peak	Horizontal	

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	33.888	29.78	37.20	-7.42	40.00	-10.22	100	26 Peak	Vertical	
2	170.658	22.49	28.39	-5.90	43.50	-21.01	100	50 Peak	Vertical	
3	377.260	26.41	29.30	-2.89	46.00	-19.59	100	172 Peak	Vertical	
4	571.260	30.21	29.34	0.87	46.00	-15.79	100	220 Peak	Vertical	
5	764.298	33.59	29.08	4.51	46.00	-12.41	100	81 Peak	Vertical	
6	928.228	35.75	29.47	6.28	46.00	-10.25	100	330 Peak	Vertical	


Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz

GFSK

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4960.000	38.23	18.52	-10.39	54.00	-45.87	200	198	Average	Horizontal	CF
2	4960.000	38.23	48.62	-10.39	74.00	-35.77	200	198	Peak	Horizontal	

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4960.000	41.65	21.94	-10.39	54.00	-42.45	300	66	Average	Vertical	CF
2	4960.000	41.65	52.04	-10.39	74.00	-32.35	300	66	Peak	Vertical	

8DPSK

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4960.000	9.29	19.68	-10.39	54.00	-44.71	200	164	Average	Horizontal	CF
2	4960.000	39.39	49.78	-10.39	74.00	-34.61	200	164	Peak	Horizontal	

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4960.000	9.53	19.92	-10.39	54.00	-44.47	100	104	Average	Vertical	CF
2	4960.000	39.63	50.02	-10.39	74.00	-34.37	100	104	Peak	Vertical	

Mains Conducted Emission, Tx Mode, 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

