

FCC Appendix RF Test Data for BLE

FCC ID : 2A6P9-WCASQ1

Company : Promaster Electronic LLC

EUT : Wireless CP&AA adaptor

Model Number : WCA-SQ1

Report No. : CTA25092701301

Reviewed By : Eric Wang

Appendix A: DTS Bandwidth

Test Result

TestMode	Antenna	Freq(MHz)	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	Ant1	2402	0.636	2401.696	2402.332	0.5	PASS
		2440	0.652	2439.684	2440.336	0.5	PASS
		2480	0.640	2479.696	2480.336	0.5	PASS

Agilent Spectrum Analyzer - Sweep SA

Center Freq 2.402000000 GHz

Ref Offset 0.7 dB
Ref 20.00 dBm

Trig: Free Run
#Atten: 30 dB

#Avg Type: RMS
Avg/Hold: 100/100

Trace 1: 2 4 5 6
Type: MATH
Det: P P P P P

Frequency

Auto Tune

Center Freq
2.402000000 GHz

Start Freq
2.400000000 GHz

Stop Freq
2.404000000 GHz

CF Step
400.000 kHz
Auto Man

Freq Offset
0 Hz

ΔMkr3 636 kHz
0.274 dB

10 dB/div
Log

Center 2.402000 GHz
#Res BW 100 kHz
#VBW 300 kHz
Sweep (#Swp) 1.000 ms (1001 pts)

MKR	MODE	TRIG	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	2.401 636 GHz	-8.929 dBm			
2	N	1	f	2.402 000 GHz	-3.322 dBm			
3	Δ	1	f (Δ)	636 kHz (Δ)	0.274 dB			

MSO

STATUS

Agilent Spectrum Analyzer - Sweep SA

Center Freq 2.440000000 GHz

Ref Offset 0.7 dB
Ref 20.00 dBm

Trig: Free Run
#Atten: 30 dB

#Avg Type: RMS
Avg/Hold: 100/100

Trace 1: 2 4 5 6
Type: MATH
Det: P P P P P

Frequency

Auto Tune

Center Freq
2.440000000 GHz

Start Freq
2.438000000 GHz

Stop Freq
2.442000000 GHz

CF Step
400.000 kHz
Auto Man

Freq Offset
0 Hz

ΔMkr3 652 kHz
0.011 dB

10 dB/div
Log

Center 2.440000 GHz
#Res BW 100 kHz
#VBW 300 kHz
Sweep (#Swp) 1.000 ms (1001 pts)

MKR	MODE	TRIG	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	2.439 684 GHz	-9.536 dBm			
2	N	1	f	2.440 024 GHz	-3.640 dBm			
3	Δ	1	f (Δ)	652 kHz (Δ)	0.011 dB			

MSO

STATUS





Appendix B: Occupied Channel Bandwidth

Test Result

TestMode	Antenna	Freq(MHz)	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	Ant1	2402	1.0036	2401.5183	2402.5219	---	---
		2440	1.0092	2439.5135	2440.5227	---	---
		2480	1.0089	2479.5150	2480.5239	---	---

Test Graphs





Appendix C: Maximum conducted output power

Test Result Peak


TestMode	Antenna	Freq(MHz)	Conducted Peak Power[dBm]	Conducted Limit[dBm]	Verdict
BLE_1M	Ant1	2402	-3.23	≤30	PASS
		2440	-3.48	≤30	PASS
		2480	-3.52	≤30	PASS


Appendix D: Maximum power spectral density

Test Result

TestMode	Antenna	Freq(MHz)	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
BLE_1M	Ant1	2402	-19.07	≤8.00	PASS
		2440	-19.15	≤8.00	PASS
		2480	-19.24	≤8.00	PASS

Test Graphs






Appendix E: Band edge measurements

Test Result

TestMod e	Antenn a	ChNam e	Freq(MHz)	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdic t
BLE_1M	Ant1	Low	2402	-3.20	-52.42	≤-23.2	PASS
		High	2480	-3.48	-54.09	≤-23.48	PASS

Test Graphs





Appendix F: Conducted Spurious Emission

Test Result

TestMode	Antenna	Freq(MHz)	FreqRange [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Ant1	2402	Reference	-4.66	-4.66	---	PASS
			30~1000	-4.66	-62.48	≤-24.66	PASS
			1000~26500	-4.66	-49.07	≤-24.66	PASS
		2440	Reference	-5.01	-5.01	---	PASS
			30~1000	-5.01	-46.74	≤-25.01	PASS
			1000~26500	-5.01	-48.16	≤-25.01	PASS
		2480	Reference	-4.37	-4.37	---	PASS
			30~1000	-4.37	-67.9	≤-24.37	PASS
			1000~26500	-4.37	-47.34	≤-24.37	PASS

Test Graphs







BLE_1M_Ant1_2440_0~Reference



BLE_1M_Ant1_2440_30~1000




BLE_1M_Ant1_2440_1000~26500




BLE_1M_Ant1_2480_0~Reference



BLE_1M_Ant1_2480_30~1000



BLE_1M_Ant1_2480_1000~26500



Appendix G: Duty Cycle

Test Result

TestMode	Antenna	Freq(MHz)	ON Time [ms]	Period [ms]	X	DC [%]	xFactor	Limit	Verdict
BLE_1M	Ant1	2402	0.41	0.63	0.6508	65.08	1.87	---	---
		2440	0.41	0.63	0.6508	65.08	1.87	---	---
		2480	0.41	0.63	0.6508	65.08	1.87	---	---

Test Graphs

