

## 6. Band edge measurements

### 6.1. Test Result

| TestMode   | Antenna | ChName | Channel | Result[dBm] | Limit[dBm] | Verdict |
|------------|---------|--------|---------|-------------|------------|---------|
| 11A        | Ant1    | Low    | 5180    | -32.21      | ≤-27       | PASS    |
|            |         | High   | 5240    | -50.46      | ≤-27       | PASS    |
| 11N20SISO  | Ant1    | Low    | 5180    | -33.33      | ≤-27       | PASS    |
|            |         | High   | 5240    | -50.74      | ≤-27       | PASS    |
| 11N40SISO  | Ant1    | Low    | 5190    | -31.27      | ≤-27       | PASS    |
|            |         | High   | 5230    | -50.87      | ≤-27       | PASS    |
| 11AC20SISO | Ant1    | Low    | 5180    | -31.52      | ≤-27       | PASS    |
|            |         | High   | 5240    | -51.05      | ≤-27       | PASS    |
| 11AC40SISO | Ant1    | Low    | 5190    | -30.34      | ≤-27       | PASS    |
|            |         | High   | 5230    | -49.87      | ≤-27       | PASS    |
| 11AC80SISO | Ant1    | Low    | 5210    | -30.7       | ≤-27       | PASS    |
|            |         | High   | 5210    | -44.88      | ≤-27       | PASS    |

| TestMode  | Antenna | ChName | Channel | FreqRange [MHz] | Result [dBm] | Limit [dBm] | Verdict |
|-----------|---------|--------|---------|-----------------|--------------|-------------|---------|
| 11A       | Ant1    | Low    | 5745    | 5650~5700       | -40.85       | ≤6.55       | PASS    |
|           |         |        |         | 5700~5720       | -31.86       | ≤15.60      | PASS    |
|           |         |        |         | 5720~5725       | -23.97       | ≤27.00      | PASS    |
|           |         |        |         | 5760~5650       | -49.97       | ≤-27        | PASS    |
|           |         | High   | 5825    | 5850~5855       | -25.6        | ≤17.14      | PASS    |
|           |         |        |         | 5855~5875       | -32.18       | ≤10.05      | PASS    |
|           |         |        |         | 5875~5925       | -46.95       | ≤-20.82     | PASS    |
|           |         |        |         | 5925~5935       | -50.45       | ≤-27        | PASS    |
| 11N20SISO | Ant1    | Low    | 5745    | 5650~5700       | -40.39       | ≤9.88       | PASS    |
|           |         |        |         | 5700~5720       | -29.3        | ≤15.55      | PASS    |
|           |         |        |         | 5720~5725       | -20.27       | ≤26.24      | PASS    |
|           |         |        |         | 5760~5650       | -50.55       | ≤-27        | PASS    |
|           |         | High   | 5825    | 5850~5855       | -27.81       | ≤15.80      | PASS    |
|           |         |        |         | 5855~5875       | -31.25       | ≤10.76      | PASS    |
|           |         |        |         | 5875~5925       | -46.51       | ≤-26.18     | PASS    |
|           |         |        |         | 5925~5935       | -50.57       | ≤-27        | PASS    |
| 11N40SISO | Ant1    | Low    | 5755    | 5650~5700       | -35.33       | ≤8.39       | PASS    |
|           |         |        |         | 5700~5720       | -15.91       | ≤15.25      | PASS    |
|           |         |        |         | 5720~5725       | -19.07       | ≤21.70      | PASS    |
|           |         |        |         | 5780~5650       | -46.96       | ≤-27        | PASS    |
|           |         | High   | 5795    | 5850~5855       | -35.79       | ≤15.85      | PASS    |
|           |         |        |         | 5855~5875       | -36.17       | ≤10.71      | PASS    |
|           |         |        |         | 5875~5925       | -42.48       | ≤-26.13     | PASS    |
|           |         |        |         | 5925~5935       | -50.99       | ≤-27        | PASS    |
| 11AC20SIS | Ant1    | Low    | 5745    | 5650~5700       | -36.84       | ≤9.51       | PASS    |

|                |      |      |      |           |        |         |      |
|----------------|------|------|------|-----------|--------|---------|------|
| O              |      |      |      | 5700~5720 | -29.91 | ≤15.60  | PASS |
|                |      |      |      | 5720~5725 | -20.71 | ≤23.96  | PASS |
|                |      |      |      | 5760~5650 | -49.68 | ≤-27    | PASS |
|                |      | High | 5825 | 5850~5855 | -25.11 | ≤22.04  | PASS |
|                |      |      |      | 5855~5875 | -30.62 | ≤10.10  | PASS |
|                |      |      |      | 5875~5925 | -46.08 | ≤-26.47 | PASS |
|                |      |      |      | 5925~5935 | -50.94 | ≤-27    | PASS |
| 11AC40SIS<br>O | Ant1 | Low  | 5755 | 5650~5700 | -34.84 | ≤8.10   | PASS |
|                |      |      |      | 5700~5720 | -20.28 | ≤15.53  | PASS |
|                |      |      |      | 5720~5725 | -17.12 | ≤26.60  | PASS |
|                |      |      |      | 5780~5650 | -47.61 | ≤-27    | PASS |
|                |      | High | 5795 | 5850~5855 | -33.29 | ≤17.48  | PASS |
|                |      |      |      | 5855~5875 | -37.89 | ≤11.51  | PASS |
|                |      |      |      | 5875~5925 | -43.57 | ≤-26.84 | PASS |
|                |      |      |      | 5925~5935 | -51.95 | ≤-27    | PASS |
| 11AC80SIS<br>O | Ant1 | Low  | 5775 | 5650~5700 | -25.44 | ≤-0.61  | PASS |
|                |      |      |      | 5700~5720 | -26.27 | ≤13.34  | PASS |
|                |      |      |      | 5720~5725 | -24.02 | ≤26.93  | PASS |
|                |      |      |      | 5800~5650 | -38.95 | ≤-27    | PASS |
|                |      | High | 5775 | 5850~5855 | -27.1  | ≤15.62  | PASS |
|                |      |      |      | 5855~5875 | -28.77 | ≤14.31  | PASS |
|                |      |      |      | 5875~5925 | -34.72 | ≤-24.46 | PASS |
|                |      |      |      | 5925~5935 | -41.83 | ≤-27    | PASS |

6.2.Test Graphs



Spectrum

Ref Level 15.18 dBm

Offset 15.18 dB

RBW 1 MHz

Att 10 dB

SWT 32.1  $\mu$ s

VBW 3 MHz

Mode Auto FFT

Count 177/300

IPk View

Start 5.22 GHz

691 pts

Stop 5.46 GHz

Marker

| Type | Ref | Trc | X-value      | Y-value    | Function | Function Result |
|------|-----|-----|--------------|------------|----------|-----------------|
| M1   | 1   |     | 5.24449 GHz  | 12.23 dBm  |          |                 |
| M2   | 1   |     | 5.35 GHz     | -53.24 dBm |          |                 |
| M3   | 1   |     | 5.449217 GHz | -50.46 dBm |          |                 |

Date: 19.APR.2022 14:27:36

11A\_Ant1\_High\_5240

Spectrum

Ref Level 15.03 dBm

Offset 15.03 dB

RBW 1 MHz

Att 10 dB

SWT 1 ms

VBW 3 MHz

Mode Auto Sweep

Count 300/300

IPk View

Start 4.5 GHz

691 pts


Stop 5.2 GHz

Marker


| Type | Ref | Trc | X-value     | Y-value    | Function | Function Result |
|------|-----|-----|-------------|------------|----------|-----------------|
| M1   | 1   |     | 5.1843 GHz  | 14.05 dBm  |          |                 |
| M2   | 1   |     | 5.15 GHz    | -30.64 dBm |          |                 |
| M3   | 1   |     | 5.14928 GHz | -33.33 dBm |          |                 |

Date: 19.APR.2022 15:00:19


11N20SISO\_Ant1\_Low\_5180




## 11N20SISO\_Ant1\_High\_5240




## 11N40SISO\_Ant1\_Low\_5190




## 11N40SISO\_Ant1\_High\_5230




11AC20SISO\_Ant1\_Low\_5180



11AC20SISO\_Ant1\_High\_5240




11AC40SISO\_Ant1\_Low\_5190




## 11AC40SISO\_Ant1\_High\_5230




## 11AC80SISO\_Ant1\_Low\_5210




## 11AC80SISO\_Ant1\_High\_5210



11A\_Ant1\_Low\_5745



11A\_Ant1\_High\_5825




11N20SISO\_Ant1\_Low\_5745




## 11N20SISO\_Ant1\_High\_5825




## 11N40SISO\_Ant1\_Low\_5755




## 11N40SISO\_Ant1\_High\_5795



11AC20SISO\_Ant1\_Low\_5745



11AC20SISO\_Ant1\_High\_5825



11AC40SISO\_Ant1\_Low\_5755



11AC40SISO\_Ant1\_High\_5795



11AC80SISO\_Ant1\_Low\_5775



11AC80SISO\_Ant1\_High\_5775

## 7. Emissions in Restricted Bands

### 7.1. Test Result

| TestMode  | Antenna | ChName | Channel | Detector | Freq<br>[MHz] | EIRP<br>[dBm] | Limit<br>[dBm] | Verdict |
|-----------|---------|--------|---------|----------|---------------|---------------|----------------|---------|
| 11A       | Ant1    | Low    | 5180    | AV       | 4500.000      | -62.22        | ≤-41.20        | PASS    |
|           |         |        |         | AV       | 5149.275      | -45.57        | ≤-41.20        | PASS    |
|           |         |        |         | AV       | 5150.000      | -44.94        | ≤-41.20        | PASS    |
|           |         |        |         | Peak     | 4500.000      | -51.4         | ≤-21.20        | PASS    |
|           |         |        |         | Peak     | 5147.246      | -27.64        | ≤-21.20        | PASS    |
|           |         |        |         | Peak     | 5150.000      | -31.09        | ≤-21.20        | PASS    |
|           |         | High   | 5240    | AV       | 5350.000      | -58.86        | ≤-41.20        | PASS    |
|           |         |        |         | AV       | 5362.609      | -56.32        | ≤-41.20        | PASS    |
|           |         |        |         | AV       | 5460.000      | -60.29        | ≤-41.20        | PASS    |
|           |         |        |         | Peak     | 5350.000      | -50.58        | ≤-21.20        | PASS    |
|           |         |        |         | Peak     | 5450.957      | -49.08        | ≤-21.20        | PASS    |
|           |         |        |         | Peak     | 5460.000      | -51.86        | ≤-21.20        | PASS    |
|           |         | Low    | 5745    | Peak     | 5650.000      | -50.03        | ≤-27.00        | PASS    |
|           |         |        |         | Peak     | 5700.000      | -41.58        | ≤10.00         | PASS    |
|           |         |        |         | Peak     | 5720.000      | -28.33        | ≤15.60         | PASS    |
|           |         |        |         | Peak     | 5725.000      | -17.42        | ≤27.00         | PASS    |
|           |         | High   | 5825    | Peak     | 5850.000      | -25.18        | ≤15.60         | PASS    |
|           |         |        |         | Peak     | 5855.000      | -24.54        | ≤27.00         | PASS    |
|           |         |        |         | Peak     | 5875.000      | -43.45        | ≤15.60         | PASS    |
|           |         |        |         | Peak     | 5925.000      | -48.08        | ≤10.00         | PASS    |
| 11N20SISO | Ant1    | Low    | 5180    | AV       | 4500.000      | -62.62        | ≤-41.20        | PASS    |
|           |         |        |         | AV       | 5147.246      | -43.72        | ≤-41.20        | PASS    |
|           |         |        |         | AV       | 5150.000      | -43.19        | ≤-41.20        | PASS    |
|           |         |        |         | Peak     | 4500.000      | -51.98        | ≤-21.20        | PASS    |
|           |         |        |         | Peak     | 5148.261      | -27.16        | ≤-21.20        | PASS    |
|           |         |        |         | Peak     | 5150.000      | -29.77        | ≤-21.20        | PASS    |
|           |         | High   | 5240    | AV       | 5350.000      | -58.52        | ≤-41.20        | PASS    |
|           |         |        |         | AV       | 5359.826      | -57.08        | ≤-41.20        | PASS    |
|           |         |        |         | AV       | 5460.000      | -60.03        | ≤-41.20        | PASS    |
|           |         |        |         | Peak     | 5350.000      | -50.05        | ≤-21.20        | PASS    |
|           |         |        |         | Peak     | 5371.304      | -47.19        | ≤-21.20        | PASS    |
|           |         |        |         | Peak     | 5460.000      | -51.37        | ≤-21.20        | PASS    |
|           |         | Low    | 5745    | Peak     | 5650.000      | -47.8         | ≤-27.00        | PASS    |
|           |         |        |         | Peak     | 5700.000      | -40.04        | ≤10.00         | PASS    |
|           |         |        |         | Peak     | 5720.000      | -26.24        | ≤15.60         | PASS    |
|           |         |        |         | Peak     | 5725.000      | -15.76        | ≤27.00         | PASS    |
|           |         | High   | 5825    | Peak     | 5850.000      | -23.39        | ≤15.60         | PASS    |
|           |         |        |         | Peak     | 5855.000      | -23.2         | ≤27.00         | PASS    |
|           |         |        |         | Peak     | 5875.000      | -44.56        | ≤15.60         | PASS    |
|           |         |        |         | Peak     | 5925.000      | -50.37        | ≤10.00         | PASS    |


|            |      |      |      |      |          |        |         |      |
|------------|------|------|------|------|----------|--------|---------|------|
| 11N40SISO  | Ant1 | Low  | 5190 | AV   | 4500.000 | -61.09 | ≤-41.20 | PASS |
|            |      |      |      | AV   | 5149.275 | -43.71 | ≤-41.20 | PASS |
|            |      |      |      | AV   | 5150.000 | -44.18 | ≤-41.20 | PASS |
|            |      |      |      | Peak | 4500.000 | -52.05 | ≤-21.20 | PASS |
|            |      |      |      | Peak | 5149.275 | -29.01 | ≤-21.20 | PASS |
|            |      |      |      | Peak | 5150.000 | -28.91 | ≤-21.20 | PASS |
|            |      | High | 5230 | AV   | 5350.000 | -58.6  | ≤-41.20 | PASS |
|            |      |      |      | AV   | 5448.319 | -56.71 | ≤-41.20 | PASS |
|            |      |      |      | AV   | 5460.000 | -59.42 | ≤-41.20 | PASS |
|            |      |      |      | Peak | 5350.000 | -50.89 | ≤-21.20 | PASS |
|            |      |      |      | Peak | 5352.986 | -48.73 | ≤-21.20 | PASS |
|            |      |      |      | Peak | 5460.000 | -51.06 | ≤-21.20 | PASS |
|            |      | Low  | 5755 | Peak | 5650.000 | -47.74 | ≤-27.00 | PASS |
|            |      |      |      | Peak | 5700.000 | -34.31 | ≤10.00  | PASS |
|            |      |      |      | Peak | 5720.000 | -17.75 | ≤15.60  | PASS |
|            |      |      |      | Peak | 5725.000 | -16.01 | ≤27.00  | PASS |
|            |      | High | 5795 | Peak | 5850.000 | -32.1  | ≤15.60  | PASS |
|            |      |      |      | Peak | 5855.000 | -34.04 | ≤27.00  | PASS |
|            |      |      |      | Peak | 5875.000 | -42.09 | ≤15.60  | PASS |
|            |      |      |      | Peak | 5925.000 | -49.69 | ≤10.00  | PASS |
| 11AC20SISO | Ant1 | Low  | 5180 | AV   | 4500.000 | -61.9  | ≤-41.20 | PASS |
|            |      |      |      | AV   | 5149.275 | -43.92 | ≤-41.20 | PASS |
|            |      |      |      | AV   | 5150.000 | -42.54 | ≤-41.20 | PASS |
|            |      |      |      | Peak | 4500.000 | -52.44 | ≤-21.20 | PASS |
|            |      |      |      | Peak | 5149.275 | -28.72 | ≤-21.20 | PASS |
|            |      |      |      | Peak | 5150.000 | -28.23 | ≤-21.20 | PASS |
|            |      | High | 5240 | AV   | 5350.000 | -59.16 | ≤-41.20 | PASS |
|            |      |      |      | AV   | 5370.261 | -57.13 | ≤-41.20 | PASS |
|            |      |      |      | AV   | 5460.000 | -60.2  | ≤-41.20 | PASS |
|            |      |      |      | Peak | 5350.000 | -47.7  | ≤-21.20 | PASS |
|            |      |      |      | Peak | 5450.609 | -47.1  | ≤-21.20 | PASS |
|            |      |      |      | Peak | 5460.000 | -51    | ≤-21.20 | PASS |
|            |      | Low  | 5745 | Peak | 5650.000 | -50.02 | ≤-27.00 | PASS |
|            |      |      |      | Peak | 5700.000 | -40.64 | ≤10.00  | PASS |
|            |      |      |      | Peak | 5720.000 | -21.39 | ≤15.60  | PASS |
|            |      |      |      | Peak | 5725.000 | -10.84 | ≤27.00  | PASS |
|            |      | High | 5825 | Peak | 5850.000 | -25.38 | ≤15.60  | PASS |
|            |      |      |      | Peak | 5855.000 | -27.55 | ≤27.00  | PASS |
|            |      |      |      | Peak | 5875.000 | -44.55 | ≤15.60  | PASS |
|            |      |      |      | Peak | 5925.000 | -49.78 | ≤10.00  | PASS |
| 11AC40SISO | Ant1 | Low  | 5190 | AV   | 4500.000 | -61.99 | ≤-41.20 | PASS |
|            |      |      |      | AV   | 5149.275 | -43.39 | ≤-41.20 | PASS |
|            |      |      |      | AV   | 5150.000 | -42.5  | ≤-41.20 | PASS |
|            |      |      |      | Peak | 4500.000 | -52.29 | ≤-21.20 | PASS |
|            |      |      |      | Peak | 5149.275 | -27.99 | ≤-21.20 | PASS |
|            |      |      |      | Peak | 5150.000 | -27.15 | ≤-21.20 | PASS |

|                |      |      |      |      |          |        |         |      |
|----------------|------|------|------|------|----------|--------|---------|------|
|                |      | High | 5230 | AV   | 5350.000 | -58.59 | ≤-41.20 | PASS |
|                |      |      |      | AV   | 5366.174 | -56.17 | ≤-41.20 | PASS |
|                |      |      |      | AV   | 5460.000 | -59.03 | ≤-41.20 | PASS |
|                |      |      |      | Peak | 5350.000 | -50.54 | ≤-21.20 | PASS |
|                |      |      |      | Peak | 5394.058 | -48.22 | ≤-21.20 | PASS |
|                |      |      |      | Peak | 5460.000 | -51.83 | ≤-21.20 | PASS |
|                |      | Low  | 5755 | Peak | 5650.000 | -46.27 | ≤-27.00 | PASS |
|                |      |      |      | Peak | 5700.000 | -30.54 | ≤10.00  | PASS |
|                |      |      |      | Peak | 5720.000 | -18.68 | ≤15.60  | PASS |
|                |      |      |      | Peak | 5725.000 | -14.6  | ≤27.00  | PASS |
|                |      | High | 5795 | Peak | 5850.000 | -30.23 | ≤15.60  | PASS |
|                |      |      |      | Peak | 5855.000 | -35.09 | ≤27.00  | PASS |
|                |      |      |      | Peak | 5875.000 | -43.04 | ≤15.60  | PASS |
|                |      |      |      | Peak | 5925.000 | -50.22 | ≤10.00  | PASS |
| 11AC80SIS<br>O | Ant1 | Low  | 5210 | AV   | 4500.000 | -61.48 | ≤-41.20 | PASS |
|                |      |      |      | AV   | 5128.261 | -44.92 | ≤-41.20 | PASS |
|                |      |      |      | AV   | 5150.000 | -45.6  | ≤-41.20 | PASS |
|                |      |      |      | Peak | 4500.000 | -51.5  | ≤-21.20 | PASS |
|                |      |      |      | Peak | 5150.000 | -30.26 | ≤-21.20 | PASS |
|                |      | High | 5210 | AV   | 5350.000 | -56.01 | ≤-41.20 | PASS |
|                |      |      |      | AV   | 5369.101 | -55.77 | ≤-41.20 | PASS |
|                |      |      |      | AV   | 5460.000 | -58.62 | ≤-41.20 | PASS |
|                |      |      |      | Peak | 5350.000 | -50.43 | ≤-21.20 | PASS |
|                |      |      |      | Peak | 5353.681 | -47.15 | ≤-21.20 | PASS |
|                |      |      |      | Peak | 5460.000 | -51.53 | ≤-21.20 | PASS |
|                |      | Low  | 5775 | Peak | 5650.000 | -39.21 | ≤-27.00 | PASS |
|                |      |      |      | Peak | 5700.000 | -26.52 | ≤10.00  | PASS |
|                |      |      |      | Peak | 5720.000 | -21.78 | ≤15.60  | PASS |
|                |      |      |      | Peak | 5725.000 | -18.91 | ≤27.00  | PASS |
|                |      | High | 5775 | Peak | 5850.000 | -24.96 | ≤15.60  | PASS |
|                |      |      |      | Peak | 5855.000 | -29.01 | ≤27.00  | PASS |
|                |      |      |      | Peak | 5875.000 | -32.54 | ≤15.60  | PASS |
|                |      |      |      | Peak | 5925.000 | -44.28 | ≤10.00  | PASS |


Note:

1. The Antenna Gain is compensated in the graph.
2. For transmitters operating in 5150-5350 GHz band and 5470-5725 GHz band: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.


## 7.2. Test Graphs




11A\_Ant1\_Low\_5180\_AV



11A\_Ant1\_Low\_5180\_Peak




11A\_Ant1\_High\_5240\_AV




## 11A\_Ant1\_High\_5240\_Peak




## 11A\_Ant1\_Low\_5745\_Peak




## 11A\_Ant1\_High\_5825\_Peak




## 11N20SISO\_Ant1\_Low\_5180\_AV




## 11N20SISO\_Ant1\_Low\_5180\_Peak




## 11N20SISO\_Ant1\_High\_5240\_AV




11N20SISO\_Ant1\_High\_5240\_Peak




11N20SISO\_Ant1\_Low\_5745\_Peak




11N20SISO\_Ant1\_High\_5825\_Peak




## 11N40SISO\_Ant1\_Low\_5190\_AV




## 11N40SISO\_Ant1\_Low\_5190\_Peak




## 11N40SISO\_Ant1\_High\_5230\_AV




11N40SISO\_Ant1\_High\_5230\_Peak




11N40SISO\_Ant1\_Low\_5755\_Peak




11N40SISO\_Ant1\_High\_5795\_Peak




## 11AC20SISO\_Ant1\_Low\_5180\_AV




## 11AC20SISO\_Ant1\_Low\_5180\_Peak




## 11AC20SISO\_Ant1\_High\_5240\_AV




11AC20SISO\_Ant1\_High\_5240\_Peak




11AC20SISO\_Ant1\_Low\_5745\_Peak



11AC20SISO\_Ant1\_High\_5825\_Peak




## 11AC40SISO\_Ant1\_Low\_5190\_AV




## 11AC40SISO\_Ant1\_Low\_5190\_Peak




## 11AC40SISO\_Ant1\_High\_5230\_AV




## 11AC40SISO\_Ant1\_High\_5230\_Peak




## 11AC40SISO\_Ant1\_Low\_5755\_Peak




## 11AC40SISO\_Ant1\_High\_5795\_Peak




## 11AC80SISO\_Ant1\_Low\_5210\_AV




## 11AC80SISO\_Ant1\_Low\_5210\_Peak




## 11AC80SISO\_Ant1\_High\_5210\_AV



## 11AC80SISO\_Ant1\_High\_5210\_Peak



## 11AC80SISO\_Ant1\_Low\_5775\_Peak



## 11AC80SISO\_Ant1\_High\_5775\_Peak