

RF Test Data for BT(BDR/EDR) (Conducted Measurement)**Product Name: Bluetooth Soundbar****Trade Mark: RECOIL****Test Model: PSB11****FCC ID: 2A6RGPSB11****Environmental Conditions**


Temperature:	25.5°C
Relative Humidity:	55%
ATM Pressure:	100.0 kPa
Test Engineer:	Anna Hu
Supervised by:	Hugo Chen
NOTE	N/A

Appendix A: 20dB Emission Bandwidth**Test Result**


TestMode	Antenna	Channel	20db EBW[MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
DH5	Ant1	2402	0.948	2401.535	2402.483	---	---
		2441	0.936	2440.538	2441.474	---	---
		2480	0.945	2479.538	2480.483	---	---
2DH5	Ant1	2402	1.227	2401.385	2402.612	---	---
		2441	1.236	2440.382	2441.618	---	---
		2480	1.449	2479.367	2480.816	---	---
3DH5	Ant1	2402	1.269	2401.361	2402.630	---	---
		2441	1.263	2440.370	2441.633	---	---
		2480	1.233	2479.388	2480.621	---	---

Test Graphs


DH5_Ant1_2402




DH5_Ant1_2441




DH5_Ant1_2480




2DH5_Ant1_2402




2DH5_Ant1_2441




2DH5_Ant1_2480




3DH5_Ant1_2402



3DH5_Ant1_2441



3DH5_Ant1_2480



Appendix B: Occupied Channel Bandwidth

Test Result

TestMode	Antenna	Channel	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
DH5	Ant1	2402	0.89801	2401.563	2402.461	---	---
		2441	0.89469	2440.544	2441.439	---	---
		2480	0.91385	2479.538	2480.452	---	---
2DH5	Ant1	2402	2.0775	2400.914	2402.991	---	---
		2441	2.1290	2439.890	2442.019	---	---
		2480	2.0833	2478.903	2480.986	---	---
3DH5	Ant1	2402	2.1857	2400.907	2403.093	---	---
		2441	2.0476	2439.947	2441.994	---	---
		2480	2.1083	2478.908	2481.016	---	---

Test Graphs

DH5_Ant1_2402



DH5_Ant1_2441




DH5_Ant1_2480




2DH5_Ant1_2402




2DH5_Ant1_2441



2DH5_Ant1_2480




3DH5_Ant1_2402



3DH5_Ant1_2441



3DH5_Ant1_2480





Appendix C: Maximum conducted output power

Test Result


TestMode	Antenna	Channel	Result[dBm]	Limit[dBm]	Verdict
DH5	Ant1	2402	1.71	≤30	PASS
		2441	4.86	≤30	PASS
		2480	3.91	≤30	PASS
2DH5	Ant1	2402	-2.22	≤20.97	PASS
		2441	0.8	≤20.97	PASS
		2480	-0.16	≤20.97	PASS
3DH5	Ant1	2402	-1.45	≤20.97	PASS
		2441	1.89	≤20.97	PASS
		2480	0.8	≤20.97	PASS

Test Graphs







2DH5_Ant1_2402




2DH5_Ant1_2441




2DH5_Ant1_2480




3DH5_Ant1_2402



3DH5_Ant1_2441



3DH5_Ant1_2480




Appendix D: Carrier frequency separation

Test Result


TestMode	Antenna	Channel	Result[MHz]	Limit[MHz]	Verdict
DH5	Ant1	Hop	0.984	≥0.948	PASS
2DH5	Ant1	Hop	1.002	≥0.966	PASS
3DH5	Ant1	Hop	1.036	≥0.846	PASS

Test Graphs


DH5_Ant1_Hop



2DH5_Ant1_Hop



3DH5_Ant1_Hop





Appendix E: Time of occupancy

Test Result


TestMode	Antenna	Channel	BurstWidth [ms]	TotalHops [Num]	Result[s]	Limit[s]	Verdict
DH5	Ant1	Hop	2.90	110	0.319	≤0.4	PASS
2DH5	Ant1	Hop	2.90	110	0.319	≤0.4	PASS
3DH5	Ant1	Hop	2.90	110	0.319	≤0.4	PASS


Test Graphs

DH5_Ant1_Hop





2DH5_Ant1_Hop





3DH5_Ant1_Hop




Appendix F: Number of hopping channels

Test Result


TestMode	Antenna	Channel	Result[Num]	Limit[Num]	Verdict
DH5	Ant1	Hop	79	≥15	PASS
2DH5	Ant1	Hop	79	≥15	PASS
3DH5	Ant1	Hop	79	≥15	PASS

Test Graphs


DH5_Ant1_Hop



2DH5_Ant1_Hop



3DH5_Ant1_Hop




Appendix G: Band edge measurements

Test Result


TestMode	Antenna	ChName	Channel	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant1	Low	2402	0.80	-35.73	≤ -19.2	PASS
		High	2480	2.84	-48.76	≤ -17.16	PASS
		Low	Hop_2402	-3.75	-50.32	≤ -23.75	PASS
		High	Hop_2480	-4.48	-49.56	≤ -24.48	PASS
2DH5	Ant1	Low	2402	-6.46	-43.13	≤ -26.46	PASS
		High	2480	-3.48	-49.49	≤ -23.48	PASS
		Low	Hop_2402	-4.48	-49.96	≤ -24.48	PASS
		High	Hop_2480	-4.80	-49.05	≤ -24.8	PASS
3DH5	Ant1	Low	2402	-5.82	-42.33	≤ -25.82	PASS
		High	2480	-4.41	-49.25	≤ -24.41	PASS
		Low	Hop_2402	-7.08	-50.09	≤ -27.08	PASS
		High	Hop_2480	-5.44	-49.27	≤ -25.44	PASS

Test Graphs


DH5_Ant1_Low_2402




DH5_Ant1_High_2480




DH5_Ant1_Low_Hop_2402




DH5_Ant1_High_Hop_2480




2DH5_Ant1_Low_2402




2DH5_Ant1_High_2480




2DH5_Ant1_Low_Hop_2402




2DH5_Ant1_High_Hop_2480




3DH5_Ant1_Low_2402




3DH5_Ant1_High_2480



3DH5_Ant1_Low_Hop_2402



3DH5_Ant1_High_Hop_2480




Appendix H: Conducted Spurious Emission

Test Result


TestMode	Antenna	Channel	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant1	2402	Reference	0.23	0.23	---	PASS
			30~1000	0.23	-61.46	≤-19.77	PASS
			1000~26500	0.23	-50.27	≤-19.77	PASS
		2441	Reference	3.32	3.32	---	PASS
			30~1000	3.32	-60.86	≤-16.68	PASS
			1000~26500	3.32	-51.42	≤-16.68	PASS
		2480	Reference	2.28	2.28	---	PASS
			30~1000	2.28	-61.57	≤-17.72	PASS
			1000~26500	2.28	-50.18	≤-17.72	PASS
2DH5	Ant1	2402	Reference	-9.41	-9.41	---	PASS
			30~1000	-9.41	-61.56	≤-29.41	PASS
			1000~26500	-9.41	-52.01	≤-29.41	PASS
		2441	Reference	-6.49	-6.49	---	PASS
			30~1000	-6.49	-61.69	≤-26.49	PASS
			1000~26500	-6.49	-50.66	≤-26.49	PASS
		2480	Reference	-3.74	-3.74	---	PASS
			30~1000	-3.74	-61.56	≤-23.74	PASS
			1000~26500	-3.74	-51.75	≤-23.74	PASS
3DH5	Ant1	2402	Reference	-9.89	-9.89	---	PASS
			30~1000	-9.89	-62.29	≤-29.89	PASS
			1000~26500	-9.89	-49.82	≤-29.89	PASS
		2441	Reference	-3.34	-3.34	---	PASS
			30~1000	-3.34	-62.09	≤-23.34	PASS
			1000~26500	-3.34	-51.14	≤-23.34	PASS
		2480	Reference	-3.55	-3.55	---	PASS
			30~1000	-3.55	-61.55	≤-23.55	PASS
			1000~26500	-3.55	-51.67	≤-23.55	PASS

Test Graphs


DH5_Ant1_2402_0~Reference




DH5_Ant1_2402_30~1000




DH5_Ant1_2402_1000~26500




DH5_Ant1_2441_0~Reference




DH5_Ant1_2441_30~1000




DH5_Ant1_2441_1000~26500




DH5_Ant1_2480_0~Reference




2DH5_Ant1_2402_30~1000




2DH5_Ant1_2402_1000~26500




2DH5_Ant1_2441_0~Reference




2DH5_Ant1_2441_30~1000




2DH5_Ant1_2441_1000~26500




2DH5_Ant1_2480_0~Reference




2DH5_Ant1_2480_30~1000




2DH5_Ant1_2480_1000~26500




3DH5_Ant1_2402_0~Reference




3DH5_Ant1_2402_30~1000




3DH5_Ant1_2402_1000~26500




3DH5_Ant1_2441_0~Reference




3DH5_Ant1_2441_30~1000




3DH5_Ant1_2441_1000~26500




3DH5_Ant1_2480_0~Reference



3DH5_Ant1_2480_30~1000



3DH5_Ant1_2480_1000~26500




Appendix I: Duty Cycle

Test Result


TestMode	Antenna	Channel	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	1/T[kHz]
DH5	Ant1	2402	2.90	3.75	77.33	0.34
		2441	2.90	3.75	77.33	0.34
		2480	2.90	3.75	77.33	0.34
2DH5	Ant1	2402	2.90	3.75	77.33	0.34
		2441	2.91	3.75	77.60	0.34
		2480	2.91	3.75	77.60	0.34
3DH5	Ant1	2402	2.91	3.75	77.60	0.34
		2441	2.91	3.75	77.60	0.34
		2480	2.91	3.75	77.60	0.34

Test Graphs


DH5_Ant1_2402




DH5_Ant1_2441




DH5_Ant1_2480




2DH5_Ant1_2402




2DH5_Ant1_2441




2DH5_Ant1_2480




3DH5_Ant1_2402



3DH5_Ant1_2441



3DH5_Ant1_2480



Appendix J: Emissions in Restricted Bands


Test Result


TestMode	Antenna	ChName	Channel	Detector	Freq(MHz)	Result(dBm)	Limit(dBm)	Verdict
DH5	Ant1	Low	2402	AV	2310.000	-49.58	≤-41.20	PASS
				AV	2386.205	-49.15	≤-41.20	PASS
				AV	2390.000	-49.24	≤-41.20	PASS
				Peak	2310.000	-42.33	≤-21.20	PASS
				Peak	2322.470	-38.97	≤-21.20	PASS
				Peak	2390.000	-40.41	≤-21.20	PASS
		High	2480	AV	2483.500	-41.28	≤-41.20	PASS
				AV	2483.520	-41.28	≤-41.20	PASS
				AV	2500.000	-48.47	≤-41.20	PASS
				Peak	2483.500	-35.18	≤-21.20	PASS
				Peak	2483.520	-35.18	≤-21.20	PASS
				Peak	2500.000	-40.19	≤-21.20	PASS
2DH5	Ant1	Low	2402	AV	2310.000	-49.56	≤-41.20	PASS
				AV	2383.160	-49.09	≤-41.20	PASS
				AV	2390.000	-49.27	≤-41.20	PASS
				Peak	2310.000	-43.2	≤-21.20	PASS
				Peak	2335.700	-39.98	≤-21.20	PASS
				Peak	2390.000	-41.78	≤-21.20	PASS
		High	2480	AV	2483.500	-47.2	≤-41.20	PASS
				AV	2483.520	-47.2	≤-41.20	PASS
				AV	2500.000	-48.61	≤-41.20	PASS
				Peak	2483.500	-40.21	≤-21.20	PASS
				Peak	2483.600	-39.01	≤-21.20	PASS
				Peak	2500.000	-42.1	≤-21.20	PASS
3DH5	Ant1	Low	2402	AV	2310.000	-49.55	≤-41.20	PASS
				AV	2384.630	-49.03	≤-41.20	PASS
				AV	2390.000	-49.15	≤-41.20	PASS
				Peak	2310.000	-42.56	≤-21.20	PASS
				Peak	2380.430	-38.13	≤-21.20	PASS
				Peak	2390.000	-43.6	≤-21.20	PASS
		High	2480	AV	2483.500	-46.99	≤-41.20	PASS
				AV	2483.520	-46.99	≤-41.20	PASS
				AV	2500.000	-48.48	≤-41.20	PASS
				Peak	2483.500	-39.85	≤-21.20	PASS
				Peak	2494.160	-38.29	≤-21.20	PASS
				Peak	2500.000	-41.18	≤-21.20	PASS

Note:


1. The Antenna Gain is compensated in the graph with 2dBi and Antenna Gain which is Higher.
2. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in

Test Graphs







DH5_Ant1_High_2480_Peak




2DH5_Ant1_Low_2402_AV




2DH5_Ant1_Low_2402_Peak




2DH5_Ant1_High_2480_AV




2DH5_Ant1_High_2480_Peak




3DH5_Ant1_Low_2402_AV



3DH5_Ant1_Low_2402_Peak



3DH5_Ant1_High_2480_AV



3DH5_Ant1_High_2480_Peak

