

Acknowledgment Letter

SPECIFICATION FOR APPROVAL

CUSTOMER`S NAME : Shenzhen Xinnengda Technology Co., Ltd


CUSTOMER`S P/N : _____

PRODUCT SPEC : Y. WAC. 062

ISSUE DATE : 2023/11/13

PREPARED BY	CHECKED BY	APPROVED BY	CUSTOMER APPROVE
Li Bei	Cheng Jie	Li Bowen	



DONGGUAN BOHONG TECHNOLOGY CO., LTD

ADD: 4th Floor, No. 533 Fumin Middle Road, Dalang Town, Dongguan City

TEL: 0769-82866410

FAX: 0769-82866409

 TECHNOLOGY CO., LTD.
 FOR APPROVAL
 CUSTOMER'S P/N
 PRODUCT SPEC
 CONTROL DRAWING

CUSTOMER	Xinnengda	CUSTOMER'S P/N	0	
ISSUE DATE	2023/11/13	PRODUCT SPEC	Y.WAC. 062	
SPECIFICATION CONTROL DRAWING				
REVISIONS				
REV	DESCRIPTION	DATE	ISSUE BY	APPROVAL BY
A	INITIAL	2023/11/13	Li Bei	Li Bowen

TECHNOLOGY CO., L
FOR APPROVAL

COMER'S P/N	工程
DUCT SPEC	部专用章


Y

[illegible]

DONGGUAN BOHONG TECHNOLOGY CO.,LTD
SPECIFICATION FOR APPROVAL

CUSTOMER	Xinnengda	CUSTOMER'S P/N	0
ISSUE DATE	2023/11/13	PRODUCT SPEC	Y. WAC. 062

2.DIMENSION:




注: Back $\varnothing$ 19 * T0.13 Crown 513 #
double-sided tape; Magnet 7.5 *
2.2mm Gaussian 2900-3100;

ISSUE BY	Li Bei	CHECK BY	Cheng Jie	APPROVAL BY	Li Bowen
----------	--------	----------	-----------	-------------	----------

DONGGUAN BOHONG TECHNOLOGY CO., LTD
SPECIFICATION FOR APPROVAL

CUSTOMER	Xinnengda	CUSTOMER'S P/N	0
ISSUE DATE	2023/11/13	PRODUCT SPEC	Y. WAC. 062

4.CIRCUIT DIAGRAM



" • " : POLARITY/极性

5.WINDING

NO	WINDING	WIRE	TURNS	TAPE	WINDING CONDITION
N1	S-F	Ø0.08*24P	14	/	CCW

Back Ø19 * T0.13 Crown 513 # double-sided
 tape; Magnet 7.5 * 2.2mm Gaussian 19 * T0.13 Crown
 513 # double-sided tape; Magnet 7.5 * 2.2mm
 Gaussian 2900-3100;

6.CHARACTERISTIC


ITEM	MEASURED POINT	TECHNICAL DATA	TESTING CONDITION & INSTRUMENT
LS	S-F	8.1uH±3%	LCR1062 100KHz/1V AT 25℃±2℃

DONGGUAN BOHONG TECHNOLOGY CO., LTD

SPECIFICATION FOR APPROVAL

CUSTOMER	Xinnengda	CUSTOMER'S P/N	0
ISSUE DATE	2023/11/13	PRODUCT SPEC	Y. WAC. 062

7.THE PACKING WAY



侧面图

俯视图

- 1.Pearl cotton specification: 375 * 265 * 30mm * 120 grids;
- 2.Pack 2 pieces per grid and 240 pieces per plate;
- 3.Pack 10 trays per box;
- 4.Total per box: 2400pcs;
- 5.Carton material: K=K++;

