

Acknowledgment Letter

customer name: New China Airlines

Customer Part Number: E.ID.30065006

Our company's model: G41.5*8*0.8-6.5UH-30MM

date landed: Dec. 27, 2024

supplier: Dongguan Jierestech Technology Co., Ltd.

draw	Review	Approve
Lu Lin	Deng Xianggui	Lu Ru Shen

The customer acknowledges:

Qualified	Unqualified	acknowledge
Note		


Tel: _____

Fax: 86+13632701380

Add: No. 96, Langhu Road, Dalinshan Town, Dongguan (Building L, 3rd Floor,
Jinxiangda Science and Technology Park)

customer name	Customer Part Number	Our company's model	Version	Date
New China Airlines	E.ID.30065006	G41.5*8*0.8-6.5UH-30MM	A0	Dec. 27, 2024

一、Planar structure diagram: Unit:MM



二、Product Parameter:

Foot position	Path	Circle Number	Note
1 - 2	0.08*80P	12T	Hot air line

三、technical requirements:

1. Fix the ends of the wires securely to prevent any loosening or breakage of the wires.
2. According to the customer's requirements, cut off the excessively long wire ends, tin them, and ensure that the tin coating depth is uniformly 2 ±1MM.
3. Apply appropriate white glue on the magnetic plate, attach the coil, and during the process, keep the product surface clean and tidy.
4. The hard magnetic sheet used has round holes and is undamaged.
5. Additional processing (as per customer requirements): None

四、electrical parameter:

1. Inductance value, Q value:

$$\text{PIN } 1 - 2 = 6.5\mu\text{H} \pm 10\%$$

The above inductance values are based on the Quanhua 1062A instrument, using a standard of 10KHZ/0.3Vrms or an equivalent instrument.

五、bill of materials:

No.	Name	materials	supplier	Note
1	Hot air line	0.08*80P	Byghur-Han	or equivalent
2	magnetic sheet	G41.5*8*0.8 Hard substrate	Tiantong	or equivalent
3	tin	High-temperature environmental protection	Thousand Islands	or equivalent
4	white glues	BY882	Baoyue	or equivalent
5	Double-sided adhesive tape	Diameter 38	Honghui	or equivalent
6	high-temperature adhesive tape	5MM		