

EXHIBIT B- RADIATED SPURIOUS EMISSION DATA

30M-1G

WIFI2.4G- Horizontal-TX

Test result

Project Number: Certification

Test Time: 2026-04-27_15.06.05

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

RÉmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	36.491	37.49	-26.19	40.0	2.51	Peak	245.00	188	Horizontal	Pass
1*	36.491	27.76	-26.19	40.0	12.24	QP	245.00	188	Horizontal	Pass
2	72.913	19.87	-29.45	40.0	20.13	Peak	83.20	298	Horizontal	Pass
2*	72.913	14.99	-29.45	40.0	25.01	QP	83.20	298	Horizontal	Pass
3	94.114	24.83	-26.32	43.5	18.67	Peak	87.30	242	Horizontal	Pass
3*	94.114	17.43	-26.32	43.5	26.07	QP	87.30	242	Horizontal	Pass
4	129.810	26.52	-28.04	43.5	16.98	Peak	28.90	193	Horizontal	Pass
4*	129.810	21.92	-28.04	43.5	21.58	QP	28.90	193	Horizontal	Pass
5	188.135	22.62	-25.93	43.5	20.88	Peak	89.20	107	Horizontal	Pass
5*	188.135	20.32	-25.93	43.5	23.18	QP	89.20	107	Horizontal	Pass
6	319.997	28.43	-21.57	46.0	17.57	Peak	80.60	102	Horizontal	Pass
6*	319.997	25.15	-21.57	46.0	20.85	QP	80.60	102	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2026-04-27_14:39:43

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	38.943	35.19	-25.32	40.0	4.81	Peak	5.10	100	Vertical	Pass
1*	38.943	23.88	-25.32	40.0	16.12	QP	5.10	100	Vertical	Pass
2	60.733	28.40	-25.06	40.0	11.60	Peak	186.10	100	Vertical	Pass
2*	60.733	24.82	-25.06	40.0	15.18	QP	186.10	100	Vertical	Pass
3	92.807	30.13	-26.54	43.5	13.37	Peak	288.80	119	Vertical	Pass
3*	92.807	22.12	-26.54	43.5	21.38	QP	288.80	119	Vertical	Pass
4	121.250	22.86	-27.14	43.5	20.64	Peak	63.60	125	Vertical	Pass
4*	121.250	16.23	-27.14	43.5	27.27	QP	63.60	125	Vertical	Pass
5	182.261	29.95	-26.74	43.5	13.55	Peak	195.40	242	Vertical	Pass
5*	182.261	10.42	-26.74	43.5	33.08	QP	195.40	242	Vertical	Pass
6	303.766	32.52	-21.95	46.0	13.48	Peak	349.50	101	Vertical	Pass
6*	303.766	14.36	-21.95	46.0	31.64	QP	349.50	101	Vertical	Pass

1-18G

WIFI2.4G-B- Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2026-04-27_11.26.27

EUT Name: PETKIT PUROBOT MAX 3

Test Engineer: SDC

SELF-CLEANING CAT LITTER BOX

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1400.500	38.80	-13.45	74.0	35.20	Peak	0.70	100	Horizontal	Pass
1**	1400.500	26.62	-13.45	54.0	27.38	AV	0.70	100	Horizontal	Pass
2	2387.000	48.39	-7.49	74.0	25.61	Peak	298.90	100	Horizontal	Pass
2**	2387.000	39.24	-7.49	54.0	14.76	AV	298.90	100	Horizontal	Pass
3	2530.000	48.49	-7.42	74.0	25.51	Peak	101.30	100	Horizontal	Pass
3**	2530.000	37.50	-7.42	54.0	16.50	AV	101.30	100	Horizontal	Pass
4	3050.500	47.00	-5.39	74.0	27.00	Peak	187.10	100	Horizontal	Pass
4**	3050.500	38.26	-5.39	54.0	15.74	AV	187.10	100	Horizontal	Pass
5	4823.500	53.02	-1.50	74.0	20.98	Peak	360.00	100	Horizontal	Pass
5**	4823.500	47.40	-1.50	54.0	6.60	AV	360.00	100	Horizontal	Pass
6	6626.500	54.12	3.82	74.0	19.88	Peak	167.00	100	Horizontal	Pass
6**	6626.500	42.69	3.82	54.0	11.31	AV	167.00	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2026-04-27_09.10.49

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7748.000	31.04	0.52	74.0	42.96	Peak	60.70	100	Horizontal	Pass
1**	7748.000	20.97	0.52	54.0	33.03	AV	60.70	100	Horizontal	Pass
2	9274.250	32.47	1.72	74.0	41.53	Peak	308.60	100	Horizontal	Pass
2**	9274.250	22.17	1.72	54.0	31.83	AV	308.60	100	Horizontal	Pass
3	10473.250	34.21	3.56	74.0	39.79	Peak	7.10	100	Horizontal	Pass
3**	10473.250	23.63	3.56	54.0	30.37	AV	7.10	100	Horizontal	Pass
4	11972.000	35.73	4.64	74.0	38.27	Peak	126.20	100	Horizontal	Pass
4**	11972.000	25.42	4.64	54.0	28.58	AV	126.20	100	Horizontal	Pass
5	13520.250	38.43	7.42	74.0	35.57	Peak	308.60	100	Horizontal	Pass
5**	13520.250	27.59	7.42	54.0	26.41	AV	308.60	100	Horizontal	Pass
6	15060.250	42.99	10.21	74.0	31.01	Peak	190.20	100	Horizontal	Pass
6**	15060.250	32.76	10.21	54.0	21.24	AV	190.20	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2026-04-27_14.08.03

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906


Work Addition: TX

Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.250	41.88	-13.52	74.0	32.12	Peak	297.70	100	Vertical	Pass
1**	1439.250	28.56	-13.52	54.0	25.44	AV	297.70	100	Vertical	Pass
2	1869.500	39.34	-12.36	74.0	34.66	Peak	90.50	100	Vertical	Pass
2**	1869.500	28.55	-12.36	54.0	25.45	AV	90.50	100	Vertical	Pass
3	2391.250	45.94	-5.90	74.0	28.06	Peak	90.50	100	Vertical	Pass
3**	2391.250	35.91	-5.90	54.0	18.09	AV	90.50	100	Vertical	Pass
4	3050.500	46.20	-5.39	74.0	27.80	Peak	65.30	100	Vertical	Pass
4**	3050.500	38.18	-5.39	54.0	15.82	AV	65.30	100	Vertical	Pass
5	4824.000	54.33	-1.50	74.0	19.67	Peak	0.00	100	Vertical	Pass
5**	4824.000	49.26	-1.50	54.0	4.74	AV	0.00	100	Vertical	Pass
6	6520.500	52.44	2.99	74.0	21.56	Peak	156.90	100	Vertical	Pass
6**	6520.500	41.89	2.99	54.0	12.11	AV	156.90	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2026-04-27_09.34.17

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906


Work Addition: TX

Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7605.000	30.61	0.03	74.0	43.39	Peak	52.10	100	Vertical	Pass
1**	7605.000	20.61	0.03	54.0	33.39	AV	52.10	100	Vertical	Pass
2	9268.750	33.61	1.65	74.0	40.39	Peak	359.80	100	Vertical	Pass
2**	9268.750	22.21	1.65	54.0	31.79	AV	359.80	100	Vertical	Pass
3	11191.000	35.88	3.98	74.0	38.12	Peak	114.70	100	Vertical	Pass
3**	11191.000	25.64	3.98	54.0	28.36	AV	114.70	100	Vertical	Pass
4	12827.250	37.72	5.36	74.0	36.28	Peak	0.00	100	Vertical	Pass
4**	12827.250	27.51	5.36	54.0	26.49	AV	0.00	100	Vertical	Pass
5	15101.500	42.99	10.19	74.0	31.01	Peak	251.20	100	Vertical	Pass
5**	15101.500	33.27	10.19	54.0	20.73	AV	251.20	100	Vertical	Pass
6	17848.750	52.76	18.72	74.0	21.24	Peak	187.20	100	Vertical	Pass
6**	17848.750	42.37	18.72	54.0	11.63	AV	187.20	100	Vertical	Pass

Test result

Project Number: T Certification

Test Time: 2026-04-27_11.24.00

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1384.250	37.85	-13.38	74.0	36.15	Peak	360.00	100	Horizontal	Pass
1**	1384.250	27.38	-13.38	54.0	26.62	AV	360.00	100	Horizontal	Pass
2	2128.250	41.22	-10.07	74.0	32.78	Peak	306.00	100	Horizontal	Pass
2**	2128.250	31.55	-10.07	54.0	22.45	AV	306.00	100	Horizontal	Pass
3	2437.750	49.59	-5.87	74.0	24.41	Peak	269.90	100	Horizontal	Pass
3**	2437.750	41.30	-5.87	54.0	12.70	AV	269.90	100	Horizontal	Pass
4	3050.000	47.41	-4.72	74.0	26.59	Peak	360.00	100	Horizontal	Pass
4**	3050.000	38.51	-4.72	54.0	15.49	AV	360.00	100	Horizontal	Pass
5	4874.000	55.78	-0.63	74.0	18.22	Peak	358.40	100	Horizontal	Pass
5**	4874.000	50.06	-0.63	54.0	3.94	AV	358.40	100	Horizontal	Pass
6	6631.500	52.66	3.93	74.0	21.34	Peak	40.30	100	Horizontal	Pass
6**	6631.500	42.81	3.93	54.0	11.19	AV	40.30	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2026-04-27_09.16.50

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7825.000	30.91	0.99	74.0	43.09	Peak	57.00	100	Horizontal	Pass
1**	7825.000	20.93	0.99	54.0	33.07	AV	57.00	100	Horizontal	Pass
2	9345.750	32.55	1.63	74.0	41.45	Peak	0.00	100	Horizontal	Pass
2**	9345.750	21.62	1.63	54.0	32.38	AV	0.00	100	Horizontal	Pass
3	11862.000	36.61	3.90	74.0	37.39	Peak	110.20	100	Horizontal	Pass
3**	11862.000	25.44	3.90	54.0	28.56	AV	110.20	100	Horizontal	Pass
4	14397.500	42.01	9.53	74.0	31.99	Peak	57.00	100	Horizontal	Pass
4**	14397.500	30.77	9.53	54.0	23.23	AV	57.00	100	Horizontal	Pass
5	15109.750	43.79	10.02	74.0	30.21	Peak	57.00	100	Horizontal	Pass
5**	15109.750	33.60	10.02	54.0	20.40	AV	57.00	100	Horizontal	Pass
6	17837.750	53.23	18.50	74.0	20.77	Peak	174.60	100	Horizontal	Pass
6**	17837.750	42.41	18.50	54.0	11.59	AV	174.60	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2026-04-27_14.03.46

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.500	40.75	-13.52	74.0	33.25	Peak	182.30	100	Vertical	Pass
1**	1440.500	28.36	-13.52	54.0	25.64	AV	182.30	100	Vertical	Pass
2	2403.250	45.40	-4.79	74.0	28.60	Peak	165.20	100	Vertical	Pass
2**	2403.250	35.90	-4.79	54.0	18.10	AV	165.20	100	Vertical	Pass
3	3050.000	46.45	-4.72	74.0	27.55	Peak	309.40	100	Vertical	Pass
3**	3050.000	37.95	-4.72	54.0	16.05	AV	309.40	100	Vertical	Pass
4	4874.000	52.36	-0.63	74.0	21.64	Peak	360.00	100	Vertical	Pass
4**	4874.000	47.52	-0.63	54.0	6.48	AV	360.00	100	Vertical	Pass
5	6255.000	51.36	2.31	74.0	22.64	Peak	191.10	100	Vertical	Pass
5**	6255.000	41.49	2.31	54.0	12.51	AV	191.10	100	Vertical	Pass
6	6653.500	52.83	3.94	74.0	21.17	Peak	160.60	100	Vertical	Pass
6**	6653.500	42.73	3.94	54.0	11.27	AV	160.60	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2026-04-27_09:38.42

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7709.500	30.58	0.82	74.0	43.42	Peak	187.60	100	Vertical	Pass
1**	7709.500	20.45	0.82	54.0	33.55	AV	187.60	100	Vertical	Pass
2	9860.000	33.07	2.86	74.0	40.93	Peak	134.00	100	Vertical	Pass
2**	9860.000	23.80	2.86	54.0	30.20	AV	134.00	100	Vertical	Pass
3	10269.750	35.39	3.12	74.0	38.61	Peak	77.10	100	Vertical	Pass
3**	10269.750	23.89	3.12	54.0	30.11	AV	77.10	100	Vertical	Pass
4	13176.500	37.92	5.58	74.0	36.08	Peak	187.60	100	Vertical	Pass
4**	13176.500	26.76	5.58	54.0	27.24	AV	187.60	100	Vertical	Pass
5	14807.250	43.16	11.78	74.0	30.84	Peak	360.00	100	Vertical	Pass
5**	14807.250	33.01	11.78	54.0	20.99	AV	360.00	100	Vertical	Pass
6	17881.750	51.82	18.23	74.0	22.18	Peak	360.00	100	Vertical	Pass
6**	17881.750	41.45	18.23	54.0	12.55	AV	360.00	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2026-04-27_11.20.39

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.000	39.91	-13.52	74.0	34.09	Peak	8.60	100	Horizontal	Pass
1**	1440.000	30.68	-13.52	54.0	23.32	AV	8.60	100	Horizontal	Pass
2	1983.250	39.52	-11.76	74.0	34.48	Peak	288.50	100	Horizontal	Pass
2**	1983.250	29.61	-11.76	54.0	24.39	AV	288.50	100	Horizontal	Pass
3	2412.250	54.06	-5.05	74.0	19.94	Peak	360.00	100	Horizontal	Pass
3**	2412.250	51.80	-5.05	54.0	2.20	AV	360.00	100	Horizontal	Pass
4	3050.000	48.43	-4.72	74.0	25.57	Peak	360.00	100	Horizontal	Pass
4**	3050.000	38.79	-4.72	54.0	15.21	AV	360.00	100	Horizontal	Pass
5	4924.000	54.12	-0.07	74.0	19.88	Peak	360.00	100	Horizontal	Pass
5**	4924.000	48.13	-0.07	54.0	5.87	AV	360.00	100	Horizontal	Pass
6	6050.500	50.93	1.93	74.0	23.07	Peak	187.10	100	Horizontal	Pass
6**	6050.500	41.15	1.93	54.0	12.85	AV	187.10	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2026-04-27_09.20.56

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7995.500	30.95	1.35	74.0	43.05	Peak	120.40	100	Horizontal	Pass
1**	7995.500	20.71	1.35	54.0	33.29	AV	120.40	100	Horizontal	Pass
2	9890.250	33.45	2.79	74.0	40.55	Peak	8.80	100	Horizontal	Pass
2**	9890.250	23.29	2.79	54.0	30.71	AV	8.80	100	Horizontal	Pass
3	11089.250	36.14	4.58	74.0	37.86	Peak	8.80	100	Horizontal	Pass
3**	11089.250	25.92	4.58	54.0	28.08	AV	8.80	100	Horizontal	Pass
4	12846.500	37.14	4.74	74.0	36.86	Peak	360.00	100	Horizontal	Pass
4**	12846.500	26.17	4.74	54.0	27.83	AV	360.00	100	Horizontal	Pass
5	14810.000	43.42	11.98	74.0	30.58	Peak	8.80	100	Horizontal	Pass
5**	14810.000	34.13	11.98	54.0	19.87	AV	8.80	100	Horizontal	Pass
6	17873.500	52.06	18.42	74.0	21.94	Peak	68.70	100	Horizontal	Pass
6**	17873.500	41.68	18.42	54.0	12.32	AV	68.70	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2026-04-27_13.59.06

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1366.750	37.73	-13.42	74.0	36.27	Peak	0.00	100	Vertical	Pass
1**	1366.750	27.98	-13.42	54.0	26.02	AV	0.00	100	Vertical	Pass
2	1996.250	39.74	-11.68	74.0	34.26	Peak	0.00	100	Vertical	Pass
2**	1996.250	29.31	-11.68	54.0	24.69	AV	0.00	100	Vertical	Pass
3	2402.250	44.86	-4.78	74.0	29.14	Peak	55.60	100	Vertical	Pass
3**	2402.250	35.70	-4.78	54.0	18.30	AV	55.60	100	Vertical	Pass
4	3050.000	46.79	-4.72	74.0	27.21	Peak	290.50	100	Vertical	Pass
4**	3050.000	38.01	-4.72	54.0	15.99	AV	290.50	100	Vertical	Pass
5	4924.000	52.63	-0.07	74.0	21.37	Peak	1.40	100	Vertical	Pass
5**	4924.000	47.89	-0.07	54.0	6.11	AV	1.40	100	Vertical	Pass
6	6474.000	53.00	3.27	74.0	21.00	Peak	221.20	100	Vertical	Pass
6**	6474.000	42.26	3.27	54.0	11.74	AV	221.20	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2026-04-27_09.43.18

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906


Work Addition: TX

Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7258.500	31.42	-0.66	74.0	42.58	Peak	108.30	100	Vertical	Pass
1**	7258.500	19.28	-0.66	54.0	34.72	AV	108.30	100	Vertical	Pass
2	9541.000	31.97	2.48	74.0	42.03	Peak	290.20	100	Vertical	Pass
2**	9541.000	21.84	2.48	54.0	32.16	AV	290.20	100	Vertical	Pass
3	11875.750	36.42	4.09	74.0	37.58	Peak	167.80	100	Vertical	Pass
3**	11875.750	25.39	4.09	54.0	28.61	AV	167.80	100	Vertical	Pass
4	14546.000	42.07	9.70	74.0	31.93	Peak	359.40	100	Vertical	Pass
4**	14546.000	31.83	9.70	54.0	22.17	AV	359.40	100	Vertical	Pass
5	17469.250	48.57	15.83	74.0	25.43	Peak	167.80	100	Vertical	Pass
5**	17469.250	37.97	15.83	54.0	16.03	AV	167.80	100	Vertical	Pass
6	17840.501	51.74	18.45	74.0	22.26	Peak	229.20	100	Vertical	Pass
6**	17840.501	42.12	18.45	54.0	11.88	AV	229.20	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2026-04-27_11.29.07

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1342.000	38.17	-13.62	74.0	35.83	Peak	207.00	100	Horizontal	Pass
1**	1342.000	28.23	-13.62	54.0	25.77	AV	207.00	100	Horizontal	Pass
2	1893.000	39.43	-12.15	74.0	34.57	Peak	1.60	100	Horizontal	Pass
2**	1893.000	29.41	-12.15	54.0	24.59	AV	1.60	100	Horizontal	Pass
3	2391.000	58.28	-6.29	74.0	15.72	Peak	8.60	100	Horizontal	Pass
3**	2391.000	41.29	-6.29	54.0	12.71	AV	8.60	100	Horizontal	Pass
4	3050.000	47.52	-4.72	74.0	26.48	Peak	360.00	100	Horizontal	Pass
4**	3050.000	38.79	-4.72	54.0	15.21	AV	360.00	100	Horizontal	Pass
5	3661.500	46.40	-2.84	74.0	27.60	Peak	47.90	100	Horizontal	Pass
5**	3661.500	35.32	-2.84	54.0	18.68	AV	47.90	100	Horizontal	Pass
6	5256.500	49.85	0.31	74.0	24.15	Peak	197.10	100	Horizontal	Pass
6**	5256.500	38.78	0.31	54.0	15.22	AV	197.10	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2026-04-27_09.13.24

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7968.000	30.79	1.04	74.0	43.21	Peak	296.30	100	Horizontal	Pass
1**	7968.000	21.46	1.04	54.0	32.54	AV	296.30	100	Horizontal	Pass
2	9332.000	32.65	1.60	74.0	41.35	Peak	170.20	100	Horizontal	Pass
2**	9332.000	22.43	1.60	54.0	31.57	AV	170.20	100	Horizontal	Pass
3	10495.250	34.14	3.73	74.0	39.86	Peak	170.20	100	Horizontal	Pass
3**	10495.250	24.03	3.73	54.0	29.97	AV	170.20	100	Horizontal	Pass
4	11221.250	35.78	4.18	74.0	38.22	Peak	110.40	100	Horizontal	Pass
4**	11221.250	25.92	4.18	54.0	28.08	AV	110.40	100	Horizontal	Pass
5	14625.750	42.66	10.50	74.0	31.34	Peak	110.40	100	Horizontal	Pass
5**	14625.750	31.64	10.50	54.0	22.36	AV	110.40	100	Horizontal	Pass
6	17832.249	51.40	18.61	74.0	22.60	Peak	0.00	100	Horizontal	Pass
6**	17832.249	42.10	18.61	54.0	11.90	AV	0.00	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2026-04-27_14.13.08

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1385.500	37.85	-13.40	74.0	36.15	Peak	359.30	100	Vertical	Pass
1**	1385.500	27.74	-13.40	54.0	26.26	AV	359.30	100	Vertical	Pass
2	1870.500	38.93	-12.35	74.0	35.07	Peak	298.50	100	Vertical	Pass
2**	1870.500	28.59	-12.35	54.0	25.41	AV	298.50	100	Vertical	Pass
3	2430.750	55.07	-5.75	74.0	18.93	Peak	356.80	100	Vertical	Pass
3**	2430.750	51.32	-5.75	54.0	2.68	AV	356.80	100	Vertical	Pass
4	3051.500	46.18	-6.04	74.0	27.82	Peak	278.20	100	Vertical	Pass
4**	3051.500	37.25	-6.04	54.0	16.75	AV	278.20	100	Vertical	Pass
5	4821.000	50.72	-1.53	74.0	23.28	Peak	360.00	100	Vertical	Pass
5**	4821.000	41.28	-1.53	54.0	12.72	AV	360.00	100	Vertical	Pass
6	6473.000	52.39	3.25	74.0	21.61	Peak	360.00	100	Vertical	Pass
6**	6473.000	42.44	3.25	54.0	11.56	AV	360.00	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2026-04-27_09.35.44

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

R Emission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7869.000	31.30	1.08	74.0	42.70	Peak	56.30	100	Vertical	Pass
1**	7869.000	20.68	1.08	54.0	33.32	AV	56.30	100	Vertical	Pass
2	10165.250	33.34	2.56	74.0	40.66	Peak	118.10	100	Vertical	Pass
2**	10165.250	23.39	2.56	54.0	30.61	AV	118.10	100	Vertical	Pass
3	11147.000	35.91	3.78	74.0	38.09	Peak	67.40	100	Vertical	Pass
3**	11147.000	26.21	3.78	54.0	27.79	AV	67.40	100	Vertical	Pass
4	14444.250	41.74	9.00	74.0	32.26	Peak	240.10	100	Vertical	Pass
4**	14444.250	30.84	9.00	54.0	23.16	AV	240.10	100	Vertical	Pass
5	15137.250	43.01	9.34	74.0	30.99	Peak	308.60	100	Vertical	Pass
5**	15137.250	33.55	9.34	54.0	20.45	AV	308.60	100	Vertical	Pass
6	17835.000	51.88	18.63	74.0	22.12	Peak	118.10	100	Vertical	Pass
6**	17835.000	42.47	18.63	54.0	11.53	AV	118.10	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2026-04-27_11.31.34

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.750	40.26	-13.52	74.0	33.74	Peak	2.20	100	Horizontal	Pass
1**	1439.750	28.87	-13.52	54.0	25.13	AV	2.20	100	Horizontal	Pass
2	1895.250	39.46	-12.03	74.0	34.54	Peak	295.20	100	Horizontal	Pass
2**	1895.250	29.14	-12.03	54.0	24.86	AV	295.20	100	Horizontal	Pass
3	2389.000	49.97	-6.96	74.0	24.03	Peak	295.20	100	Horizontal	Pass
3**	2389.000	37.25	-6.96	54.0	16.75	AV	295.20	100	Horizontal	Pass
4	3051.000	47.12	-6.06	74.0	26.88	Peak	181.30	100	Horizontal	Pass
4**	3051.000	37.02	-6.06	54.0	16.98	AV	181.30	100	Horizontal	Pass
5	4870.000	51.59	-0.71	74.0	22.41	Peak	45.90	100	Horizontal	Pass
5**	4870.000	42.64	-0.71	54.0	11.36	AV	45.90	100	Horizontal	Pass
6	6034.000	51.33	1.63	74.0	22.67	Peak	75.30	100	Horizontal	Pass
6**	6034.000	40.21	1.63	54.0	13.79	AV	75.30	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2026-04-27_09.18.07

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7973.500	30.67	0.91	74.0	43.33	Peak	6.10	100	Horizontal	Pass
1**	7973.500	19.97	0.91	54.0	34.03	AV	6.10	100	Horizontal	Pass
2	10228.500	34.09	3.04	74.0	39.91	Peak	66.80	100	Horizontal	Pass
2**	10228.500	23.35	3.04	54.0	30.65	AV	66.80	100	Horizontal	Pass
3	11193.750	36.16	3.98	74.0	37.84	Peak	124.10	100	Horizontal	Pass
3**	11193.750	25.86	3.98	54.0	28.14	AV	124.10	100	Horizontal	Pass
4	14372.750	40.96	10.17	74.0	33.04	Peak	177.10	100	Horizontal	Pass
4**	14372.750	31.17	10.17	54.0	22.83	AV	177.10	100	Horizontal	Pass
5	15098.750	43.66	10.28	74.0	30.34	Peak	360.00	100	Horizontal	Pass
5**	15098.750	34.23	10.28	54.0	19.77	AV	360.00	100	Horizontal	Pass
6	17848.750	52.07	18.72	74.0	21.93	Peak	124.10	100	Horizontal	Pass
6**	17848.750	42.82	18.72	54.0	11.18	AV	124.10	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2026-04-27_14.18.27

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.750	40.02	-13.52	74.0	33.98	Peak	275.30	100	Vertical	Pass
1**	1439.750	28.26	-13.52	54.0	25.74	AV	275.30	100	Vertical	Pass
2	2038.750	40.11	-10.86	74.0	33.89	Peak	275.30	100	Vertical	Pass
2**	2038.750	30.16	-10.86	54.0	23.84	AV	275.30	100	Vertical	Pass
3	2438.000	44.67	-5.88	74.0	29.33	Peak	49.20	100	Vertical	Pass
3**	2438.000	35.65	-5.88	54.0	18.35	AV	49.20	100	Vertical	Pass
4	3050.000	47.58	-4.72	74.0	26.42	Peak	96.60	100	Vertical	Pass
4**	3050.000	37.80	-4.72	54.0	16.20	AV	96.60	100	Vertical	Pass
5	4867.000	49.63	-0.76	74.0	24.37	Peak	313.50	100	Vertical	Pass
5**	4867.000	39.62	-0.76	54.0	14.38	AV	313.50	100	Vertical	Pass
6	6434.000	52.93	3.03	74.0	21.07	Peak	96.60	100	Vertical	Pass
6**	6434.000	41.43	3.03	54.0	12.57	AV	96.60	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2026-04-27_09.40.28

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7863.500	32.24	1.12	74.0	41.76	Peak	57.30	100	Vertical	Pass
1**	7863.500	20.68	1.12	54.0	33.32	AV	57.30	100	Vertical	Pass
2	10231.250	33.37	3.09	74.0	40.63	Peak	290.90	100	Vertical	Pass
2**	10231.250	23.71	3.09	54.0	30.29	AV	290.90	100	Vertical	Pass
3	11221.250	36.51	4.18	74.0	37.49	Peak	0.00	100	Vertical	Pass
3**	11221.250	25.69	4.18	54.0	28.31	AV	0.00	100	Vertical	Pass
4	14837.500	42.39	11.20	74.0	31.61	Peak	235.10	100	Vertical	Pass
4**	14837.500	32.52	11.20	54.0	21.48	AV	235.10	100	Vertical	Pass
5	17144.750	47.43	14.92	74.0	26.57	Peak	357.50	100	Vertical	Pass
5**	17144.750	37.71	14.92	54.0	16.29	AV	357.50	100	Vertical	Pass
6	17788.250	51.33	17.63	74.0	22.67	Peak	357.50	100	Vertical	Pass
6**	17788.250	40.34	17.63	54.0	13.66	AV	357.50	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2026-04-27_11.34.58

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1250.500	37.61	-13.90	74.0	36.39	Peak	214.30	100	Horizontal	Pass
1**	1250.500	26.82	-13.90	54.0	27.18	AV	214.30	100	Horizontal	Pass
2	1682.750	38.56	-13.65	74.0	35.44	Peak	190.10	100	Horizontal	Pass
2**	1682.750	28.22	-13.65	54.0	25.78	AV	190.10	100	Horizontal	Pass
3	2493.000	51.88	-7.31	74.0	22.12	Peak	360.00	100	Horizontal	Pass
3**	2493.000	38.55	-7.31	54.0	15.45	AV	360.00	100	Horizontal	Pass
4	3050.000	47.30	-4.72	74.0	26.70	Peak	266.70	100	Horizontal	Pass
4**	3050.000	38.58	-4.72	54.0	15.42	AV	266.70	100	Horizontal	Pass
5	4925.500	50.86	-0.07	74.0	23.14	Peak	49.80	100	Horizontal	Pass
5**	4925.500	40.53	-0.07	54.0	13.47	AV	49.80	100	Horizontal	Pass
6	6551.500	52.16	2.79	74.0	21.84	Peak	60.20	100	Horizontal	Pass
6**	6551.500	41.49	2.79	54.0	12.51	AV	60.20	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2026-04-27_09.22.15

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7948.750	31.32	0.60	74.0	42.68	Peak	237.10	100	Horizontal	Pass
1**	7948.750	20.58	0.60	54.0	33.42	AV	237.10	100	Horizontal	Pass
2	9909.500	33.66	2.84	74.0	40.34	Peak	178.30	100	Horizontal	Pass
2**	9909.500	23.19	2.84	54.0	30.81	AV	178.30	100	Horizontal	Pass
3	11149.750	36.37	3.72	74.0	37.63	Peak	356.20	100	Horizontal	Pass
3**	11149.750	25.69	3.72	54.0	28.31	AV	356.20	100	Horizontal	Pass
4	14191.250	40.28	8.36	74.0	33.72	Peak	178.30	100	Horizontal	Pass
4**	14191.250	29.54	8.36	54.0	24.46	AV	178.30	100	Horizontal	Pass
5	15120.750	43.62	9.73	74.0	30.38	Peak	356.20	100	Horizontal	Pass
5**	15120.750	33.24	9.73	54.0	20.76	AV	356.20	100	Horizontal	Pass
6	17807.499	52.41	18.02	74.0	21.59	Peak	113.20	100	Horizontal	Pass
6**	17807.499	41.56	18.02	54.0	12.44	AV	113.20	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2026-04-27_14.21.16

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.500	40.43	-13.52	74.0	33.57	Peak	181.00	100	Vertical	Pass
1**	1438.500	27.97	-13.52	54.0	26.03	AV	181.00	100	Vertical	Pass
2	2073.500	39.92	-10.08	74.0	34.08	Peak	256.90	100	Vertical	Pass
2**	2073.500	30.45	-10.08	54.0	23.55	AV	256.90	100	Vertical	Pass
3	2491.250	48.35	-7.25	74.0	25.65	Peak	75.40	100	Vertical	Pass
3**	2491.250	33.47	-7.25	54.0	20.53	AV	75.40	100	Vertical	Pass
4	3050.000	46.13	-4.72	74.0	27.87	Peak	65.70	100	Vertical	Pass
4**	3050.000	38.21	-4.72	54.0	15.79	AV	65.70	100	Vertical	Pass
5	5120.500	48.90	0.31	74.0	25.10	Peak	302.40	100	Vertical	Pass
5**	5120.500	39.14	0.31	54.0	14.86	AV	302.40	100	Vertical	Pass
6	6761.500	53.55	3.61	74.0	20.45	Peak	302.40	100	Vertical	Pass
6**	6761.500	42.35	3.61	54.0	11.65	AV	302.40	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2026-04-27_09.44.53

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7577.500	31.13	0.04	74.0	42.87	Peak	242.30	100	Vertical	Pass
1**	7577.500	20.32	0.04	54.0	33.68	AV	242.30	100	Vertical	Pass
2	9530.000	32.75	2.40	74.0	41.25	Peak	6.00	100	Vertical	Pass
2**	9530.000	22.51	2.40	54.0	31.49	AV	6.00	100	Vertical	Pass
3	11246.000	35.58	4.33	74.0	38.42	Peak	122.20	100	Vertical	Pass
3**	11246.000	25.25	4.33	54.0	28.75	AV	122.20	100	Vertical	Pass
4	12786.000	37.53	5.86	74.0	36.47	Peak	242.30	100	Vertical	Pass
4**	12786.000	27.76	5.86	54.0	26.24	AV	242.30	100	Vertical	Pass
5	15134.500	43.83	9.30	74.0	30.17	Peak	6.00	100	Vertical	Pass
5**	15134.500	33.74	9.30	54.0	20.26	AV	6.00	100	Vertical	Pass
6	17854.251	52.06	18.55	74.0	21.94	Peak	360.00	100	Vertical	Pass
6**	17854.251	41.94	18.55	54.0	12.06	AV	360.00	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2026-04-27_11.43.36

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.500	38.62	-13.52	74.0	35.38	Peak	6.40	100	Horizontal	Pass
1**	1440.500	28.90	-13.52	54.0	25.10	AV	6.40	100	Horizontal	Pass
2	1906.250	40.00	-12.24	74.0	34.00	Peak	283.30	100	Horizontal	Pass
2**	1906.250	29.25	-12.24	54.0	24.75	AV	283.30	100	Horizontal	Pass
3	2392.250	61.74	-4.72	74.0	12.26	Peak	308.90	100	Horizontal	Pass
3**	2392.250	46.24	-4.72	54.0	7.76	AV	308.90	100	Horizontal	Pass
4	3050.000	46.56	-4.72	74.0	27.44	Peak	196.40	100	Horizontal	Pass
4**	3050.000	38.78	-4.72	54.0	15.22	AV	196.40	100	Horizontal	Pass
5	4041.500	46.33	-1.96	74.0	27.67	Peak	359.80	100	Horizontal	Pass
5**	4041.500	35.90	-1.96	54.0	18.10	AV	359.80	100	Horizontal	Pass
6	5271.500	49.68	0.22	74.0	24.32	Peak	96.30	100	Horizontal	Pass
6**	5271.500	38.65	0.22	54.0	15.35	AV	96.30	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2026-04-27_09.15.26

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

R Emission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7833.250	30.73	0.91	74.0	43.27	Peak	253.80	100	Horizontal	Pass
1**	7833.250	20.84	0.91	54.0	33.16	AV	253.80	100	Horizontal	Pass
2	9585.000	32.57	1.96	74.0	41.43	Peak	319.70	100	Horizontal	Pass
2**	9585.000	21.54	1.96	54.0	32.46	AV	319.70	100	Horizontal	Pass
3	10498.000	33.73	3.85	74.0	40.27	Peak	65.40	100	Horizontal	Pass
3**	10498.000	24.15	3.85	54.0	29.85	AV	65.40	100	Horizontal	Pass
4	11133.250	35.91	4.03	74.0	38.09	Peak	319.70	100	Horizontal	Pass
4**	11133.250	25.92	4.03	54.0	28.08	AV	319.70	100	Horizontal	Pass
5	15145.500	43.56	9.09	74.0	30.44	Peak	253.80	100	Horizontal	Pass
5**	15145.500	33.13	9.09	54.0	20.87	AV	253.80	100	Horizontal	Pass
6	17881.750	52.01	18.23	74.0	21.99	Peak	319.70	100	Horizontal	Pass
6**	17881.750	41.62	18.23	54.0	12.38	AV	319.70	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2026-04-27_14.34.08

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.250	42.74	-13.52	74.0	31.26	Peak	271.30	100	Vertical	Pass
1**	1440.250	28.45	-13.52	54.0	25.55	AV	271.30	100	Vertical	Pass
2	1875.500	39.29	-12.32	74.0	34.71	Peak	73.70	100	Vertical	Pass
2**	1875.500	28.00	-12.32	54.0	26.00	AV	73.70	100	Vertical	Pass
3	2392.000	56.01	-4.72	74.0	17.99	Peak	73.70	100	Vertical	Pass
3**	2392.000	37.11	-4.72	54.0	16.89	AV	73.70	100	Vertical	Pass
4	3050.000	46.19	-4.72	74.0	27.81	Peak	277.80	100	Vertical	Pass
4**	3050.000	38.55	-4.72	54.0	15.45	AV	277.80	100	Vertical	Pass
5	4824.500	51.66	-1.51	74.0	22.34	Peak	0.00	100	Vertical	Pass
5**	4824.500	40.36	-1.51	54.0	13.64	AV	0.00	100	Vertical	Pass
6	6093.000	51.11	2.22	74.0	22.89	Peak	168.80	100	Vertical	Pass
6**	6093.000	41.44	2.22	54.0	12.56	AV	168.80	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2026-04-27_09:37.12

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

REmission Test case_FCC_Part 15C_FCC 15.247.7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7847.000	31.62	0.97	74.0	42.38	Peak	50.20	100	Vertical	Pass
1**	7847.000	20.71	0.97	54.0	33.29	AV	50.20	100	Vertical	Pass
2	9854.500	33.10	2.73	74.0	40.90	Peak	0.00	100	Vertical	Pass
2**	9854.500	23.28	2.73	54.0	30.72	AV	0.00	100	Vertical	Pass
3	11589.750	36.22	5.02	74.0	37.78	Peak	50.20	100	Vertical	Pass
3**	11589.750	25.01	5.02	54.0	28.99	AV	50.20	100	Vertical	Pass
4	13459.750	37.58	6.32	74.0	36.42	Peak	299.90	100	Vertical	Pass
4**	13459.750	27.25	6.32	54.0	26.75	AV	299.90	100	Vertical	Pass
5	15096.001	43.16	10.41	74.0	30.84	Peak	243.00	100	Vertical	Pass
5**	15096.001	33.32	10.41	54.0	20.68	AV	243.00	100	Vertical	Pass
6	17818.499	51.89	18.29	74.0	22.11	Peak	358.20	100	Vertical	Pass
6**	17818.499	42.60	18.29	54.0	11.40	AV	358.20	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2026-04-27_11.41.07

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1313.000	38.68	-13.57	74.0	35.32	Peak	0.70	100	Horizontal	Pass
1**	1313.000	27.47	-13.57	54.0	26.53	AV	0.70	100	Horizontal	Pass
2	1898.250	40.01	-12.04	74.0	33.99	Peak	58.10	100	Horizontal	Pass
2**	1898.250	29.55	-12.04	54.0	24.45	AV	58.10	100	Horizontal	Pass
3	2405.500	48.35	-4.94	74.0	25.65	Peak	70.00	100	Horizontal	Pass
3**	2405.500	33.97	-4.94	54.0	20.03	AV	70.00	100	Horizontal	Pass
4	3050.000	46.14	-4.72	74.0	27.86	Peak	357.90	100	Horizontal	Pass
4**	3050.000	38.54	-4.72	54.0	15.46	AV	357.90	100	Horizontal	Pass
5	4878.000	50.88	-0.55	74.0	23.12	Peak	357.90	100	Horizontal	Pass
5**	4878.000	40.67	-0.55	54.0	13.33	AV	357.90	100	Horizontal	Pass
6	6049.500	51.58	1.94	74.0	22.42	Peak	299.70	100	Horizontal	Pass
6**	6049.500	40.75	1.94	54.0	13.25	AV	299.70	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2026-04-27_09.19.21

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

R Emission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7891.000	30.99	0.43	74.0	43.01	Peak	241.50	100	Horizontal	Pass
1**	7891.000	20.29	0.43	54.0	33.71	AV	241.50	100	Horizontal	Pass
2	9557.500	32.77	2.59	74.0	41.23	Peak	0.00	100	Horizontal	Pass
2**	9557.500	21.71	2.59	54.0	32.29	AV	0.00	100	Horizontal	Pass
3	11174.500	35.54	3.93	74.0	38.46	Peak	359.20	100	Horizontal	Pass
3**	11174.500	26.48	3.93	54.0	27.52	AV	359.20	100	Horizontal	Pass
4	13803.500	38.58	7.16	74.0	35.42	Peak	359.20	100	Horizontal	Pass
4**	13803.500	29.10	7.16	54.0	24.90	AV	359.20	100	Horizontal	Pass
5	15118.000	43.51	9.83	74.0	30.49	Peak	48.10	100	Horizontal	Pass
5**	15118.000	33.83	9.83	54.0	20.17	AV	48.10	100	Horizontal	Pass
6	17829.501	51.76	18.41	74.0	22.24	Peak	48.10	100	Horizontal	Pass
6**	17829.501	42.35	18.41	54.0	11.65	AV	48.10	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2026-04-27_14.31.11

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.250	39.95	-13.52	74.0	34.05	Peak	277.60	100	Vertical	Pass
1**	1439.250	27.57	-13.52	54.0	26.43	AV	277.60	100	Vertical	Pass
2	2166.250	41.50	-9.10	74.0	32.50	Peak	359.40	100	Vertical	Pass
2**	2166.250	31.53	-9.10	54.0	22.47	AV	359.40	100	Vertical	Pass
3	2438.000	45.37	-5.88	74.0	28.63	Peak	189.50	100	Vertical	Pass
3**	2438.000	35.96	-5.88	54.0	18.04	AV	189.50	100	Vertical	Pass
4	3050.500	46.51	-5.39	74.0	27.49	Peak	360.00	100	Vertical	Pass
4**	3050.500	38.75	-5.39	54.0	15.25	AV	360.00	100	Vertical	Pass
5	4877.000	48.61	-0.57	74.0	25.39	Peak	322.80	100	Vertical	Pass
5**	4877.000	39.07	-0.57	54.0	14.93	AV	322.80	100	Vertical	Pass
6	5955.500	51.01	1.40	74.0	22.99	Peak	322.80	100	Vertical	Pass
6**	5955.500	40.74	1.40	54.0	13.26	AV	322.80	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2026-04-27_09.41.57

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

R Emission Test case_FCC_Part 15C_FCC 15.247.7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7852.500	30.53	1.01	74.0	43.47	Peak	245.70	100	Vertical	Pass
1**	7852.500	21.04	1.01	54.0	32.96	AV	245.70	100	Vertical	Pass
2	9959.000	33.25	3.36	74.0	40.75	Peak	190.60	100	Vertical	Pass
2**	9959.000	23.35	3.36	54.0	30.65	AV	190.60	100	Vertical	Pass
3	11160.750	35.34	3.92	74.0	38.66	Peak	190.60	100	Vertical	Pass
3**	11160.750	25.93	3.92	54.0	28.07	AV	190.60	100	Vertical	Pass
4	13451.500	37.27	6.28	74.0	36.73	Peak	15.70	100	Vertical	Pass
4**	13451.500	27.32	6.28	54.0	26.68	AV	15.70	100	Vertical	Pass
5	14818.250	42.72	11.76	74.0	31.28	Peak	132.20	100	Vertical	Pass
5**	14818.250	33.60	11.76	54.0	20.40	AV	132.20	100	Vertical	Pass
6	17818.499	52.29	18.29	74.0	21.71	Peak	132.20	100	Vertical	Pass
6**	17818.499	41.80	18.29	54.0	12.20	AV	132.20	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2026-04-27_11.38.21

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

REmission Test case_FCC_Part 15C_Part 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.500	37.82	-13.60	74.0	36.18	Peak	109.40	100	Horizontal	Pass
1**	1331.500	27.30	-13.60	54.0	26.70	AV	109.40	100	Horizontal	Pass
2	1910.750	38.42	-12.20	74.0	35.58	Peak	125.40	100	Horizontal	Pass
2**	1910.750	29.37	-12.20	54.0	24.63	AV	125.40	100	Horizontal	Pass
3	2494.250	49.37	-7.30	74.0	24.63	Peak	98.20	100	Horizontal	Pass
3**	2494.250	37.04	-7.30	54.0	16.96	AV	98.20	100	Horizontal	Pass
4	3050.000	46.45	-4.72	74.0	27.55	Peak	181.10	100	Horizontal	Pass
4**	3050.000	38.76	-4.72	54.0	15.24	AV	181.10	100	Horizontal	Pass
5	4929.500	49.93	-0.07	74.0	24.07	Peak	45.30	100	Horizontal	Pass
5**	4929.500	41.72	-0.07	54.0	12.28	AV	45.30	100	Horizontal	Pass
6	6835.000	53.79	4.05	74.0	20.21	Peak	181.10	100	Horizontal	Pass
6**	6835.000	43.13	4.05	54.0	10.87	AV	181.10	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2026-04-27_09.23.49

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906


Work Addition: TX

Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7877.250	31.31	0.62	74.0	42.69	Peak	360.00	100	Horizontal	Pass
1**	7877.250	20.57	0.62	54.0	33.43	AV	360.00	100	Horizontal	Pass
2	10212.000	34.05	3.04	74.0	39.95	Peak	360.00	100	Horizontal	Pass
2**	10212.000	23.23	3.04	54.0	30.77	AV	360.00	100	Horizontal	Pass
3	11925.250	35.95	4.45	74.0	38.05	Peak	8.70	100	Horizontal	Pass
3**	11925.250	25.35	4.45	54.0	28.65	AV	8.70	100	Horizontal	Pass
4	14821.000	42.62	11.68	74.0	31.38	Peak	312.70	100	Horizontal	Pass
4**	14821.000	32.91	11.68	54.0	21.09	AV	312.70	100	Horizontal	Pass
5	16897.250	47.14	14.31	74.0	26.86	Peak	70.50	100	Horizontal	Pass
5**	16897.250	36.58	14.31	54.0	17.42	AV	70.50	100	Horizontal	Pass
6	17835.000	51.84	18.63	74.0	22.16	Peak	134.50	100	Horizontal	Pass
6**	17835.000	42.29	18.63	54.0	11.71	AV	134.50	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2026-04-27_14.27.57

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.250	42.30	-13.52	74.0	31.70	Peak	283.50	100	Vertical	Pass
1**	1440.250	28.46	-13.52	54.0	25.54	AV	283.50	100	Vertical	Pass
2	2005.750	39.37	-11.44	74.0	34.63	Peak	293.20	100	Vertical	Pass
2**	2005.750	29.38	-11.44	54.0	24.62	AV	293.20	100	Vertical	Pass
3	2447.000	48.69	-6.13	74.0	25.31	Peak	85.20	100	Vertical	Pass
3**	2447.000	32.11	-6.13	54.0	21.89	AV	85.20	100	Vertical	Pass
4	3050.500	47.10	-5.39	74.0	26.90	Peak	194.80	100	Vertical	Pass
4**	3050.500	38.58	-5.39	54.0	15.42	AV	194.80	100	Vertical	Pass
5	4914.000	50.08	-0.01	74.0	23.92	Peak	184.80	100	Vertical	Pass
5**	4914.000	38.67	-0.01	54.0	15.33	AV	184.80	100	Vertical	Pass
6	6851.500	53.52	3.99	74.0	20.48	Peak	77.60	100	Vertical	Pass
6**	6851.500	43.12	3.99	54.0	10.88	AV	77.60	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2026-04-27_09.46.12

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7959.750	31.30	1.02	74.0	42.70	Peak	116.20	100	Vertical	Pass
1**	7959.750	20.96	1.02	54.0	33.04	AV	116.20	100	Vertical	Pass
2	9813.250	32.34	2.81	74.0	41.66	Peak	168.60	100	Vertical	Pass
2**	9813.250	22.71	2.81	54.0	31.29	AV	168.60	100	Vertical	Pass
3	11166.250	35.35	3.91	74.0	38.65	Peak	0.00	100	Vertical	Pass
3**	11166.250	25.74	3.91	54.0	28.26	AV	0.00	100	Vertical	Pass
4	14460.750	43.50	9.31	74.0	30.50	Peak	168.60	100	Vertical	Pass
4**	14460.750	31.24	9.31	54.0	22.76	AV	168.60	100	Vertical	Pass
5	15107.000	43.90	10.04	74.0	30.10	Peak	0.00	100	Vertical	Pass
5**	15107.000	33.68	10.04	54.0	20.32	AV	0.00	100	Vertical	Pass
6	17826.750	51.78	18.38	74.0	22.22	Peak	0.00	100	Vertical	Pass
6**	17826.750	42.12	18.38	54.0	11.88	AV	0.00	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2026-04-27_11.47.08

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1273.250	37.14	-14.03	74.0	36.86	Peak	297.40	100	Horizontal	Pass
1**	1273.250	26.50	-14.03	54.0	27.50	AV	297.40	100	Horizontal	Pass
2	1440.250	40.18	-13.52	74.0	33.82	Peak	4.00	100	Horizontal	Pass
2**	1440.250	30.97	-13.52	54.0	23.03	AV	4.00	100	Horizontal	Pass
3	2032.000	40.20	-10.98	74.0	33.80	Peak	297.40	100	Horizontal	Pass
3**	2032.000	29.94	-10.98	54.0	24.06	AV	297.40	100	Horizontal	Pass
4	2388.000	52.30	-7.28	74.0	21.70	Peak	297.40	100	Horizontal	Pass
4**	2388.000	41.67	-7.28	54.0	12.33	AV	297.40	100	Horizontal	Pass
5	3050.500	47.24	-5.39	74.0	26.76	Peak	184.90	100	Horizontal	Pass
5**	3050.500	38.38	-5.39	54.0	15.62	AV	184.90	100	Horizontal	Pass
6	4398.500	47.04	-1.59	74.0	26.96	Peak	153.60	100	Horizontal	Pass
6**	4398.500	36.06	-1.59	54.0	17.94	AV	153.60	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2026-04-27_09.25.26

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7800.250	30.62	0.74	74.0	43.38	Peak	56.20	100	Horizontal	Pass
1**	7800.250	20.44	0.74	54.0	33.56	AV	56.20	100	Horizontal	Pass
2	9854.500	33.63	2.73	74.0	40.37	Peak	231.00	100	Horizontal	Pass
2**	9854.500	22.52	2.73	54.0	31.48	AV	231.00	100	Horizontal	Pass
3	11908.750	36.05	4.42	74.0	37.95	Peak	56.20	100	Horizontal	Pass
3**	11908.750	25.61	4.42	54.0	28.39	AV	56.20	100	Horizontal	Pass
4	14136.250	42.49	8.54	74.0	31.51	Peak	296.10	100	Horizontal	Pass
4**	14136.250	30.11	8.54	54.0	23.89	AV	296.10	100	Horizontal	Pass
5	15109.750	43.41	10.02	74.0	30.59	Peak	351.10	100	Horizontal	Pass
5**	15109.750	33.69	10.02	54.0	20.31	AV	351.10	100	Horizontal	Pass
6	17848.750	51.26	18.72	74.0	22.74	Peak	231.00	100	Horizontal	Pass
6**	17848.750	42.88	18.72	54.0	11.12	AV	231.00	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2026-04-27_13.20.28

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906


Work Addition: TX

Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.000	42.33	-13.52	74.0	31.67	Peak	278.40	100	Vertical	Pass
1**	1440.000	28.85	-13.52	54.0	25.15	AV	278.40	100	Vertical	Pass
2	1878.750	38.46	-12.28	74.0	35.54	Peak	287.70	100	Vertical	Pass
2**	1878.750	28.41	-12.28	54.0	25.59	AV	287.70	100	Vertical	Pass
3	2384.000	48.88	-7.75	74.0	25.12	Peak	80.80	100	Vertical	Pass
3**	2384.000	34.04	-7.75	54.0	19.96	AV	80.80	100	Vertical	Pass
4	3050.000	47.20	-4.72	74.0	26.80	Peak	84.40	100	Vertical	Pass
4**	3050.000	38.13	-4.72	54.0	15.87	AV	84.40	100	Vertical	Pass
5	5070.500	50.17	0.42	74.0	23.83	Peak	42.70	100	Vertical	Pass
5**	5070.500	38.89	0.42	54.0	15.11	AV	42.70	100	Vertical	Pass
6	6475.500	52.91	3.31	74.0	21.09	Peak	283.00	100	Vertical	Pass
6**	6475.500	42.16	3.31	54.0	11.84	AV	283.00	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2026-04-27_09.29.24

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7613.250	31.05	-0.23	74.0	42.95	Peak	131.00	100	Vertical	Pass
1**	7613.250	20.37	-0.23	54.0	33.63	AV	131.00	100	Vertical	Pass
2	10322.000	34.77	3.51	74.0	39.23	Peak	303.70	100	Vertical	Pass
2**	10322.000	23.79	3.51	54.0	30.21	AV	303.70	100	Vertical	Pass
3	11059.000	36.42	4.50	74.0	37.58	Peak	1.30	100	Vertical	Pass
3**	11059.000	24.67	4.50	54.0	29.33	AV	1.30	100	Vertical	Pass
4	14196.750	39.93	8.04	74.0	34.07	Peak	1.30	100	Vertical	Pass
4**	14196.750	29.55	8.04	54.0	24.45	AV	1.30	100	Vertical	Pass
5	15098.750	43.87	10.28	74.0	30.13	Peak	131.00	100	Vertical	Pass
5**	15098.750	33.63	10.28	54.0	20.37	AV	131.00	100	Vertical	Pass
6	17815.751	51.88	18.25	74.0	22.12	Peak	360.00	100	Vertical	Pass
6**	17815.751	41.54	18.25	54.0	12.46	AV	360.00	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2026-04-27_11.49.51

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.250	40.51	-13.52	74.0	33.49	Peak	320.50	100	Horizontal	Pass
1**	1440.250	29.85	-13.52	54.0	24.15	AV	320.50	100	Horizontal	Pass
2	2046.500	39.65	-10.78	74.0	34.35	Peak	176.50	100	Horizontal	Pass
2**	2046.500	30.29	-10.78	54.0	23.71	AV	176.50	100	Horizontal	Pass
3	2385.750	47.40	-7.64	74.0	26.60	Peak	303.00	100	Horizontal	Pass
3**	2385.750	37.19	-7.64	54.0	16.81	AV	303.00	100	Horizontal	Pass
4	3050.000	46.93	-4.72	74.0	27.07	Peak	360.00	100	Horizontal	Pass
4**	3050.000	37.90	-4.72	54.0	16.10	AV	360.00	100	Horizontal	Pass
5	4385.000	46.32	-1.84	74.0	27.68	Peak	57.50	100	Horizontal	Pass
5**	4385.000	36.76	-1.84	54.0	17.24	AV	57.50	100	Horizontal	Pass
6	5764.500	50.96	1.61	74.0	23.04	Peak	269.60	100	Horizontal	Pass
6**	5764.500	40.73	1.61	54.0	13.27	AV	269.60	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2026-04-27_09.26.56

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7863.500	31.33	1.12	74.0	42.67	Peak	250.50	100	Horizontal	Pass
1**	7863.500	21.33	1.12	54.0	32.67	AV	250.50	100	Horizontal	Pass
2	9279.750	32.58	1.54	74.0	41.42	Peak	49.80	100	Horizontal	Pass
2**	9279.750	22.01	1.54	54.0	31.99	AV	49.80	100	Horizontal	Pass
3	11185.500	35.83	3.85	74.0	38.17	Peak	49.80	100	Horizontal	Pass
3**	11185.500	26.02	3.85	54.0	27.98	AV	49.80	100	Horizontal	Pass
4	13132.500	37.12	6.05	74.0	36.88	Peak	49.80	100	Horizontal	Pass
4**	13132.500	26.87	6.05	54.0	27.13	AV	49.80	100	Horizontal	Pass
5	15118.000	43.05	9.83	74.0	30.95	Peak	116.40	100	Horizontal	Pass
5**	15118.000	33.68	9.83	54.0	20.32	AV	116.40	100	Horizontal	Pass
6	17873.500	53.77	18.42	74.0	20.23	Peak	116.40	100	Horizontal	Pass
6**	17873.500	41.46	18.42	54.0	12.54	AV	116.40	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2026-04-27_13.24.01

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906


Work Addition: TX

Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.500	40.63	-13.52	74.0	33.37	Peak	273.80	100	Vertical	Pass
1**	1439.500	28.29	-13.52	54.0	25.71	AV	273.80	100	Vertical	Pass
2	2259.250	42.42	-7.69	74.0	31.58	Peak	312.50	100	Vertical	Pass
2**	2259.250	31.76	-7.69	54.0	22.24	AV	312.50	100	Vertical	Pass
3	2435.250	49.03	-5.86	74.0	24.97	Peak	312.50	100	Vertical	Pass
3**	2435.250	34.25	-5.86	54.0	19.75	AV	312.50	100	Vertical	Pass
4	3050.000	47.35	-4.72	74.0	26.65	Peak	294.20	100	Vertical	Pass
4**	3050.000	38.55	-4.72	54.0	15.45	AV	294.20	100	Vertical	Pass
5	4717.000	49.03	-0.47	74.0	24.97	Peak	0.00	100	Vertical	Pass
5**	4717.000	38.84	-0.47	54.0	15.16	AV	0.00	100	Vertical	Pass
6	6367.500	51.86	2.02	74.0	22.14	Peak	56.10	100	Vertical	Pass
6**	6367.500	40.91	2.02	54.0	13.09	AV	56.10	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2026-04-27_09.31.18

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7814.000	30.80	0.42	74.0	43.20	Peak	294.30	100	Vertical	Pass
1**	7814.000	20.28	0.42	54.0	33.72	AV	294.30	100	Vertical	Pass
2	9796.750	32.63	3.27	74.0	41.37	Peak	359.60	100	Vertical	Pass
2**	9796.750	23.10	3.27	54.0	30.90	AV	359.60	100	Vertical	Pass
3	11226.750	35.79	4.04	74.0	38.21	Peak	59.60	100	Vertical	Pass
3**	11226.750	25.71	4.04	54.0	28.29	AV	59.60	100	Vertical	Pass
4	13525.750	38.51	7.49	74.0	35.49	Peak	118.30	100	Vertical	Pass
4**	13525.750	27.79	7.49	54.0	26.21	AV	118.30	100	Vertical	Pass
5	14810.000	43.68	11.98	74.0	30.32	Peak	236.20	100	Vertical	Pass
5**	14810.000	34.33	11.98	54.0	19.67	AV	236.20	100	Vertical	Pass
6	17813.000	51.76	18.17	74.0	22.24	Peak	0.00	100	Vertical	Pass
6**	17813.000	42.37	18.17	54.0	11.63	AV	0.00	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2026-04-27_11.52.50

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1273.000	37.09	-14.03	74.0	36.91	Peak	295.40	100	Horizontal	Pass
1**	1273.000	26.92	-14.03	54.0	27.08	AV	295.40	100	Horizontal	Pass
2	1578.250	38.68	-13.72	74.0	35.32	Peak	77.40	100	Horizontal	Pass
2**	1578.250	27.44	-13.72	54.0	26.56	AV	77.40	100	Horizontal	Pass
3	2491.500	56.07	-7.26	74.0	17.93	Peak	107.10	100	Horizontal	Pass
3**	2491.500	41.55	-7.26	54.0	12.45	AV	107.10	100	Horizontal	Pass
4	3050.000	48.39	-4.72	74.0	25.61	Peak	0.00	100	Horizontal	Pass
4**	3050.000	38.38	-4.72	54.0	15.62	AV	0.00	100	Horizontal	Pass
5	5074.500	49.84	0.62	74.0	24.16	Peak	43.40	100	Horizontal	Pass
5**	5074.500	39.14	0.62	54.0	14.86	AV	43.40	100	Horizontal	Pass
6	5589.500	50.21	1.08	74.0	23.79	Peak	179.60	100	Horizontal	Pass
6**	5589.500	40.17	1.08	54.0	13.83	AV	179.60	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2026-04-27_09.28.05

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7863.500	31.09	1.12	74.0	42.91	Peak	51.40	100	Horizontal	Pass
1**	7863.500	21.21	1.12	54.0	32.79	AV	51.40	100	Horizontal	Pass
2	9505.250	31.65	2.28	74.0	42.35	Peak	0.00	100	Horizontal	Pass
2**	9505.250	22.02	2.28	54.0	31.98	AV	0.00	100	Horizontal	Pass
3	11152.500	35.82	3.87	74.0	38.18	Peak	221.50	100	Horizontal	Pass
3**	11152.500	25.64	3.87	54.0	28.36	AV	221.50	100	Horizontal	Pass
4	12761.250	37.43	5.33	74.0	36.57	Peak	0.00	100	Horizontal	Pass
4**	12761.250	26.31	5.33	54.0	27.69	AV	0.00	100	Horizontal	Pass
5	15096.001	44.21	10.41	74.0	29.79	Peak	346.90	100	Horizontal	Pass
5**	15096.001	33.08	10.41	54.0	20.92	AV	346.90	100	Horizontal	Pass
6	17846.000	51.75	18.76	74.0	22.25	Peak	346.90	100	Horizontal	Pass
6**	17846.000	42.80	18.76	54.0	11.20	AV	346.90	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2026-04-27_13.26.43

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1356.250	37.50	-13.49	74.0	36.50	Peak	281.30	100	Vertical	Pass
1**	1356.250	27.00	-13.49	54.0	27.00	AV	281.30	100	Vertical	Pass
2	1439.250	40.35	-13.52	74.0	33.65	Peak	281.30	100	Vertical	Pass
2**	1439.250	30.39	-13.52	54.0	23.61	AV	281.30	100	Vertical	Pass
3	2491.000	45.52	-7.24	74.0	28.48	Peak	71.80	100	Vertical	Pass
3**	2491.000	34.62	-7.24	54.0	19.38	AV	71.80	100	Vertical	Pass
4	3050.000	47.16	-4.72	74.0	26.84	Peak	160.30	100	Vertical	Pass
4**	3050.000	38.39	-4.72	54.0	15.61	AV	160.30	100	Vertical	Pass
5	4031.000	47.14	-1.97	74.0	26.86	Peak	160.30	100	Vertical	Pass
5**	4031.000	35.53	-1.97	54.0	18.47	AV	160.30	100	Vertical	Pass
6	5084.000	50.30	0.93	74.0	23.70	Peak	275.30	100	Vertical	Pass
6**	5084.000	39.62	0.93	54.0	14.38	AV	275.30	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2026-04-27_09.32.39

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7849.750	30.89	0.95	74.0	43.11	Peak	308.60	100	Vertical	Pass
1**	7849.750	20.87	0.95	54.0	33.13	AV	308.60	100	Vertical	Pass
2	9849.000	33.12	2.74	74.0	40.88	Peak	360.00	100	Vertical	Pass
2**	9849.000	23.52	2.74	54.0	30.48	AV	360.00	100	Vertical	Pass
3	11166.250	35.30	3.91	74.0	38.70	Peak	65.60	100	Vertical	Pass
3**	11166.250	26.20	3.91	54.0	27.80	AV	65.60	100	Vertical	Pass
4	13844.750	38.23	7.40	74.0	35.77	Peak	184.70	100	Vertical	Pass
4**	13844.750	28.90	7.40	54.0	25.10	AV	184.70	100	Vertical	Pass
5	14799.000	43.43	11.46	74.0	30.57	Peak	125.10	100	Vertical	Pass
5**	14799.000	33.62	11.46	54.0	20.38	AV	125.10	100	Vertical	Pass
6	17813.000	53.55	18.17	74.0	20.45	Peak	250.10	100	Vertical	Pass
6**	17813.000	42.47	18.17	54.0	11.53	AV	250.10	100	Vertical	Pass

WIFI2.4G-Bandedge -B-Low channel- Horizontal –TX

Test result

Project Number: Certification

Test Time: 2026-04-27_10.47.25

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	49.53	-10.58	74.0	24.47	Peak	86.64	100	H	Pass
1**	2390.000	40.86	-10.58	54.0	13.14	AV	86.64	100	H	Pass

WIFI2.4G-Bandedge -B-Low channel- Vertical -TX

Test result

Project Number: Certification

Test Time: 2026-04-27_13.40.42

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	49.25	-10.58	74.0	24.75	Peak	227.15	100	V	Pass
1**	2390.000	40.32	-10.58	54.0	13.68	AV	227.15	100	V	Pass

WIFI2.4G-Bandedge -B-High channel- Horizontal -TX

Test result

Project Number: Certification

Test Time: 2026-04-27_10.59.09

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	49.64	-10.56	74.0	24.36	Peak	113.60	100	H	Pass
1**	2483.500	41.06	-10.56	54.0	12.94	AV	113.60	100	H	Pass

WIFI2.4G-Bandedge -B-High channel- Vertical-TX

Test result

Project Number: Certification

Test Time: 2026-04-27_13.42.12

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	48.95	-10.56	74.0	25.05	Peak	295.50	100	V	Pass
1**	2483.500	40.13	-10.56	54.0	13.87	AV	295.50	100	V	Pass

WIFI2.4G-Bandedge -G-Low channel- Horizontal –TX

Test result

Project Number: Certification

Test Time: 2026-04-27_10.50.04

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	62.16	-10.58	74.0	11.84	Peak	115.10	100	H	Pass
1**	2390.000	51.36	-10.58	54.0	2.64	AV	115.10	100	H	Pass

WIFI2.4G-Bandedge -G-Low channel- Vertical -TX

Test result

Project Number: Certification

Test Time: 2026-04-27_13.38.53

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

R Emission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	48.46	-10.58	74.0	25.54	Peak	212.79	100	V	Pass
1**	2390.000	40.14	-10.58	54.0	13.86	AV	212.79	100	V	Pass

WIFI2.4G-Bandedge -G-High channel- Horizontal -TX

Test result

Project Number: Certification

Test Time: 2026-04-27_10.57.00

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	62.66	-10.56	74.0	11.34	Peak	6.30	100	H	Pass
1**	2483.500	50.97	-10.56	54.0	3.03	AV	6.30	100	H	Pass

WIFI2.4G-Bandedge -G-High channel- Vertical-TX

Test result

Project Number: Certification

Test Time: 2026-04-27_13.36.49

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	48.83	-10.56	74.0	25.17	Peak	191.96	100	V	Pass
1**	2483.500	40.58	-10.56	54.0	13.42	AV	191.96	100	V	Pass

WIFI2.4G-Bandedge -N-Low channel- Horizontal –TX

Test result

Project Number: Certification

Test Time: 2026-04-27_10.52.04

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	57.45	-10.58	74.0	16.55	Peak	257.60	100	H	Pass
1**	2390.000	46.14	-10.58	54.0	7.86	AV	257.60	100	H	Pass

WIFI2.4G-Bandedge -N-Low channel- Vertical -TX

Test result

Project Number: Certification

Test Time: 2026-04-27_13.32.53

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	48.41	-10.58	74.0	25.59	Peak	323.57	100	V	Pass
1**	2390.000	40.31	-10.58	54.0	13.69	AV	323.57	100	V	Pass

WIFI2.4G-Bandedge -N-High channel- Horizontal -TX

Test result

Project Number: Certification

Test Time: 2026-04-27_10.54.09

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	60.16	-10.56	74.0	13.84	Peak	134.39	100	H	Pass
1**	2483.500	49.85	-10.56	54.0	4.15	AV	134.39	100	H	Pass

WIFI2.4G-Bandedge -N-High channel- Vertical-TX

Test result

Project Number: Certification

Test Time: 2026-04-27_13.35.16

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906


Work Addition: TX

Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	50.25	-10.56	74.0	23.75	Peak	110.90	100	V	Pass
1**	2483.500	41.24	-10.56	54.0	12.76	AV	110.90	100	V	Pass

WIFI2.4G-Bandedge –N40-Low channel- Horizontal –TX

Test result

Project Number: Certification

Test Time: 2026-04-27_11.57.37

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	55.23	-10.58	74.0	18.77	Peak	108.30	100	H	Pass
1**	2390.000	46.13	-10.58	54.0	7.87	AV	108.30	100	H	Pass

Test result

Project Number: Certification

Test Time: 2026-04-27_13.31.12

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

RÉmission Test case_FCC_Part 15C_FCC 15.247(2.4G) bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	49.20	-10.58	74.0	24.80	Peak	272.19	100	V	Pass
1**	2390.000	40.26	-10.58	54.0	13.74	AV	272.19	100	V	Pass

Test result

Project Number: Certification

Test Time: 2026-04-27_11.55.06

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	60.64	-10.56	74.0	13.36	Peak	71.30	100	H	Pass
1**	2483.500	52.24	-10.56	54.0	1.76	AV	71.30	100	H	Pass

WIFI2.4G-Bandedge –N40-High channel- Vertical-TX

Test result

Project Number: Certification

Test Time: 2026-04-27_13.29.31

EUT Name: PETKIT PUROBOT MAX 3
SELF-CLEANING CAT LITTER BOX

Test Engineer: SDC

Manufacturer: PETKIT

Test Standard: FCC

Model: P9906

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%

Remark: DR-RSE01-E26040056-01#02

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	49.29	-10.56	74.0	24.71	Peak	68.90	100	V	Pass
1**	2483.500	40.71	-10.56	54.0	13.29	AV	68.90	100	V	Pass