

EXHIBIT A- RADIATED SPURIOUS EMISSION DATA

30M-1G

BLE-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2026-04-11_16.45.04

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%RH

Remark: DR-RSE01-E26040021-01#02

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	33.397	37.73	-27.10	40.0	2.27	Peak	122.10	184	Horizontal	Pass
1*	33.397	20.33	-27.10	40.0	19.67	QP	122.10	184	Horizontal	Pass
2	74.124	19.28	-29.75	40.0	20.72	Peak	359.20	200	Horizontal	Pass
3	94.489	22.09	-26.22	43.5	21.41	Peak	358.10	200	Horizontal	Pass
4	132.552	26.73	-28.25	43.5	16.77	Peak	147.00	200	Horizontal	Pass
5	256.438	23.94	-22.70	46.0	22.06	Peak	314.30	100	Horizontal	Pass
6	317.291	21.82	-21.60	46.0	24.18	Peak	284.50	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2026-04-11_16.37.17

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%RH

Remark: DR-RSE01-E26040021-01#02

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	33.637	29.50	-27.02	40.0	10.50	Peak	172.70	100	Vertical	Pass
2	74.987	30.63	-30.01	40.0	9.37	Peak	291.00	108	Vertical	Pass
2*	74.987	23.20	-30.01	40.0	16.80	QP	291.00	108	Vertical	Pass
3	103.459	25.93	-24.95	43.5	17.57	Peak	251.60	100	Vertical	Pass
4	133.522	28.85	-28.32	43.5	14.65	Peak	283.00	200	Vertical	Pass
5	384.931	31.28	-19.62	46.0	14.72	Peak	261.00	200	Vertical	Pass
6	648.220	23.44	-12.98	46.0	22.56	Peak	360.00	200	Vertical	Pass

1-18G

BLE-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2026-04-11_15.49.20

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%RH

Remark: DR-RSE01-E26040021-01#02

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.000	38.49	-13.62	74.0	35.51	Peak	0.10	100	Horizontal	Pass
1**	1330.000	28.82	-13.62	54.0	25.18	AV	0.10	100	Horizontal	Pass
2	2403.500	45.73	-4.81	74.0	28.27	Peak	0.00	100	Horizontal	Pass
2**	2403.500	36.26	-4.81	54.0	17.74	AV	0.00	100	Horizontal	Pass
3	3050.000	48.32	-4.72	74.0	25.68	Peak	74.30	100	Horizontal	Pass
3**	3050.000	39.25	-4.72	54.0	14.75	AV	74.30	100	Horizontal	Pass
4	3938.500	46.46	-2.54	74.0	27.54	Peak	268.10	100	Horizontal	Pass
4**	3938.500	36.29	-2.54	54.0	17.71	AV	268.10	100	Horizontal	Pass
5	4803.500	52.78	-1.59	74.0	21.22	Peak	299.00	100	Horizontal	Pass
5**	4803.500	47.19	-1.59	54.0	6.81	AV	299.00	100	Horizontal	Pass
6	6447.500	53.34	3.24	74.0	20.66	Peak	268.10	100	Horizontal	Pass
6**	6447.500	42.44	3.24	54.0	11.56	AV	268.10	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2026-04-11_14.04.04

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%RH

Remark: DR-RSE01-E26040021-01#02

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7588.500	31.36	0.02	74.0	42.64	Peak	308.90	100	Horizontal	Pass
1**	7588.500	20.46	0.02	54.0	33.54	AV	308.90	100	Horizontal	Pass
2	10311.000	34.21	3.25	74.0	39.79	Peak	9.60	100	Horizontal	Pass
2**	10311.000	23.34	3.25	54.0	30.66	AV	9.60	100	Horizontal	Pass
3	11171.750	36.43	3.86	74.0	37.57	Peak	9.60	100	Horizontal	Pass
3**	11171.750	25.89	3.86	54.0	28.11	AV	9.60	100	Horizontal	Pass
4	14375.500	41.04	9.97	74.0	32.96	Peak	9.60	100	Horizontal	Pass
4**	14375.500	31.42	9.97	54.0	22.58	AV	9.60	100	Horizontal	Pass
5	15109.750	44.00	10.02	74.0	30.00	Peak	308.90	100	Horizontal	Pass
5**	15109.750	33.29	10.02	54.0	20.71	AV	308.90	100	Horizontal	Pass
6	17917.499	51.69	17.71	74.0	22.31	Peak	360.00	100	Horizontal	Pass
6**	17917.499	40.63	17.71	54.0	13.37	AV	360.00	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2026-04-11_16.34.09

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%RH

Remark: DR-RSE01-E26040021-01#02

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1352.000	38.53	-13.43	74.0	35.47	Peak	194.30	100	Vertical	Pass
1**	1352.000	28.19	-13.43	54.0	25.81	AV	194.30	100	Vertical	Pass
2	1818.500	40.52	-12.90	74.0	33.48	Peak	360.00	100	Vertical	Pass
2**	1818.500	29.05	-12.90	54.0	24.95	AV	360.00	100	Vertical	Pass
3	2402.500	45.41	-4.78	74.0	28.59	Peak	165.60	100	Vertical	Pass
3**	2402.500	36.29	-4.78	54.0	17.71	AV	165.60	100	Vertical	Pass
4	3050.000	47.60	-4.72	74.0	26.40	Peak	309.80	100	Vertical	Pass
4**	3050.000	39.44	-4.72	54.0	14.56	AV	309.80	100	Vertical	Pass
5	3755.500	46.71	-2.42	74.0	27.29	Peak	268.90	100	Vertical	Pass
5**	3755.500	36.21	-2.42	54.0	17.79	AV	268.90	100	Vertical	Pass
6	4804.500	52.24	-1.60	74.0	21.76	Peak	299.40	100	Vertical	Pass
6**	4804.500	49.17	-1.60	54.0	4.83	AV	299.40	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2026-04-11_14.48.46

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%RH

Remark: DR-RSE01-E26040021-01#02

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7739.750	30.91	0.28	74.0	43.09	Peak	241.40	100	Vertical	Pass
1**	7739.750	20.74	0.28	54.0	33.26	AV	241.40	100	Vertical	Pass
2	10366.000	34.85	3.81	74.0	39.15	Peak	68.70	100	Vertical	Pass
2**	10366.000	23.74	3.81	54.0	30.26	AV	68.70	100	Vertical	Pass
3	11961.000	36.56	4.84	74.0	37.44	Peak	182.20	100	Vertical	Pass
3**	11961.000	25.87	4.84	54.0	28.13	AV	182.20	100	Vertical	Pass
4	13811.750	39.04	7.22	74.0	34.96	Peak	127.20	100	Vertical	Pass
4**	13811.750	28.65	7.22	54.0	25.35	AV	127.20	100	Vertical	Pass
5	15101.500	42.84	10.19	74.0	31.16	Peak	241.40	100	Vertical	Pass
5**	15101.500	32.93	10.19	54.0	21.07	AV	241.40	100	Vertical	Pass
6	17829.501	52.41	18.41	74.0	21.59	Peak	68.70	100	Vertical	Pass
6**	17829.501	42.47	18.41	54.0	11.53	AV	68.70	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2026-04-11_15.45.42

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%RH

Remark: DR-RSE01-E26040021-01#02

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1318.750	38.56	-13.63	74.0	35.44	Peak	5.00	100	Horizontal	Pass
1**	1318.750	27.54	-13.63	54.0	26.46	AV	5.00	100	Horizontal	Pass
2	1863.000	39.71	-12.64	74.0	34.29	Peak	289.90	100	Horizontal	Pass
2**	1863.000	28.77	-12.64	54.0	25.23	AV	289.90	100	Horizontal	Pass
3	2404.500	45.76	-4.88	74.0	28.24	Peak	289.90	100	Horizontal	Pass
3**	2404.500	35.53	-4.88	54.0	18.47	AV	289.90	100	Horizontal	Pass
4	3050.500	46.60	-5.39	74.0	27.40	Peak	62.20	100	Horizontal	Pass
4**	3050.500	38.80	-5.39	54.0	15.20	AV	62.20	100	Horizontal	Pass
5	3607.000	46.27	-2.71	74.0	27.73	Peak	161.20	100	Horizontal	Pass
5**	3607.000	35.33	-2.71	54.0	18.67	AV	161.20	100	Horizontal	Pass
6	4880.500	52.00	-0.58	74.0	22.00	Peak	191.70	100	Horizontal	Pass
6**	4880.500	46.86	-0.58	54.0	7.14	AV	191.70	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2026-04-11_14.03.00

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%RH

Remark: DR-RSE01-E26040021-01#02

REmission Test case_FCC_Part 15C_FCC 15.247.7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7863.500	31.22	1.12	74.0	42.78	Peak	0.00	100	Horizontal	Pass
1**	7863.500	21.03	1.12	54.0	32.97	AV	0.00	100	Horizontal	Pass
2	10542.000	35.11	3.89	74.0	38.89	Peak	221.90	100	Horizontal	Pass
2**	10542.000	24.27	3.89	54.0	29.73	AV	221.90	100	Horizontal	Pass
3	11193.750	35.56	3.98	74.0	38.44	Peak	45.50	100	Horizontal	Pass
3**	11193.750	25.74	3.98	54.0	28.26	AV	45.50	100	Horizontal	Pass
4	13333.250	37.97	6.28	74.0	36.03	Peak	0.00	100	Horizontal	Pass
4**	13333.250	27.17	6.28	54.0	26.83	AV	0.00	100	Horizontal	Pass
5	14815.500	42.13	11.92	74.0	31.87	Peak	103.20	100	Horizontal	Pass
5**	14815.500	33.27	11.92	54.0	20.73	AV	103.20	100	Horizontal	Pass
6	17832.249	51.62	18.61	74.0	22.38	Peak	103.20	100	Horizontal	Pass
6**	17832.249	41.94	18.61	54.0	12.06	AV	103.20	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2026-04-11_16.32.08

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%RH

Remark: DR-RSE01-E26040021-01#02

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1421.500	38.19	-13.37	74.0	35.81	Peak	360.00	100	Vertical	Pass
1**	1421.500	27.55	-13.37	54.0	26.45	AV	360.00	100	Vertical	Pass
2	2392.000	45.52	-4.72	74.0	28.48	Peak	79.30	100	Vertical	Pass
2**	2392.000	35.91	-4.72	54.0	18.09	AV	79.30	100	Vertical	Pass
3	3050.500	48.18	-5.39	74.0	25.82	Peak	323.20	100	Vertical	Pass
3**	3050.500	38.86	-5.39	54.0	15.14	AV	323.20	100	Vertical	Pass
4	4045.500	45.96	-1.88	74.0	28.04	Peak	287.80	100	Vertical	Pass
4**	4045.500	35.77	-1.88	54.0	18.23	AV	287.80	100	Vertical	Pass
5	4880.500	56.50	-0.58	74.0	17.50	Peak	231.20	100	Vertical	Pass
5**	4880.500	48.94	-0.58	54.0	5.06	AV	231.20	100	Vertical	Pass
6	6256.500	53.34	2.33	74.0	20.66	Peak	213.40	100	Vertical	Pass
6**	6256.500	41.78	2.33	54.0	12.22	AV	213.40	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2026-04-11_14.50.33

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907


Work Addition: TX

Temp.(oC): 19.5

Load: Full load

Hum.: 50%RH

Remark: DR-RSE01-E26040021-01#02



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7789.250	30.49	0.60	74.0	43.51	Peak	250.40	100	Vertical	Pass
1**	7789.250	21.08	0.60	54.0	32.92	AV	250.40	100	Vertical	Pass
2	9906.750	33.94	2.77	74.0	40.06	Peak	250.40	100	Vertical	Pass
2**	9906.750	22.94	2.77	54.0	31.06	AV	250.40	100	Vertical	Pass
3	11160.750	35.90	3.92	74.0	38.10	Peak	359.70	100	Vertical	Pass
3**	11160.750	26.46	3.92	54.0	27.54	AV	359.70	100	Vertical	Pass
4	12780.500	36.97	5.78	74.0	37.03	Peak	124.30	100	Vertical	Pass
4**	12780.500	27.33	5.78	54.0	26.67	AV	124.30	100	Vertical	Pass
5	15107.000	43.90	10.04	74.0	30.10	Peak	250.40	100	Vertical	Pass
5**	15107.000	33.64	10.04	54.0	20.36	AV	250.40	100	Vertical	Pass
6	17832.249	51.15	18.61	74.0	22.85	Peak	61.50	100	Vertical	Pass
6**	17832.249	42.13	18.61	54.0	11.87	AV	61.50	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2026-04-11_15.40.43

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%RH

Remark: DR-RSE01-E26040021-01#02

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1296.250	38.76	-13.92	74.0	35.24	Peak	12.20	100	Horizontal	Pass
1**	1296.250	27.64	-13.92	54.0	26.36	AV	12.20	100	Horizontal	Pass
2	2228.750	42.95	-8.58	74.0	31.05	Peak	12.20	100	Horizontal	Pass
2**	2228.750	32.75	-8.58	54.0	21.25	AV	12.20	100	Horizontal	Pass
3	3050.000	47.05	-4.72	74.0	26.95	Peak	62.80	100	Horizontal	Pass
3**	3050.000	39.13	-4.72	54.0	14.87	AV	62.80	100	Horizontal	Pass
4	4103.500	46.87	-1.54	74.0	27.13	Peak	187.40	100	Horizontal	Pass
4**	4103.500	36.56	-1.54	54.0	17.44	AV	187.40	100	Horizontal	Pass
5	4960.500	53.70	-0.84	74.0	20.30	Peak	196.70	100	Horizontal	Pass
5**	4960.500	49.12	-0.84	54.0	4.88	AV	196.70	100	Horizontal	Pass
6	6452.500	53.47	3.17	74.0	20.53	Peak	360.00	100	Horizontal	Pass
6**	6452.500	43.36	3.17	54.0	10.64	AV	360.00	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2026-04-11_14.01.40

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%RH

Remark: DR-RSE01-E26040021-01#02

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7847.000	31.60	0.97	74.0	42.40	Peak	18.20	100	Horizontal	Pass
1**	7847.000	20.74	0.97	54.0	33.26	AV	18.20	100	Horizontal	Pass
2	10528.250	34.14	3.69	74.0	39.86	Peak	318.60	100	Horizontal	Pass
2**	10528.250	24.15	3.69	54.0	29.85	AV	318.60	100	Horizontal	Pass
3	11199.250	35.51	4.02	74.0	38.49	Peak	318.60	100	Horizontal	Pass
3**	11199.250	25.93	4.02	54.0	28.07	AV	318.60	100	Horizontal	Pass
4	13316.750	38.56	6.00	74.0	35.44	Peak	18.20	100	Horizontal	Pass
4**	13316.750	27.37	6.00	54.0	26.63	AV	18.20	100	Horizontal	Pass
5	14818.250	44.59	11.76	74.0	29.41	Peak	137.70	100	Horizontal	Pass
5**	14818.250	33.74	11.76	54.0	20.26	AV	137.70	100	Horizontal	Pass
6	17859.750	51.78	18.55	74.0	22.22	Peak	318.60	100	Horizontal	Pass
6**	17859.750	42.13	18.55	54.0	11.87	AV	318.60	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2026-04-11_16.29.50

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%RH

Remark: DR-RSE01-E26040021-01#02

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1264.250	37.28	-13.96	74.0	36.72	Peak	0.00	100	Vertical	Pass
1**	1264.250	28.02	-13.96	54.0	25.98	AV	0.00	100	Vertical	Pass
2	2402.250	45.79	-4.78	74.0	28.21	Peak	73.00	100	Vertical	Pass
2**	2402.250	44.31	-4.78	54.0	9.69	AV	73.00	100	Vertical	Pass
3	3050.000	47.77	-4.72	74.0	26.23	Peak	305.70	100	Vertical	Pass
3**	3050.000	38.94	-4.72	54.0	15.06	AV	305.70	100	Vertical	Pass
4	3666.500	47.05	-2.82	74.0	26.95	Peak	305.70	100	Vertical	Pass
4**	3666.500	35.54	-2.82	54.0	18.46	AV	305.70	100	Vertical	Pass
5	4959.500	56.43	-0.85	74.0	17.57	Peak	281.60	100	Vertical	Pass
5**	4959.500	50.53	-0.85	54.0	3.47	AV	281.60	100	Vertical	Pass
6	6494.500	52.92	3.12	74.0	21.08	Peak	291.60	100	Vertical	Pass
6**	6494.500	42.55	3.12	54.0	11.45	AV	291.60	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2026-04-11_14.54.53

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907


Work Addition: TX

Temp.(oC): 19.5

Load: Full load

Hum.: 50%RH

Remark: DR-RSE01-E26040021-01#02



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7794.750	31.13	0.65	74.0	42.87	Peak	315.30	100	Vertical	Pass
1**	7794.750	20.76	0.65	54.0	33.24	AV	315.30	100	Vertical	Pass
2	9851.750	33.70	2.71	74.0	40.30	Peak	71.20	100	Vertical	Pass
2**	9851.750	23.77	2.71	54.0	30.23	AV	71.20	100	Vertical	Pass
3	12802.500	37.95	5.84	74.0	36.05	Peak	246.10	100	Vertical	Pass
3**	12802.500	27.61	5.84	54.0	26.39	AV	246.10	100	Vertical	Pass
4	14161.000	40.67	8.17	74.0	33.33	Peak	71.20	100	Vertical	Pass
4**	14161.000	29.72	8.17	54.0	24.28	AV	71.20	100	Vertical	Pass
5	15104.250	43.65	10.04	74.0	30.35	Peak	126.20	100	Vertical	Pass
5**	15104.250	33.50	10.04	54.0	20.50	AV	126.20	100	Vertical	Pass
6	17848.750	52.09	18.72	74.0	21.91	Peak	1.90	100	Vertical	Pass
6**	17848.750	43.08	18.72	54.0	10.92	AV	1.90	100	Vertical	Pass

BLE-Bandedge -Low channel- Horizontal -TX

Test result

Project Number: Certification

Test Time: 2026-04-11_16.16.57

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%RH

Remark: DR-RSE01-E26040021-01#02

REmission Test case_FCC_Part 15C_FCC 15.247(Z4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	49.34	-10.58	74.0	24.66	Peak	303.29	100	H	Pass
1**	2390.000	40.39	-10.58	54.0	13.61	AV	303.29	100	H	Pass

BLE-Bandedge -Low channel- Vertical -TX

Test result

Project Number: Certification

Test Time: 2026-04-11_15.55.16

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907


Work Addition: TX

Temp.(oC): 19.5

Load: Full load

Hum.: 50%RH

Remark: DR-RSE01-E26040021-01#02



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	48.61	-10.58	74.0	25.39	Peak	12.91	100	V	Pass
1**	2390.000	40.15	-10.58	54.0	13.85	AV	12.91	100	V	Pass

Test result

Project Number: Certification

Test Time: 2026-04-11_16.18.28

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%RH

Remark: DR-RSE01-E26040021-01#02

REmission Test case_FCC_Part 15C_FCC 15.247(Z4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	48.59	-10.56	74.0	25.41	Peak	49.10	100	H	Pass
1**	2483.500	40.06	-10.56	54.0	13.94	AV	49.10	100	H	Pass

Test result

Project Number: Certification

Test Time: 2026-04-11_16.22.55

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%RH

Remark: DR-RSE01-E26040021-01#02

REmission Test case_FCC_Part 15C_FCC 15.247(Z4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	48.53	-10.56	74.0	25.47	Peak	254.56	100	V	Pass
1**	2483.500	40.70	-10.56	54.0	13.30	AV	254.56	100	V	Pass