


EXHIBIT A- RADIATED SPURIOUS EMISSION DATA

Note: Transmit frequency is ignore, mark →
30M-1G
WIFI5GB1 -Horizontal-TX



WIFI5GB1 - Vertical -TX

Test result

Project Number: Certification

Test Time: 2026-04-24_15.40.03

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 52%RH

Remark: DR-RSE01-E26040021-01#02

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	36.207	47.85	-26.35	40.0	-7.85	Peak	108.30	242	Vertical	N/A
1*	36.207	27.96	-26.35	40.0	12.04	QP	108.30	242	Vertical	Pass
2	62.211	23.44	-25.43	40.0	16.56	Peak	317.30	100	Vertical	Pass
2*	62.211	17.12	-25.43	40.0	22.88	QP	317.30	100	Vertical	Pass
3	109.548	44.73	-25.15	43.5	-1.23	Peak	313.60	221	Vertical	N/A
3*	109.548	30.79	-25.15	43.5	12.71	QP	313.60	221	Vertical	Pass
4	130.723	29.32	-28.10	43.5	14.18	Peak	264.80	100	Vertical	Pass
4*	130.723	24.77	-28.10	43.5	18.73	QP	264.80	100	Vertical	Pass
5	348.177	35.43	-19.71	46.0	10.57	Peak	7.10	100	Vertical	Pass
5*	348.177	31.23	-19.71	46.0	14.77	QP	7.10	100	Vertical	Pass
6	404.518	36.05	-19.20	46.0	9.95	Peak	261.90	100	Vertical	Pass
6*	404.518	31.59	-19.20	46.0	14.41	QP	261.90	100	Vertical	Pass

1G-18G

WIFI5GB1-A-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2026-04-25_10.08.36

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 52%RH

Remark: DR-RSE01-E26040021-01#02

Emission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1101.750	35.02	-16.59	74.0	38.98	Peak	360.00	100	Horizontal	Pass
1**	1101.750	24.54	-16.59	54.0	29.46	AV	360.00	100	Horizontal	Pass
2	1896.750	37.96	-13.99	68.2	30.24	Peak	65.60	100	Horizontal	Pass
2**	1896.750	27.55	-13.99	--	-27.55	AV	65.60	100	Horizontal	N/A
3	3050.500	48.02	-3.50	68.2	20.18	Peak	167.50	100	Horizontal	Pass
3**	3050.500	40.57	-3.50	--	-40.57	AV	167.50	100	Horizontal	N/A
4	3935.500	49.46	0.91	74.0	24.54	Peak	111.00	100	Horizontal	Pass
4**	3935.500	39.08	0.91	54.0	14.92	AV	111.00	100	Horizontal	Pass
5	5251.000	58.61	8.89	--	173.29	Peak	231.90	100	Horizontal	Pass
5**	5251.000	48.18	8.89	--	-48.18	AV	231.90	100	Horizontal	N/A
6	6998.000	58.93	9.71	68.2	9.27	Peak	47.40	100	Horizontal	Pass
6**	6998.000	49.10	9.71	--	-49.10	AV	47.40	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2026-04-11_15.25.34

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX

Temp.(oC): 19.5

Load: Full load

Hum.: 50%RH

Remark: DR-RSE01-E26040021-01#02



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7585.750	25.47	5.01	74.0	48.53	Peak	230.80	100	Horizontal	Pass
1**	7585.750	16.64	5.01	54.0	37.36	AV	230.80	100	Horizontal	Pass
2	10225.750	29.06	8.09	68.2	39.14	Peak	230.80	100	Horizontal	Pass
2**	10225.750	20.16	8.09	--	-20.16	AV	230.80	100	Horizontal	N/A
3	11837.250	30.63	8.83	74.0	43.37	Peak	292.60	100	Horizontal	Pass
3**	11837.250	22.13	8.83	54.0	31.87	AV	292.60	100	Horizontal	Pass
4	14777.000	38.04	16.02	68.2	30.16	Peak	135.90	100	Horizontal	Pass
4**	14777.000	30.02	16.02	--	-30.02	AV	135.90	100	Horizontal	N/A
5	16883.500	42.50	19.14	68.2	25.70	Peak	266.50	100	Horizontal	Pass
5**	16883.500	33.36	19.14	--	-33.36	AV	266.50	100	Horizontal	N/A
6	17815.751	46.42	23.25	74.0	27.58	Peak	249.00	100	Horizontal	Pass
6**	17815.751	38.56	23.25	54.0	15.44	AV	249.00	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2026-04-25_11.03.13

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 52%RH

Remark: DR-RSE01-E26040021-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1100.500	35.02	-16.57	74.0	38.98	Peak	232.60	100	Vertical	Pass
1**	1100.500	23.49	-16.57	54.0	30.51	AV	232.60	100	Vertical	Pass
2	1472.750	36.14	-15.42	74.0	37.86	Peak	118.50	100	Vertical	Pass
2**	1472.750	25.53	-15.42	54.0	28.47	AV	118.50	100	Vertical	Pass
3	3050.500	49.86	-3.50	68.2	18.34	Peak	360.00	100	Vertical	Pass
3**	3050.500	40.24	-3.50	--	-40.24	AV	360.00	100	Vertical	N/A
4	4232.000	50.09	1.48	74.0	23.91	Peak	14.70	100	Vertical	Pass
4**	4232.000	39.64	1.48	54.0	14.36	AV	14.70	100	Vertical	Pass
5	5242.000	59.03	8.76	--	68.07	Peak	127.10	100	Vertical	Pass
5**	5242.000	47.43	8.76	--	-47.43	AV	127.10	100	Vertical	N/A
6	6992.000	59.63	9.52	68.2	8.57	Peak	360.00	100	Vertical	Pass
6**	6992.000	49.33	9.52	--	-49.33	AV	360.00	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2026-04-11_14.59.16

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX

Temp.(oC): 19.5

Load: Full load

Hum.: 50%RH

Remark: DR-RSE01-E26040021-01#02



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7860.750	25.95	6.08	68.2	42.25	Peak	118.70	100	Vertical	Pass
1**	7860.750	18.13	6.08	--	-18.13	AV	118.70	100	Vertical	N/A
2	9959.000	27.95	8.36	68.2	40.25	Peak	267.50	100	Vertical	Pass
2**	9959.000	20.05	8.36	--	-20.05	AV	267.50	100	Vertical	N/A
3	11408.250	30.30	9.75	74.0	43.70	Peak	298.10	100	Vertical	Pass
3**	11408.250	19.92	9.75	54.0	34.08	AV	298.10	100	Vertical	Pass
4	13105.000	33.02	11.01	68.2	35.18	Peak	171.50	100	Vertical	Pass
4**	13105.000	23.42	11.01	--	-23.42	AV	171.50	100	Vertical	N/A
5	14735.750	37.76	15.06	68.2	30.44	Peak	224.80	100	Vertical	Pass
5**	14735.750	28.62	15.06	--	-28.62	AV	224.80	100	Vertical	N/A
6	17832.249	46.13	23.61	74.0	27.87	Peak	171.50	100	Vertical	Pass
6**	17832.249	39.24	23.61	54.0	14.76	AV	171.50	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2026-04-25_10.04.54

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 52%RH

Remark: DR-RSE01-E26040021-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1170.750	35.44	-16.04	74.0	38.56	Peak	360.00	100	Horizontal	Pass
1**	1170.750	24.66	-16.04	54.0	29.34	AV	360.00	100	Horizontal	Pass
2	2239.250	41.04	-10.82	74.0	32.96	Peak	360.00	100	Horizontal	Pass
2**	2239.250	30.33	-10.82	54.0	23.67	AV	360.00	100	Horizontal	Pass
3	3050.000	51.09	-3.49	68.2	17.11	Peak	100.30	100	Horizontal	Pass
3**	3050.000	39.82	-3.49	--	-39.82	AV	100.30	100	Horizontal	N/A
4	4245.500	51.65	1.44	74.0	22.35	Peak	160.50	100	Horizontal	Pass
4**	4245.500	40.38	1.44	54.0	13.62	AV	160.50	100	Horizontal	Pass
5	5221.000	58.32	8.32	--	-58.32	Peak	0.00	100	Horizontal	N/A
5**	5221.000	50.13	8.32	--	-50.13	AV	0.00	100	Horizontal	N/A
6	6620.500	58.29	8.12	68.2	9.91	Peak	100.30	100	Horizontal	Pass
6**	6620.500	47.30	8.12	--	-47.30	AV	100.30	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2026-04-11_15.22.49

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907


Work Addition: TX

Temp.(oC): 19.5

Load: Full load

Hum.: 50%RH

Remark: DR-RSE01-E26040021-01#02



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7682.000	25.71	5.74	74.0	48.29	Peak	231.60	100	Horizontal	Pass
1**	7682.000	17.21	5.74	54.0	36.79	AV	231.60	100	Horizontal	Pass
2	8795.750	25.85	5.06	68.2	42.35	Peak	360.00	100	Horizontal	Pass
2**	8795.750	17.65	5.06	--	-17.65	AV	360.00	100	Horizontal	N/A
3	10443.000	29.74	8.68	68.2	38.46	Peak	175.00	100	Horizontal	Pass
3**	10443.000	19.82	8.68	--	-19.82	AV	175.00	100	Horizontal	N/A
4	11166.250	31.26	8.91	74.0	42.74	Peak	0.00	100	Horizontal	Pass
4**	11166.250	22.17	8.91	54.0	31.83	AV	0.00	100	Horizontal	Pass
5	15134.500	39.11	14.30	68.2	29.09	Peak	360.00	100	Horizontal	Pass
5**	15134.500	31.08	14.30	--	-31.08	AV	360.00	100	Horizontal	N/A
6	17878.999	46.60	23.31	74.0	27.40	Peak	74.90	100	Horizontal	Pass
6**	17878.999	37.13	23.31	54.0	16.87	AV	74.90	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2026-04-25_11.07.12

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 52%RH

Remark: DR-RSE01-E26040021-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1112.250	35.88	-16.63	74.0	38.12	Peak	223.70	100	Vertical	Pass
1**	1112.250	24.56	-16.63	54.0	29.44	AV	223.70	100	Vertical	Pass
2	1923.000	39.27	-14.29	68.2	28.93	Peak	105.40	100	Vertical	Pass
2**	1923.000	27.83	-14.29	--	-27.83	AV	105.40	100	Vertical	N/A
3	3050.000	48.63	-3.49	68.2	19.57	Peak	70.90	100	Vertical	Pass
3**	3050.000	39.52	-3.49	--	-39.52	AV	70.90	100	Vertical	N/A
4	4174.500	50.59	0.85	74.0	23.41	Peak	129.30	100	Vertical	Pass
4**	4174.500	39.25	0.85	54.0	14.75	AV	129.30	100	Vertical	Pass
5	5223.500	57.49	8.42	--	13.41	Peak	70.90	100	Vertical	Pass
5**	5223.500	47.42	8.42	--	-47.42	AV	70.90	100	Vertical	N/A
6	6832.000	58.70	8.02	68.2	9.50	Peak	257.30	100	Vertical	Pass
6**	6832.000	48.59	8.02	--	-48.59	AV	257.30	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2026-04-11_15.02.53

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%RH

Remark: DR-RSE01-E26040021-01#02

R Emission Test case_FCC_Part 15E_FCC 15.407(5G)_6GHz-18GHz_B1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7825.000	25.73	5.99	68.2	42.47	Peak	40.20	100	Vertical	Pass
1**	7825.000	16.53	5.99	--	-16.53	AV	40.20	100	Vertical	N/A
2	9975.500	29.25	8.35	68.2	38.95	Peak	191.70	100	Vertical	Pass
2**	9975.500	20.15	8.35	--	-20.15	AV	191.70	100	Vertical	N/A
3	11169.000	30.94	8.87	74.0	43.06	Peak	360.00	100	Vertical	Pass
3**	11169.000	22.73	8.87	54.0	31.27	AV	360.00	100	Vertical	Pass
4	12816.250	31.58	10.53	68.2	36.62	Peak	93.40	100	Vertical	Pass
4**	12816.250	23.05	10.53	--	-23.05	AV	93.40	100	Vertical	N/A
5	14821.000	39.57	16.68	68.2	28.63	Peak	191.70	100	Vertical	Pass
5**	14821.000	29.78	16.68	--	-29.78	AV	191.70	100	Vertical	N/A
6	17843.249	46.80	23.49	74.0	27.20	Peak	73.00	100	Vertical	Pass
6**	17843.249	38.41	23.49	54.0	15.59	AV	73.00	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2026-04-25_10.00.58

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 52%RH

Remark: DR-RSE01-E26040021-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1111.000	35.64	-16.60	74.0	38.36	Peak	9.70	100	Horizontal	Pass
1**	1111.000	24.31	-16.60	54.0	29.69	AV	9.70	100	Horizontal	Pass
2	1339.500	37.24	-15.18	74.0	36.76	Peak	73.70	100	Horizontal	Pass
2**	1339.500	25.77	-15.18	54.0	28.23	AV	73.70	100	Horizontal	Pass
3	2257.500	40.36	-10.37	74.0	33.64	Peak	9.70	100	Horizontal	Pass
3**	2257.500	30.51	-10.37	54.0	23.49	AV	9.70	100	Horizontal	Pass
4	3051.000	47.99	-3.51	68.2	20.21	Peak	280.90	100	Horizontal	Pass
4**	3051.000	39.34	-3.51	--	-39.34	AV	280.90	100	Horizontal	N/A
5	5246.500	58.75	8.54	--	-58.75	Peak	0.00	100	Horizontal	N/A
5**	5246.500	51.04	8.54	--	-51.04	AV	0.00	100	Horizontal	N/A
6	6990.000	60.18	9.43	68.2	8.02	Peak	280.90	100	Horizontal	Pass
6**	6990.000	49.28	9.43	--	-49.28	AV	280.90	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2026-04-11_15.27.18

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX

Temp.(oC): 19.5

Load: Full load

Hum.: 50%RH

Remark: DR-RSE01-E26040021-01#02



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7918.500	26.66	5.31	68.2	41.54	Peak	118.50	100	Horizontal	Pass
1**	7918.500	18.13	5.31	--	-18.13	AV	118.50	100	Horizontal	N/A
2	9818.750	28.09	7.68	68.2	40.11	Peak	190.30	100	Horizontal	Pass
2**	9818.750	19.25	7.68	--	-19.25	AV	190.30	100	Horizontal	N/A
3	12802.500	32.20	10.84	68.2	36.00	Peak	357.40	100	Horizontal	Pass
3**	12802.500	23.97	10.84	--	-23.97	AV	357.40	100	Horizontal	N/A
4	15101.500	38.00	15.19	68.2	30.20	Peak	168.00	100	Horizontal	Pass
4**	15101.500	30.08	15.19	--	-30.08	AV	168.00	100	Horizontal	N/A
5	17155.750	42.02	20.00	68.2	26.18	Peak	168.00	100	Horizontal	Pass
5**	17155.750	34.00	20.00	--	-34.00	AV	168.00	100	Horizontal	N/A
6	17848.750	46.43	23.72	74.0	27.57	Peak	96.20	100	Horizontal	Pass
6**	17848.750	39.46	23.72	54.0	14.54	AV	96.20	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2026-04-25_11.09.40

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 52%RH

Remark: DR-RSE01-E26040021-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(SG)_1GHz-7GHz 5G_Band1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1124.750	35.10	-16.62	74.0	38.90	Peak	229.70	100	Vertical	Pass
1**	1124.750	23.93	-16.62	54.0	30.07	AV	229.70	100	Vertical	Pass
2	1919.750	38.97	-14.27	68.2	29.23	Peak	0.00	100	Vertical	Pass
2**	1919.750	32.45	-14.27	--	-32.45	AV	0.00	100	Vertical	N/A
3	3051.000	48.41	-3.51	68.2	19.79	Peak	69.00	100	Vertical	Pass
3**	3051.000	39.24	-3.51	--	-39.24	AV	69.00	100	Vertical	N/A
4	4048.000	50.32	1.37	74.0	23.68	Peak	360.00	100	Vertical	Pass
4**	4048.000	40.10	1.37	54.0	13.90	AV	360.00	100	Vertical	Pass
5	5220.000	58.23	8.27	--	199.47	Peak	257.70	100	Vertical	Pass
5**	5220.000	48.16	8.27	--	-48.16	AV	257.70	100	Vertical	N/A
6	6954.000	58.80	8.59	68.2	9.40	Peak	139.40	100	Vertical	Pass
6**	6954.000	47.95	8.59	--	-47.95	AV	139.40	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2026-04-11_15.04.23

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907


Work Addition: TX

Temp.(oC): 19.5

Load: Full load

Hum.: 50%RH

Remark: DR-RSE01-E26040021-01#02



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7957.000	25.80	5.90	68.2	42.40	Peak	233.70	100	Vertical	Pass
1**	7957.000	17.51	5.90	--	-17.51	AV	233.70	100	Vertical	N/A
2	9791.250	28.90	7.94	68.2	39.30	Peak	263.80	100	Vertical	Pass
2**	9791.250	18.86	7.94	--	-18.86	AV	263.80	100	Vertical	N/A
3	11622.750	31.55	9.78	74.0	42.45	Peak	43.50	100	Vertical	Pass
3**	11622.750	21.76	9.78	54.0	32.24	AV	43.50	100	Vertical	Pass
4	12813.500	32.65	10.55	68.2	35.55	Peak	263.80	100	Vertical	Pass
4**	12813.500	24.08	10.55	--	-24.08	AV	263.80	100	Vertical	N/A
5	15126.250	38.52	14.44	68.2	29.68	Peak	65.50	100	Vertical	Pass
5**	15126.250	29.09	14.44	--	-29.09	AV	65.50	100	Vertical	N/A
6	17876.251	47.23	23.37	74.0	26.77	Peak	99.70	100	Vertical	Pass
6**	17876.251	38.45	23.37	54.0	15.55	AV	99.70	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2026-04-25_09:57.23

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 52%RH

Remark: DR-RSE01-E26040021-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1185.000	35.35	-16.04	74.0	38.65	Peak	80.70	100	Horizontal	Pass
1**	1185.000	25.00	-16.04	54.0	29.00	AV	80.70	100	Horizontal	Pass
2	1695.750	37.20	-15.51	74.0	36.80	Peak	257.90	100	Horizontal	Pass
2**	1695.750	26.18	-15.51	54.0	27.82	AV	257.90	100	Horizontal	Pass
3	2400.250	41.61	-10.23	68.2	26.59	Peak	8.50	100	Horizontal	Pass
3**	2400.250	30.36	-10.23	--	-30.36	AV	8.50	100	Horizontal	N/A
4	3050.500	49.96	-3.50	68.2	18.24	Peak	337.40	100	Horizontal	Pass
4**	3050.500	40.39	-3.50	--	-40.39	AV	337.40	100	Horizontal	N/A
5	5246.000	57.22	8.57	--	103.08	Peak	160.30	100	Horizontal	Pass
5**	5246.000	47.23	8.57	--	-47.23	AV	160.30	100	Horizontal	N/A
6	6997.500	59.26	9.70	68.2	8.94	Peak	160.30	100	Horizontal	Pass
6**	6997.500	49.75	9.70	--	-49.75	AV	160.30	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2026-04-11_15.07.02

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907


Work Addition: TX

Temp.(oC): 19.5

Load: Full load

Hum.: 50%RH

Remark: DR-RSE01-E26040021-01#02



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7522.500	25.59	5.11	74.0	48.41	Peak	134.40	100	Horizontal	Pass
1**	7522.500	15.77	5.11	54.0	38.23	AV	134.40	100	Horizontal	Pass
2	10198.250	30.13	8.03	68.2	38.07	Peak	180.20	100	Horizontal	Pass
2**	10198.250	20.28	8.03	--	-20.28	AV	180.20	100	Horizontal	N/A
3	11097.500	31.31	9.47	74.0	42.69	Peak	180.20	100	Horizontal	Pass
3**	11097.500	21.55	9.47	54.0	32.45	AV	180.20	100	Horizontal	Pass
4	13828.250	33.90	12.45	68.2	34.30	Peak	252.40	100	Horizontal	Pass
4**	13828.250	25.53	12.45	--	-25.53	AV	252.40	100	Horizontal	N/A
5	14823.750	38.59	16.59	68.2	29.61	Peak	76.00	100	Horizontal	Pass
5**	14823.750	29.20	16.59	--	-29.20	AV	76.00	100	Horizontal	N/A
6	17826.750	46.21	23.38	74.0	27.79	Peak	358.40	100	Horizontal	Pass
6**	17826.750	37.90	23.38	54.0	16.10	AV	358.40	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2026-04-25_11.12.17

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 52%RH

Remark: DR-RSE01-E26040021-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1098.000	35.08	-16.53	74.0	38.92	Peak	225.50	100	Vertical	Pass
1**	1098.000	23.83	-16.53	54.0	30.17	AV	225.50	100	Vertical	Pass
2	1332.750	36.72	-15.18	74.0	37.28	Peak	0.00	100	Vertical	Pass
2**	1332.750	25.27	-15.18	54.0	28.73	AV	0.00	100	Vertical	Pass
3	1920.000	40.07	-14.27	68.2	28.13	Peak	0.00	100	Vertical	Pass
3**	1920.000	32.29	-14.27	--	-32.29	AV	0.00	100	Vertical	N/A
4	4048.500	50.12	1.39	74.0	23.88	Peak	145.00	100	Vertical	Pass
4**	4048.500	40.08	1.39	54.0	13.92	AV	145.00	100	Vertical	Pass
5	5273.000	58.11	8.75	--	207.09	Peak	265.20	100	Vertical	Pass
5**	5273.000	47.65	8.75	--	-47.65	AV	265.20	100	Vertical	N/A
6	6988.000	58.46	9.39	68.2	9.74	Peak	200.40	100	Vertical	Pass
6**	6988.000	48.62	9.39	--	-48.62	AV	200.40	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2026-04-11_15.12.47

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907


Work Addition: TX

Temp.(oC): 19.5

Load: Full load

Hum.: 50%RH

Remark: DR-RSE01-E26040021-01#02



Test result

Project Number: Certification

Test Time: 2026-04-25_09.54.54

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 52%RH

Remark: DR-RSE01-E26040021-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1230.750	36.62	-15.63	74.0	37.38	Peak	258.30	100	Horizontal	Pass
1**	1230.750	26.19	-15.63	54.0	27.81	AV	258.30	100	Horizontal	Pass
2	2443.250	41.35	-10.51	68.2	26.85	Peak	11.50	100	Horizontal	Pass
2**	2443.250	30.65	-10.51	--	-30.65	AV	11.50	100	Horizontal	N/A
3	3050.500	48.76	-3.50	68.2	19.44	Peak	159.20	100	Horizontal	Pass
3**	3050.500	40.50	-3.50	--	-40.50	AV	159.20	100	Horizontal	N/A
4	3724.000	50.00	0.92	74.0	24.00	Peak	279.40	100	Horizontal	Pass
4**	3724.000	39.38	0.92	54.0	14.62	AV	279.40	100	Horizontal	Pass
5	5276.500	58.98	8.75	--	40.72	Peak	99.70	100	Horizontal	Pass
5**	5276.500	49.10	8.75	--	-49.10	AV	99.70	100	Horizontal	N/A
6	6844.500	59.80	8.13	68.2	8.40	Peak	279.40	100	Horizontal	Pass
6**	6844.500	48.32	8.13	--	-48.32	AV	279.40	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2026-04-11_15.09.23

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907


Work Addition: TX

Temp.(oC): 19.5

Load: Full load

Hum.: 50%RH

Remark: DR-RSE01-E26040021-01#02



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7860.750	25.79	6.08	68.2	42.41	Peak	360.00	100	Horizontal	Pass
1**	7860.750	17.63	6.08	--	-17.63	AV	360.00	100	Horizontal	N/A
2	9392.500	27.25	6.77	74.0	46.75	Peak	170.80	100	Horizontal	Pass
2**	9392.500	19.47	6.77	54.0	34.53	AV	170.80	100	Horizontal	Pass
3	10522.750	30.00	8.72	68.2	38.20	Peak	263.90	100	Horizontal	Pass
3**	10522.750	21.34	8.72	--	-21.34	AV	263.90	100	Horizontal	N/A
4	13811.750	34.18	12.22	68.2	34.02	Peak	170.80	100	Horizontal	Pass
4**	13811.750	25.15	12.22	--	-25.15	AV	170.80	100	Horizontal	N/A
5	15153.750	38.39	13.68	68.2	29.81	Peak	360.00	100	Horizontal	Pass
5**	15153.750	28.98	13.68	--	-28.98	AV	360.00	100	Horizontal	N/A
6	17859.750	46.91	23.55	74.0	27.09	Peak	20.10	100	Horizontal	Pass
6**	17859.750	38.91	23.55	54.0	15.09	AV	20.10	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2026-04-25_11.15.31

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 52%RH

Remark: DR-RSE01-E26040021-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1114.250	34.98	-16.68	74.0	39.02	Peak	169.70	100	Vertical	Pass
1**	1114.250	23.67	-16.68	54.0	30.33	AV	169.70	100	Vertical	Pass
2	1920.000	39.42	-14.27	68.2	28.78	Peak	48.80	100	Vertical	Pass
2**	1920.000	33.12	-14.27	--	-33.12	AV	48.80	100	Vertical	N/A
3	3051.500	48.98	-3.51	68.2	19.22	Peak	317.60	100	Vertical	Pass
3**	3051.500	39.28	-3.51	--	-39.28	AV	317.60	100	Vertical	N/A
4	3931.000	50.45	0.85	74.0	23.55	Peak	317.60	100	Vertical	Pass
4**	3931.000	38.86	0.85	54.0	15.14	AV	317.60	100	Vertical	Pass
5	5223.500	59.09	8.42	--	258.51	Peak	317.60	100	Vertical	Pass
5**	5223.500	47.51	8.42	--	-47.51	AV	317.60	100	Vertical	N/A
6	6645.000	58.96	8.20	68.2	9.24	Peak	317.60	100	Vertical	Pass
6**	6645.000	47.14	8.20	--	-47.14	AV	317.60	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2026-04-11_15.16.20

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX

Temp.(oC): 19.5

Load: Full load

Hum.: 50%RH

Remark: DR-RSE01-E26040021-01#02



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7525.250	26.59	5.14	74.0	47.41	Peak	234.90	100	Vertical	Pass
1**	7525.250	16.67	5.14	54.0	37.33	AV	234.90	100	Vertical	Pass
2	9972.750	28.79	8.45	68.2	39.41	Peak	352.50	100	Vertical	Pass
2**	9972.750	20.50	8.45	--	-20.50	AV	352.50	100	Vertical	N/A
3	11122.250	31.14	9.11	74.0	42.86	Peak	234.90	100	Vertical	Pass
3**	11122.250	21.60	9.11	54.0	32.40	AV	234.90	100	Vertical	Pass
4	12788.750	32.65	10.97	68.2	35.55	Peak	152.70	100	Vertical	Pass
4**	12788.750	24.87	10.97	--	-24.87	AV	152.70	100	Vertical	N/A
5	14843.000	37.52	16.02	68.2	30.68	Peak	128.80	100	Vertical	Pass
5**	14843.000	28.27	16.02	--	-28.27	AV	128.80	100	Vertical	N/A
6	17870.750	46.65	23.46	74.0	27.35	Peak	96.70	100	Vertical	Pass
6**	17870.750	38.55	23.46	54.0	15.45	AV	96.70	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2026-04-25_09.51.22

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 52%RH

Remark: DR-RSE01-E26040021-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1212.000	36.15	-15.90	74.0	37.85	Peak	131.90	100	Horizontal	Pass
1**	1212.000	25.81	-15.90	54.0	28.19	AV	131.90	100	Horizontal	Pass
2	1919.750	39.54	-14.27	68.2	28.66	Peak	360.00	100	Horizontal	Pass
2**	1919.750	31.38	-14.27	--	-31.38	AV	360.00	100	Horizontal	N/A
3	2738.250	42.39	-8.69	74.0	31.61	Peak	360.00	100	Horizontal	Pass
3**	2738.250	31.94	-8.69	54.0	22.06	AV	360.00	100	Horizontal	Pass
4	4233.500	50.78	1.43	74.0	23.22	Peak	102.80	100	Horizontal	Pass
4**	4233.500	40.12	1.43	54.0	13.88	AV	102.80	100	Horizontal	Pass
5	5248.000	59.18	8.60	--	-59.18	Peak	0.00	100	Horizontal	N/A
5**	5248.000	50.83	8.60	--	-50.83	AV	0.00	100	Horizontal	N/A
6	7000.000	59.76	9.73	68.2	8.44	Peak	102.80	100	Horizontal	Pass
6**	7000.000	50.11	9.73	--	-50.11	AV	102.80	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2026-04-11_15.11.06

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907


Work Addition: TX

Temp.(oC): 19.5

Load: Full load

Hum.: 50%RH

Remark: DR-RSE01-E26040021-01#02



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7646.250	25.73	5.28	74.0	48.27	Peak	329.80	100	Horizontal	Pass
1**	7646.250	17.28	5.28	54.0	36.72	AV	329.80	100	Horizontal	Pass
2	9942.500	28.12	8.12	68.2	40.08	Peak	358.70	100	Horizontal	Pass
2**	9942.500	19.26	8.12	--	-19.26	AV	358.70	100	Horizontal	N/A
3	11144.250	31.63	8.72	74.0	42.37	Peak	188.80	100	Horizontal	Pass
3**	11144.250	22.28	8.72	54.0	31.72	AV	188.80	100	Horizontal	Pass
4	12797.000	32.20	10.88	68.2	36.00	Peak	217.40	100	Horizontal	Pass
4**	12797.000	23.41	10.88	--	-23.41	AV	217.40	100	Horizontal	N/A
5	14801.750	37.57	16.54	68.2	30.63	Peak	188.80	100	Horizontal	Pass
5**	14801.750	29.37	16.54	--	-29.37	AV	188.80	100	Horizontal	N/A
6	17793.749	46.70	22.73	74.0	27.30	Peak	360.00	100	Horizontal	Pass
6**	17793.749	36.72	22.73	54.0	17.28	AV	360.00	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2026-04-25_11.17.51

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 52%RH

Remark: DR-RSE01-E26040021-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1100.250	34.87	-16.56	74.0	39.13	Peak	234.80	100	Vertical	Pass
1**	1100.250	24.56	-16.56	54.0	29.44	AV	234.80	100	Vertical	Pass
2	1438.500	38.47	-15.27	74.0	35.53	Peak	287.40	100	Vertical	Pass
2**	1438.500	25.95	-15.27	54.0	28.05	AV	287.40	100	Vertical	Pass
3	3050.000	47.55	-3.49	68.2	20.65	Peak	11.70	100	Vertical	Pass
3**	3050.000	39.25	-3.49	--	-39.25	AV	11.70	100	Vertical	N/A
4	4049.500	50.17	1.41	74.0	23.83	Peak	11.70	100	Vertical	Pass
4**	4049.500	39.94	1.41	54.0	14.06	AV	11.70	100	Vertical	Pass
5	5216.500	58.77	8.17	--	191.13	Peak	249.90	100	Vertical	Pass
5**	5216.500	47.82	8.17	--	-47.82	AV	249.90	100	Vertical	N/A
6	6986.000	58.67	9.46	68.2	9.53	Peak	69.40	100	Vertical	Pass
6**	6986.000	48.58	9.46	--	-48.58	AV	69.40	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2026-04-11_15.18.05

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907


Work Addition: TX

Temp.(oC): 19.5

Load: Full load

Hum.: 50%RH

Remark: DR-RSE01-E26040021-01#02



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7924.000	25.53	5.40	68.2	42.67	Peak	300.40	100	Vertical	Pass
1**	7924.000	16.24	5.40	--	-16.24	AV	300.40	100	Vertical	N/A
2	9895.750	28.53	7.80	68.2	39.67	Peak	320.50	100	Vertical	Pass
2**	9895.750	19.88	7.80	--	-19.88	AV	320.50	100	Vertical	N/A
3	11903.250	31.61	9.51	74.0	42.39	Peak	320.50	100	Vertical	Pass
3**	11903.250	22.65	9.51	54.0	31.35	AV	320.50	100	Vertical	Pass
4	13828.250	34.57	12.45	68.2	33.63	Peak	72.90	100	Vertical	Pass
4**	13828.250	25.69	12.45	--	-25.69	AV	72.90	100	Vertical	N/A
5	15082.250	38.23	15.53	68.2	29.97	Peak	191.60	100	Vertical	Pass
5**	15082.250	28.89	15.53	--	-28.89	AV	191.60	100	Vertical	N/A
6	17821.250	46.78	23.33	74.0	27.22	Peak	107.20	100	Vertical	Pass
6**	17821.250	39.58	23.33	54.0	14.42	AV	107.20	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2026-04-25_10.32.38

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 52%RH

Remark: DR-RSE01-E26040021-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band4



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1176.500	34.67	-16.03	74.0	39.33	Peak	197.10	100	Horizontal	Pass
1**	1176.500	23.97	-16.03	54.0	30.03	AV	197.10	100	Horizontal	Pass
2	2233.750	40.62	-10.74	74.0	33.38	Peak	17.80	100	Horizontal	Pass
2**	2233.750	30.57	-10.74	54.0	23.43	AV	17.80	100	Horizontal	Pass
3	3050.000	48.51	-4.72	68.2	19.69	Peak	223.20	100	Horizontal	Pass
3**	3050.000	39.55	-4.72	--	-39.55	AV	223.20	100	Horizontal	N/A
4	4040.500	47.51	-1.96	74.0	26.49	Peak	343.70	100	Horizontal	Pass
4**	4040.500	37.38	-1.96	54.0	16.62	AV	343.70	100	Horizontal	Pass
5	5748.000	101.85	1.30	--	-101.85	Peak	0.00	100	Horizontal	N/A
5**	5748.000	93.86	1.30	--	-93.86	AV	0.00	100	Horizontal	N/A
6	6940.000	54.94	3.67	68.2	13.26	Peak	343.70	100	Horizontal	Pass
6**	6940.000	44.58	3.67	--	-44.58	AV	343.70	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2026-04-11_17.26.50

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907


Work Addition: TX

Temp.(oC): 19.5

Load: Full load

Hum.: 50%RH

Remark: DR-RSE01-E26040021-01#02



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7844.250	25.93	5.94	68.2	42.27	Peak	360.00	100	Horizontal	Pass
1**	7844.250	17.24	5.94	--	-17.24	AV	360.00	100	Horizontal	N/A
2	8861.750	26.35	4.81	68.2	41.85	Peak	7.80	100	Horizontal	Pass
2**	8861.750	17.00	4.81	--	-17.00	AV	7.80	100	Horizontal	N/A
3	10132.250	27.89	7.71	68.2	40.31	Peak	138.80	100	Horizontal	Pass
3**	10132.250	19.31	7.71	--	-19.31	AV	138.80	100	Horizontal	N/A
4	11163.500	31.31	8.95	74.0	42.69	Peak	360.00	100	Horizontal	Pass
4**	11163.500	22.03	8.95	54.0	31.97	AV	360.00	100	Horizontal	Pass
5	15145.500	38.53	14.09	68.2	29.67	Peak	7.80	100	Horizontal	Pass
5**	15145.500	29.40	14.09	--	-29.40	AV	7.80	100	Horizontal	N/A
6	17826.750	46.26	23.38	74.0	27.74	Peak	360.00	100	Horizontal	Pass
6**	17826.750	38.16	23.38	54.0	15.84	AV	360.00	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2026-04-25_10.36.30

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 52%RH

Remark: DR-RSE01-E26040021-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band4



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1083.500	34.94	-16.35	74.0	39.06	Peak	244.80	100	Vertical	Pass
1**	1083.500	24.19	-16.35	54.0	29.81	AV	244.80	100	Vertical	Pass
2	1920.250	37.92	-14.28	68.2	30.28	Peak	360.00	100	Vertical	Pass
2**	1920.250	30.85	-14.28	--	-30.85	AV	360.00	100	Vertical	N/A
3	3050.500	47.71	-5.39	68.2	20.49	Peak	223.20	100	Vertical	Pass
3**	3050.500	38.93	-5.39	--	-38.93	AV	223.20	100	Vertical	N/A
4	4155.500	47.21	-2.53	74.0	26.79	Peak	335.50	100	Vertical	Pass
4**	4155.500	36.30	-2.53	54.0	17.70	AV	335.50	100	Vertical	Pass
5	5746.500	102.29	1.27	--	233.21	Peak	335.50	100	Vertical	Pass
5**	5746.500	94.44	1.27	--	-94.44	AV	335.50	100	Vertical	N/A
6	6819.000	55.95	4.30	68.2	12.25	Peak	100.40	100	Vertical	Pass
6**	6819.000	44.54	4.30	--	-44.54	AV	100.40	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2026-04-11_17.30.38

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907


Work Addition: TX

Temp.(oC): 19.5

Load: Full load

Hum.: 50%RH

Remark: DR-RSE01-E26040021-01#02



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7951.500	26.35	5.78	68.2	41.85	Peak	168.60	100	Vertical	Pass
1**	7951.500	18.59	5.78	--	-18.59	AV	168.60	100	Vertical	N/A
2	9857.250	28.65	7.83	68.2	39.55	Peak	360.00	100	Vertical	Pass
2**	9857.250	20.54	7.83	--	-20.54	AV	360.00	100	Vertical	N/A
3	11119.500	31.15	8.95	74.0	42.85	Peak	93.80	100	Vertical	Pass
3**	11119.500	22.10	8.95	54.0	31.90	AV	93.80	100	Vertical	Pass
4	12783.250	32.13	10.82	68.2	36.07	Peak	275.80	100	Vertical	Pass
4**	12783.250	23.81	10.82	--	-23.81	AV	275.80	100	Vertical	N/A
5	15049.250	38.02	15.33	68.2	30.18	Peak	168.60	100	Vertical	Pass
5**	15049.250	28.46	15.33	--	-28.46	AV	168.60	100	Vertical	N/A
6	17873.500	47.13	23.42	74.0	26.87	Peak	360.00	100	Vertical	Pass
6**	17873.500	38.34	23.42	54.0	15.66	AV	360.00	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2026-04-25_10.30.20

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 52%RH

Remark: DR-RSE01-E26040021-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band4



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1108.750	35.81	-16.57	74.0	38.19	Peak	66.50	100	Horizontal	Pass
1**	1108.750	24.83	-16.57	54.0	29.17	AV	66.50	100	Horizontal	Pass
2	1533.250	35.75	-15.43	74.0	38.25	Peak	125.70	100	Horizontal	Pass
2**	1533.250	25.72	-15.43	54.0	28.28	AV	125.70	100	Horizontal	Pass
3	2171.000	40.92	-11.58	68.2	27.28	Peak	360.00	100	Horizontal	Pass
3**	2171.000	29.79	-11.58	--	-29.79	AV	360.00	100	Horizontal	N/A
4	3050.000	47.80	-4.72	68.2	20.40	Peak	295.30	100	Horizontal	Pass
4**	3050.000	39.23	-4.72	--	-39.23	AV	295.30	100	Horizontal	N/A
5	4091.500	47.92	-1.34	74.0	26.08	Peak	358.80	100	Horizontal	Pass
5**	4091.500	37.70	-1.34	54.0	16.30	AV	358.80	100	Horizontal	Pass
6	5786.500	104.32	1.71	--	-104.32	Peak	0.00	100	Horizontal	N/A
6**	5786.500	95.91	1.71	--	-95.91	AV	0.00	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2026-04-11_17.24.59

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907


Work Addition: TX

Temp.(oC): 19.5

Load: Full load

Hum.: 50%RH

Remark: DR-RSE01-E26040021-01#02



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7816.750	26.35	5.70	68.2	41.85	Peak	198.40	100	Horizontal	Pass
1**	7816.750	17.74	5.70	--	-17.74	AV	198.40	100	Horizontal	N/A
2	10228.500	28.93	8.04	68.2	39.27	Peak	331.40	100	Horizontal	Pass
2**	10228.500	20.66	8.04	--	-20.66	AV	331.40	100	Horizontal	N/A
3	11094.750	30.63	9.49	74.0	43.37	Peak	93.10	100	Horizontal	Pass
3**	11094.750	22.86	9.49	54.0	31.14	AV	93.10	100	Horizontal	Pass
4	12472.500	31.62	9.89	74.0	42.38	Peak	0.00	100	Horizontal	Pass
4**	12472.500	22.40	9.89	54.0	31.60	AV	0.00	100	Horizontal	Pass
5	14812.750	37.60	16.92	68.2	30.60	Peak	167.90	100	Horizontal	Pass
5**	14812.750	29.42	16.92	--	-29.42	AV	167.90	100	Horizontal	N/A
6	17826.750	46.72	23.38	74.0	27.28	Peak	360.00	100	Horizontal	Pass
6**	17826.750	37.58	23.38	54.0	16.42	AV	360.00	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2026-04-25_10.40.19

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 52%RH

Remark: DR-RSE01-E26040021-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band4



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1114.750	36.44	-16.69	74.0	37.56	Peak	219.10	200	Vertical	Pass
1**	1114.750	23.95	-16.69	54.0	30.05	AV	219.10	200	Vertical	Pass
2	1920.000	39.97	-14.27	68.2	28.23	Peak	162.50	200	Vertical	Pass
2**	1920.000	31.25	-14.27	--	-31.25	AV	162.50	200	Vertical	N/A
3	3050.000	48.49	-4.72	68.2	19.71	Peak	194.50	200	Vertical	Pass
3**	3050.000	39.31	-4.72	--	-39.31	AV	194.50	200	Vertical	N/A
4	4083.500	48.66	-1.06	74.0	25.34	Peak	79.10	200	Vertical	Pass
4**	4083.500	37.21	-1.06	54.0	16.79	AV	79.10	200	Vertical	Pass
5	5786.000	103.95	1.72	--	147.45	Peak	251.40	200	Vertical	Pass
5**	5786.000	96.08	1.72	--	-96.08	AV	251.40	200	Vertical	N/A
6	6441.000	54.29	3.21	68.2	13.91	Peak	251.40	200	Vertical	Pass
6**	6441.000	43.70	3.21	--	-43.70	AV	251.40	200	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2026-04-11_17:32:50

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX

Temp.(oC): 19.5

Load: Full load

Hum.: 50%RH

Remark: DR-RSE01-E26040021-01#02



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7932.250	25.64	5.54	68.2	42.56	Peak	50.70	100	Vertical	Pass
1**	7932.250	16.54	5.54	--	-16.54	AV	50.70	100	Vertical	N/A
2	10132.250	28.73	7.71	68.2	39.47	Peak	336.20	100	Vertical	Pass
2**	10132.250	19.58	7.71	--	-19.58	AV	336.20	100	Vertical	N/A
3	11210.250	30.81	9.04	74.0	43.19	Peak	199.20	100	Vertical	Pass
3**	11210.250	22.81	9.04	54.0	31.19	AV	199.20	100	Vertical	Pass
4	14818.250	38.07	16.76	68.2	30.13	Peak	230.80	100	Vertical	Pass
4**	14818.250	30.38	16.76	--	-30.38	AV	230.80	100	Vertical	N/A
5	16946.750	42.29	19.60	68.2	25.91	Peak	360.00	100	Vertical	Pass
5**	16946.750	33.68	19.60	--	-33.68	AV	360.00	100	Vertical	N/A
6	17854.251	47.48	23.55	74.0	26.52	Peak	199.20	100	Vertical	Pass
6**	17854.251	38.88	23.55	54.0	15.12	AV	199.20	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2026-04-25_10.27.25

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 52%RH

Remark: DR-RSE01-E26040021-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band4



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1020.500	35.98	-16.07	74.0	38.02	Peak	129.10	100	Horizontal	Pass
1**	1020.500	24.53	-16.07	54.0	29.47	AV	129.10	100	Horizontal	Pass
2	1676.250	37.26	-15.76	74.0	36.74	Peak	3.60	100	Horizontal	Pass
2**	1676.250	25.96	-15.76	54.0	28.04	AV	3.60	100	Horizontal	Pass
3	3050.000	47.37	-4.72	68.2	20.83	Peak	227.70	100	Horizontal	Pass
3**	3050.000	39.21	-4.72	--	-39.21	AV	227.70	100	Horizontal	N/A
4	4759.000	48.71	-0.66	74.0	25.29	Peak	162.60	100	Horizontal	Pass
4**	4759.000	38.67	-0.66	54.0	15.33	AV	162.60	100	Horizontal	Pass
5	5826.500	106.01	1.09	--	-106.01	Peak	0.00	100	Horizontal	N/A
5**	5826.500	98.04	1.09	--	-98.04	AV	0.00	100	Horizontal	N/A
6	6983.500	55.61	4.65	68.2	12.59	Peak	0.00	100	Horizontal	Pass
6**	6983.500	46.10	4.65	--	-46.10	AV	0.00	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2026-04-11_17.28.42

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%RH

Remark: DR-RSE01-E26040021-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_5GHz-18GHz_B4



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7379.500	24.10	4.50	74.0	49.90	Peak	360.00	100	Horizontal	Pass
1**	7379.500	16.05	4.50	54.0	37.95	AV	360.00	100	Horizontal	Pass
2	9326.500	27.48	6.56	74.0	46.52	Peak	0.00	100	Horizontal	Pass
2**	9326.500	18.92	6.56	54.0	35.08	AV	0.00	100	Horizontal	Pass
3	11174.500	30.58	8.93	74.0	43.42	Peak	154.20	100	Horizontal	Pass
3**	11174.500	23.09	8.93	54.0	30.91	AV	154.20	100	Horizontal	Pass
4	12797.000	32.41	10.88	68.2	35.79	Peak	0.00	100	Horizontal	Pass
4**	12797.000	23.81	10.88	--	-23.81	AV	0.00	100	Horizontal	N/A
5	15120.750	38.06	14.73	68.2	30.14	Peak	154.20	100	Horizontal	Pass
5**	15120.750	29.73	14.73	--	-29.73	AV	154.20	100	Horizontal	N/A
6	17824.000	47.01	23.38	74.0	26.99	Peak	290.40	100	Horizontal	Pass
6**	17824.000	38.42	23.38	54.0	15.58	AV	290.40	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2026-04-25_10.46.56

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 52%RH

Remark: DR-RSE01-E26040021-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band4



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1125.250	36.07	-16.62	74.0	37.93	Peak	224.60	100	Vertical	Pass
1**	1125.250	23.45	-16.62	54.0	30.55	AV	224.60	100	Vertical	Pass
2	1462.250	37.30	-15.20	74.0	36.70	Peak	286.00	100	Vertical	Pass
2**	1462.250	26.04	-15.20	54.0	27.96	AV	286.00	100	Vertical	Pass
3	3050.000	48.90	-4.72	68.2	19.30	Peak	321.70	100	Vertical	Pass
3**	3050.000	39.19	-4.72	--	-39.19	AV	321.70	100	Vertical	N/A
4	4092.500	47.99	-1.35	74.0	26.01	Peak	76.10	100	Vertical	Pass
4**	4092.500	36.92	-1.35	54.0	17.08	AV	76.10	100	Vertical	Pass
5	4903.000	50.50	-0.03	74.0	23.50	Peak	360.00	100	Vertical	Pass
5**	4903.000	39.50	-0.03	54.0	14.50	AV	360.00	100	Vertical	Pass
6	5823.500	101.93	1.34	--	153.57	Peak	255.50	100	Vertical	Pass
6**	5823.500	93.48	1.34	--	-93.48	AV	255.50	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2026-04-11_17.36.08

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX

Temp.(oC): 19.5

Load: Full load

Hum.: 50%RH

Remark: DR-RSE01-E26040021-01#02



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7924.000	25.85	5.40	68.2	42.35	Peak	49.70	100	Vertical	Pass
1**	7924.000	16.94	5.40	--	-16.94	AV	49.70	100	Vertical	N/A
2	9959.000	29.26	8.36	68.2	38.94	Peak	360.00	100	Vertical	Pass
2**	9959.000	19.86	8.36	--	-19.86	AV	360.00	100	Vertical	N/A
3	11130.500	31.79	9.05	74.0	42.21	Peak	2.50	100	Vertical	Pass
3**	11130.500	22.71	9.05	54.0	31.29	AV	2.50	100	Vertical	Pass
4	13839.250	34.19	12.43	68.2	34.01	Peak	360.00	100	Vertical	Pass
4**	13839.250	24.98	12.43	--	-24.98	AV	360.00	100	Vertical	N/A
5	14826.500	37.56	16.45	68.2	30.64	Peak	258.30	100	Vertical	Pass
5**	14826.500	28.17	16.45	--	-28.17	AV	258.30	100	Vertical	N/A
6	17851.501	47.74	23.50	74.0	26.26	Peak	258.30	100	Vertical	Pass
6**	17851.501	38.82	23.50	54.0	15.18	AV	258.30	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2026-04-25_10.24.32

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 52%RH

Remark: DR-RSE01-E26040021-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band4



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1168.250	36.03	-16.07	74.0	37.97	Peak	134.70	100	Horizontal	Pass
1**	1168.250	24.47	-16.07	54.0	29.53	AV	134.70	100	Horizontal	Pass
2	1534.000	37.65	-15.38	74.0	36.35	Peak	198.70	100	Horizontal	Pass
2**	1534.000	25.74	-15.38	54.0	28.26	AV	198.70	100	Horizontal	Pass
3	3050.500	48.38	-5.39	68.2	19.82	Peak	335.80	100	Horizontal	Pass
3**	3050.500	39.08	-5.39	--	-39.08	AV	335.80	100	Horizontal	N/A
4	4096.000	47.48	-1.42	74.0	26.52	Peak	160.20	100	Horizontal	Pass
4**	4096.000	37.90	-1.42	54.0	16.10	AV	160.20	100	Horizontal	Pass
5	5744.000	102.13	1.23	--	-102.13	Peak	0.00	100	Horizontal	N/A
5**	5744.000	94.41	1.23	--	-94.41	AV	0.00	100	Horizontal	N/A
6	6972.500	55.93	4.25	68.2	12.27	Peak	32.30	100	Horizontal	Pass
6**	6972.500	44.49	4.25	--	-44.49	AV	32.30	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2026-04-11_17.44.38

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907


Work Addition: TX

Temp.(oC): 19.5

Load: Full load

Hum.: 50%RH

Remark: DR-RSE01-E26040021-01#02



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7635.250	24.85	5.42	74.0	49.15	Peak	314.40	100	Horizontal	Pass
1**	7635.250	16.84	5.42	54.0	37.16	AV	314.40	100	Horizontal	Pass
2	8867.250	26.93	4.94	68.2	41.27	Peak	360.00	100	Horizontal	Pass
2**	8867.250	18.13	4.94	--	-18.13	AV	360.00	100	Horizontal	N/A
3	10385.250	30.26	8.49	68.2	37.94	Peak	360.00	100	Horizontal	Pass
3**	10385.250	20.62	8.49	--	-20.62	AV	360.00	100	Horizontal	N/A
4	12805.250	32.28	10.75	68.2	35.92	Peak	231.70	100	Horizontal	Pass
4**	12805.250	23.52	10.75	--	-23.52	AV	231.70	100	Horizontal	N/A
5	14810.000	37.88	16.98	68.2	30.32	Peak	314.40	100	Horizontal	Pass
5**	14810.000	29.84	16.98	--	-29.84	AV	314.40	100	Horizontal	N/A
6	17848.750	47.33	23.72	74.0	26.67	Peak	25.60	100	Horizontal	Pass
6**	17848.750	39.12	23.72	54.0	14.88	AV	25.60	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2026-04-25_10.49.49

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 52%RH

Remark: DR-RSE01-E26040021-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band4



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1120.500	35.87	-16.63	74.0	38.13	Peak	235.60	100	Vertical	Pass
1**	1120.500	23.84	-16.63	54.0	30.16	AV	235.60	100	Vertical	Pass
2	1920.250	39.59	-14.28	68.2	28.61	Peak	355.10	100	Vertical	Pass
2**	1920.250	33.56	-14.28	--	-33.56	AV	355.10	100	Vertical	N/A
3	3050.000	48.17	-4.72	68.2	20.03	Peak	240.60	100	Vertical	Pass
3**	3050.000	39.51	-4.72	--	-39.51	AV	240.60	100	Vertical	N/A
4	4236.000	47.39	-2.15	74.0	26.61	Peak	0.40	100	Vertical	Pass
4**	4236.000	37.50	-2.15	54.0	16.50	AV	0.40	100	Vertical	Pass
5	5747.000	101.32	1.28	--	194.68	Peak	296.00	100	Vertical	Pass
5**	5747.000	93.85	1.28	--	-93.85	AV	296.00	100	Vertical	N/A
6	6632.500	54.51	3.93	68.2	13.69	Peak	112.90	100	Vertical	Pass
6**	6632.500	43.87	3.93	--	-43.87	AV	112.90	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2026-04-11_17.38.53

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907


Work Addition: TX

Temp.(oC): 19.5

Load: Full load

Hum.: 50%RH

Remark: DR-RSE01-E26040021-01#02



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7679.250	25.84	5.76	74.0	48.16	Peak	99.40	100	Vertical	Pass
1**	7679.250	17.01	5.76	54.0	36.99	AV	99.40	100	Vertical	Pass
2	9909.500	28.71	7.84	68.2	39.49	Peak	99.40	100	Vertical	Pass
2**	9909.500	19.95	7.84	--	-19.95	AV	99.40	100	Vertical	N/A
3	11141.500	30.53	8.71	74.0	43.47	Peak	360.00	100	Vertical	Pass
3**	11141.500	21.92	8.71	54.0	32.08	AV	360.00	100	Vertical	Pass
4	12582.500	31.30	10.38	74.0	42.70	Peak	204.30	100	Vertical	Pass
4**	12582.500	22.43	10.38	54.0	31.57	AV	204.30	100	Vertical	Pass
5	14821.000	38.42	16.68	68.2	29.78	Peak	315.20	100	Vertical	Pass
5**	14821.000	29.94	16.68	--	-29.94	AV	315.20	100	Vertical	N/A
6	17862.500	46.97	23.46	74.0	27.03	Peak	45.10	100	Vertical	Pass
6**	17862.500	38.34	23.46	54.0	15.66	AV	45.10	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2026-04-25_10.22.09

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 52%RH

Remark: DR-RSE01-E26040021-01#02

Emission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band4



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1008.500	35.06	-16.48	74.0	38.94	Peak	8.20	100	Horizontal	Pass
1**	1008.500	23.97	-16.48	54.0	30.03	AV	8.20	100	Horizontal	Pass
2	1580.250	38.91	-15.57	74.0	35.09	Peak	8.20	100	Horizontal	Pass
2**	1580.250	29.00	-15.57	54.0	25.00	AV	8.20	100	Horizontal	Pass
3	3050.000	47.88	-4.72	68.2	20.32	Peak	236.20	100	Horizontal	Pass
3**	3050.000	39.19	-4.72	--	-39.19	AV	236.20	100	Horizontal	N/A
4	4674.000	49.61	-1.44	74.0	24.39	Peak	114.90	100	Horizontal	Pass
4**	4674.000	37.76	-1.44	54.0	16.24	AV	114.90	100	Horizontal	Pass
5	5787.000	104.08	1.69	--	-104.08	Peak	0.00	100	Horizontal	N/A
5**	5787.000	95.41	1.69	--	-95.41	AV	0.00	100	Horizontal	N/A
6	6763.500	54.83	3.67	68.2	13.37	Peak	357.70	100	Horizontal	Pass
6**	6763.500	43.87	3.67	--	-43.87	AV	357.70	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2026-04-11_17.46.26

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907


Work Addition: TX

Temp.(oC): 19.5

Load: Full load

Hum.: 50%RH

Remark: DR-RSE01-E26040021-01#02



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8540.000	25.65	4.29	68.2	42.55	Peak	202.10	100	Horizontal	Pass
1**	8540.000	16.36	4.29	—	-16.36	AV	202.10	100	Horizontal	N/A
2	10126.750	29.16	7.61	68.2	39.04	Peak	124.70	100	Horizontal	Pass
2**	10126.750	19.72	7.61	—	-19.72	AV	124.70	100	Horizontal	N/A
3	11199.250	30.55	9.02	74.0	43.45	Peak	352.80	100	Horizontal	Pass
3**	11199.250	22.34	9.02	54.0	31.66	AV	352.80	100	Horizontal	Pass
4	12601.750	31.52	10.08	74.0	42.48	Peak	352.80	100	Horizontal	Pass
4**	12601.750	22.94	10.08	54.0	31.06	AV	352.80	100	Horizontal	Pass
5	14807.250	37.80	16.78	68.2	30.40	Peak	202.10	100	Horizontal	Pass
5**	14807.250	29.80	16.78	—	-29.80	AV	202.10	100	Horizontal	N/A
6	17832.249	46.58	23.61	74.0	27.42	Peak	64.80	100	Horizontal	Pass
6**	17832.249	38.07	23.61	54.0	15.93	AV	64.80	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2026-04-25_10.55.05

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 52%RH

Remark: DR-RSE01-E26040021-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band4



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1102.250	35.35	-16.59	74.0	38.65	Peak	228.20	100	Vertical	Pass
1**	1102.250	24.42	-16.59	54.0	29.58	AV	228.20	100	Vertical	Pass
2	1920.250	40.24	-14.28	68.2	27.96	Peak	47.70	100	Vertical	Pass
2**	1920.250	34.24	-14.28	--	-34.24	AV	47.70	100	Vertical	N/A
3	3050.000	49.43	-4.72	68.2	18.77	Peak	360.00	100	Vertical	Pass
3**	3050.000	39.82	-4.72	--	-39.82	AV	360.00	100	Vertical	N/A
4	4578.500	49.09	-0.97	74.0	24.91	Peak	360.00	100	Vertical	Pass
4**	4578.500	37.95	-0.97	54.0	16.05	AV	360.00	100	Vertical	Pass
5	5786.500	102.56	1.71	--	139.14	Peak	241.70	100	Vertical	Pass
5**	5786.500	94.44	1.71	--	-94.44	AV	241.70	100	Vertical	N/A
6	6652.000	54.58	3.91	68.2	13.62	Peak	118.10	100	Vertical	Pass
6**	6652.000	44.30	3.91	--	-44.30	AV	118.10	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2026-04-11_17.41.08

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907


Work Addition: TX

Temp.(oC): 19.5

Load: Full load

Hum.: 50%RH

Remark: DR-RSE01-E26040021-01#02



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7836.000	26.51	5.91	68.2	41.69	Peak	226.00	100	Vertical	Pass
1**	7836.000	17.32	5.91	--	-17.32	AV	226.00	100	Vertical	N/A
2	9425.500	27.41	6.78	74.0	46.59	Peak	90.90	100	Vertical	Pass
2**	9425.500	19.03	6.78	54.0	34.97	AV	90.90	100	Vertical	Pass
3	10302.750	29.62	8.26	68.2	38.58	Peak	226.00	100	Vertical	Pass
3**	10302.750	19.76	8.26	--	-19.76	AV	226.00	100	Vertical	N/A
4	12783.250	31.86	10.82	68.2	36.34	Peak	226.00	100	Vertical	Pass
4**	12783.250	23.65	10.82	--	-23.65	AV	226.00	100	Vertical	N/A
5	14821.000	37.70	16.68	68.2	30.50	Peak	360.00	100	Vertical	Pass
5**	14821.000	29.25	16.68	--	-29.25	AV	360.00	100	Vertical	N/A
6	17876.251	47.03	23.37	74.0	26.97	Peak	36.10	100	Vertical	Pass
6**	17876.251	39.53	23.37	54.0	14.47	AV	36.10	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2026-04-25_10.19.18

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 52%RH

Remark: DR-RSE01-E26040021-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band4



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1190.250	35.70	-16.08	74.0	38.30	Peak	240.10	100	Horizontal	Pass
1**	1190.250	24.65	-16.08	54.0	29.35	AV	240.10	100	Horizontal	Pass
2	1980.000	38.51	-13.86	68.2	29.69	Peak	184.00	100	Horizontal	Pass
2**	1980.000	27.81	-13.86	--	-27.81	AV	184.00	100	Horizontal	N/A
3	3050.000	47.49	-4.72	68.2	20.71	Peak	283.10	100	Horizontal	Pass
3**	3050.000	39.28	-4.72	--	-39.28	AV	283.10	100	Horizontal	N/A
4	4067.000	47.68	-1.35	74.0	26.32	Peak	350.80	100	Horizontal	Pass
4**	4067.000	37.00	-1.35	54.0	17.00	AV	350.80	100	Horizontal	Pass
5	5416.500	51.10	0.09	74.0	22.90	Peak	350.80	100	Horizontal	Pass
5**	5416.500	40.81	0.09	54.0	13.19	AV	350.80	100	Horizontal	Pass
6	5826.000	105.34	1.13	--	-105.34	Peak	0.00	100	Horizontal	N/A
6**	5826.000	97.87	1.13	--	-97.87	AV	0.00	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2026-04-11_17.48.04

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX

Temp.(oC): 19.5

Load: Full load

Hum.: 50%RH

Remark: DR-RSE01-E26040021-01#02



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7800.250	26.00	5.74	68.2	42.20	Peak	95.60	100	Horizontal	Pass
1**	7800.250	17.74	5.74	--	-17.74	AV	95.60	100	Horizontal	N/A
2	10135.000	28.41	7.72	68.2	39.79	Peak	1.40	100	Horizontal	Pass
2**	10135.000	20.22	7.72	--	-20.22	AV	1.40	100	Horizontal	N/A
3	11295.500	30.73	8.97	74.0	43.27	Peak	179.80	100	Horizontal	Pass
3**	11295.500	20.74	8.97	54.0	33.26	AV	179.80	100	Horizontal	Pass
4	14818.250	38.42	16.76	68.2	29.78	Peak	284.70	100	Horizontal	Pass
4**	14818.250	29.45	16.76	--	-29.45	AV	284.70	100	Horizontal	N/A
5	16993.500	42.45	19.75	68.2	25.75	Peak	179.80	100	Horizontal	Pass
5**	16993.500	33.57	19.75	--	-33.57	AV	179.80	100	Horizontal	N/A
6	17832.249	47.02	23.61	74.0	26.98	Peak	0.00	100	Horizontal	Pass
6**	17832.249	38.59	23.61	54.0	15.41	AV	0.00	100	Horizontal	Pass

WIFI5GB4-N20-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2026-04-25_10.58.41

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 52%RH

Remark: DR-RSE01-E26040021-01#02

REmission Test case FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band4



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1044.500	34.96	-16.41	74.0	39.04	Peak	108.30	100	Vertical	Pass
1**	1044.500	23.79	-16.41	54.0	30.21	AV	108.30	100	Vertical	Pass
2	1919.750	39.43	-14.27	68.2	28.77	Peak	0.00	100	Vertical	Pass
2**	1919.750	33.50	-14.27	--	-33.50	AV	0.00	100	Vertical	N/A
3	3050.000	47.22	-4.72	68.2	20.98	Peak	261.10	100	Vertical	Pass
3**	3050.000	39.28	-4.72	--	-39.28	AV	261.10	100	Vertical	N/A
4	4723.000	49.39	-0.55	74.0	24.61	Peak	21.40	100	Vertical	Pass
4**	4723.000	38.17	-0.55	54.0	15.83	AV	21.40	100	Vertical	Pass
5	5823.500	100.40	1.34	--	160.70	Peak	261.10	100	Vertical	Pass
5**	5823.500	93.31	1.34	--	-93.31	AV	261.10	100	Vertical	N/A
6	6993.000	55.44	4.64	68.2	12.76	Peak	360.00	100	Vertical	Pass
6**	6993.000	44.99	4.64	--	-44.99	AV	360.00	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2026-04-11_17.42.40

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907


Work Addition: TX

Temp.(oC): 19.5

Load: Full load

Hum.: 50%RH

Remark: DR-RSE01-E26040021-01#02



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7946.000	25.62	5.51	68.2	42.58	Peak	111.40	100	Vertical	Pass
1**	7946.000	18.00	5.51	--	-18.00	AV	111.40	100	Vertical	N/A
2	10456.750	29.54	8.48	68.2	38.66	Peak	90.60	100	Vertical	Pass
2**	10456.750	20.57	8.48	--	-20.57	AV	90.60	100	Vertical	N/A
3	11873.000	30.79	8.98	74.0	43.21	Peak	134.80	100	Vertical	Pass
3**	11873.000	22.29	8.98	54.0	31.71	AV	134.80	100	Vertical	Pass
4	14804.500	39.35	16.83	68.2	28.85	Peak	90.60	100	Vertical	Pass
4**	14804.500	30.36	16.83	--	-30.36	AV	90.60	100	Vertical	N/A
5	16847.750	41.35	18.51	68.2	26.85	Peak	296.30	100	Vertical	Pass
5**	16847.750	33.56	18.51	--	-33.56	AV	296.30	100	Vertical	N/A
6	17843.249	46.74	23.49	74.0	27.26	Peak	206.30	100	Vertical	Pass
6**	17843.249	38.34	23.49	54.0	15.66	AV	206.30	100	Vertical	Pass

WIFI5GB1-Bandedge -A-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2026-04-25_09.40.26

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 52%RH

Remark: DR-RSE01-E26040021-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 1)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	48.33	-0.17	74.0	25.67	Peak	74.18	100	H	Pass
1**	5150.000	41.33	-0.17	54.0	12.67	AV	74.18	100	H	Pass

WIFI5GB1-Bandedge -A-Low channel- Vertical-TX

Test result

Project Number: Certification

Test Time: 2026-04-25_11.24.06

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 52%RH

Remark: DR-RSE01-E26040021-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 1)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	47.74	-0.17	74.0	26.26	Peak	267.04	100	V	Pass
1**	5150.000	39.89	-0.17	54.0	14.11	AV	267.04	100	V	Pass

WIFI5GB1-Bandedge -A-High channel- Horizontal-TX

Test result

Project Number: Certification

Test Time: 2026-04-25_09.45.05

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 52%RH

Remark: DR-RSE01-E26040021-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 1)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	48.72	-1.34	74.0	25.28	Peak	153.72	100	H	Pass
1**	5350.000	39.67	-1.34	54.0	14.33	AV	153.72	100	H	Pass

WIFI5GB1-Bandedge -A-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2026-04-25_11.22.27

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 52%RH

Remark: DR-RSE01-E26040021-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 1)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	46.66	-1.34	74.0	27.34	Peak	207.68	100	V	Pass
1**	5350.000	38.89	-1.34	54.0	15.11	AV	207.68	100	V	Pass

WIFI5GB1-Bandedge –N20-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2026-04-25_09.47.08

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 52%RH

Remark: DR-RSE01-E26040021-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 1)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	49.17	-0.17	74.0	24.83	Peak	312.20	100	H	Pass
1**	5150.000	41.12	-0.17	54.0	12.88	AV	312.20	100	H	Pass

WIFI5GB1-Bandedge -N20-Low channel- Vertical-TX

Test result

Project Number: Certification

Test Time: 2026-04-25_11.26.50

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 52%RH

Remark: DR-RSE01-E26040021-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 1)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	47.59	-0.17	74.0	26.41	Peak	288.49	100	V	Pass
1**	5150.000	39.52	-0.17	54.0	14.48	AV	288.49	100	V	Pass

WIFI5GB1-Bandedge –N20-High channel- Horizontal-TX

Test result

Project Number: Certification

Test Time: 2026-04-25_09.49.27

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 52%RH

Remark: DR-RSE01-E26040021-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 1)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	48.09	-1.34	74.0	25.91	Peak	245.82	100	H	Pass
1**	5350.000	39.64	-1.34	54.0	14.36	AV	245.82	100	H	Pass

WIFI5GB1-Bandedge –N20-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2026-04-25_11.28.33

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 52%RH

Remark: DR-RSE01-E26040021-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G BAND 1)_bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	46.98	-1.34	74.0	27.02	Peak	231.13	100	V	Pass
1**	5350.000	38.87	-1.34	54.0	15.13	AV	231.13	100	V	Pass

Test result

Project Number: Certification

Test Time: 2026-04-25_10.11.25

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 52%RH

Remark: DR-RSE01-E26040021-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)5G_Band4_Bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.69	0.76	122.2	65.51	Peak	360.00	100	H	Pass

WIFI5GB4-Bandedge -A-Low channel- Vertical-TX

Test result

Project Number: Certification

Test Time: 2026-04-25_11.32.53

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 52%RH

Remark: DR-RSE01-E26040021-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)5G_Band4_Bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.51	0.76	122.2	64.69	Peak	255.48	100	V	Pass

WIFI5GB4-Bandedge -A-High channel- Horizontal-TX

Test result

Project Number: Certification

Test Time: 2026-04-25_10.13.17

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907


Work Addition: TX

Temp.(oC): 22.3

Load: Full load

Hum.: 52%RH

Remark: DR-RSE01-E26040021-01#02



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	53.09	0.98	122.2	69.11	Peak	0.00	100	H	Pass

WIFI5GB4-Bandedge -A-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2026-04-25_11.30.46

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907


Work Addition: TX

Temp.(oC): 22.3

Load: Full load

Hum.: 52%RH

Remark: DR-RSE01-E26040021-01#02



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	50.15	0.98	122.2	72.05	Peak	246.55	100	V	Pass

WIFI5GB4-Bandedge -N20-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2026-04-25_10.15.32

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 52%RH

Remark: DR-RSE01-E26040021-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)5G_Band4_Bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.99	0.76	122.2	64.21	Peak	360.00	100	H	Pass

Test result

Project Number: Certification

Test Time: 2026-04-25_11.37.27

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907


Work Addition: TX

Temp.(oC): 22.3

Load: Full load

Hum.: 52%RH

Remark: DR-RSE01-E26040021-01#02



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	53.84	0.76	122.2	68.36	Peak	77.05	100	V	Pass

Test result

Project Number: Certification

Test Time: 2026-04-25_10.17.09

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 52%RH

Remark: DR-RSE01-E26040021-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)5G_Band4_Bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	50.50	0.98	122.2	71.70	Peak	0.00	100	H	Pass

WIFI5GB4-Bandedge –N20-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2026-04-25_11.35.45

EUT Name: PETKIT PUROBOT CRYSTAL DUO Lite
SELF-CLEANING CAT LITTER BOX

Test Engineer: CJY

Manufacturer: PETKIT

Test Standard: FCC

Model: P9907

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 52%RH

Remark: DR-RSE01-E26040021-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)5G_Band4_Bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	49.85	0.98	122.2	72.35	Peak	351.00	100	V	Pass