







BLE\_125K-Ant1-2402-PASS



BLE\_125K-Ant1-2480-PASS



BLE\_500K-Ant1-2402-PASS



BLE\_500K-Ant1-2480-PASS


## Conducted Spurious Emission:

| TestMode | Antenna | Frequency[MHz] | FreqRange [MHz] | RefLevel [dBm] | Result[dBm] | Limit[dBm] | Verdict |
|----------|---------|----------------|-----------------|----------------|-------------|------------|---------|
| BLE_1M   | Ant1    | 2402           | 30~1000         | 3.04           | -60.3       | ≤-16.96    | PASS    |
| BLE_1M   | Ant1    | 2402           | 1000~3000       | 3.04           | -64         | ≤-16.96    | PASS    |
| BLE_1M   | Ant1    | 2402           | 3000~5000       | 3.04           | -63.94      | ≤-16.96    | PASS    |
| BLE_1M   | Ant1    | 2402           | 5000~7000       | 3.04           | -65.05      | ≤-16.96    | PASS    |
| BLE_1M   | Ant1    | 2402           | 7000~9000       | 3.04           | -65.18      | ≤-16.96    | PASS    |
| BLE_1M   | Ant1    | 2402           | 9000~11000      | 3.04           | -64.17      | ≤-16.96    | PASS    |
| BLE_1M   | Ant1    | 2402           | 11000~13000     | 3.04           | -65.55      | ≤-16.96    | PASS    |
| BLE_1M   | Ant1    | 2402           | 13000~15000     | 3.04           | -64.22      | ≤-16.96    | PASS    |
| BLE_1M   | Ant1    | 2402           | 15000~17000     | 3.04           | -64.08      | ≤-16.96    | PASS    |
| BLE_1M   | Ant1    | 2402           | 17000~19000     | 3.04           | -63.44      | ≤-16.96    | PASS    |
| BLE_1M   | Ant1    | 2402           | 19000~21000     | 3.04           | -62.29      | ≤-16.96    | PASS    |
| BLE_1M   | Ant1    | 2402           | 21000~23000     | 3.04           | -61.55      | ≤-16.96    | PASS    |
| BLE_1M   | Ant1    | 2402           | 23000~25000     | 3.04           | -60.66      | ≤-16.96    | PASS    |
| BLE_1M   | Ant1    | 2440           | 30~1000         | 2.84           | -61.64      | ≤-17.16    | PASS    |
| BLE_1M   | Ant1    | 2440           | 1000~3000       | 2.84           | -64.16      | ≤-17.16    | PASS    |
| BLE_1M   | Ant1    | 2440           | 3000~5000       | 2.84           | -63.81      | ≤-17.16    | PASS    |
| BLE_1M   | Ant1    | 2440           | 5000~7000       | 2.84           | -65.25      | ≤-17.16    | PASS    |
| BLE_1M   | Ant1    | 2440           | 7000~9000       | 2.84           | -64.64      | ≤-17.16    | PASS    |
| BLE_1M   | Ant1    | 2440           | 9000~11000      | 2.84           | -64.56      | ≤-17.16    | PASS    |
| BLE_1M   | Ant1    | 2440           | 11000~13000     | 2.84           | -64.52      | ≤-17.16    | PASS    |
| BLE_1M   | Ant1    | 2440           | 13000~15000     | 2.84           | -64.16      | ≤-17.16    | PASS    |
| BLE_1M   | Ant1    | 2440           | 15000~17000     | 2.84           | -64.81      | ≤-17.16    | PASS    |
| BLE_1M   | Ant1    | 2440           | 17000~19000     | 2.84           | -63.28      | ≤-17.16    | PASS    |
| BLE_1M   | Ant1    | 2440           | 19000~21000     | 2.84           | -62.69      | ≤-17.16    | PASS    |
| BLE_1M   | Ant1    | 2440           | 21000~23000     | 2.84           | -62.22      | ≤-17.16    | PASS    |
| BLE_1M   | Ant1    | 2440           | 23000~25000     | 2.84           | -60.55      | ≤-17.16    | PASS    |
| BLE_1M   | Ant1    | 2480           | 30~1000         | 2.48           | -63.02      | ≤-17.52    | PASS    |
| BLE_1M   | Ant1    | 2480           | 1000~3000       | 2.48           | -63.61      | ≤-17.52    | PASS    |
| BLE_1M   | Ant1    | 2480           | 3000~5000       | 2.48           | -64.05      | ≤-17.52    | PASS    |
| BLE_1M   | Ant1    | 2480           | 5000~7000       | 2.48           | -65.15      | ≤-17.52    | PASS    |
| BLE_1M   | Ant1    | 2480           | 7000~9000       | 2.48           | -65.08      | ≤-17.52    | PASS    |
| BLE_1M   | Ant1    | 2480           | 9000~11000      | 2.48           | -65.09      | ≤-17.52    | PASS    |
| BLE_1M   | Ant1    | 2480           | 11000~13000     | 2.48           | -65.51      | ≤-17.52    | PASS    |
| BLE_1M   | Ant1    | 2480           | 13000~15000     | 2.48           | -64.11      | ≤-17.52    | PASS    |
| BLE_1M   | Ant1    | 2480           | 15000~17000     | 2.48           | -64.75      | ≤-17.52    | PASS    |
| BLE_1M   | Ant1    | 2480           | 17000~19000     | 2.48           | -63.3       | ≤-17.52    | PASS    |
| BLE_1M   | Ant1    | 2480           | 19000~21000     | 2.48           | -62.56      | ≤-17.52    | PASS    |
| BLE_1M   | Ant1    | 2480           | 21000~23000     | 2.48           | -60.83      | ≤-17.52    | PASS    |
| BLE_1M   | Ant1    | 2480           | 23000~25000     | 2.48           | -60.66      | ≤-17.52    | PASS    |
| BLE_2M   | Ant1    | 2402           | 30~1000         | 2.91           | -62.82      | ≤-17.09    | PASS    |
| BLE_2M   | Ant1    | 2402           | 1000~3000       | 2.91           | -63.36      | ≤-17.09    | PASS    |
| BLE_2M   | Ant1    | 2402           | 3000~5000       | 2.91           | -64.4       | ≤-17.09    | PASS    |
| BLE_2M   | Ant1    | 2402           | 5000~7000       | 2.91           | -65         | ≤-17.09    | PASS    |
| BLE_2M   | Ant1    | 2402           | 7000~9000       | 2.91           | -65.06      | ≤-17.09    | PASS    |
| BLE_2M   | Ant1    | 2402           | 9000~11000      | 2.91           | -64.86      | ≤-17.09    | PASS    |
| BLE_2M   | Ant1    | 2402           | 11000~13000     | 2.91           | -65.68      | ≤-17.09    | PASS    |
| BLE_2M   | Ant1    | 2402           | 13000~15000     | 2.91           | -64.77      | ≤-17.09    | PASS    |
| BLE_2M   | Ant1    | 2402           | 15000~17000     | 2.91           | -65.09      | ≤-17.09    | PASS    |


|          |      |      |             |      |        |         |      |
|----------|------|------|-------------|------|--------|---------|------|
| BLE_2M   | Ant1 | 2402 | 17000~19000 | 2.91 | -63.26 | ≤-17.09 | PASS |
| BLE_2M   | Ant1 | 2402 | 19000~21000 | 2.91 | -62.38 | ≤-17.09 | PASS |
| BLE_2M   | Ant1 | 2402 | 21000~23000 | 2.91 | -61.74 | ≤-17.09 | PASS |
| BLE_2M   | Ant1 | 2402 | 23000~25000 | 2.91 | -61    | ≤-17.09 | PASS |
| BLE_2M   | Ant1 | 2440 | 30~1000     | 2.72 | -62.03 | ≤-17.28 | PASS |
| BLE_2M   | Ant1 | 2440 | 1000~3000   | 2.72 | -62.76 | ≤-17.28 | PASS |
| BLE_2M   | Ant1 | 2440 | 3000~5000   | 2.72 | -62.93 | ≤-17.28 | PASS |
| BLE_2M   | Ant1 | 2440 | 5000~7000   | 2.72 | -64.77 | ≤-17.28 | PASS |
| BLE_2M   | Ant1 | 2440 | 7000~9000   | 2.72 | -64.53 | ≤-17.28 | PASS |
| BLE_2M   | Ant1 | 2440 | 9000~11000  | 2.72 | -64.45 | ≤-17.28 | PASS |
| BLE_2M   | Ant1 | 2440 | 11000~13000 | 2.72 | -65.6  | ≤-17.28 | PASS |
| BLE_2M   | Ant1 | 2440 | 13000~15000 | 2.72 | -64.06 | ≤-17.28 | PASS |
| BLE_2M   | Ant1 | 2440 | 15000~17000 | 2.72 | -64.4  | ≤-17.28 | PASS |
| BLE_2M   | Ant1 | 2440 | 17000~19000 | 2.72 | -62.74 | ≤-17.28 | PASS |
| BLE_2M   | Ant1 | 2440 | 19000~21000 | 2.72 | -62.82 | ≤-17.28 | PASS |
| BLE_2M   | Ant1 | 2440 | 21000~23000 | 2.72 | -61.6  | ≤-17.28 | PASS |
| BLE_2M   | Ant1 | 2440 | 23000~25000 | 2.72 | -60.5  | ≤-17.28 | PASS |
| BLE_2M   | Ant1 | 2480 | 30~1000     | 2.43 | -61.05 | ≤-17.57 | PASS |
| BLE_2M   | Ant1 | 2480 | 1000~3000   | 2.43 | -62.69 | ≤-17.57 | PASS |
| BLE_2M   | Ant1 | 2480 | 3000~5000   | 2.43 | -64.09 | ≤-17.57 | PASS |
| BLE_2M   | Ant1 | 2480 | 5000~7000   | 2.43 | -64.81 | ≤-17.57 | PASS |
| BLE_2M   | Ant1 | 2480 | 7000~9000   | 2.43 | -65.15 | ≤-17.57 | PASS |
| BLE_2M   | Ant1 | 2480 | 9000~11000  | 2.43 | -64.64 | ≤-17.57 | PASS |
| BLE_2M   | Ant1 | 2480 | 11000~13000 | 2.43 | -65.43 | ≤-17.57 | PASS |
| BLE_2M   | Ant1 | 2480 | 13000~15000 | 2.43 | -64.32 | ≤-17.57 | PASS |
| BLE_2M   | Ant1 | 2480 | 15000~17000 | 2.43 | -64.49 | ≤-17.57 | PASS |
| BLE_2M   | Ant1 | 2480 | 17000~19000 | 2.43 | -62.79 | ≤-17.57 | PASS |
| BLE_2M   | Ant1 | 2480 | 19000~21000 | 2.43 | -62.68 | ≤-17.57 | PASS |
| BLE_2M   | Ant1 | 2480 | 21000~23000 | 2.43 | -61.69 | ≤-17.57 | PASS |
| BLE_2M   | Ant1 | 2480 | 23000~25000 | 2.43 | -61.58 | ≤-17.57 | PASS |
| BLE_125K | Ant1 | 2402 | 30~1000     | 2.94 | -64.01 | ≤-17.06 | PASS |
| BLE_125K | Ant1 | 2402 | 1000~3000   | 2.94 | -64.68 | ≤-17.06 | PASS |
| BLE_125K | Ant1 | 2402 | 3000~5000   | 2.94 | -63.88 | ≤-17.06 | PASS |
| BLE_125K | Ant1 | 2402 | 5000~7000   | 2.94 | -63.79 | ≤-17.06 | PASS |
| BLE_125K | Ant1 | 2402 | 7000~9000   | 2.94 | -64.84 | ≤-17.06 | PASS |
| BLE_125K | Ant1 | 2402 | 9000~11000  | 2.94 | -64.52 | ≤-17.06 | PASS |
| BLE_125K | Ant1 | 2402 | 11000~13000 | 2.94 | -65.67 | ≤-17.06 | PASS |
| BLE_125K | Ant1 | 2402 | 13000~15000 | 2.94 | -65.23 | ≤-17.06 | PASS |
| BLE_125K | Ant1 | 2402 | 15000~17000 | 2.94 | -64.35 | ≤-17.06 | PASS |
| BLE_125K | Ant1 | 2402 | 17000~19000 | 2.94 | -63.34 | ≤-17.06 | PASS |
| BLE_125K | Ant1 | 2402 | 19000~21000 | 2.94 | -61.99 | ≤-17.06 | PASS |
| BLE_125K | Ant1 | 2402 | 21000~23000 | 2.94 | -62    | ≤-17.06 | PASS |
| BLE_125K | Ant1 | 2402 | 23000~25000 | 2.94 | -61.33 | ≤-17.06 | PASS |
| BLE_125K | Ant1 | 2440 | 30~1000     | 2.58 | -63.5  | ≤-17.42 | PASS |
| BLE_125K | Ant1 | 2440 | 1000~3000   | 2.58 | -64.21 | ≤-17.42 | PASS |
| BLE_125K | Ant1 | 2440 | 3000~5000   | 2.58 | -62.76 | ≤-17.42 | PASS |
| BLE_125K | Ant1 | 2440 | 5000~7000   | 2.58 | -64.93 | ≤-17.42 | PASS |
| BLE_125K | Ant1 | 2440 | 7000~9000   | 2.58 | -65.07 | ≤-17.42 | PASS |
| BLE_125K | Ant1 | 2440 | 9000~11000  | 2.58 | -64.37 | ≤-17.42 | PASS |
| BLE_125K | Ant1 | 2440 | 11000~13000 | 2.58 | -65.27 | ≤-17.42 | PASS |
| BLE_125K | Ant1 | 2440 | 13000~15000 | 2.58 | -64.64 | ≤-17.42 | PASS |

|          |      |      |             |      |        |         |      |
|----------|------|------|-------------|------|--------|---------|------|
| BLE_125K | Ant1 | 2440 | 15000~17000 | 2.58 | -65.16 | ≤-17.42 | PASS |
| BLE_125K | Ant1 | 2440 | 17000~19000 | 2.58 | -63.17 | ≤-17.42 | PASS |
| BLE_125K | Ant1 | 2440 | 19000~21000 | 2.58 | -62.86 | ≤-17.42 | PASS |
| BLE_125K | Ant1 | 2440 | 21000~23000 | 2.58 | -62.23 | ≤-17.42 | PASS |
| BLE_125K | Ant1 | 2440 | 23000~25000 | 2.58 | -60.85 | ≤-17.42 | PASS |
| BLE_125K | Ant1 | 2480 | 30~1000     | 2.43 | -62.68 | ≤-17.57 | PASS |
| BLE_125K | Ant1 | 2480 | 1000~3000   | 2.43 | -64.44 | ≤-17.57 | PASS |
| BLE_125K | Ant1 | 2480 | 3000~5000   | 2.43 | -63.79 | ≤-17.57 | PASS |
| BLE_125K | Ant1 | 2480 | 5000~7000   | 2.43 | -64.92 | ≤-17.57 | PASS |
| BLE_125K | Ant1 | 2480 | 7000~9000   | 2.43 | -64.54 | ≤-17.57 | PASS |
| BLE_125K | Ant1 | 2480 | 9000~11000  | 2.43 | -64    | ≤-17.57 | PASS |
| BLE_125K | Ant1 | 2480 | 11000~13000 | 2.43 | -65.74 | ≤-17.57 | PASS |
| BLE_125K | Ant1 | 2480 | 13000~15000 | 2.43 | -63.98 | ≤-17.57 | PASS |
| BLE_125K | Ant1 | 2480 | 15000~17000 | 2.43 | -64.36 | ≤-17.57 | PASS |
| BLE_125K | Ant1 | 2480 | 17000~19000 | 2.43 | -63.34 | ≤-17.57 | PASS |
| BLE_125K | Ant1 | 2480 | 19000~21000 | 2.43 | -60.94 | ≤-17.57 | PASS |
| BLE_125K | Ant1 | 2480 | 21000~23000 | 2.43 | -61.91 | ≤-17.57 | PASS |
| BLE_125K | Ant1 | 2480 | 23000~25000 | 2.43 | -60.52 | ≤-17.57 | PASS |
| BLE_500K | Ant1 | 2402 | 30~1000     | 3.01 | -62.83 | ≤-16.99 | PASS |
| BLE_500K | Ant1 | 2402 | 1000~3000   | 3.01 | -64.93 | ≤-16.99 | PASS |
| BLE_500K | Ant1 | 2402 | 3000~5000   | 3.01 | -63.43 | ≤-16.99 | PASS |
| BLE_500K | Ant1 | 2402 | 5000~7000   | 3.01 | -64.85 | ≤-16.99 | PASS |
| BLE_500K | Ant1 | 2402 | 7000~9000   | 3.01 | -64.19 | ≤-16.99 | PASS |
| BLE_500K | Ant1 | 2402 | 9000~11000  | 3.01 | -63.35 | ≤-16.99 | PASS |
| BLE_500K | Ant1 | 2402 | 11000~13000 | 3.01 | -65.12 | ≤-16.99 | PASS |
| BLE_500K | Ant1 | 2402 | 13000~15000 | 3.01 | -64.33 | ≤-16.99 | PASS |
| BLE_500K | Ant1 | 2402 | 15000~17000 | 3.01 | -64.89 | ≤-16.99 | PASS |
| BLE_500K | Ant1 | 2402 | 17000~19000 | 3.01 | -62.42 | ≤-16.99 | PASS |
| BLE_500K | Ant1 | 2402 | 19000~21000 | 3.01 | -61.92 | ≤-16.99 | PASS |
| BLE_500K | Ant1 | 2402 | 21000~23000 | 3.01 | -60.97 | ≤-16.99 | PASS |
| BLE_500K | Ant1 | 2402 | 23000~25000 | 3.01 | -60.68 | ≤-16.99 | PASS |
| BLE_500K | Ant1 | 2440 | 30~1000     | 2.89 | -64.82 | ≤-17.11 | PASS |
| BLE_500K | Ant1 | 2440 | 1000~3000   | 2.89 | -64.86 | ≤-17.11 | PASS |
| BLE_500K | Ant1 | 2440 | 3000~5000   | 2.89 | -63.78 | ≤-17.11 | PASS |
| BLE_500K | Ant1 | 2440 | 5000~7000   | 2.89 | -64.47 | ≤-17.11 | PASS |
| BLE_500K | Ant1 | 2440 | 7000~9000   | 2.89 | -64.9  | ≤-17.11 | PASS |
| BLE_500K | Ant1 | 2440 | 9000~11000  | 2.89 | -63.98 | ≤-17.11 | PASS |
| BLE_500K | Ant1 | 2440 | 11000~13000 | 2.89 | -65.12 | ≤-17.11 | PASS |
| BLE_500K | Ant1 | 2440 | 13000~15000 | 2.89 | -64.47 | ≤-17.11 | PASS |
| BLE_500K | Ant1 | 2440 | 15000~17000 | 2.89 | -64.68 | ≤-17.11 | PASS |
| BLE_500K | Ant1 | 2440 | 17000~19000 | 2.89 | -62.37 | ≤-17.11 | PASS |
| BLE_500K | Ant1 | 2440 | 19000~21000 | 2.89 | -61.75 | ≤-17.11 | PASS |
| BLE_500K | Ant1 | 2440 | 21000~23000 | 2.89 | -61.08 | ≤-17.11 | PASS |
| BLE_500K | Ant1 | 2440 | 23000~25000 | 2.89 | -61.08 | ≤-17.11 | PASS |
| BLE_500K | Ant1 | 2480 | 30~1000     | 2.57 | -63.03 | ≤-17.43 | PASS |
| BLE_500K | Ant1 | 2480 | 1000~3000   | 2.57 | -63.93 | ≤-17.43 | PASS |
| BLE_500K | Ant1 | 2480 | 3000~5000   | 2.57 | -63.85 | ≤-17.43 | PASS |
| BLE_500K | Ant1 | 2480 | 5000~7000   | 2.57 | -59.24 | ≤-17.43 | PASS |
| BLE_500K | Ant1 | 2480 | 7000~9000   | 2.57 | -64.5  | ≤-17.43 | PASS |
| BLE_500K | Ant1 | 2480 | 9000~11000  | 2.57 | -64.78 | ≤-17.43 | PASS |
| BLE_500K | Ant1 | 2480 | 11000~13000 | 2.57 | -65.54 | ≤-17.43 | PASS |


|          |      |      |             |      |        |               |      |
|----------|------|------|-------------|------|--------|---------------|------|
| BLE_500K | Ant1 | 2480 | 13000~15000 | 2.57 | -64.4  | $\leq -17.43$ | PASS |
| BLE_500K | Ant1 | 2480 | 15000~17000 | 2.57 | -64.09 | $\leq -17.43$ | PASS |
| BLE_500K | Ant1 | 2480 | 17000~19000 | 2.57 | -63    | $\leq -17.43$ | PASS |
| BLE_500K | Ant1 | 2480 | 19000~21000 | 2.57 | -61.57 | $\leq -17.43$ | PASS |
| BLE_500K | Ant1 | 2480 | 21000~23000 | 2.57 | -61.33 | $\leq -17.43$ | PASS |
| BLE_500K | Ant1 | 2480 | 23000~25000 | 2.57 | -61.31 | $\leq -17.43$ | PASS |



BLE\_1M-Ant1-2402-30~1000-PASS




BLE\_1M-Ant1-2402-1000~3000-PASS



BLE\_1M-Ant1-2402-3000~5000-PASS




BLE\_1M-Ant1-2402-5000~7000-PASS



BLE\_1M-Ant1-2402-7000~9000-PASS




BLE\_1M-Ant1-2402-9000~11000-PASS



BLE\_1M-Ant1-2402-11000~13000-PASS




BLE\_1M-Ant1-2402-13000~15000-PASS




BLE\_1M-Ant1-2402-15000~17000-PASS




BLE\_1M-Ant1-2402-17000~19000-PASS




BLE\_1M-Ant1-2402-19000~21000-PASS




BLE\_1M-Ant1-2402-21000~23000-PASS




BLE\_1M-Ant1-2402-23000~25000-PASS



BLE\_1M-Ant1-2440-30~1000-PASS




BLE\_1M-Ant1-2440-1000~3000-PASS




BLE\_1M-Ant1-2440-3000~5000-PASS




BLE\_1M-Ant1-2440-5000~7000-PASS




BLE\_1M-Ant1-2440-7000~9000-PASS




BLE\_1M-Ant1-2440-9000~11000-PASS




BLE\_1M-Ant1-2440-11000~13000-PASS




BLE\_1M-Ant1-2440-13000~15000-PASS




BLE\_1M-Ant1-2440-15000~17000-PASS




BLE\_1M-Ant1-2440-17000~19000-PASS




BLE\_1M-Ant1-2440-19000~21000-PASS




BLE\_1M-Ant1-2440-21000~23000-PASS




BLE\_1M-Ant1-2440-23000~25000-PASS




BLE\_1M-Ant1-2480-30~1000-PASS




BLE\_1M-Ant1-2480-1000~3000-PASS



BLE\_1M-Ant1-2480-3000~5000-PASS




BLE\_1M-Ant1-2480-5000~7000-PASS



BLE\_1M-Ant1-2480-7000~9000-PASS




BLE\_1M-Ant1-2480-9000~11000-PASS



BLE\_1M-Ant1-2480-11000~13000-PASS




BLE\_1M-Ant1-2480-13000~15000-PASS




BLE\_1M-Ant1-2480-15000~17000-PASS




BLE\_1M-Ant1-2480-17000~19000-PASS




BLE\_1M-Ant1-2480-19000~21000-PASS




BLE\_1M-Ant1-2480-21000~23000-PASS




BLE\_1M-Ant1-2480-23000~25000-PASS




BLE\_2M-Ant1-2402-30~1000-PASS



BLE\_2M-Ant1-2402-1000~3000-PASS



BLE\_2M-Ant1-2402-3000~5000-PASS




BLE\_2M-Ant1-2402-5000~7000-PASS




BLE\_2M-Ant1-2402-7000~9000-PASS




BLE\_2M-Ant1-2402-9000~11000-PASS




BLE\_2M-Ant1-2402-11000~13000-PASS




BLE\_2M-Ant1-2402-13000~15000-PASS




BLE\_2M-Ant1-2402-15000~17000-PASS




BLE\_2M-Ant1-2402-17000~19000-PASS




BLE\_2M-Ant1-2402-19000~21000-PASS




BLE\_2M-Ant1-2402-21000~23000-PASS



BLE\_2M-Ant1-2402-23000~25000-PASS



BLE\_2M-Ant1-2440-30~1000-PASS



BLE\_2M-Ant1-2440-1000~3000-PASS