



Profile: 23A0637R	Page No.: 210
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 5745MHz by 802.11n(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	48.703	49.227	-25.297	74.000	-0.524	PK
2	*	17235.000	53.277	47.840	-20.723	74.000	5.437	PK




Profile: 23A0637R	Page No.: 211
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 5785MHz by 802.11n(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	48.560	49.749	-25.440	74.000	-1.189	PK
2	*	17355.000	53.094	48.632	-20.906	74.000	4.461	PK




Profile: 23A0637R	Page No.: 212
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 5785MHz by 802.11n(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	48.343	49.532	-25.657	74.000	-1.189	PK
2	*	17355.000	53.253	48.791	-20.747	74.000	4.461	PK




Profile: 23A0637R	Page No.: 213
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 5825MHz by 802.11n(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	47.335	49.011	-26.665	74.000	-1.676	PK
2	*	17475.000	52.916	48.722	-21.084	74.000	4.195	PK


Profile: 23A0637R	Page No.: 214
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 5825MHz by 802.11n(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	48.309	49.985	-25.691	74.000	-1.676	PK
2	*	17475.000	53.267	49.073	-20.733	74.000	4.195	PK




Profile: 23A0637R	Page No.: 215
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10384.000	53.990	57.205	-20.010	74.000	-3.215	PK
2		15570.000	51.816	51.522	-22.184	74.000	0.294	PK




Profile: 23A0637R	Page No.: 216
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10380.000	46.931	50.136	-7.069	54.000	-3.205	AV
2		10384.000	55.206	58.421	-18.794	74.000	-3.215	PK
3		15570.000	50.598	50.304	-23.402	74.000	0.294	PK




Profile: 23A0637R	Page No.: 217
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 5230MHz by 802.11n(40MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10452.000	52.902	56.235	-21.098	74.000	-3.333	PK
2		15690.000	50.311	50.035	-23.689	74.000	0.276	PK




Profile: 23A0637R	Page No.: 218
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 5230MHz by 802.11n(40MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10452.000	55.022	58.355	-18.978	74.000	-3.333	PK
2	*	10460.000	47.882	51.222	-6.118	54.000	-3.341	AV
3		15690.000	51.321	51.045	-22.679	74.000	0.276	PK




Profile: 23A0637R	Page No.: 219
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 5270MHz by 802.11n(40MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10537.000	54.160	57.398	-19.840	74.000	-3.238	PK
2	*	10540.000	47.074	50.284	-6.926	54.000	-3.210	AV
3		15810.000	51.065	49.999	-22.935	74.000	1.066	PK




Profile: 23A0637R	Page No.: 220
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 5270MHz by 802.11n(40MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10537.000	54.238	57.476	-19.762	74.000	-3.238	PK
2	*	10540.000	46.890	50.100	-7.110	54.000	-3.210	AV
3		15810.000	51.018	49.952	-22.982	74.000	1.066	PK


Profile: 23A0637R	Page No.: 221
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10605.000	52.302	54.860	-21.698	74.000	-2.558	PK
2		15930.000	51.472	50.281	-22.528	74.000	1.191	PK




Profile: 23A0637R	Page No.: 222
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10620.000	46.766	49.982	-7.234	54.000	-3.217	AV
2		10622.000	54.253	57.557	-19.747	74.000	-3.304	PK
3		15930.000	50.917	49.726	-23.083	74.000	1.191	PK




Profile: 23A0637R	Page No.: 223
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 5510MHz by 802.11n(40MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	49.695	51.920	-24.305	74.000	-2.225	PK
2	*	16530.000	50.832	49.561	-23.168	74.000	1.271	PK




Profile: 23A0637R	Page No.: 224
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 5510MHz by 802.11n(40MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	47.894	50.119	-26.106	74.000	-2.225	PK
2	*	16530.000	49.233	47.962	-24.767	74.000	1.271	PK




Profile: 23A0637R	Page No.: 225
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 5590MHz by 802.11n(40MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	49.433	50.787	-24.567	74.000	-1.354	PK
2	*	16770.000	51.381	49.750	-22.619	74.000	1.631	PK




Profile: 23A0637R	Page No.: 226
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 5590MHz by 802.11n(40MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	48.890	50.244	-25.110	74.000	-1.354	PK
2	*	16770.000	51.346	49.715	-22.654	74.000	1.631	PK




Profile: 23A0637R	Page No.: 227
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 5670MHz by 802.11n(40MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	48.333	49.789	-25.667	74.000	-1.455	PK
2	*	17010.000	51.339	49.995	-22.661	74.000	1.343	PK




Profile: 23A0637R	Page No.: 228
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 5670MHz by 802.11n(40MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	49.506	50.962	-24.494	74.000	-1.455	PK
2	*	17010.000	51.369	50.025	-22.631	74.000	1.343	PK




Profile: 23A0637R	Page No.: 229
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 5755MHz by 802.11n(40MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	50.077	51.432	-23.923	74.000	-1.355	PK
2	*	17265.000	51.188	49.677	-22.812	74.000	1.510	PK




Profile: 23A0637R	Page No.: 230
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 5755MHz by 802.11n(40MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	49.451	50.806	-24.549	74.000	-1.355	PK
2	*	17265.000	51.540	50.029	-22.460	74.000	1.510	PK


Profile: 23A0637R	Page No.: 231
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 5795MHz by 802.11n(40MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	48.812	50.388	-25.188	74.000	-1.576	PK
2	*	17385.000	51.678	49.987	-22.322	74.000	1.691	PK




Profile: 23A0637R	Page No.: 232
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 5795MHz by 802.11n(40MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	49.624	51.200	-24.376	74.000	-1.576	PK
2	*	17385.000	52.781	51.090	-21.219	74.000	1.691	PK




Profile: 23A0637R	Page No.: 233
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10360.000	49.843	53.249	-4.157	54.000	-3.406	AV
2		10367.000	57.654	60.826	-16.346	74.000	-3.172	PK
3		15540.000	51.835	50.792	-22.165	74.000	1.043	PK




Profile: 23A0637R	Page No.: 234
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10350.000	61.105	64.845	-12.895	74.000	-3.740	PK
2	*	10360.000	50.213	53.619	-3.787	54.000	-3.406	AV
3		15540.000	52.872	51.829	-21.128	74.000	1.043	PK




Profile: 23A0637R	Page No.: 235
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5220MHz by 802.11ac(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10435.000	56.166	59.444	-17.834	74.000	-3.278	PK
2	*	10440.000	49.323	52.617	-4.677	54.000	-3.294	AV
3		15660.000	51.917	50.906	-22.083	74.000	1.011	PK




Profile: 23A0637R	Page No.: 236
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5220MHz by 802.11ac(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	49.657	52.951	-24.343	74.000	-3.294	PK
2	*	10452.000	59.196	62.529	-14.804	74.000	-3.333	PK
3		15660.000	51.969	50.958	-22.031	74.000	1.011	PK




Profile: 23A0637R	Page No.: 237
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5240MHz by 802.11ac(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10469.000	58.218	61.567	-15.782	74.000	-3.349	PK
2	*	10480.000	49.088	52.367	-4.912	54.000	-3.279	AV
3		15720.000	52.953	51.433	-21.047	74.000	1.520	PK




Profile: 23A0637R	Page No.: 238
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5240MHz by 802.11ac(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10469.000	57.804	61.153	-16.196	74.000	-3.349	PK
2	*	10480.000	49.338	52.617	-4.662	54.000	-3.279	AV
3		15720.000	52.595	51.075	-21.405	74.000	1.520	PK




Profile: 23A0637R	Page No.: 239
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5260MHz by 802.11ac(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	56.049	59.288	-17.951	74.000	-3.239	PK
2	*	10520.000	47.125	50.364	-6.875	54.000	-3.239	AV
3		15780.000	51.441	50.183	-22.559	74.000	1.257	PK




Profile: 23A0637R	Page No.: 240
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5260MHz by 802.11ac(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	58.465	61.704	-15.535	74.000	-3.239	PK
2	*	10520.000	49.395	52.634	-4.605	54.000	-3.239	AV
3		15780.000	52.135	50.877	-21.865	74.000	1.257	PK




Profile: 23A0637R	Page No.: 241
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5300MHz by 802.11ac(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10600.000	49.935	52.637	-4.065	54.000	-2.702	AV
2		10605.000	56.071	58.629	-17.929	74.000	-2.558	PK
3		15900.000	52.988	50.921	-21.012	74.000	2.067	PK




Profile: 23A0637R	Page No.: 242
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5300MHz by 802.11ac(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10588.000	60.751	63.798	-13.249	74.000	-3.047	PK
2	*	10600.000	49.642	52.344	-4.358	54.000	-2.702	AV
3		15900.000	52.830	50.763	-21.170	74.000	2.067	PK


Profile: 23A0637R	Page No.: 243
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5320MHz by 802.11ac(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10639.000	55.970	59.338	-18.030	74.000	-3.368	PK
2	*	10640.000	47.302	50.666	-6.698	54.000	-3.364	AV
3		15960.000	52.098	50.965	-21.902	74.000	1.133	PK




Profile: 23A0637R	Page No.: 244
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5320MHz by 802.11ac(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10639.000	56.700	60.068	-17.300	74.000	-3.368	PK
2	*	10640.000	47.024	50.388	-6.976	54.000	-3.364	AV
3		15960.000	51.922	50.789	-22.078	74.000	1.133	PK




Profile: 23A0637R	Page No.: 245
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5500MHz by 802.11ac(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	49.360	51.248	-24.640	74.000	-1.888	PK
2	*	16500.000	53.694	48.761	-20.306	74.000	4.933	PK




Profile: 23A0637R	Page No.: 246
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5500MHz by 802.11ac(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	46.484	48.372	-27.516	74.000	-1.888	PK
2	*	16500.000	52.240	47.307	-21.760	74.000	4.933	PK




Profile: 23A0637R	Page No.: 247
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5580MHz by 802.11ac(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	48.026	49.211	-25.974	74.000	-1.185	PK
2	*	16740.000	51.412	47.354	-22.588	74.000	4.058	PK




Profile: 23A0637R	Page No.: 248
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5580MHz by 802.11ac(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	48.451	49.636	-25.549	74.000	-1.185	PK
2	*	16740.000	52.388	48.330	-21.612	74.000	4.058	PK




Profile: 23A0637R	Page No.: 249
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5700MHz by 802.11ac(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	47.571	48.613	-26.429	74.000	-1.042	PK
2	*	17100.000	52.947	48.160	-21.053	74.000	4.787	PK


Profile: 23A0637R	Page No.: 250
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5700MHz by 802.11ac(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	47.726	48.768	-26.274	74.000	-1.042	PK
2	*	16740.000	51.518	47.460	-22.482	74.000	4.058	PK




Profile: 23A0637R	Page No.: 251
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5745MHz by 802.11ac(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	48.512	49.036	-25.488	74.000	-0.524	PK
2	*	17235.000	52.117	46.680	-21.883	74.000	5.437	PK


Profile: 23A0637R	Page No.: 252
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5745MHz by 802.11ac(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	48.245	48.769	-25.755	74.000	-0.524	PK
2	*	17235.000	53.605	48.168	-20.395	74.000	5.437	PK




Profile: 23A0637R	Page No.: 253
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5785MHz by 802.11ac(20MHz) with Ant1+	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	47.952	49.141	-26.048	74.000	-1.189	PK
2	*	17355.000	53.633	49.171	-20.367	74.000	4.461	PK




Profile: 23A0637R	Page No.: 254
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5785MHz by 802.11ac(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	47.879	49.068	-26.121	74.000	-1.189	PK
2	*	17355.000	52.908	48.446	-21.092	74.000	4.461	PK


Profile: 23A0637R	Page No.: 255
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5825MHz by 802.11ac(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	48.094	49.770	-25.906	74.000	-1.676	PK
2	*	17475.000	53.015	48.821	-20.985	74.000	4.195	PK




Profile: 23A0637R	Page No.: 256
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5825MHz by 802.11ac(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	49.214	50.890	-24.786	74.000	-1.676	PK
2	*	17475.000	53.885	49.691	-20.115	74.000	4.195	PK


Profile: 23A0637R	Page No.: 257
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10380.000	48.202	50.116	-5.798	54.000	-1.914	AV
2		10384.000	56.519	58.603	-17.481	74.000	-2.084	PK
3		15570.000	53.794	51.378	-20.206	74.000	2.416	PK




Profile: 23A0637R	Page No.: 258
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10380.000	48.335	50.249	-5.665	54.000	-1.914	AV
2		10384.000	57.696	59.780	-16.304	74.000	-2.084	PK
3		15570.000	51.889	49.473	-22.111	74.000	2.416	PK




Profile: 23A0637R	Page No.: 259
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5230MHz by 802.11ac(40MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10452.000	57.648	58.423	-16.352	74.000	-0.775	PK
2	*	10460.000	48.355	49.943	-5.645	54.000	-1.589	AV
3		15690.000	51.984	49.930	-22.016	74.000	2.054	PK




Profile: 23A0637R	Page No.: 260
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5230MHz by 802.11ac(40MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10452.000	58.078	58.853	-15.922	74.000	-0.775	PK
2	*	10460.000	48.688	50.276	-5.312	54.000	-1.589	AV
3		15690.000	52.963	50.909	-21.037	74.000	2.054	PK




Profile: 23A0637R	Page No.: 261
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5270MHz by 802.11ac(40MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10537.000	55.423	57.456	-18.577	74.000	-2.033	PK
2	*	10540.000	46.854	48.981	-7.146	54.000	-2.127	AV
3		15810.000	52.263	49.180	-21.737	74.000	3.083	PK




Profile: 23A0637R	Page No.: 262
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5270MHz by 802.11ac(40MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10537.000	55.831	57.864	-18.169	74.000	-2.033	PK
2	*	10540.000	47.090	49.217	-6.910	54.000	-2.127	AV
3		15810.000	51.976	48.893	-22.024	74.000	3.083	PK




Profile: 23A0637R	Page No.: 263
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5310MHz by 802.11ac(40MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10622.000	52.731	54.240	-21.269	74.000	-1.509	PK
2		15930.000	48.954	46.227	-25.046	74.000	2.728	PK




Profile: 23A0637R	Page No.: 264
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5310MHz by 802.11ac(40MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10620.000	46.020	47.618	-7.980	54.000	-1.598	AV
2		10622.000	54.587	56.096	-19.413	74.000	-1.509	PK
3		15930.000	51.753	49.026	-22.247	74.000	2.728	PK




Profile: 23A0637R	Page No.: 265
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5510MHz by 802.11ac(40MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	48.360	50.462	-25.640	74.000	-2.102	PK
2	*	16530.000	53.031	48.753	-20.969	74.000	4.278	PK




Profile: 23A0637R	Page No.: 266
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5510MHz by 802.11ac(40MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	48.184	50.286	-25.816	74.000	-2.102	PK
2	*	16530.000	52.651	48.373	-21.349	74.000	4.278	PK




Profile: 23A0637R	Page No.: 267
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5590MHz by 802.11ac(40MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	47.477	49.710	-26.523	74.000	-2.234	PK
2	*	16770.000	53.334	48.329	-20.666	74.000	5.005	PK




Profile: 23A0637R	Page No.: 268
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5590MHz by 802.11ac(40MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	46.267	48.500	-27.733	74.000	-2.234	PK
2	*	16770.000	52.780	47.775	-21.220	74.000	5.005	PK




Profile: 23A0637R	Page No.: 269
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5670MHz by 802.11ac(40MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	47.308	48.679	-26.692	74.000	-1.371	PK
2	*	17010.000	53.292	49.127	-20.708	74.000	4.165	PK




Profile: 23A0637R	Page No.: 270
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5670MHz by 802.11ac(40MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	47.956	49.327	-26.044	74.000	-1.371	PK
2	*	17010.000	53.126	48.961	-20.874	74.000	4.165	PK


Profile: 23A0637R	Page No.: 271
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5755MHz by 802.11ac(40MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	48.359	49.637	-25.641	74.000	-1.278	PK
2	*	17265.000	51.466	48.053	-22.534	74.000	3.412	PK




Profile: 23A0637R	Page No.: 272
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5755MHz by 802.11ac(40MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	48.189	49.467	-25.811	74.000	-1.278	PK
2	*	17265.000	52.210	48.797	-21.790	74.000	3.412	PK


Profile: 23A0637R	Page No.: 273
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5795MHz by 802.11ac(40MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	48.816	48.715	-25.184	74.000	0.101	PK
2	*	17385.000	51.151	47.819	-22.849	74.000	3.332	PK




Profile: 23A0637R	Page No.: 274
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5795MHz by 802.11ac(40MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	49.334	49.233	-24.666	74.000	0.101	PK
2	*	17385.000	51.860	48.528	-22.140	74.000	3.332	PK




Profile: 23A0637R	Page No.: 275
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10452.000	53.755	54.530	-20.245	74.000	-0.775	PK
2		15630.000	52.509	49.696	-21.491	74.000	2.814	PK




Profile: 23A0637R	Page No.: 276
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10435.000	53.247	55.354	-20.753	74.000	-2.107	PK
2		15630.000	53.140	50.327	-20.860	74.000	2.814	PK




Profile: 23A0637R	Page No.: 277
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10588.000	52.254	53.385	-21.746	74.000	-1.131	PK
2	*	15870.000	52.323	49.517	-21.677	74.000	2.805	PK




Profile: 23A0637R	Page No.: 278
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10588.000	51.507	52.638	-22.493	74.000	-1.131	PK
2	*	15870.000	52.836	50.030	-21.164	74.000	2.805	PK


Profile: 23A0637R	Page No.: 279
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 5530MHz by 802.11ac(80MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	46.673	48.818	-27.327	74.000	-2.145	PK
2	*	16590.000	52.984	48.796	-21.016	74.000	4.189	PK




Profile: 23A0637R	Page No.: 280
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 5530MHz by 802.11ac(80MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	46.854	48.999	-27.146	74.000	-2.145	PK
2	*	16590.000	51.281	47.093	-22.719	74.000	4.189	PK




Profile: 23A0637R	Page No.: 281
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 5775MHz by 802.11ac(80MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	47.060	48.620	-26.940	74.000	-1.560	PK
2	*	17325.000	51.633	48.083	-22.367	74.000	3.549	PK




Profile: 23A0637R	Page No.: 282
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 5775MHz by 802.11ac(80MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	46.857	48.417	-27.143	74.000	-1.560	PK
2	*	17325.000	51.549	47.999	-22.451	74.000	3.549	PK




Profile: 23A0637R	Page No.: 283
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5180MHz by 802.11ax(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10350.000	55.489	59.229	-18.511	74.000	-3.740	PK
2	*	10360.000	44.843	48.249	-9.157	54.000	-3.406	AV
3		15540.000	51.745	50.702	-22.255	74.000	1.043	PK




Profile: 23A0637R	Page No.: 284
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5180MHz by 802.11ax(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10350.000	57.895	61.635	-16.105	74.000	-3.740	PK
2	*	10360.000	47.843	51.249	-6.157	54.000	-3.406	AV
3		15540.000	52.125	51.082	-21.875	74.000	1.043	PK




Profile: 23A0637R	Page No.: 285
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5220MHz by 802.11ax(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10440.000	47.990	51.284	-6.010	54.000	-3.294	AV
2		10452.000	56.155	59.488	-17.845	74.000	-3.333	PK
3		15660.000	51.643	50.632	-22.357	74.000	1.011	PK




Profile: 23A0637R	Page No.: 286
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5220MHz by 802.11ax(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10435.000	55.019	58.297	-18.981	74.000	-3.278	PK
2	*	10440.000	48.328	51.622	-5.672	54.000	-3.294	AV
3		15660.000	52.545	51.534	-21.455	74.000	1.011	PK




Profile: 23A0637R	Page No.: 287
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5240MHz by 802.11ax(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10480.000	49.387	52.666	-4.613	54.000	-3.279	AV
2		10486.000	56.554	59.795	-17.446	74.000	-3.241	PK
3		15720.000	52.084	50.564	-21.916	74.000	1.520	PK




Profile: 23A0637R	Page No.: 288
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5240MHz by 802.11ax(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10480.000	49.305	52.584	-4.695	54.000	-3.279	AV
2		10486.000	57.114	60.355	-16.886	74.000	-3.241	PK
3		15720.000	52.435	50.915	-21.565	74.000	1.520	PK




Profile: 23A0637R	Page No.: 289
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5260MHz by 802.11ax(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	55.086	58.325	-18.914	74.000	-3.239	PK
2	*	10520.000	45.010	48.249	-8.990	54.000	-3.239	AV
3		15780.000	51.362	50.104	-22.638	74.000	1.257	PK




Profile: 23A0637R	Page No.: 290
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5260MHz by 802.11ax(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	56.219	59.458	-17.781	74.000	-3.239	PK
2	*	10520.000	49.577	52.816	-4.423	54.000	-3.239	AV
3		15780.000	51.587	50.329	-22.413	74.000	1.257	PK




Profile: 23A0637R	Page No.: 291
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5300MHz by 802.11ax(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10600.000	49.947	52.649	-4.053	54.000	-2.702	AV
2		10605.000	54.499	57.057	-19.501	74.000	-2.558	PK
3		15900.000	52.688	50.621	-21.312	74.000	2.067	PK




Profile: 23A0637R	Page No.: 292
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5300MHz by 802.11ax(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10600.000	50.141	52.843	-3.859	54.000	-2.702	AV
2		10605.000	56.499	59.057	-17.501	74.000	-2.558	PK
3		15900.000	52.619	50.552	-21.381	74.000	2.067	PK




Profile: 23A0637R	Page No.: 293
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5320MHz by 802.11ax(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10639.000	54.969	58.337	-19.031	74.000	-3.368	PK
2	*	10640.000	48.308	51.672	-5.692	54.000	-3.364	AV
3		15960.000	51.199	50.066	-22.801	74.000	1.133	PK




Profile: 23A0637R	Page No.: 294
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5320MHz by 802.11ax(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10639.000	55.112	58.480	-18.888	74.000	-3.368	PK
2	*	10640.000	48.163	51.527	-5.837	54.000	-3.364	AV
3		15960.000	51.206	50.073	-22.794	74.000	1.133	PK




Profile: 23A0637R	Page No.: 295
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5500MHz by 802.11ax(20MHz) with Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	48.325	50.213	-25.675	74.000	-1.888	PK
2	*	16500.000	53.343	48.410	-20.657	74.000	4.933	PK

Profile: 23A0637R	Page No.: 296
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5500MHz by 802.11ax(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	48.126	50.014	-25.874	74.000	-1.888	PK
2	*	16500.000	53.409	48.476	-20.591	74.000	4.933	PK


Profile: 23A0637R	Page No.: 297
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5580MHz by 802.11ax(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	49.177	50.362	-24.823	74.000	-1.185	PK
2	*	16740.000	53.026	48.968	-20.974	74.000	4.058	PK




Profile: 23A0637R	Page No.: 298
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5580MHz by 802.11ax(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	50.030	51.215	-23.970	74.000	-1.185	PK
2	*	16740.000	53.206	49.148	-20.794	74.000	4.058	PK




Profile: 23A0637R	Page No.: 299
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5700MHz by 802.11ax(20MHz) with Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	47.367	48.409	-26.633	74.000	-1.042	PK
2	*	17100.000	52.944	48.157	-21.056	74.000	4.787	PK

Profile: 23A0637R	Page No.: 300
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5700MHz by 802.11ax(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	49.435	50.477	-24.565	74.000	-1.042	PK
2	*	17100.000	53.826	49.039	-20.174	74.000	4.787	PK


Profile: 23A0637R	Page No.: 301
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5745MHz by 802.11ax(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	49.083	49.607	-24.917	74.000	-0.524	PK
2	*	17235.000	53.716	48.279	-20.284	74.000	5.437	PK




Profile: 23A0637R	Page No.: 302
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5745MHz by 802.11ax(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	48.070	48.594	-25.930	74.000	-0.524	PK
2	*	17235.000	53.443	48.006	-20.557	74.000	5.437	PK


Profile: 23A0637R	Page No.: 303
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5785MHz by 802.11ax(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	47.484	48.673	-26.516	74.000	-1.189	PK
2	*	17355.000	53.636	49.174	-20.364	74.000	4.461	PK




Profile: 23A0637R	Page No.: 304
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5785MHz by 802.11ax(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	47.216	48.405	-26.784	74.000	-1.189	PK
2	*	17355.000	52.947	48.485	-21.053	74.000	4.461	PK




Profile: 23A0637R	Page No.: 305
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5825MHz by 802.11ax(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.574	48.250	-27.426	74.000	-1.676	PK
2	*	17475.000	52.703	48.509	-21.297	74.000	4.195	PK


Profile: 23A0637R	Page No.: 306
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5825MHz by 802.11ax(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.438	48.114	-27.562	74.000	-1.676	PK
2	*	17475.000	52.911	48.717	-21.089	74.000	4.195	PK




Profile: 23A0637R	Page No.: 307
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5190MHz by 802.11ax(40MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10367.000	56.059	59.231	-17.941	74.000	-3.172	PK
2	*	10380.000	47.467	50.672	-6.533	54.000	-3.205	AV
3		15570.000	51.264	50.970	-22.736	74.000	0.294	PK




Profile: 23A0637R	Page No.: 308
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5190MHz by 802.11ax(40MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10380.000	46.759	49.964	-7.241	54.000	-3.205	AV
2		10384.000	56.952	60.167	-17.048	74.000	-3.215	PK
3		15570.000	50.232	49.938	-23.768	74.000	0.294	PK




Profile: 23A0637R	Page No.: 309
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5230MHz by 802.11ax(40MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10469.000	53.566	56.915	-20.434	74.000	-3.349	PK
2		15690.000	50.725	50.449	-23.275	74.000	0.276	PK




Profile: 23A0637R	Page No.: 310
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5230MHz by 802.11ax(40MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10460.000	48.273	51.613	-5.727	54.000	-3.341	AV
2		10469.000	55.054	58.403	-18.946	74.000	-3.349	PK
3		15690.000	52.017	51.741	-21.983	74.000	0.276	PK




Profile: 23A0637R	Page No.: 311
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5270MHz by 802.11ax(40MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10554.000	53.759	56.840	-20.241	74.000	-3.081	PK
2		15810.000	50.751	49.685	-23.249	74.000	1.066	PK




Profile: 23A0637R	Page No.: 312
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5270MHz by 802.11ax(40MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10554.000	53.176	56.257	-20.824	74.000	-3.081	PK
2		15810.000	51.064	49.998	-22.936	74.000	1.066	PK




Profile: 23A0637R	Page No.: 313
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5310MHz by 802.11ax(40MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10605.000	54.334	56.892	-19.666	74.000	-2.558	PK
2	*	10620.000	45.481	48.697	-8.519	54.000	-3.217	AV
3		15930.000	52.632	51.441	-21.368	74.000	1.191	PK




Profile: 23A0637R	Page No.: 314
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5310MHz by 802.11ax(40MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10620.000	46.455	49.671	-7.545	54.000	-3.217	AV
2		10622.000	54.505	57.809	-19.495	74.000	-3.304	PK
3		15930.000	52.641	51.450	-21.359	74.000	1.191	PK


Profile: 23A0637R	Page No.: 315
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5510MHz by 802.11ax(40MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	47.246	49.348	-26.754	74.000	-2.102	PK
2	*	16530.000	52.839	48.561	-21.161	74.000	4.278	PK




Profile: 23A0637R	Page No.: 316
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5510MHz by 802.11ax(40MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	47.732	49.834	-26.268	74.000	-2.102	PK
2	*	16530.000	53.370	49.092	-20.630	74.000	4.278	PK




Profile: 23A0637R	Page No.: 317
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5590MHz by 802.11ax(40MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	48.258	50.491	-25.742	74.000	-2.234	PK
2	*	16770.000	53.058	48.053	-20.942	74.000	5.005	PK




Profile: 23A0637R	Page No.: 318
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5590MHz by 802.11ax(40MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	47.523	49.756	-26.477	74.000	-2.234	PK
2	*	16770.000	52.676	47.671	-21.324	74.000	5.005	PK




Profile: 23A0637R	Page No.: 319
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5670MHz by 802.11ax(40MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	47.915	49.286	-26.085	74.000	-1.371	PK
2	*	17010.000	53.198	49.033	-20.802	74.000	4.165	PK




Profile: 23A0637R	Page No.: 320
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5670MHz by 802.11ax(40MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	49.030	50.401	-24.970	74.000	-1.371	PK
2	*	17010.000	53.042	48.877	-20.958	74.000	4.165	PK



Profile: 23A0637R	Page No.: 321
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5755MHz by 802.11ax(40MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	48.763	50.041	-25.237	74.000	-1.278	PK
2	*	17265.000	53.220	49.807	-20.780	74.000	3.412	PK