3DH5_Ant1_High_2480



3DH5_Ant1_Low_Hop_2402

3DH5_Ant1_High_Hop_2480

Appendix H: Conducted Spurious Emission

Test Result

TestMode	Antenna	Frequency[MHz]	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant1	2402	Reference	-2.43	-2.43	---	PASS
			30~1000	-2.43	-61.15	≤-22.43	PASS
			1000~26500	-2.43	-48.06	≤-22.43	PASS
		2441	Reference	-2.18	-2.18	---	PASS
			30~1000	-2.18	-60.85	≤-22.18	PASS
			1000~26500	-2.18	-47.28	≤-22.18	PASS
		2480	Reference	-2.61	-2.61	---	PASS
			30~1000	-2.61	-61.13	≤-22.61	PASS
			1000~26500	-2.61	-45.93	≤-22.61	PASS
2DH5	Ant1	2402	Reference	-2.66	-2.66	---	PASS
			30~1000	-2.66	-61.02	≤-22.66	PASS
			1000~26500	-2.66	-48.1	≤-22.66	PASS
		2441	Reference	-2.16	-2.16	---	PASS
			30~1000	-2.16	-60.77	≤-22.16	PASS
			1000~26500	-2.16	-47.7	≤-22.16	PASS
		2480	Reference	-2.52	-2.52	---	PASS
			30~1000	-2.52	-61.21	≤-22.52	PASS
			1000~26500	-2.52	-44.94	≤-22.52	PASS
3DH5	Ant1	2402	Reference	-2.49	-2.49	---	PASS
			30~1000	-2.49	-60.88	≤-22.49	PASS
			1000~26500	-2.49	-47.87	≤-22.49	PASS
		2441	Reference	-2.30	-2.30	---	PASS
			30~1000	-2.30	-36.33	≤-22.3	PASS
			1000~26500	-2.30	-47.13	≤-22.3	PASS
		2480	Reference	-2.50	-2.50	---	PASS

			30~1000	-2.50	-61.33	≤-22.5	PASS
			1000~26500	-2.50	-48.62	≤-22.5	PASS

Test Graphs

DH5_Ant1_2402_0~Reference



DH5_Ant1_2402_30~1000

DH5_Ant1_2402_1000~26500

DH5_Ant1_2441_0~Reference



DH5_Ant1_2441_30~1000

DH5_Ant1_2441_1000~26500

DH5_Ant1_2480_0~Reference

DH5_Ant1_2480_30~1000

DH5_Ant1_2480_1000~26500

2DH5_Ant1_2402_0~Reference



2DH5_Ant1_2402_30~1000

2DH5_Ant1_2402_1000~26500

2DH5_Ant1_2441_0~Reference



2DH5_Ant1_2441_30~1000

2DH5_Ant1_2441_1000~26500

2DH5_Ant1_2480_0~Reference



2DH5_Ant1_2480_30~1000

2DH5_Ant1_2480_1000~26500

3DH5_Ant1_2402_0~Reference



3DH5_Ant1_2402_30~1000

3DH5_Ant1_2402_1000~26500

3DH5_Ant1_2441_0~Reference



3DH5_Ant1_2441_30~1000

3DH5_Ant1_2441_1000~26500

3DH5_Ant1_2480_0~Reference



3DH5_Ant1_2480_30~1000

3DH5_Ant1_2480_1000~26500

Appendix I: Duty Cycle

Test Result

TestMode	Antenna	Frequency[MHz]	ON Time [ms]	Period [ms]	Duty Cycle [%]	Duty Cycle Factor[dB]
DH5	Ant1	2402	2.88	3.75	76.80	1.15
		2441	2.88	3.75	76.80	1.15
		2480	2.88	3.75	76.80	1.15
2DH5	Ant1	2402	2.88	3.75	76.80	1.15
		2441	2.89	3.75	77.07	1.13
		2480	2.89	3.75	77.07	1.13
3DH5	Ant1	2402	2.89	3.75	77.07	1.13
		2441	2.89	3.75	77.07	1.13
		2480	2.89	3.75	77.07	1.13

Test Graphs

DH5_Ant1_2402

DH5_Ant1_2441

DH5_Ant1_2480

2DH5_Ant1_2402

2DH5_Ant1_2441

2DH5_Ant1_2480

3DH5_Ant1_2402



3DH5_Ant1_2441

3DH5_Ant1_2480

Appendix J: Conducted emission AC power port

Test Result



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Type	Verdict
1	0.2314	10.24	38.81	62.40	23.59	30.10	52.40	22.30	L	PASS
2	0.3546	10.25	34.67	58.85	24.18	27.22	48.85	21.63	L	PASS
3	0.6156	10.27	43.22	56.00	12.78	35.99	46.00	10.01	L	PASS
4	1.1662	10.31	29.76	56.00	26.24	22.80	46.00	23.20	L	PASS
5	2.4198	10.35	26.97	56.00	29.03	21.76	46.00	24.24	L	PASS
6	7.4571	10.47	27.83	60.00	32.17	20.58	50.00	29.42	L	PASS
7	22.6737	10.77	29.47	60.00	30.53	25.18	50.00	24.82	L	PASS



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Type	Verdict
1	0.1953	10.24	36.82	63.81	26.99	29.07	53.81	24.74	N	PASS
2	0.6115	10.26	42.94	56.00	13.06	35.27	46.00	10.73	N	PASS
3	1.1651	10.28	29.01	56.00	26.99	22.00	46.00	24.00	N	PASS
4	2.8587	10.32	28.46	56.00	27.54	22.24	46.00	23.76	N	PASS
5	3.2956	10.32	29.83	56.00	26.17	23.12	46.00	22.88	N	PASS
6	5.5939	10.38	26.83	60.00	33.17	21.09	50.00	28.91	N	PASS
7	22.4759	10.75	28.59	60.00	31.41	23.99	50.00	26.01	N	PASS

Appendix K: Radiated emissions for transmitter

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line per 15.31(o) was not reported.
Above 1GHz, The emission level with margin less than 20db is recorded.
According to C63.10, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement, so AV emission value did not show in below table if the peak value complies with average limit.

30MHz-1GHz
The worst case data was recorded
DH5-2402MHz



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	92.1421	21.62	-21.11	43.50	21.88	100	103	Horizontal
2	181.4715	19.49	-17.46	43.50	24.01	100	211	Horizontal
3	237.7878	24.87	-17.67	46.00	21.13	100	228	Horizontal
4	329.0591	28.20	-15.05	46.00	17.80	100	23	Horizontal
5	494.1241	23.55	-11.57	46.00	22.45	100	56	Horizontal
6	823.2833	26.97	-6.28	46.00	19.03	100	97	Horizontal



NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	21.21	-16.35	40.00	18.79	100	0	Vertical
2	92.1421	21.79	-21.11	43.50	21.71	100	226	Vertical
3	181.4715	17.35	-17.46	43.50	26.15	100	196	Vertical
4	329.0591	22.34	-15.05	46.00	23.66	100	338	Vertical
5	597.0470	27.66	-9.44	46.00	18.34	100	0	Vertical
6	888.3383	28.15	-5.77	46.00	17.85	100	138	Vertical

Above 1GHz

Mode:	DH5-2402

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1661.73	65.35	41.91	-23.44	74.00	32.09	Horizonta	PASS
2	4074.10	63.43	45.82	-17.61	74.00	28.18	Horizonta	PASS
3	5035.70	62.86	47.06	-15.80	74.00	26.94	Horizonta	PASS
4	7068.40	61.42	48.81	-12.61	74.00	25.19	Horizonta	PASS
5	7909.99	61.61	49.91	-11.70	74.00	24.09	Horizonta	PASS
6	11040.8	60.62	53.34	-7.28	74.00	20.66	Horizonta	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1556.91	65.73	41.36	-24.37	74.00	32.64	Vertical	PASS
2	4969.69	62.66	46.43	-16.23	74.00	27.57	Vertical	PASS
3	6823.88	60.97	48.52	-12.45	74.00	25.48	Vertical	PASS
4	7755.47	61.92	50.03	-11.89	74.00	23.97	Vertical	PASS
5	10196.2	62.16	53.54	-8.62	74.00	20.46	Vertical	PASS
6	12918.9	59.75	55.56	-4.19	74.00	18.44	Vertical	PASS

Mode:	DH5-2441

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1517.30	66.71	41.95	-24.76	74.00	32.05	Horizonta	PASS
2	1943.38	65.96	44.97	-20.99	74.00	29.03	Horizonta	PASS
3	4188.11	63.27	46.03	-17.24	74.00	27.97	Horizonta	PASS
4	5946.29	61.53	46.90	-14.63	74.00	27.10	Horizonta	PASS
5	7794.47	62.27	50.00	-12.27	74.00	24.00	Horizonta	PASS
6	10292.2	61.15	52.80	-8.35	74.00	21.20	Horizonta	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1917.38	65.81	44.64	-21.17	74.00	29.36	Vertical	PASS
2	4299.12	62.89	45.72	-17.17	74.00	28.28	Vertical	PASS
3	4882.68	64.05	47.73	-16.32	74.00	26.27	Vertical	PASS
4	6664.86	61.64	49.06	-12.58	74.00	24.94	Vertical	PASS
5	7728.47	62.09	50.10	-11.99	74.00	23.90	Vertical	PASS
6	10392.7	61.84	53.70	-8.14	74.00	20.30	Vertical	PASS

Mode:	DH5-2480

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1421.28	66.45	41.41	-25.04	74.00	32.59	Horizonta	PASS
2	1954.99	66.05	45.15	-20.90	74.00	28.85	Horizonta	PASS
3	3939.09	64.28	46.44	-17.84	74.00	27.56	Horizonta	PASS
4	4957.69	64.66	48.29	-16.37	74.00	25.71	Horizonta	PASS
5	7743.47	62.33	50.44	-11.89	74.00	23.56	Horizonta	PASS
6	10875.7	61.63	54.05	-7.58	74.00	19.95	Horizonta	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1594.11	66.28	42.32	-23.96	74.00	31.68	Vertical	PASS
2	2112.62	65.32	45.07	-20.25	74.00	28.93	Vertical	PASS
3	4959.19	66.01	49.65	-16.36	74.00	24.35	Vertical	PASS
4	6559.85	62.17	48.73	-13.44	74.00	25.27	Vertical	PASS
5	9278.12	60.68	50.37	-10.31	74.00	23.63	Vertical	PASS
6	11268.8	60.11	52.91	-7.20	74.00	21.09	Vertical	PASS

Mode:	2DH5-2402

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1610.12	65.81	41.97	-23.84	74.00	32.03	Horizonta	PASS
2	2063.81	65.94	45.61	-20.33	74.00	28.39	Horizonta	PASS
3	4275.12	64.03	46.83	-17.20	74.00	27.17	Horizonta	PASS
4	5850.28	63.77	49.04	-14.73	74.00	24.96	Horizonta	PASS
5	7989.49	62.25	50.35	-11.90	74.00	23.65	Horizonta	PASS
6	10319.2	61.11	52.70	-8.41	74.00	21.30	Horizonta	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1316.06	66.44	41.15	-25.29	74.00	32.85	Vertical	PASS
2	1878.97	65.70	44.26	-21.44	74.00	29.74	Vertical	PASS
3	3796.57	63.08	44.91	-18.17	74.00	29.09	Vertical	PASS
4	4914.19	63.72	47.36	-16.36	74.00	26.64	Vertical	PASS
5	6805.88	60.99	48.52	-12.47	74.00	25.48	Vertical	PASS
6	9566.15	61.17	51.15	-10.02	74.00	22.85	Vertical	PASS

Mode:	2DH5-2441

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1384.07	65.88	40.77	-25.11	74.00	33.23	Horizonta	PASS
2	1911.38	65.20	43.99	-21.21	74.00	30.01	Horizonta	PASS
3	4213.62	63.71	46.41	-17.30	74.00	27.59	Horizonta	PASS
4	5121.21	62.98	46.96	-16.02	74.00	27.04	Horizonta	PASS
5	6964.89	61.75	48.91	-12.84	74.00	25.09	Horizonta	PASS
6	11556.8	60.60	53.75	-6.85	74.00	20.25	Horizonta	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1706.94	66.60	43.67	-22.93	74.00	30.33	Vertical	PASS
2	2086.21	66.19	45.87	-20.32	74.00	28.13	Vertical	PASS
3	3987.09	62.53	44.94	-17.59	74.00	29.06	Vertical	PASS
4	4879.68	64.76	48.44	-16.32	74.00	25.56	Vertical	PASS
5	7990.99	61.61	49.70	-11.91	74.00	24.30	Vertical	PASS
6	9966.69	61.61	52.72	-8.89	74.00	21.28	Vertical	PASS

Mode:	2DH5-2480

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1571.71	65.76	41.55	-24.21	74.00	32.45	Horizonta	PASS
2	1868.57	66.25	44.73	-21.52	74.00	29.27	Horizonta	PASS
3	4014.10	62.79	45.21	-17.58	74.00	28.79	Horizonta	PASS
4	4957.69	63.58	47.21	-16.37	74.00	26.79	Horizonta	PASS
5	6295.82	62.77	49.43	-13.34	74.00	24.57	Horizonta	PASS
6	9173.11	61.94	51.25	-10.69	74.00	22.75	Horizonta	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1616.12	67.27	43.47	-23.80	74.00	30.53	Vertical	PASS
2	2067.81	66.10	45.77	-20.33	74.00	28.23	Vertical	PASS
3	4957.69	65.83	49.46	-16.37	74.00	24.54	Vertical	PASS
4	6691.86	62.29	49.46	-12.83	74.00	24.54	Vertical	PASS
5	8897.08	61.31	50.08	-11.23	74.00	23.92	Vertical	PASS
6	10410.7	61.38	53.21	-8.17	74.00	20.79	Vertical	PASS

Mode:	3DH5-2402

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1673.73	65.63	42.33	-23.30	74.00	31.67	Horizonta	PASS
2	2051.01	65.39	45.05	-20.34	74.00	28.95	Horizonta	PASS
3	4513.65	63.10	46.57	-16.53	74.00	27.43	Horizonta	PASS
4	6477.34	62.31	49.19	-13.12	74.00	24.81	Horizonta	PASS
5	7858.98	62.05	50.08	-11.97	74.00	23.92	Horizonta	PASS
6	11892.8	60.39	54.65	-5.74	74.00	19.35	Horizonta	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1318.46	66.01	40.73	-25.28	74.00	33.27	Vertical	PASS
2	1923.78	65.47	44.35	-21.12	74.00	29.65	Vertical	PASS
3	4801.68	65.70	49.23	-16.47	74.00	24.77	Vertical	PASS
4	6489.34	62.37	49.18	-13.19	74.00	24.82	Vertical	PASS

Mode:	3DH5-2441

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1350.47	66.65	41.58	-25.07	74.00	32.42	Horizonta	PASS
2	2049.00	66.10	45.76	-20.34	74.00	28.24	Horizonta	PASS
3	3627.06	63.71	45.02	-18.69	74.00	28.98	Horizonta	PASS
4	5715.27	62.10	47.23	-14.87	74.00	26.77	Horizonta	PASS
5	6910.89	62.35	49.49	-12.86	74.00	24.51	Horizonta	PASS
6	9825.68	62.13	52.61	-9.52	74.00	21.39	Horizonta	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1519.70	66.11	41.37	-24.74	74.00	32.63	Vertical	PASS
2	2056.61	66.02	45.68	-20.34	74.00	28.32	Vertical	PASS
3	4878.18	64.40	48.08	-16.32	74.00	25.92	Vertical	PASS
4	6897.38	62.01	49.20	-12.81	74.00	24.80	Vertical	PASS
5	7984.99	61.86	49.98	-11.88	74.00	24.02	Vertical	PASS
6	11249.3	60.96	53.73	-7.23	74.00	20.27	Vertical	PASS

Mode:	3DH5-2480

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1696.53	66.83	43.81	-23.02	74.00	30.19	Horizonta	PASS
2	2172.23	65.91	45.84	-20.07	74.00	28.16	Horizonta	PASS
3	4107.11	63.77	46.37	-17.40	74.00	27.63	Horizonta	PASS
4	4956.19	63.34	46.95	-16.39	74.00	27.05	Horizonta	PASS
5	8696.06	61.25	49.62	-11.63	74.00	24.38	Horizonta	PASS
6	11757.8	60.19	54.03	-6.16	74.00	19.97	Horizonta	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1384.07	66.93	41.82	-25.11	74.00	32.18	Vertical	PASS
2	2091.01	65.61	45.29	-20.32	74.00	28.71	Vertical	PASS
3	4960.69	66.62	50.28	-16.34	74.00	23.72	Vertical	PASS
4	6345.33	61.97	48.07	-13.90	74.00	25.93	Vertical	PASS
5	7890.48	61.80	50.04	-11.76	74.00	23.96	Vertical	PASS
6	11280.8	60.60	53.43	-7.17	74.00	20.57	Vertical	PASS

Band edge

Mode:	DH5-2402

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2310.000	62.64	41.52	-21.12	74.00	32.48	Horizontal	PASS
2	2324.617	64.87	43.77	-21.10	74.00	30.23	Horizontal	PASS
3	2343.187	64.91	43.85	-21.06	74.00	30.15	Horizontal	PASS
4	2357.804	64.54	43.51	-21.03	74.00	30.49	Horizontal	PASS
5	2377.614	65.16	44.16	-21.00	74.00	29.84	Horizontal	PASS
6	2390.000	63.11	42.14	-20.97	74.00	31.86	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2310.000	63.02	41.90	-21.12	74.00	32.10	Vertical	PASS
2	2322.793	64.90	43.80	-21.10	74.00	30.20	Vertical	PASS
3	2333.250	65.24	44.16	-21.08	74.00	29.84	Vertical	PASS
4	2354.068	65.15	44.11	-21.04	74.00	29.89	Vertical	PASS
5	2365.957	66.43	45.41	-21.02	74.00	28.59	Vertical	PASS
6	2390.000	62.99	42.02	-20.97	74.00	31.98	Vertical	PASS

Mode:	DH5-2480

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.500	64.42	43.62	-20.80	74.00	30.38	Horizontal	PASS
2	2483.721	66.00	45.20	-20.80	74.00	28.80	Horizontal	PASS
3	2488.011	65.56	44.77	-20.79	74.00	29.23	Horizontal	PASS
4	2492.250	66.02	45.24	-20.78	74.00	28.76	Horizontal	PASS
5	2492.250	66.02	45.24	-20.78	74.00	28.76	Horizontal	PASS
6	2500.000	64.14	43.37	-20.77	74.00	30.63	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.500	64.53	43.73	-20.80	74.00	30.27	Vertical	PASS
2	2485.244	66.00	45.20	-20.80	74.00	28.80	Vertical	PASS
3	2489.666	66.09	45.30	-20.79	74.00	28.70	Vertical	PASS
4	2494.074	65.70	44.92	-20.78	74.00	29.08	Vertical	PASS
5	2495.595	66.27	45.49	-20.78	74.00	28.51	Vertical	PASS
6	2500.000	63.19	42.42	-20.77	74.00	31.58	Vertical	PASS

Mode:	2DH5-2402

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2310.000	62.30	41.18	-21.12	74.00	32.82	Horizontal	PASS
2	2320.113	64.87	43.77	-21.10	74.00	30.23	Horizontal	PASS
3	2332.578	65.33	44.25	-21.08	74.00	29.75	Horizontal	PASS
4	2356.028	64.83	43.79	-21.04	74.00	30.21	Horizontal	PASS
5	2378.006	65.59	44.59	-21.00	74.00	29.41	Horizontal	PASS
6	2390.000	62.72	41.75	-20.97	74.00	32.25	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2310.000	62.19	41.07	-21.12	74.00	32.93	Vertical	PASS
2	2316.352	65.43	44.32	-21.11	74.00	29.68	Vertical	PASS
3	2336.826	64.69	43.62	-21.07	74.00	30.38	Vertical	PASS
4	2350.660	64.99	43.94	-21.05	74.00	30.06	Vertical	PASS
5	2371.390	64.94	43.93	-21.01	74.00	30.07	Vertical	PASS
6	2390.000	61.74	40.77	-20.97	74.00	33.23	Vertical	PASS

Mode:	2DH5-2480

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.500	64.20	43.40	-20.80	74.00	30.60	Horizontal	PASS
2	2485.244	65.96	45.16	-20.80	74.00	28.84	Horizontal	PASS
3	2488.859	65.88	45.09	-20.79	74.00	28.91	Horizontal	PASS
4	2494.160	65.83	45.05	-20.78	74.00	28.95	Horizontal	PASS
5	2497.892	66.16	45.39	-20.77	74.00	28.61	Horizontal	PASS
6	2500.000	62.76	41.99	-20.77	74.00	32.01	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.500	63.74	42.94	-20.80	74.00	31.06	Vertical	PASS
2	2487.245	65.89	45.10	-20.79	74.00	28.90	Vertical	PASS
3	2490.569	65.93	45.14	-20.79	74.00	28.86	Vertical	PASS
4	2493.561	66.09	45.31	-20.78	74.00	28.69	Vertical	PASS
5	2495.676	66.42	45.64	-20.78	74.00	28.36	Vertical	PASS
6	2500.000	63.08	42.31	-20.77	74.00	31.69	Vertical	PASS

Mode:	3DH5-2402

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2310.000	63.21	42.09	-21.12	74.00	31.91	Horizontal	PASS
2	2322.857	65.22	44.12	-21.10	74.00	29.88	Horizontal	PASS
3	2338.730	64.29	43.22	-21.07	74.00	30.78	Horizontal	PASS
4	2354.444	65.16	44.12	-21.04	74.00	29.88	Horizontal	PASS
5	2372.422	65.20	44.19	-21.01	74.00	29.81	Horizontal	PASS
6	2390.000	62.45	41.48	-20.97	74.00	32.52	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2310.000	62.89	41.77	-21.12	74.00	32.23	Vertical	PASS
2	2326.873	64.40	43.31	-21.09	74.00	30.69	Vertical	PASS
3	2341.075	64.58	43.51	-21.07	74.00	30.49	Vertical	PASS
4	2349.780	64.78	43.73	-21.05	74.00	30.27	Vertical	PASS
5	2370.286	65.21	44.20	-21.01	74.00	29.80	Vertical	PASS
6	2390.000	62.48	41.51	-20.97	74.00	32.49	Vertical	PASS

Mode:	3DH5-2480

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.500	64.02	43.22	-20.80	74.00	30.78	Horizontal	PASS
2	2486.782	65.86	45.07	-20.79	74.00	28.93	Horizontal	PASS
3	2490.806	65.98	45.19	-20.79	74.00	28.81	Horizontal	PASS
4	2490.806	65.98	45.19	-20.79	74.00	28.81	Horizontal	PASS
5	2495.221	65.87	45.09	-20.78	74.00	28.91	Horizontal	PASS
6	2500.000	63.51	42.74	-20.77	74.00	31.26	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.500	64.20	43.40	-20.80	74.00	30.60	Vertical	PASS
2	2486.665	66.98	46.19	-20.79	74.00	27.81	Vertical	PASS
3	2488.792	65.97	45.18	-20.79	74.00	28.82	Vertical	PASS
4	2492.818	65.90	45.12	-20.78	74.00	28.88	Vertical	PASS
5	2497.660	65.79	45.02	-20.77	74.00	28.98	Vertical	PASS
6	2500.000	63.73	42.96	-20.77	74.00	31.04	Vertical	PASS