Appendix C

RF Test Data for 2.4GWIFI (Conducted Measurement)

Product Name: Mini PC

Trade Mark: Blackview

Test Model: MP60

Environmental Conditions

Temperature:	25.9℃
Relative Humidity:	52.2%
ATM Pressure:	101Kpa
Test Engineer:	Simba Huang
Supervised by:	Seal Chen

Contents

Page

COVER PAGE

1 Duty Cycle 3
1.1 Test Result 3
1.2 Test Graphs 4
2 Maximum Conducted Output Power 10
2.1 Test Result 10
3 -6dB Bandwidth 11
3.1 Test Result 11
3.2 Test Graphs 12
4 Maximum Power Spectral Density Level 18
4.1 Test Result 18
4.2 Test Graphs 19
5 Band Edge 25
5.1 Test Result 25
5.2 Test Graphs 26
6 Conducted RF Spurious Emission 34
6.1 Test Result 34
6.2 Test Graphs 35
7 Restrict Band 47
7.1 Test Result 47
7.2 Test Graphs 49

1 Duty Cycle

1.1 Test Result

Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	1/T(KHz)
b	2412	Ant1	100	0.01
b	2437	Ant1	100	0.01
b	2462	Ant1	100	0.01
g	2412	Ant1	100	0.01
g	2437	Ant1	100	0.01
g	2462	Ant1	100	0.01
n20	2412	Ant1	100	0.01
n20	2437	Ant1	100	0.01
n20	2462	Ant1	100	0.01
n40	2422	Ant1	100	0.01
n40	2437	Ant1	100	0.01
n40	2452	Ant1	100	0.01

1.2 Test Graphs

Test Graphs
b 2412MHz Ant1



b 2437MHz Ant1



Test Graphs

b 2462MHz Ant1



g 2412MHz Ant1



Test Graphs

g 2437MHz Ant1



g 2462MHz Ant1



Test Graphs

n20 2412MHz Ant1



n20 2437MHz Ant1



Test Graphs

n20 2462MHz Ant1



n40 2422MHz Ant1



Test Graphs

n40 2437MHz Ant1



n40 2452MHz Ant1



2 Maximum Conducted Output Power

2.1 Test Result

Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
b	2412	Ant1	13.01	30	Pass
b	2437	Ant1	12.44	30	Pass
b	2462	Ant1	11.79	30	Pass
g	2412	Ant1	12.56	30	Pass
g	2437	Ant1	11.83	30	Pass
g	2462	Ant1	11.11	30	Pass
n20	2412	Ant1	12.06	30	Pass
n20	2437	Ant1	11.21	30	Pass
n20	2462	Ant1	10.6	30	Pass
n40	2422	Ant1	11.35	30	Pass
n40	2437	Ant1	10.73	30	Pass
n40	2452	Ant1	10.38	30	Pass

3 -6dB Bandwidth

3.1 Test Result

Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
b	2412	Ant1	9.891	0.5	Pass
b	2437	Ant1	10.089	0.5	Pass
b	2462	Ant1	10.074	0.5	Pass
g	2412	Ant1	16.506	0.5	Pass
g	2437	Ant1	16.479	0.5	Pass
g	2462	Ant1	16.548	0.5	Pass
n20	2412	Ant1	17.583	0.5	Pass
n20	2437	Ant1	17.661	0.5	Pass
n20	2462	Ant1	17.634	0.5	Pass
n40	2422	Ant1	36.354	0.5	Pass
n40	2437	Ant1	36.372	0.5	Pass
n40	2452	Ant1	36.42	0.5	Pass

3.2 Test Graphs

Test Graphs

b 2412MHz Ant1



b 2437MHz Ant1



b 2462MHz Ant1



g 2412MHz Ant1



g 2437MHz Ant1



g 2462MHz Ant1



n20 2412MHz Ant1



n20 2437MHz Ant1



n20 2462MHz Ant1



n40 2422MHz Ant1



n40 2437MHz Ant1



n40 2452MHz Ant1



4 Maximum Power Spectral Density Level

4.1 Test Result

Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/3-100kHz)	Limit (dBm/3kHz)	Verdict
b	2412	Ant1	-22.1	≤8	Pass
b	2437	Ant1	-22.67	≤8	Pass
b	2462	Ant1	-23.25	≤8	Pass
g	2412	Ant1	-22.45	≤8	Pass
g	2437	Ant1	-22.87	≤8	Pass
g	2462	Ant1	-23.75	≤8	Pass
n20	2412	Ant1	-21.78	≤8	Pass
n20	2437	Ant1	-22.73	≤8	Pass
n20	2462	Ant1	-22.89	≤8	Pass
n40	2422	Ant1	-26.57	≤8	Pass
n40	2437	Ant1	-25.46	≤8	Pass
n40	2452	Ant1	-27.25	≤8	Pass

4.2 Test Graphs

Test Graphs
b 2412MHz Ant1

b 2437MHz Ant1


b 2462MHz Ant1



g 2412MHz Ant1



g 2437MHz Ant1



g 2462MHz Ant1



n20 2412MHz Ant1



n20 2437MHz Ant1



n20 2462MHz Ant1



n40 2422MHz Ant1



n40 2437MHz Ant1



n40 2452MHz Ant1



5 Band Edge

5.1 Test Result

Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
b	2412	Ant1	-52.4	-20	-52.4
b	2462	Ant1	-51.99	-20	Pass
g	2412	Ant1	-45.59	-20	Pass
g	2462	Ant1	-45.57	-20	Pass
n20	2412	Ant1	-46.64	-20	Pass
n20	2462	Ant1	-45.83	-20	Pass
n40	2422	Ant1	-41.72	-20	Pass
n40	2452	Ant1	-40.18	-20	Pass

5.2 Test Graphs

Test Graphs

b 2412MHz Ant1 Ref



b 2412MHz Ant1 Emission



b 2462MHz Ant1 Ref



b 2462MHz Ant1 Emission



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	2.46154 GHz	-3.14 dBm		
M2		1	2.4835 GHz	-58.76 dBm		
M3		1	2.5 GHz	-57.86 dBm		
M4		1	2.485 GHz	-54.95 dBm		

g 2412MHz Ant1 Ref



g 2412MHz Ant1 Emission



g 2462MHz Ant1 Ref



g 2462MHz Ant1 Emission



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	2.46803 GHz	-9.27 dBm		
M2		1	2.4835 GHz	-57.52 dBm		
M3		1	2.5 GHz	-58.31 dBm		
M4		1	2.493 GHz	-54.83 dBm		

n20 2412MHz Ant1 Ref



n20 2412MHz Ant1 Emission



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	2.41486 GHz	-8.72 dBm		
M2		1	2.4 GHz	-44.81 dBm		
M3		1	2.39 GHz	-56.87 dBm		
M4		1	2.3444 GHz	-54.53 dBm		

n20 2462MHz Ant1 Ref



n20 2462MHz Ant1 Emission



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	2.45664 GHz	-9.45 dBm		
M2		1	2.4835 GHz	-57.88 dBm		
M3		1	2.5 GHz	-58.11 dBm		
M4		1	2.4983 GHz	-55.46 dBm		

n40 2422MHz Ant1 Ref



n40 2422MHz Ant1 Emission



n40 2452MHz Ant1 Ref



n40 2452MHz Ant1 Emission



6 Conducted RF Spurious Emission

6.1 Test Result

Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
b	2412	Ant1	-41.05	-20	Pass
b	2437	Ant1	-40.44	-20	Pass
b	2462	Ant1	-39.99	-20	Pass
g	2412	Ant1	-35.2	-20	Pass
g	2437	Ant1	-33.89	-20	Pass
g	2462	Ant1	-33.29	-20	Pass
n20	2412	Ant1	-35.34	-20	Pass
n20	2437	Ant1	-33.84	-20	Pass
n20	2462	Ant1	-33.86	-20	Pass
n40	2422	Ant1	-28.56	-20	Pass
n40	2437	Ant1	-28.51	-20	Pass
n40	2452	Ant1	-28.41	-20	Pass

6.2 Test Graphs

Test Graphs

b 2412MHz Ant1 Ref



b 2412MHz Ant1 Emission



b 2437MHz Ant1 Ref



b 2437MHz Ant1 Emission



b 2462MHz Ant1 Ref



b 2462MHz Ant1 Emission



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	2.45 GHz	-3.16 dBm		
M2		1	20.0943 GHz	-42.68 dBm		
M3		1	4.9269 GHz	-48.84 dBm		
M4		1	7.2563 GHz	-49.78 dBm		
M5		1	9.9033 GHz	-48.64 dBm		

g 2412MHz Ant1 Ref



g 2412MHz Ant1 Emission



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	2.423 GHz	-8.04 dBm		
M2		1	18.0031 GHz	-43.21 dBm		
M3		1	4.8211 GHz	-49.75 dBm		
M4		1	7.0446 GHz	-50.17 dBm		
M5		1	9.5592 GHz	-49.40 dBm		

g 2437MHz Ant1 Ref



g 2437MHz Ant1 Emission



g 2462MHz Ant1 Ref



g 2462MHz Ant1 Emission



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	2.476 GHz	-9.91 dBm		
M2		1	20.0943 GHz	-42.51 dBm		
M3		1	4.9269 GHz	-50.55 dBm		
M4		1	7.4945 GHz	-49.88 dBm		
M5		1	9.9827 GHz	-49.07 dBm		

n20 2412MHz Ant1 Ref



n20 2412MHz Ant1 Emission



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	2.397 GHz	-9.15 dBm		
M2		1	20.0149 GHz	-43.21 dBm		
M3		1	4.8211 GHz	-51.69 dBm		
M4		1	7.0446 GHz	-47.81 dBm		
M5		1	9.8239 GHz	-49.35 dBm		

n20 2437MHz Ant1 Ref



n20 2437MHz Ant1 Emission



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	2.423 GHz	-9.50 dBm		
M2		1	15.6473 GHz	-42.62 dBm		
M3		1	4.874 GHz	-51.82 dBm		
M4		1	7.3093 GHz	-49.86 dBm		
M5		1	9.8768 GHz	-49.02 dBm		

n20 2462MHz Ant1 Ref



n20 2462MHz Ant1 Emission



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	2.476 GHz	-10.11 dBm		
M2		1	19.9619 GHz	-43.10 dBm		
M3		1	4.9269 GHz	-50.52 dBm		
M4		1	7.2828 GHz	-49.61 dBm		
M5		1	9.9827 GHz	-48.87 dBm		

n40 2422MHz Ant1 Ref



n40 2422MHz Ant1 Emission



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	2.423 GHz	-13.82 dBm		
M2		1	19.3531 GHz	-42.59 dBm		
M3		1	4.8475 GHz	-50.88 dBm		
M4		1	7.0975 GHz	-49.86 dBm		
M5		1	9.8504 GHz	-48.79 dBm		

n40 2437MHz Ant1 Ref



n40 2437MHz Ant1 Emission



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	2.423 GHz	-14.45 dBm		
M2		1	19.3266 GHz	-42.68 dBm		
M3		1	5.0328 GHz	-52.07 dBm		
M4		1	7.3357 GHz	-49.63 dBm		
M5		1	9.9033 GHz	-48.73 dBm		

n40 2452MHz Ant1 Ref



n40 2452MHz Ant1 Emission



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	2.45 GHz	-14.48 dBm		
M2		1	19.3531 GHz	-42.94 dBm		
M3		1	4.9005 GHz	-51.05 dBm		
M4		1	7.521 GHz	-50.05 dBm		
M5		1	9.8504 GHz	-48.43 dBm		

7 Restrict Band

7.1 Test Result

Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
b	2412	Ant1	2310	-43.11	4.47	56.62	Peak	74	Pass
b	2412	Ant1	2310	-53.62	4.47	46.11	Average	54	Pass
b	2412	Ant1	2339.367	-41.57	4.47	58.16	Peak	74	Pass
b	2412	Ant1	2337.261	-51.27	4.47	48.46	Average	54	Pass
b	2412	Ant1	2390	-43.71	4.47	56.02	Peak	74	Pass
b	2412	Ant1	2390	-53.56	4.47	46.17	Average	54	Pass
b	2462	Ant1	2483.5	-43.45	4.47	56.28	Peak	74	56.28
b	2462	Ant1	2483.5	-53.68	4.47	46.05	Average	54	Pass
b	2462	Ant1	2484.524	-42.46	4.47	57.27	Peak	74	Pass
b	2462	Ant1	2486.591	-53.58	4.47	46.15	Average	54	Pass
b	2462	Ant1	2500	-44.41	4.47	55.32	Peak	74	Pass
b	2462	Ant1	2500	-53.81	4.47	45.92	Average	54	Pass
g	2412	Ant1	2310	-44.49	4.47	55.24	Peak	74	Pass
g	2412	Ant1	2310	-52.95	4.47	46.78	Average	54	Pass
g	2412	Ant1	2366.979	-40.89	4.47	58.84	Peak	74	Pass
g	2412	Ant1	2339.367	-50.46	4.47	49.27	Average	54	Pass
g	2412	Ant1	2390	-44.42	4.47	56.02	Peak	74	Pass
g	2412	Ant1	2390	-53.07	4.47	46.66	Average	54	Pass
g	2462	Ant1	2483.5	-44.23	4.47	55.5	Peak	74	Pass
g	2462	Ant1	2483.5	-52.25	4.47	47.48	Average	54	Pass
g	2462	Ant1	2484.524	-43.87	4.47	55.86	Peak	74	Pass
g	2462	Ant1	2491.52	-51.83	4.47	47.9	Average	54	Pass
g	2462	Ant1	2500	-45.51	4.47	55.32	Peak	74	Pass
g	2462	Ant1	2500	-52.33	4.47	47.4	Average	54	Pass
n20	2412	Ant1	2310	-45.08	4.47	54.65	Peak	74	Pass
n20	2412	Ant1	2310	-52.37	4.47	47.36	Average	54	Pass
n20	2412	Ant1	2339.601	-39.82	4.47	59.91	Peak	74	Pass
n20	2412	Ant1	2337.729	-50.76	4.47	48.97	Average	54	Pass
n20	2412	Ant1	2390	-44.73	4.47	55	Peak	74	Pass
n20	2412	Ant1	2390	-52.7	4.47	47.03	Average	54	Pass
n20	2462	Ant1	2483.5	-43.66	4.47	56.07	Peak	74	Pass
n20	2462	Ant1	2483.5	-52.6	4.47	47.13	Average	54	Pass
n20	2462	Ant1	2500	-42.36	4.47	57.37	Peak	74	Pass
n20	2462	Ant1	2485.743	-52.08	4.47	47.65	Average	54	Pass

n20	2462	Ant1	2500	-42.36	4.47	57.37	Peak	74	Pass
n20	2462	Ant1	2500	-53.07	4.47	46.66	Average	54	Pass
n40	2422	Ant1	2310	-41.17	4.47	58.56	Peak	74	Pass
n40	2422	Ant1	2310	-52.9	4.47	46.83	Average	54	Pass
n40	2422	Ant1	2344.79	-39.33	4.47	60.4	Peak	74	Pass
n40	2422	Ant1	2338.968	-50.75	4.47	48.98	Average	54	Pass
n40	2422	Ant1	2390	-43.97	4.47	55.76	Peak	74	Pass
n40	2422	Ant1	2390	-52.49	4.47	47.24	Average	54	Pass
n40	2452	Ant1	2483.5	-42.11	4.47	57.62	Peak	74	Pass
n40	2452	Ant1	2483.5	-52.12	4.47	47.61	Average	54	Pass
n40	2452	Ant1	2497.348	-40.98	4.47	58.75	Peak	74	Pass
n40	2452	Ant1	2488.612	-51.63	4.47	48.1	Average	54	Pass
n40	2452	Ant1	2500	-44.91	4.47	54.82	Peak	74	Pass
n40	2452	Ant1	2500	-52.7	4.47	47.03	Average	54	Pass

7.2 Test Graphs

Test Graphs

b 2412MHz Ant1 Peak



b 2412MHz Ant1 Average



b 2462MHz Ant1 Peak



b 2462MHz Ant1 Average



g 2412MHz Ant1 Peak



g 2412MHz Ant1 Average



g 2462MHz Ant1 Peak



g 2462MHz Ant1 Average



n20 2412MHz Ant1 Peak



n20 2412MHz Ant1 Average



n20 2462MHz Ant1 Peak



n20 2462MHz Ant1 Average



n40 2422MHz Ant1 Peak



n40 2422MHz Ant1 Average



n40 2452MHz Ant1 Peak



n40 2452MHz Ant1 Average



---The End---